This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

FIRST REPORT

TO THE

LEGISLATURE OF VERMONT,

RELATING TO THE

Registry and Returns

OF

BIRTHS, MARRIAGES AND DEATHS,

IN THIS STATE,

FOR THE YEAR ENDING DECEMBER 31, 1857.

PREPARED UNDER THE DIRECTION OF

BENJ. W. DEAN,

SECRETARY OF STATE.

Burlington:

DAILY TIMES BOOK AND JOB PRINTING ESTABLISHMENT.

1859.

IN HOUSE OF REPRESENTATIVES,

October 28th, 1858.

Ordered to lie, and One Thousand Copies ordered to be printed for the use of the House.

GEO. H. BIGELOW,
Ass't Clerk.

NEW YORK
PUBLIC
LIBRARY

STATE OF VERMONT.

SECRETARY OF STATE'S OFFICE,
MONTPELIER, October 28, 1858.

To the General Assembly of the State of Vermont :

In compliance with the requisitions of the Statutes of the State, I have the honor of submitting to the General Assembly the first annual Report relating to the Registration and Returns of Births, Marriages and Deaths, which have occurred in Vermont during the year ending on the 31st day of December, 1857. The record books and blanks for the use of town and school district clerks, required by the act relating to the registry and returns of births, &c., were prepared under the direction of Dr. Hiram F. Stevens, of St. Albans, who has taken a deep interest in the subject, and to whose influence the State is indebted for the passage of said act.

The Report is from the pen of Dr. Charles L. Allen, of Middlebury, under whose superintendence the abstracts and accompanying tables have been condensed and arranged for convenient use, from the returns made by town clerks.

In the preparation of the tables, and also in the calculations submitted in the summary remarks, the facts deduced from the census of 1850 have been used.

It will be observed that pains have been taken to preserve in this report a general conformity with recent reports of a similar character in the State of Massachusetts, which are in accordance with the plan recommended by the American Medical Association.

Returns have been received by this department from nearly all the town clerks in the State; but, from an examination of these returns, it would seem that school district clerks, and that magistrates and clergymen, who have performed the marriage ceremony, have, in many instances, neglected to comply with the provisions of the registration law.

It is presumed, however, that as the benefits resulting from complete registration returns shall become better understood, a stricter compliance with the law will be observed by those whose duty it is to make such returns to the town clerks.

Respectfully submitted,

BENJ. W. DEAN,

Secretary of State.

ERRATA.

Page VII. line 30, instead of "Supplement" read "Table."
" " " 36 " 102 " 103
" " " 38 " 103 " 104
" " " 40 " 104 " 105
" 2 at the beginning of the first line insert "TABLE I."
" 13 the whole line of figures for Marriages and Deaths for Northfield properly belongs to Woodbury,
that for Plainfield " " Northfield,
" Roxbury " " Plainfield,
" Waitsfield " " Roxbury,
" Warren " " Waitsfield,
" Waterbury " " Warren,
" Woodbury " " Waterbury.
" 16 The parentage of Births in Woodstock should read American 49, Foreign 5, unknown 2.
" 20 line first, for "TABLE I," read "*Table* II."
" 22 " " ditto.
" 24 " " ditto.
" 34 the population of Hardwick should read 1402.
" 44 the female population of Williamstown " 719.
" 46 the male " Newport " 378.
" 46 the female " " " 370.
" 54 the " " Wardsboro " 565.
" 58 the male " Windham Co., " 14,838.
" 70 the number of specified causes in Rutland Co., should read 368 instead of 268.
" 75 the diseases of the Integumentary System in Rutland Co. should read Abscess 2, Leprosy 1.
" 95 line 15, instead of "V," read "VI, page 62."
" 105 " 18, " "Sume" read "Zume."

CONTENTS.

TABLES.

PAGE

I. General Abstract.—Population of 1850. Births, Marriages and Deaths, by Counties and Towns,—showing the number of each sex, and the percentage of those born,—the nativity of those married,—the sex, the aggregate and average age of those who died,—and the ratios to the population, - - - - - - 2

Recapitulation of the general abstract, - - - 18

II. Births.—Showing the number of each sex, in each County, during each month,—also, a recapitulation of the parentage, - - - - - - - - - - 20

Supplement.—Plurality Births, - - - - 24

III. Marriages, by Counties and Months, - - - 25

IV. Deaths.—Showing the number of each sex, in each County, during each Month, - - - - - - 26

V. Deaths, according to age.—Showing the number of each sex, at different ages, in each Town and County, —with the population and percentage, - - - 30

Recapitulation of Deaths according to age, - - - 58

VI. Causes of Death.—Alphabetically arranged,—showing the number of each sex dying at different ages, during each month, with the various diseases, - - - 62

VII. Classification of the Causes of Death,—by Counties, with the totals, the percentage and the ratio of the population, - - - - - - - - - 70

VIII. Occupations.—Showing the number of those pursuing different occupations, the number of deaths in each, the ratio to the living, and the aggregate and average ages at death of those dying, - - - - - - 78

REMARKS.

Introductory. How extensively the returns have been made, - - - - - - - - - - - 81

Practicability of Registration demonstrated, - - - 81

PAGE

Benefits become more obvious from year to year, - - 81

POPULATION:

United States' Census of 1850 used in this report, - 82

Table, showing the population of this State, at different periods, together with the increase, and the percentage of increase, - - - - - - - - - 82

Causes of variable increase, - - - - - - 83

Estimated population of Vermont for 1857, - - 83

Table, comparing the increase of Vermont with the increase of the United States, also the ratio of the population of Vermont to that of the whole U. S., at different census periods, - - - - - - 83

Table, showing the numbers and excess of each sex, at different periods, - - - - - - - - 84

Nativities of the population, and natives of Vermont out of the State, - - - - - - - - - 84

Number of Families and Dwellings, - - - - 84

Area and density of population, - - - - - 84

Ages of inhabitants compared with Massachusetts and England, - - - - - - - - - 85

BIRTHS:

All the Births not reported, - - - - - - 85

Number compared with Mass., England and France, - 86

Ratio of sexes in Vermont and Massachusetts, - - 86

Table. showing the number of each sex in the several counties, - - - - - - - - - 86

Table, Births by months and sexes, - - - - 87

Influence of season, - - - - - - - - 87

Pleurality cases, - - - - - - - - 87

Table, showing the excess of births over deaths in the several counties, - - - - - - - - 88

MARRIAGES:

Returns incomplete in detail, - - - - - - 88

Number returned compared with Mass., England and France, - - - - - - - - - - 89

Effect of season upon the number of marriages, - - 89

DEATHS:

Returns deficient but more complete than the U. S. census returns, - - - - - - - - 90

PAGE

Table, showing the relative force of mortality in the several counties, - - - - - - - - - 90
Force of mortality as returned compared with that of other places, - - - - - - - - - 91
Probable true force of mortality, - - - - - 91
Table, showing the percentage of mortality at different ages, 92
Mortality of the sexes compared, - - - - - 92
Table, showing the number of deaths of males and females at different ages, - - - - - - 92
Excess of male mortality at the extremes of life, - - 92
Disproportionate excess of female mortality at middle age, 93
Counties compared in this respect, - - - - - 94
Average age at death, - - - - - - - 94
Season. Greatest number of deaths in October, - - 94
Centennarians, - - - - - - - - - - 95
Causes of Death not sufficiently discriminated, - - 95
Classification of causes of death, - - - - - - 95
Farr's classification adopted and explained, - - - 96
Class I defined, and new order proposed, - - - 97
Standard for estimating the hygienic character of any locality, - - - - - - - - - - 98
Class II and IV show the constitutional stamina of a community, - - - - - - - - - - 98
Class III, residual, - - - - - - - - - 98
Class V, the standard for estimating the moral and social condition of communities, - - - - - - 99
Zymotic Diseases in this State during the year, - - 99
Table showing the force of mortality from Zymotics in the several counties, - - - - - - - - 100
Supplement showing the force of mortality from Typhus fever, in the several months and at different ages, - 100
Scarlatina, Croup and Dysentery, - - - - - 101
Constitutional Diseases, Dropsy and Cancer, - - 101
Table, showing the various facts in regard to Consumption, - - - - - - - - - - 101½
Influence of season, sex and age upon Consumption, - 102
Local Diseases, Pneumonia, - - - - - - 103
Developmental Diseases, Old Age, &c., - - - 103
Violent Deaths, - - - - - - - - - - 104

APPENDIX :

Classification and Nomenclature of diseases, - - - 104
Statutes concerning Registration, - - - - - 115

REGISTRATION

OF

BIRTHS, MARRIAGES, & DEATHS,

IN

VERMONT,

FOR THE YEAR ENDING DECEMBER 31, 1857.

BIRTHS, MARRIAGES,

Returned to the Secretary's Office, for

Counties & Towns.	Population in 1850.	BIRTHS. Whole number.	Sex. M.	Sex. F.	Sex. Unk.	Parentage. Am.	Parentage. For.	Parentage. unk.	No. in each 1000 inhabitants.
ADDISON:									
Addison,	1,279	17	8	9	—	11	5	1	13.26
Bridport,	1,393	21	10	11	—	11	10	—	15.07
Bristol,	1,344	23	12	11	—	18	2	3	17.11
Cornwall,	1,155	23	11	12	—	13	9	1	20.78
Ferrisburgh,	2,075	12	6	5	1	7	1	4	5.78
Goshen,	486	10	7	3	—	5	2	3	20.57
Granville,	603	—	—	—	—	—	—	—	—
Hancock,	430	2	2	—	—	1	—	1	4.65
Leicester,	596	20	9	11	—	8	9	3	13.54
Lincoln,	1,057	31	19	12	—	26	4	1	28.38
Middlebury,	3,517	63	38	25	—	40	23	—	17.91
Monkton,	1,246	32	18	13	1	25	3	4	25.68
New Haven,	1,663	19	8	11	—	11	8	—	10.82
Orwell,	1,470	24	12	12	—	14	10	—	16.32
Panton,	559	10	5	5	—	5	1	4	17.89
Ripton,	567	12	8	4	—	4	—	8	21.16
Salisbury,	1,027	13	7	6	—	9	4	—	11.68
Shoreham,	1,601	20	10	9	1	8	11	1	12.49
Starksboro',	1,400	34	18	16	—	27	5	2	24.28
Vergennes,	1,378	35	12	12	11	12	11	12	25.39
Waltham,	270	5	3	2	—	5	—	—	18.50
Weybridge,	804	9	3	6	—	6	3	—	11.19
Whiting,	629	4	—	4	—	1	3	—	6.35
Totals,	26,549	439	226	199	15	267	124	48	16.42
BENNINGTON.									
Arlington,	1,084	—	—	—	—	—	—	—	—
Bennington,	3,923	125	63	62	—	77	42	6	31.84
Dorset,	1,700	53	28	24	1	20	22	11	31.11
Glastenbury,	52	3	3	—	—	1	—	2	57.69
Landgrove,	337	9	4	5	—	2	—	7	26.71
Manchester,	1,782	29	12	17	—	14	3	12	16.27
Peru,	567	6	2	4	—	2	—	4	10.58
Pownal,	1,742	31	16	14	1	26	3	2	17.74
Readsboro,	857	13	7	6	—	—	—	13	15.16

AND DEATHS.

the year ending December 31, 1857.

MARRIAGES.					DEATHS.							
Whole number.	Nativity.			No. in each 1000 inhabitants.	Whole number	Sex.			Age.			No. in each 1000 inhabitants.
	Am.	For.	Unk.			M.	F.	Unk.	Ages given.	Agg'te.	Av'age.	
1	1	—	—	78	6	1	5	–	6	191	31.80	4.69
14	11	1	2	10.05	4	1	3	–	4	178	44.46	2.87
11	10	—	1	8.18	24	8	16	–	23	1,058	46.02	17.85
6	6	—	—	5.19	8	6	2	–	8	232	29.04	6.92
5	5	—	—	2.39	13	3	8	2	9	389	43.23	6.21
3	1	1	1	6.17	8	2	6	–	5	212	42.34	16.46
—	—	—	—	—	2	1	1	–	2	62	31.00	3.32
—	—	—	—	—	3	—	3	–	3	180	59.90	6.97
3	2	1	—	5.03	10	6	4	–	9	235	26.07	16.77
14	10	—	4	13.14	15	8	7	–	15	508	33.85	14.19
27	8	3	16	7.67	44	28	16	–	43	1,647	38.32	12.05
5	5	—	—	4.01	16	9	7	–	16	434	27.12	12.84
7	7	—	—	4.21	23	7	16	–	23	858	37.31	13.83
9	6	2	1	6.12	16	8	8	–	16	688	43.05	10.88
3	2	—	1	5.37	7	4	3	–	4	67	16.75	12.52
7	1	—	6	18.51	9	2	7	–	9	239	26.58	15.87
3	3	—	—	2.92	5	3	2	–	5	242	48.30	4.86
7	1	—	6	12.39	17	8	9	–	17	522	30.69	10.62
9	8	—	1	6.43	12	6	6	–	11	275	25.03	8.57
26	—	—	26	18.86	15	6	2	7	6	180	29.97	10.88
2	1	—	1	7.40	2	2	—	–	2	22	11.00	7.40
3	1	—	2	3.73	7	2	5	–	7	348	49.66	8.70
7	2	—	5	11.11	4	2	2	–	4	151	37.69	6.35
172	91	8	73	6.55	270	123	138	9	247	8,918	36.10	10.13
—	—	—	—	—	—	—	—	–	—	—	—	—
9	4	—	5	17.84	70	34	36	–	66	2,183	33.07	17.84
7	7	—	—	4.12	27	12	15	–	27	728	26.96	15.88
—	—	—	—	—	2	1	1	–	2	13	6.48	38.46
4	—	—	4	11.88	10	5	5	–	7	222	31.69	29.67
9	3	—	6	5.05	27	12	15	–	25	726	29.04	15.15
5	—	—	5	8.82	9	7	2	–	9	596	66.27	15.87
8	2	—	6	4.59	21	12	9	–	19	713	37.57	12.05
6	1	—	5	6.22	8	2	6	–	8	219	27.40	9.33

Births, Marriages and Deaths.

Counties & Towns.	Population in 1850.	BIRTHS.							
		Whole number.	Sex.			Parentage.			No. in each 1000 inhabitants.
			M.	F.	Unk.	Am.	For.	Unk.	
Bennington—Con,									
Rupert,	1,101	21	12	9	—	7	4	10	19.07
Sandgate,	850	18	11	7	—	13	2	3	21.16
Searsburgh,	201	6	4	2	—	5	—	1	29.84
Shaftsbury,	1,896	55	24	31	—	40	11	4	29.00
Stamford,	833	24	16	8	—	19	3	2	28.57
Sunderland,	479	4	1	3	—	2	—	2	8.14
Woodford,	423	9	2	7	—	7	2	—	21.25
Winhall,	762	9	5	4	—	9	—	—	11.81
Totals,	18,589	415	210	203	2	244	92	79	22.32
CALEDONIA.									
Barnet,	2,521	28	19	9	—	23	5	—	11.10
Bradleyvale,	107	—	—	—	—	—	—	—	—
Burke,	1,103	24	12	12	—	19	5	—	21.76
Cabot,	1,356	29	16	13	—	25	1	3	21.38
Danville,	2,577	51	20	30	1	40	6	5	19.79
Groton { Goshen Gr. / Harris "	1,118	32	17	15	—	31	—	1	28.62
Hardwick,	1,402	22	16	6	—	17	2	3	15.69
Kirby,	509	14	7	7	—	12	2	—	27.23
Lyndon,	1,752	32	17	9	6	9	12	11	18.26
Newark,	434	12	5	7	—	10	2	—	25.34
Peacham,	1,377	36	19	17	—	31	4	1	26.13
Ryegate,	1,606	23	13	10	—	18	5	—	14.32
Sheffield,	797	23	15	8	—	19	3	1	28.86
St. Johnsbury,	2,758	114	61	53	—	85	24	5	40.60
Sutton,	1,001	22	13	9	—	18	1	3	21.97
Walden,	910	27	11	16	—	21	5	1	30.31
Waterford,	1,412	24	10	14	—	20	3	1	16.28
Wheelock,	855	12	7	5	—	7	4	1	14.02
Totals,	23,595	525	278	240	7	405	84	36	22.03
CHITTENDEN.									
Bolton,	602	6	3	3	—	1	1	4	9.96
Burlington,	7,585	170	90	79	1	—	—	170	22.42
Charlotte,	1,634	44	26	18	—	25	18	1	25.70
Colchester,	2,575	87	51	36	—	39	42	6	23.78
Essex,	2,052	34	21	13	—	23	9	2	13.53
Hinesburgh,	1,834	55	30	25	—	42	12	1	29.98
Huntington,	903	20	12	8	—	19	1	—	21.04
Jericho,	1,837	42	23	19	—	20	14	8	27.76

for the year 1857—Continued.

MARRIAGES.					DEATHS.							
Whole number	NATIVITY.			No. in each 1000 inhabitants.	Whole number	SEX.			AGE.			No. in each 1000 inhabitants.
	Am.	For.	Unk.			M.	F.	Unk.	Ages given	Agg'te	Av'age.	
8	6	—	2	7.26	12	6	6	–	12	521	43.43	10.89
3	3	—	—	3.53	9	4	5	–	9	501	55.70	10.58
2	2	—	—	9.95	3	2	1	–	3	41	13.74	14.92
10	10	—	—	5.28	21	8	13	–	21	628	29.87	11.60
11	7	—	4	13.20	11	8	3	–	11	249	22.60	13.20
—	—	—	—	—	4	1	3	–	4	152	37.97	8.14
—	—	—	—	—	4	3	1	–	3	139	46.33	9.45
4	4	—	—	5.25	12	7	5	–	12	239	19.93	15.74
86	49	—	37	4.62	250	123	127	–	238	7,870	28.06	13.50
8	7	1	—	3.17	13	6	7	–	13	405	31.47	5.15
—	—	—	—	—	—	—	—	–	—	—	—	—
15	10	—	5	13.59	23	9	14	–	22	906	41.13	20.85
12	3	—	9	8.85	15	7	7	1	15	478	31.91	11.06
15	8	—	7	5.81	35	19	16	–	35	1,438	41.11	13.57
2	1	—	1	1.79	13	5	8	–	13	342	26.29	11.62
3	3	—	—	2.14	13	6	7	–	13	497	38.23	9.27
2	1	1	—	3.89	6	1	5	–	6	174	29.07	11.67
10	10	—	—	5.71	28	11	17	–	24	969	40.37	15.98
—	—	—	—	—	5	3	2	–	5	160	31.93	11.52
21	13	1	7	15.25	10	5	5	–	10	482	48.15	7.26
6	5	—	1	3.73	7	2	5	–	7	402	57.52	4.35
8	8	—	—	10.03	8	7	1	–	8	254	31.76	10.03
10	8	1	1	3.57	59	27	32	–	58	1,837	31.67	21.39
10	6	—	4	9.91	15	8	7	–	15	583	38.89	14.87
7	3	3	1	7.86	15	4	11	–	14	394	28.11	16.84
7	2	—	5	4.96	10	4	6	–	10	391	39.08	7.08
6	4	1	1	7.01	8	3	5	–	7	327	46.77	9.35
142	92	8	42	5.69	283	127	155	1	275	10,039	36.50	11.99
3	—	—	3	4.98	1	—	1	–	1	29	29	1.66
27	—	—	27	3.56	82	36	46	–	81	2,052	25.34	10.81
4	1	3	—	2.45	14	7	7	–	14	456	32.54	8.56
34	19	6	9	13.20	21	11	10	–	21	788	38.95	8.16
1	1	—	—	.41	25	12	13	–	25	981	39.25	12.13
17	12	5	—	9.27	27	14	12	1	26	694	26.69	14.72
10	8	—	2	11.07	15	4	11	–	15	690	46.02	16.61
11	6	—	5	5.98	34	20	14	–	32	1,314	41.36	18.30

Births, Marriages, and Deaths,

Counties & Towns.	Population in 1850.	BIRTHS.							
		Whole number.	SEX.			PARENTAGE.			No. in each 1000 inhabitants.
			M.	F.	Unk.	Am.	For.	Unk.	
Chittenden—Con.									
Milton,	2,457	20	10	10	—	13	6	1	8.16
Richmond,	1,453	14	5	9	—	9	5	—	9.63
Shelburne,	1,257	19	6	13	—	11	8	—	14.32
St. George,	127	2	1	1	—	1	1	—	15.74
Underhill,	1,599	12	6	6	—	2	10	—	7.50
Westford,	1,458	24	11	13	—	22	1	1	16.46
Williston,	1,669	20	10	10	—	9	11	—	11.96
Totals,	29,036	569	305	263	1	236	139	194	19.59
ESSEX.									
Averill,	7	—	—	—	—	—	—	—	—
Bloomfield,	244	—	—	—	—	—	—	—	—
Brighton,	193	—	—	—	—	—	—	—	—
Brunswick,	119	1	1	—	—	1	—	—	8.40
Canaan,	471	9	3	6	—	9	—	—	19.11
Concord,	1,153	28	14	14	—	28	—	—	24.28
Easthaven,	94	4	2	2	—	2	1	1	42.53
Granby,	127	6	2	4	—	6	—	—	47.22
Guildhall,	501	11	6	5	—	6	2	3	20.09
Lemington,	187	5	2	3	—	4	—	1	26.74
Lunenburgh,	1,123	9	3	6	—	7	—	2	8.01
Maidstone,	237	4	4	—	—	4	—	—	16.88
Victory,	168	4	2	2	—	4	—	—	23.81
Wenlock,	26	—	—	—	—	—	—	—	—
Totals,	4,650	81	39	42	—	71	3	7	17.41
FRANKLIN.									
Bakersfield,	1,523	28	11	17	—	19	8	1	18.38
Berkshire,	1,955	33	17	16	—	16	13	4	16.91
Enosburgh,	2,009	35	20	15	—	23	11	1	17.41
Fairfax,	2,111	25	12	13	—	21	2	2	11.31
Fairfield,	2,591	46	20	26	—	20	22	4	17.75
Fletcher,	1,084	27	13	14	—	21	2	4	24.91
Franklin,	1,646	19	6	13	—	5	—	14	12.21
Georgia,	2,686	39	12	27	—	22	16	1	14.52
Highgate,	2,653	60	33	27	—	30	23	7	22.61
Montgomery,	1,001	25	10	15	—	17	8	—	24.97
Richford,	1.074	9	3	6	—	6	3	—	8.38
Sheldon,	1,814	40	22	18	—	19	13	8	22.05
St. Albans,	3,567	62	28	34	—	28	33	1	17.10

for the year 1857—Continued.

MARRIAGES.					DEATHS.							
Whole number.	Nativity.			No. in each 1000 inhabitants.	Whole number.	Sex.			Age.			No. in each 1000 inhabitants.
	Am.	For.	Unk.			M.	F.	Unk.	Ages given.	Agg'ate.	Av'age.	
7	6	—	1	3.23	8	3	5	–	6	248	41.25	3.26
1	1	—	—	69	9	3	6	–	9	404	44.88	6.19
10	7	—	3	7.95	13	6	7	–	13	535	41.14	10.34
—	—	—	—	—	1	1	—	–	1	81	80.93	7.87
8	6	2	—	5.00	16	6	9	1	15	505	33.66	10.01
9	8	1	—	6.17	10	3	7	–	9	473	52 53	6.86
4	4	—	—	2.39	19	10	9	–	19	827	43.55	11.38
146	79	17	50	5.02	295	136	157	2	287	10,077	35.11	10.16
—	—	—	—	—	—	—	—	–	—	—	—	—
—	—	—	—	—	—	—	—	–	—	—	—	—
—	—	—	—	—	—	—	—	–	—	—	—	—
—	—	—	—	—	1	—	1	–	1	31	31	8.40
4	4	—	—	8.49	7	4	3	–	7	294	42.01	14.86
12	2	—	10	10.41	21	11	10	–	21	831	39.57	18.21
1	1	—	—	10.63	2	—	2	–	2	50	25.15	21.27
2	2	—	—	15.74	1	1	—	–	1	16	15.50	7.87
1	1	—	—	1.99	7	3	4	–	7	359	51.28	13.97
—	—	—	—	—	8	2	6	–	8	288	36.02	42.87
7	—	—	7	6.23	12	6	6	–	12	448	37.35	10.69
—	—	—	—	—	1	—	1	–	1	5	4.05	4.22
3	—	—	3	17.85	5	2	3	–	5	137	27.32	29.76
—	—	—	—	—	—	—	—	–	—	—	—	—
30	10	—	20	6.45	65	29	36	–	65	2,459	37.83	13.98
8	3	1	4	5.25	25	12	13	–	22	182	36.46	16.41
3	2	—	1	1.54	12	7	5	–	12	466	38.79	6.14
13	8	1	4	6.44	25	8	17	–	24	963	40.12	12.44
5	4	1	—	2.36	22	10	12	–	20	885	44.25	10.42
6	4	1	1	2.32	21	9	12	–	20	696	34.81	7.72
7	5	1	1	6.45	17	11	5	1	16	718	44.94	15.69
17	—	—	17	10.32	4	3	1	–	4	176	44.06	2.43
12	10	1	1	4.47	15	10	5	–	15	546	36.40	5.58
16	2	4	10	6.03	18	9	9	–	17	599	35.20	6.78
6	2	3	1	5.99	14	8	6	–	12	529	44.12	5.99
23	5	3	15	21.41	5	2	3	–	5	108	21.52	4.65
11	—	—	11	6.06	22	10	11	1	21	554	25.43	12.13
17	4	—	13	4.76	22	11	11	–	21	861	41.03	6.16

Births, Marriages, and Deaths,

Counties & Towns.	Population in 1850.	BIRTHS. Whole number.	Sex. M.	Sex. F.	Sex. Unk.	Parentage. Am.	Parentage. For.	Parentage. Unk.	No. in each 100 inhabitants.
Franklin—Con.									
Swanton,	2,824	82	41	40	1	38	39	5	26.83
Avery's Gore,	48	—	—	—	—	—	—	—	—
Totals,	28,586	530	248	281	1	285	193	52	18.54
GRAND ISLE.									
Alburgh,	1,568	44	24	20	—	26	16	2	28.05
Grand Isle,	666	29	16	13	—	18	11	—	43.54
Isle La Motte,	476	27	14	13	—	9	17	1	54.60
North Hero,	730	10	4	6	—	6	4	—	13.71
South Hero,	705	12	8	4	—	4	8	—	17.01
Totals,	4,145	122	66	56	—	63	56	3	29.20
LAMOILLE.									
Belvidere,	256	9	7	2	—	5	4	—	35.13
Cambridge,	1,849	18	11	7	—	16	2	—	9.74
Eden,	668	12	4	8	—	8	3	1	17.96
Elmore,	504	7	7	—	—	5	—	2	13.89
Hydepark,	1,107	31	20	11	—	22	5	4	28.00
Johnson,	1,381	35	16	19	—	28	5	2	25.34
Morristown,	1,441	34	14	19	1	31	3	—	23.59
Stowe,	1,771	27	12	15	—	20	5	2	15.24
Waterville,	753	—	—	—	—	—	—	—	—
Wolcott,	909	28	12	16	—	25	2	1	30.80
Totals,	10,872	201	103	97	1	160	29	12	18.48
ORANGE.									
Bradford,	1,723	36	22	14	—	31	1	4	20.31
Braintree,	1,228	33	22	11	—	16	4	13	26.05
Brookfield,	1,672	21	9	12	—	19	—	2	12.68
Chelsea,	1,958	39	18	21	—	38	1	—	19.91
Corinth,	1,936	17	10	7	—	12	1	4	8.92
Fairlee,	575	11	6	5	—	8	—	3	19.13
Newbury,	2,984	66	28	38	—	53	13	—	22.11
Orange,	1,007	31	15	16	—	27	2	2	28.79
Randolph,	2,666	62	37	25	—	52	7	3	22.25
Strafford,	1,540	31	16	15	—	27	3	1	20.14
Thetford,	2,016	36	17	19	—	28	2	6	17.85
Topsham,	1,668	32	19	13	—	29	2	1	18.58
Tunbridge,	1,786	28	22	6	—	27	—	1	15.67

for the year 1857—Continued.

MARRIAGES.					DEATHS.							
Whole number.	NATIVITY.			No. in each 1000 inhabitants.	Whole number.	SEX.			AGE.			No. in each 1000 inhabitants.
	Am.	For.	Unk.			M.	F.	Unk.	Ages given.	Agg'ate.	Av'age.	
11	3	2	6	3.92	34	17	15	2	31	803	26.55	12.04
—	—	—	—	—	—	—	—	—	—	—	—	—
155	52	18	85	5.42	256	127	125	4	240	8,086	33.69	8.95
2	1	1	—	1.27	13	10	3	—	10	268	26.77	8.28
3	2	1	—	4.50	7	6	1	—	6	301	50.08	10.51
2	1	1	—	4.20	7	1	6	—	7	182	26.01	14.70
3	1	2	—	4.11	1	—	1	—	1	81	81.27	1.37
—	—	—	—	—	4	1	3	—	4	218	54.60	5.67
10	5	5	—	2.41	32	18	14	—	28	1,050	37.50	7.72
2	2	—	—	7.81	3	1	2	—	3	63	21.06	11.71
8	4	1	3	4.33	13	5	8	—	11	400	36.38	7.03
4	4	—	—	5.98	5	3	2	—	5	169	33.80	7.48
2	2	—	—	3.97	2	—	2	—	2	77	38.37	3.97
3	3	—	—	2.71	20	10	10	—	19	436	22.83	18.06
9	—	—	9	6.58	8	2	6	—	7	303	43.25	5.79
13	2	1	10	9.02	19	7	12	—	18	594	32.44	13.17
5	4	—	1	8.82	15	6	9	—	15	622	41.45	8.46
—	—	—	—	—	—	—	—	—	—	—	—	---
5	4	1	—	5.50	7	1	6	—	7	216	30.91	7.70
51	25	3	23	4.69	92	35	57	—	87	2,880	33.10	8.46
18	7	—	11	10.01	24	13	11	—	22	831	37.77	13.34
13	7	—	6	10.58	14	5	9	—	13	628	48.23	11.40
12	10	—	2	7.17	18	6	12	—	18	1,000	55.56	10.76
15	11	—	4	7.66	21	11	10	1	21	902	42.97	10.72
12	11	—	1	6.29	13	5	8	—	13	685	52.65	6.82
2	1	—	1	3.48	8	4	4	—	8	452	56.50	13.91
20	16	2	2	6.70	30	15	19	1	30	1,291	43.02	10.05
4	3	—	1	3.96	14	8	6	—	14	493	35.20	13.90
23	11	—	12	8.62	25	11	14	—	25	1,043	41.53	9.37
7	4	—	3	4.54	21	8	13	—	21	1,186	56.51	13.64
15	9	—	6	7.44	24	9	15	—	24	1,230	51.27	11.90
9	5	1	3	5.39	26	11	15	—	25	1,045	41.78	15.58
10	—	10	—	5.60	12	9	3	—	12	482	40.19	6.72

Births, Marriages, and Deaths,

Counties & Towns.	Population in 1850.	BIRTHS.							
		Whole number.	SEX.			PARENTAGE.			No. in each 100 inhabitants.
			M.	F.	Unk.	Am.	For.	Unk.	
Orange—Con.									
Vershire,	1,071	29	15	14	—	28	1	—	27.08
Washington,	1,348	23	14	9	—	21	—	2	17.06
West Fairlee,	696	17	9	8	—	12	1	4	24.42
Williamstown,	1,452	44	21	22	1	37	3	4	30.30
Totals,	27,296	556	300	255	1	465	41	50	20.37
ORLEANS.									
Albany,	1,052	23	15	8	—	14	8	1	21.86
Barton,	987	10	2	7	1	3	3	4	1.01
Brownington,	613	20	8	12	—	16	4	—	32.62
Charleston,	1,008	29	12	16	1	26	1	2	28.77
Coventry,	867	27	14	12	1	21	6	—	31.14
Craftsbury,	1,223	27	15	12	—	19	7	1	21.26
Derby,	1,750	39	17	22	—	26	12	1	22.28
Glover ,,	1,137	29	11	18	—	17	10	2	26.31
Greensboro',	1,008	35	16	19	—	27	8	—	34.72
Holland,	669	18	13	5	—	9	6	3	26.90
Irasburgh,	1,034	28	16	12	—	21	3	4	27.08
Jay,	371	11	5	6	—	9	1	1	29.65
Lowell,	637	21	15	6	—	12	6	3	32.97
Morgan,	486	18	12	6	—	10	5	3	37.03
Newport,	748	25	11	14	—	16	2	7	33.42
Salem,	455	9	5	4	—	5	4	—	19.78
Troy,	1,008	20	3	12	5	1	2	17	19.84
Westfield,	502	13	6	7	—	5	5	3	25.89
Westmore,	152	7	5	2	—	—	—	7	45.99
Totals,	15,707	409	201	200	8	257	93	59	26.03
RUTLAND.									
Benson,	1,305	32	12	20	—	17	8	7	24.52
Brandon,	2,835	54	26	28	—	26	28	—	19.33
Castleton,	3.016	74	36	38	—	36	35	3	24.53
Clarendon,	1,477	24	15	8	1	17	3	4	16.25
Chittenden,	675	11	6	5	—	8	1	2	16.29
Danby,	1,535	37	28	9	—	23	14	—	24.10
Fairhaven,	902	32	18	14	—	13	18	1	35.48
Hubbardton,	701	12	6	6	—	9	1	2	17.12
Ira,	400	7	4	3	—	3	1	3	15.00
Mendon,	504	17	10	7	—	12	3	2	31.76
Middletown,	875	18	13	5	—	14	3	1	20.56

for the year 1857—Continued.

MARRIAGES.					DEATHS.							
Whole number.	Nativity.			No. in each 1000 inhabitants.	Whole number.	Sex.			Age.			No. in each 1000 inhabitants.
	Am.	For.	Unk.			M.	F.	Unk.	Ages given.	Agg'ate.	Av'age.	
—	—	—	—	—	13	5	8	–	13	606	46 .62	12 .13
3	—	—	3	2 .22	11	3	8	–	11	430	39 .09	8 .16
13	—	—	13	18 .68	13	6	7	–	12	518	43 .18	18 .68
14	4	—	10	9 .64	25	11	14	–	25	798	31 .53	17 .21
190	99	13	78	6 .97	312	140	171	1	307	13,640	41 .17	11 .07
4	4	—	—	3 .80	8	5	3	–	8	242	30 .77	7 .61
10	2	1	7	1 .01	10	4	6	–	10	471	47 .18	1 .01
8	1	1	6	13 .05	8	5	3	–	8	211	26 .43	13 .05
7	—	—	7	6 .94	22	11	11	–	21	608	28 .93	20 .83
3	1	—	2	3 .46	7	3	4	–	7	428	61 .15	8 .07
5	1	—	4	3 .27	9	5	4	–	8	544	68 .29	7 .36
18	6	1	11	10 .28	17	11	6	–	17	520	30 .58	9 .71
14	1	2	11	12 .31	25	13	12	–	24	1,119	46 .64	21 .11
15	7	5	3	14 .88	24	12	12	–	24	1,128	46 .98	23 .81
—	—	—	—	—	12	4	8	–	12	126	10 .50	17 .92
6	4	—	2	5 .80	9	5	4	-	9	192	21 .36	8 .70
2	—	1	1	5 .39	6	2	4	–	5	98	19 .53	16 .17
2	1	—	1	3 .14	7	5	2	–	7	154	22 .08	10 .98
8	2	2	4	16 .46	3	—	3	–	3	76	25 .26	6 .17
6	4	—	2	8 .02	11	7	4	–	11	150	13 .64	14 .70
4	2	1	1	8 .79	5	3	2	–	5	187	37 .48	10 .99
4	—	—	4	3 .96	12	5	5	2	8	354	44 .19	11 .90
3	1	2	—	5 .97	6	4	2	–	6	376	62 .77	11 .95
4	—	—	4	26 .28	1	1	—	–	1	16	16 .00	6 .57
123	37	16	70	7 .82	202	105	95	2	194	7,000	36 .08	12 .79
12	4	—	8	9 .19	15	8	7	–	14	498	35 .60	11 .49
6	4	1	1	2 .15	23	14	8	1	22	873	38 .76	8 .11
13	11	2	—	4 .31	45	23	22	–	45	1,182	26 .26	11 .60
2	1	—	1	1 .35	19	9	10	–	19	786	41 .38	12 .86
5	3	—	2	7 .41	8	3	5	–	8	100	12 .52	11 .86
13	6	5	2	8 .46	10	6	4	–	9	418	46 .29	6 .51
9	3	3	3	9 .97	12	4	8	–	12	665	55 .44	13 .19
8	8	—	—	11 .41	5	4	1	–	5	184	36 .90	7 .13
2	1	—	1	5 .00	4	4	—	–	4	157	39 .24	10 .00
2	1	—	1	3 .97	3	1	2	–	3	191	63 .68	5 .95
4	1	—	3	4 .57	8	6	2	–	7	372	53 .18	9 .14

Births, Marriages and Deaths.

Counties & Towns.	Population in 1850.	BIRTHS.							
		Whole number.	Sex.			Parentage.			No. in each 1000 inhabitants.
			M.	F.	Unk.	Am.	For.	Unk.	
Rutland—Con.									
Mount Holly,	1,534	23	12	11	—	16	6	1	14.92
Mount Tabor,	308	8	5	3	—	6	2	—	25.96
Pawlet,	1,843	—	—	—	—	—	—	—	—
Pittsfield,	512	11	7	4	—	9	1	1	21.27
Pittsford,	2,026	34	14	20	—	16	15	3	16.20
Poultney,	2,329	67	24	43	—	31	31	5	23.29
Rutland,	3,715	215	122	93	—	57	147	11	57.87
Sherburne,	578	12	6	6	—	10	—	2	20.76
Shrewsbury,	1,268	26	12	14	—	22	3	1	19.84
Sudbury,	794	8	3	5	—	6	2	—	10.06
Tinmouth,	717	4	2	2	—	3	1	—	5.60
Wallingford,	1,688	49	21	26	2	28	17	4	28.43
Wells,	804	9	3	6	—	7	2	—	11.19
West Haven,	718	13	8	5	—	9	3	1	8.08
Totals,	33,059	797	413	381	3	399	344	54	23.95
WASHINGTON.									
Barre,	1,845	29	17	11	1	24	1	4	15.72
Berlin,	1,507	29	16	13	—	18	5	6	19.24
Calais,	1.410	33	15	18	—	30	3	—	23.40
Duxbury,	895	17	11	6	—	12	4	1	18.99
E. Montpelier,	1,447	26	13	11	2	21	3	2	16.58
Fayston,	684	17	9	8	—	9	3	5	24.85
Marshfield,	1,102	33	17	16	—	32	1	—	29.94
Middlesex,	1,365	25	10	15	—	14	8	3	18 31
Montpelier,	2,310	52	27	23	2	27	21	4	22.51
Moretown,	1,335	35	21	14	—	21	14	—	26.28
Northfield,	2.922	104	46	56	2	21	5	78	35.59
Plainfield,	808	21	11	10	—	18	3	—	25.99
Roxbury,	967	26	14	11	1	21	5	—	25.85
Waitsfield,	1.021	21	9	12	—	14	4	3	20.57
Warren,	962	20	5	15	—	19	1	—	20.79
Waterbury,	2,352	41	20	21	—	33	6	2	17.01
Woodbury,	1,070	21	11	10	—	9	1	11	19.72
Worcester,	702	18	6	11	1	17	—	1	25.62
Totals,	24,654	568	278	281	9	360	88	120	23.03
WINDHAM.									
Athens,	359	7	4	3	—	7	—	—	19.49
Brattleboro,	3,816	88	46	42	—	51	26	11	23.06

for the year 1857—Continued.

MARRIAGES.					DEATHS.							
Whole number	NATIVITY.			No. in each 1000 inhabitants.	Whole number.	SEX.			AGE.			No in each 1000 inhabitants.
	Am.	For.	Unk.			M.	F.	Unk.	Ages given	Agg'te	Av'age.	
6	4	—	2	3.91	15	7	8	–	15	427	28.44	9.77
5	4	—	1	16.22	4	1	3	–	4	225	56.14	12.98
—	—	—	—	—	—	—	—	–	—	—	—	—
2	—	—	2	3.91	4	1	3	–	4	111	27.69	7.81
15	11	4	—	7.40	25	13	12	–	24	784	32.75	12.34
8	5	—	3	3.43	25	13	12	–	24	803	33.47	10.73
61	8	19	34	16.42	89	42	46	1	89	1,642	18.45	26.64
4	3	—	1	6.92	8	4	4	–	8	415	51.89	13.84
12	6	1	5	9.45	9	5	4	–	9	338	37.84	7.09
10	7	—	3	12.58	4	4	—	–	4	180	45.13	5.03
1	1	—	—	1.40	5	2	3	–	5	265	53.05	7.01
19	13	3	3	11.25	29	17	12	–	29	1,168	39.24	17.18
—	—	—	—	—	10	4	6	–	10	550	55.01	12.44
1	1	—	—	1.39	5	2	3	–	5	264	52.82	6.96
220	106	38	76	6.65	384	197	185	2	378	12,598	33.32	11.52
11	9	—	2	5.96	35	19	16	–	35	1,095	31.27	18.97
8	8	—	—	5.29	12	7	5	–	12	480	40.03	7.94
6	3	—	3	4.25	15	6	9	–	15	770	51.35	10.64
2	2	—	—	2.37	8	3	5	–	8	373	46.62	9.47
7	5	1	1	4.84	16	10	6	–	15	879	58.63	11.05
3	2	—	1	4.38	7	4	3	–	7	244	34.83	10.23
—	—	—	—	—	11	9	2	–	11	348	31.68	9.98
4	1	—	3	2.19	17	5	12	–	14	528	40.61	12.45
23	1	1	21	9.95	30	15	15	–	27	663	24.54	12.98
5	2	—	3	3.75	18	12	6	–	18	583	32.40	13.48
2	—	—	2	1.87	12	9	3	–	12	643	53.56	11.21
13	4	—	9	4.45	33	21	12	–	28	632	22.56	11.29
7	4	—	3	8.69	11	6	5	–	11	561	51.00	13.61
1	1	—	—	1.63	9	3	6	–	9	246	27.33	9.31
10	10	—	—	16.54	13	7	6	–	13	603	46.38	12.72
6	6	—	—	6.24	6	3	3	–	6	231	38.57	6.24
22	19	—	3	9.35	25	5	20	–	25	938	37.52	10.63
2	2	—	—	2.85	5	4	1	–	5	131	26.11	7.12
132	79	2	51	5.35	283	148	135	–	271	9,948	36.71	11.07
—	—	—	—	—	3	3	—	–	3	251	83.15	8.26
50	—	—	50	13.10	41	20	21	–	40	1,529	38.24	10.74

Births, Marriages, and Deaths,

Counties & Towns.	Population in 1850.	BIRTHS.							
		Whole number.	Sex.			Parentage.			No. in each 1000 inhabitants.
			M.	F.	Unk.	Am.	For.	Unk.	
Windham—Con.									
Brookline,	285	3	1	2	—	3	—	—	10.52
Dover,	709	9	4	5	—	9	—	—	12.69
Dummerston,	1,645	15	9	6	—	14	1	—	9.12
Grafton,	1,241	20	9	9	2	15	—	5	16.12
Guilford,	1,389	37	17	17	3	31	4	2	26.64
Halifax,	1,133	23	9	13	1	23	—	—	20.39
Jamaica,	1,606	24	11	13	—	24	—	—	14.94
Londonderry,	1,274	24	14	10	—	21	1	2	18.84
Marlboro',	896	18	12	6	—	15	3	—	20.07
Newfane,	1,304	16	8	8	—	15	—	1	12.27
Putney,	1,425	27	16	11	—	17	5	5	18.94
Rockingham,	2,837	61	25	31	5	22	5	34	21.50
Somerset,	321	14	11	3	—	13	—	1	14.55
Stratton,	286	19	7	12	—	17	—	2	62.94
Townshend,	1,354	14	9	5	—	12	—	2	10.34
Vernon,	821	12	5	7	—	11	1	—	14.62
Wardsboro',	1,125	15	7	8	—	13	2	—	13.32
Westminister,	1,721	28	14	14	—	20	6	2	16.27
Whitingham,	1,380	21	15	6	—	20	1	—	14.48
Wilmington,	1,372	28	13	15	—	25	1	2	20.41
Windham,	763	15	8	7	—	14	1	—	19.64
Totals,	29,062	538	274	253	11	412	57	69	18.53
Windsor.									
Andover,	725	9	3	6	—	8	—	1	12.41
Baltimore,	124	1	1	—	—	1	—	—	8.06
Barnard,	1,647	31	14	17	—	24	5	2	18.21
Bethel,	1,730	29	17	12	—	27	1	1	16.77
Bridgewater,	1,311	15	8	7	—	12	1	2	11.43
Cavendish,	1,576	33	20	13	—	27	3	3	20.94
Chester,	2,001	52	25	27	—	34	9	9	25.43
Hartford,	2,159	52	24	28	—	41	6	5	24.08
Hartland,	2,063	37	20	17	—	25	3	9	17.93
Ludlow,	1,619	34	12	22	—	23	5	6	24.71
Norwich,	1,978	40	22	18	—	36	2	2	20.22
Plymouth,	1,226	18	12	6	—	12	3	3	14.68
Pomfret,	1,546	28	15	13	—	25	—	3	18.11
Reading,	1,171	24	14	10	—	18	1	5	20.41
Rochester,	1,493	29	19	10	—	28	1	—	19.49
Royalton,	1,850	25	15	10	—	20	2	3	12.97
Sharon,	1,240	17	11	6	—	6	5	6	13.71

for the year 1857—Continued.

MARRIAGES.					DEATHS.							
Whole number.	Nativity.			No. in each 1000 inhabitants.	Whole number	Sex.			Age.			No. in each 1000 inhabitants.
	Am.	For.	Unk.			M.	F.	Unk.	Ages given.	Agg'te.	Av'age.	
1	—	—	1	3.51	3	2	1	-	3	95	31.60	10.52
5	2	—	3	7.22	6	4	2	-	6	242	40.26	8.46
—	—	—	—	—	14	5	9	-	14	457	32.65	8.51
3	3	—	—	2.42	20	7	13	-	20	871	43.08	16.12
13	12	—	1	9.35	19	7	12	-	19	825	43.41	13.67
5	3	—	2	4.41	21	11	10	-	21	1,102	52.48	18.53
5	4	—	1	3.11	14	5	9	-	14	664	47.47	8.71
4	—	—	4	3.14	15	6	9	-	15	926	61.71	11.77
6	6	—	—	6.69	8	5	3	-	8	341	42.61	8.92
4	4	—	—	3.07	16	11	5	-	16	630	39.33	12.27
4	2	—	2	2.80	13	3	10	-	13	640	49·22	9.13
28	6	1	21	9.87	49	22	27	-	25	1,598	63.94	17.27
—	—	—	—	—	1	1	—	-	1	74	74.00	3.11
2	2	—	—	6.99	—	—	—	-	—	—	—	—
11	—	—	11	8.12	25	9	16	-	25	841	33.64	18.46
18	15	3	—	21.92	5	4	1	-	5	198	39.60	6.09
5	—	—	5	4.44	12	5	7	-	12	606	50.47	10.67
10	6	—	4	5.81	17	4	13	-	17	1,065	62.52	9.87
10	9	—	1	7.24	10	7	3	-	10	340	34.03	7.24
3	3	—	—	2.18	16	2	14	-	16	680	42.50	11.66
5	—	—	5	6.55	6	3	3	-	6	381	63.50	7.86
192	77	4	111	6.60	334	146	188	-	319	14,356	45.00	11.49
5	5	—	—	6.89	8	4	4	-	8	450	56.26	11.03
—	—	—	—	—	1	—	1	-	1	78	78.00	8.06
11	8	1	2	6.67	22	9	13	-	20	1,072	53.63	13.35
18	3	—	15	10.40	8	5	3	-	8	500	62.46	4.62
7	4	1	2	5.34	13	6	7	-	13	551	42.43	9.92
21	—	—	21	13.58	21	9	12	-	19	926	48.72	13.58
19	14	—	5	9.49	25	7	18	-	25	1,023	40.93	12.49
10	9	—	1	4.63	25	12	13	-	24	1,035	43.13	11.57
3	3	—	—	1.45	25	11	14	-	25	809	32.37	12.12
6	1	—	5	3.71	19	8	11	-	19	824	43.38	11.73
11	9	—	2	5.56	32	8	24	-	31	1,237	39.87	16.12
4	3	—	1	3.26	10	6	4	-	10	534	53.43	8.15
2	1	—	1	1.28	25	14	11	-	25	886	35.43	16.17
11	7	1	3	9.39	17	8	9	-	17	678	39.88	14.51
12	—	—	12	8.04	16	7	9	-	14	704	50.30	10.72
11	5	6	—	5.95	26	10	16	-	26	1,345	51.73	14.05
4	1	—	3	3.23	15	9	6	-	15	612	40.78	12.09

Births, Marriages and Deaths,

Counties & Towns.	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
Windsor—Con.								
Springfield, .	2,762	59	26	33	—	56	1	2
Stockbridge, .	1,327	15	6	9	—	14	—	1
Weathersfield,.	1,851	22	13	9	—	21	—	1
Weston, .	950	16	4	12	—	16	—	—
West Windsor,	1,002	19	13	6	—	19	—	—
Windsor, .	1,928	1	1	—	—	1	—	—
Woodstock, .	3,041	56	27	29	—	46	6	3
Totals, .	38,320	662	342	320	—	540	54	68

for the year 1857—Continued.

MARRIAGES.					DEATHS.							
Whole number.	NATIVITY.			No. in each 1000 inhabitants.	Whole number.	SEX.			AGE.			No. in each 1000 inhabitants.
	Am.	For.	Unk.			M.	F.	Unk.	Ages given.	Agg'ate.	Av'age.	
27	15	1	11	9.77	33	15	18	–	33	1,619	49.07	11.94
5	5	—	—	3.76	8	2	6	–	8	483	60.41	6.02
28	7	2	19	15.12	30	14	16	–	28	1,279	45.68	16.20
7	2	—	5	7.37	18	4	14	–	18	1,011	53.98	18.94
8	2	—	6	7.98	19	11	8	–	18	886	49.22	18.96
16	1	1	14	8.29	2	1	1	–	2	172	86.19	1.03
46	—	—	46	15.32	36	13	23	–	36	1,715	47.64	11.84
292	105	13	174	7.20	454	193	261	–	443	20,429	46.11	11.84

Recapitulation of Births, Marriages

Counties & Towns	Population in 1850.	BIRTHS.							
		Whole number.	Sex.			Parentage.			No. in each 1000 inhabitants.
			M.	F.	Unk.	Am.	For.	Unk.	
Addison,	26,549	439	226	199	14	267	124	48	16.42
Bennington,	18,589	415	210	203	2	244	92	79	22.32
Caledonia,	23,595	525	278	240	7	405	84	36	22.03
Chittenden,	29,036	569	305	263	1	236	139	194	19.59
Essex,	4,650	81	39	42	—	71	3	7	17.41
Franklin,	28,586	530	248	281	1	285	193	52	18.54
Grand Isle,	4,145	122	66	56	—	63	56	3	29.20
Lamoille,	10,872	201	103	97	1	160	29	12	18.48
Orange,	27,296	556	300	255	1	465	41	50	20.37
Orleans,	15,707	409	201	200	8	257	93	59	26.03
Rutland,	33,059	797	413	381	3	399	344	54	23.95
Washington,	24,654	568	278	281	9	360	88	120	23.03
Windham,	29,062	538	274	253	11	412	57	69	18.53
Windsor,	38,320	662	342	320	—	540	54	68	17.40
Totals,	314,120	6.412	3283	3071	58	4164	1897	851	20.41

and Deaths, for the year 1857.

MARRIAGES.					DEATHS.							
Whole number.	Nativity.			No. in each 1000 inhabitants.	Whole number.	Sex.			Age.			No. in each 1000 inhabitants.
	Am.	For.	Unk.			M.	F.	Unk.	Ages given.	Agg'ate.	Av'age.	
172	91	8	73	6.55	270	123	138	9	247	8,918	36.10	10.13
86	49	—	37	4.62	250	123	127	–	238	7,870	28.06	13.50
142	92	8	42	5.69	283	127	155	1	275	10,039	36.50	11.99
146	79	17	50	5.02	295	136	157	2	287	10,077	35.11	10.16
30	10	—	20	6.45	65	29	36	–	65	2,459	37.83	13.98
155	52	18	85	5.42	256	127	125	4	240	8,086	33.69	8.95
10	5	5	—	2.41	32	18	14	–	28	1,050	37.50	7.72
51	25	3	23	4.69	92	35	57	–	87	2,880	33.10	8.46
190	99	13	78	6.97	312	140	171	1	307	13,640	41.17	11.07
123	37	16	70	7.82	202	105	95	2	194	7,000	36.08	12.79
220	106	38	76	6.65	384	197	185	2	378	12,598	33.32	11.52
132	79	2	51	5.35	283	148	135	–	271	9,948	36.71	11.07
192	77	4	111	6.60	334	146	188	–	319	14,356	45.00	11.49
292	105	13	174	7.20	454	193	261	–	443	20,429	46.11	11.84
1941	906	145	890	5.07	3512	1644	1847	21	3379	129350	38.28	11.18

TABLE I. BIRTHS—185[illegible]

Exhibiting the number of each Sex born in the several Counties, during each month of the year.

Months.	Sex.	Whole number.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Jan'y.	Males,	210	16	13	15	21	1	13	5	6	23	14	24	19	18	22
	Females,	193	8	12	17	16	4	16	5	4	17	15	20	16	21	22
	Unknown,	5	1	—	—	—	—	—	—	—	—	1	—	1	2	—
		408														
Feb'y.	Males,	238	16	10	25	20	3	22	10	12	13	18	30	24	8	27
	Females,	219	15	20	15	22	4	18	5	4	15	14	28	20	16	23
	Unknown,	8	2	—	—	1	—	—	—	—	—	1	—	1	3	—
		465														
March.	Males,	265	26	15	17	19	4	27	4	14	23	20	28	20	24	18
	Females,	244	18	16	20	24	4	27	4	12	12	17	34	16	15	25
	Unknown,	3	1	1	—	—	—	—	—	—	—	—	—	1	—	—

April.	Males,	270	12	18	19	30	2	30	2	10	21	16	44	22	18	26
	Females,	237	12	11	19	19	8	22	6	11	14	16	36	29	16	23
	Unknown,	7	1	—	1	—	—	—	—	1	—	1	1	1	1	—
		514														
May.	Males,	263	20	18	18	20	6	10	8	13	28	13	28	25	27	29
	Females,	282	23	19	20	17	2	28	10	10	23	17	30	29	32	22
	Unknown,	3	2	—	—	—	—	—	—	1	—	—	—	1	—	—
		548														
June.	Males,	269	23	21	6	27	2	15	8	6	27	14	38	17	18	27
	Females,	244	21	18	27	16	2	20	5	13	12	14	31	20	22	23
	Unknown,	6	2	—	3	—	—	—	—	—	—	1	—	—	—	—
		519														
July.	Males,	326	18	19	41	34	2	15	3	6	27	24	36	38	36	27
	Females,	264	18	13	18	30	3	20	3	9	33	16	30	17	20	34
	Unknown,	6	1	—	2	—	—	—	—	—	—	1	1	—	1	—
		596														
August	Males,	278	25	15	19	15	5	29	2	11	31	13	38	25	25	25
	Females,	291	14	25	25	28	2	25	7	8	22	15	37	26	18	39
	Unknown,	2	1	—	1	—	1	—	—	—	—	—	—	—	—	—
		571														

TABLE I.—*Continued.*

Months.	Sex.	Whole number.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Sept.	Males,	270	16	19	19	26	2	23	4	6	22	11	35	21	18	48
	Females,	280	25	13	29	28	4	22	6	6	21	15	36	20	25	26
	Unknown,	5	1	—	—	—	—	—	—	—	—	1	1	1	1	—
		556														
Oct.	Males,	334	14	23	25	34	4	22	10	8	44	23	45	20	29	24
	Females,	297	13	28	29	25	2	30	1	8	29	26	30	26	27	28
	Unknown,	6	1	1	—	—	—	—	—	—	—	1	—	1	2	—
		637														
Nov.	Males,	267	26	20	23	32	4	22	2	5	16	14	33	14	26	31
	Females,	253	18	10	10	21	4	31	3	6	17	15	38	29	26	25
	Unknown,	4	1	—	—	—	—	1	—	—	—	—	—	1	1	—
		524														

	Unknown,	3	—	—	—	—	—	—	—	—	1	1	—	1	—	—
		562														
Aggregate.	Males,	3,283	226	210	278	305	39	248	66	103	300	201	413	278	274	342
	Females,	3,071	199	203	240	263	42	281	56	97	255	200	381	281	253	320
	Unknown,	58	14	2	7	1	—	1	—	1	1	8	3	9	11	—
	Totals,	6,412	439	415	525	569	81	530	122	201	556	409	797	568	538	662
Par'tage	American,	4,164	267	244	405	236	71	285	63	160	465	257	399	360	412	540
	Foreign,	1,397	124	92	84	139	3	193	56	29	41	93	344	88	57	54
	Unknown,	851	48	79	36	194	7	52	3	12	50	59	54	120	69	68

SUPPLEMENT TO TABLE I.

Births—Exhibiting the number of Plurality cases.

(Included in Table I of Births,)

Months.	Sex.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
January,	Males,	–	–	–	–	–	2	–	–	–	–	–	–	–	–
	Females,	–	–	–	–	–	–	–	–	–	–	–	–	–	–
February,	Males,	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Females,	–	–	–	–	–	–	–	–	–	–	–	–	–	–
March,	Males,	–	–	–	1	–	–	–	–	–	–	2	–	–	–
	Females,	–	–	–	1	–	–	–	–	–	–	–	–	–	–
April,	Males,	1	–	–	4	–	–	–	–	–	2	3	–	–	–
	Females,	1	–	–	–	–	2	–	–	–	–	1	–	–	–
May,	Males,	–	–	1	–	–	–	–	–	–	–	–	–	2	3
	Females,	–	–	1	–	–	–	–	–	–	–	–	–	2	1
June,	Males,	–	–	1	2	–	–	–	–	2	–	–	–	–	–
	Females,	–	–	1	–	–	–	–	–	–	–	–	–	–	–
July,	Males,	–	–	–	–	–	–	–	–	–	–	–	2	–	–
	Females,	–	–	–	–	–	–	–	–	4	–	4	–	–	2
August,	Males,	–	–	–	2	–	–	–	–	–	–	1	1	–	1
	Females,	–	–	–	2	–	–	–	–	–	–	3	1	–	1
September,	Males,	–	–	–	–	–	1	–	–	–	–	–	–	–	1
	Females,	–	–	2	–	–	1	–	–	2	–	–	3	–	1
October,	Males,	1	–	2	–	–	–	2	–	1	–	–	–	–	–
	Females,	1	–	–	–	–	–	–	–	1	–	–	–	–	–
November,	Males,	2	–	1	3	–	–	–	–	1	–	–	–	1	1
	Females,	–	–	1	1	–	–	–	–	1	–	–	–	1	1
December,	Males,	–	–	–	2	–	–	–	–	–	–	–	–	–	–
	Females,	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Totals,	6	–	10	18	–	6	2	–	12	2	14	7	6	12

TABLE III—MARRIAGES—1857.

Exhibiting the number solemnized in the several Counties, during each month of the year.

Months.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.	Totals.
January,	15	8	18	15	5	10	1	1	14	13	12	10	15	21	158
February,	18	3	10	13	–	11	1	4	7	6	15	4	11	13	116
March,	15	15	17	13	1	15	1	4	24	14	17	12	17	46	211
April,	6	3	3	11	4	9	1	3	12	2	18	4	11	27	114
May,	10	6	11	8	3	10	–	4	16	3	11	13	12	24	121
June,	10	6	9	8	1	13	1	4	17	9	15	12	7	12	124
July,	12	7	6	9	2	4	–	4	11	11	19	8	14	15	122
August,	9	7	6	7	1	3	–	1	13	2	22	10	8	12	101
September,	17	9	15	10	6	26	3	4	15	11	26	16	23	20	201
October,	25	4	13	22	1	24	1	4	21	19	9	16	21	31	211
November,	12	8	13	12	3	13	–	6	16	11	27	13	27	13	191
December,	22	10	17	16	3	15	–	11	22	20	26	13	23	35	233
Unknown,	1	–	4	2	–	2	1	1	2	2	3	1	3	6	28
Totals,	172	86	142	146	30	155	10	51	190	123	220	132	192	292	1941

TABLE IV.—DEATHS—1857.

Exhibiting the number of each Sex in the several Counties, during each month of the year.

Months.	Sex.	Whole number.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Jan'y.	Males,	101	10	8	7	8	—	13	4	1	10	7	6	10	6	11
	Females,	130	13	12	13	8	1	5	1	4	12	12	10	12	9	18
	Unknown,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Totals,	231														
Feb'y.	Males,	98	9	7	8	11	3	7	—	2	9	6	7	5	9	15
	Females,	121	9	10	8	6	4	14	1	1	12	6	10	10	17	13
	Unknown,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Totals,	219														
March.	Males,	131	14	12	11	9	4	12	1	2	13	4	10	13	8	18
	Females,	160	12	11	11	17	—	12	—	4	14	4	20	7	24	24
	Unknown,	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—

April.	Males,	144	12	16	8	9	3	8	1	4	13	14	17	9	11	10
	Females,	124	10	7	8	10	2	9	—	6	10	7	16	7	17	15
	Unknown,	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Totals,	269														
May.	Males,	129	6	11	8	10	1	10	3	3	7	8	23	10	16	13
	Females,	150	7	12	18	12	1	12	3	8	15	6	10	12	17	17
	Unknown,	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—
	Totals,	281														
June.	Males,	111	8	4	12	11	1	11	—	1	13	6	10	8	15	11
	Females,	114	10	7	14	10	2	5	—	3	15	5	5	7	13	18
	Unknown,	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	Totals,	227														
July.	Males,	132	9	6	11	11	4	6	1	3	14	11	18	12	13	13
	Females,	153	16	5	12	9	7	10	—	6	10	5	19	12	12	30
	Unknown,	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	Totals,	287														
August	Males,	125	5	10	10	8	1	11	4	3	10	6	19	13	6	19
	Females,	155	9	9	10	16	3	18	3	6	8	9	21	12	16	15
	Unknown,	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Totals,	281														

TABLE IV.—*Continued.*

Months.	Sex.	Whole number.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Sept.	Males,	169	10	16	18	13	4	11	2	1	13	17	15	13	13	23
	Females,	160	10	13	9	12	3	11	1	4	18	11	11	18	15	24
	Unknown,	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—
	Totals,	331														
Oct.	Males,	170	11	14	11	13	2	18	—	6	10	9	19	20	17	20
	Females,	196	12	15	18	17	5	10	2	7	23	12	17	15	18	25
	Unknown,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Totals,	366														
Nov.	Males,	164	13	8	12	19	2	10	1	6	15	7	23	15	20	13
	Females,	200	11	12	19	15	4	12	2	2	23	5	27	12	13	43
	Unknown,	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Totals,	365														
Dec.	Males,	150	13	11	10	13	4	9	1	3	12	9	22	17	10	16
	Females,	163	14	10	14	22	4	5	1	6	8	12	21	11	17	18

	Unknown,	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—
	Totals,	315														
Unknown.	Males,	18	3	—	1	—	—	1	—	—	1	2	3	3	2	2
	Females,	20	5	4	1	2		2	—	—	3	1	1	—	—	1
	Unknown,	10	9	—	—	—	—	—	—	—	—	1	—	—	—	—
	Totals,	48														
Aggregate.	Males,	1,643	123	123	127	136	29	127	18	35	140	106	192	148	146	193
	Females,	1,846	138	127	155	156	36	125	14	57	171	95	188	135	188	261
	Unknown,	23	9	—	1	3	—	4	—	—	1	1	4	—	—	—
	Totals,	3,512	270	250	283	295	65	256	32	92	312	202	384	283	334	454

TABLE V.—DEATHS,

Exhibiting the Number of each Sex at different Ages, in

TOWNS.	POPULATION. Whole number.	SEX.		Under 1	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
ADDISON.												
Addison,	1,279	M.	659	—	—	—	—	—	—	—	—	—
		F.	620	—	—	—	—	—	—	1	—	1
Bridport,	1,393	M.	735	—	—	—	—	—	—	—	—	—
		F.	658	—	—	—	—	—	—	—	—	2
Bristol,	1,344	M.	684	1	—	1	—	—	1	—	—	—
		F.	660	2	—	1	—	—	—	—	2	—
Cornwall,	1,155	M.	578	2	—	—	—	—	—	—	1	—
		F.	577	—	—	—	—	—	—	1	—	—
Ferrisburgh,	2,075	M.	1,048	1	—	—	—	—	—	—	—	—
		F.	1,027	1	—	—	—	—	—	—	1	—
		U.		—	—	—	—	—	—	—	—	—
Goshen,	486	M.	261	1	—	—	—	—	—	—	—	—
		F.	225	2	—	—	—	—	—	—	1	1
Granville,	603	M.	314	—	—	—	—	—	—	—	—	—
		F.	289	—	—	—	—	—	—	—	1	—
Hancock,	430	M.	236	—	—	—	—	—	—	—	—	—
		F.	194	—	—	—	—	—	—	—	—	—
Leicester,	596	M.	291	1	—	1	—	—	1	—	—	2
		F.	305	—	—	—	—	—	—	—	—	—
Lincoln,	1,057	M.	567	2	1	—	—	—	—	—	—	1
		F.	490	1	1	—	—	—	—	—	2	—
Middlebury,	3,517	M.	1,738	4	—	—	1	1	1	1	—	1
		F.	1,779	2	—	—	—	—	2	—	1	—
Monkton,	1,246	M.	600	—	1	—	—	1	2	—	—	1
		F.	646	—	—	1	—	—	2	1	—	—
New Haven,	1,663	M.	830	—	1	—	—	—	—	—	2	—
		F.	833	3	—	1	1	—	—	1	2	1
Orwell,	1,470	M.	727	1	—	—	—	1	1	—	—	—
		F.	743	1	—	—	—	—	—	—	—	1
Panton,	559	M.	290	2	—	—	—	—	—	—	—	—
		F.	269	—	—	—	—	—	1	—	—	—
Ripton,	567	M.	303	1	—	—	—	—	—	—	—	—
		F.	264	1	—	—	—	—	—	1	—	—
Salisbury,	1,027	M.	526	2	—	—	—	—	—	—	—	—
		F.	501	—	—	—	—	—	—	—	—	—
Shoreham,	1,601	M.	822	1	—	1	1	—	1	—	—	—
		F.	779	1	1	—	—	—	1	—	—	2

ACCORDING TO AGE.

the several Towns and Counties. during the year 1857.

25 to 30	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	Sex. Males.	Sex. Fem.	Sex. Unk.	Sex. Total.	Porcentage
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	6	.15
—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	.81
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	4	.14
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	3	—	—	.45
—	—	—	—	—	1	1	1	—	—	1	—	—	—	—	1	8	—	—	24	1.20
—	—	—	—	—	2	1	—	—	3	1	4	—	—	—	—	—	16	—	—	2.32
1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	6	—	—	8	1.40
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	.35
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	3	—	—	13	.38
1	1	—	—	—	—	—	1	—	1	—	—	1	—	—	1	—	8	—	—	.86
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	8	.77
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	6	—	—	2.66
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	.03
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	.03
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—
—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	3	—	—	1.55
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	6	—	—	10	1.71
—	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	4	—	—	1.31
—	—	1	—	—	—	1	—	1	—	1	—	—	—	—	—	8	—	—	15	1.41
—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	7	—	—	1.42
1	—	4	1	—	—	1	2	1	5	1	1	—	1	—	1	28	—	—	44	1.61
2	—	1	1	—	2	—	1	—	1	—	2	—	—	1	—	—	16	—	—	.89
—	1	2	—	—	1	1	—	1	—	—	—	—	—	—	—	9	—	—	16	1.50
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	7	—	—	1.08
—	—	—	1	—	—	—	1	—	—	—	2	—	—	—	—	7	—	—	23	.85
—	—	—	—	—	1	2	—	—	2	2	—	—	—	—	—	—	16	—	—	1.91
—	—	1	—	1	—	—	1	1	—	—	—	1	—	—	—	8	—	—	16	1.10
1	—	—	1	1	1	—	—	—	—	—	1	—	—	1	—	—	8	—	—	1.08
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	4	—	—	7	1.38
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	3	—	—	1.11
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	9	.66
2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	7	—	—	2.65
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	3	—	—	5	.57
—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	2	—	—	.39
1	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	8	—	—	17	.98
—	1	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	9	—	—	1.16

TABLE V,—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
Addison—Con.												
Starksboro',	1,400	M.	725	4	—	1	—	—	—	—	—	—
		F.	675	1	—	—	—	—	—	—	—	—
Vergennes,	1,378	M.	666	2	—	—	—	—	—	—	—	—
		F.	712	—	—	—	—	—	—	—	—	—
		U.	—	—	—	—	—	—	—	—	—	—
Waltham,	270	M.	141	1	—	—	—	—	—	—	—	1
		F.	129	—	—	—	—	—	—	—	—	—
Weybridge,	804	M.	399	—	—	—	—	—	1	—	—	—
		F.	405	—	—	1	—	—	—	—	—	—
Whiting,	629	M.	312	—	—	—	—	—	1	—	—	—
		F.	317	—	—	—	1	—	—	—	—	—
	26,549	M.	13,452	26	3	4	2	3	9	1	3	6
		F.	13,097	15	2	4	2	0	6	5	10	8
		U.		—	—	—	—	—	—	—	—	—
Totals,	26,549		26,549	41	5	8	4	3	15	6	13	14
BENNINGTON.												
Arlington,	1,084	M.	535	—	—	—	—	—	—	—	—	—
		F.	549	—	—	—	—	—	—	—	—	—
Bennington,	3,923	M.	1,958	7	3	1	—	—	3	—	1	1
		F.	1,965	9	1	—	—	—	—	—	3	4
Dorset,	1,700	M.	860	5	—	—	2	—	1	—	—	—
		F.	840	2	2	—	—	1	—	—	—	1
Glastenbury,	52	M.	25	1	—	—	—	—	—	—	—	—
		F.	27	—	—	—	—	—	—	1	—	—
Landgrove,	337	M.	173	1	—	—	—	—	—	1	—	—
		F.	164	1	—	—	—	—	—	—	1	—
Manchester,	1,782	M.	895	2	1	1	—	—	—	—	2	—
		F.	887	3	1	—	1	1	1	2	1	—
Peru,	567	M.	303	—	—	—	—	—	—	—	—	1
		F.	264	—	—	—	—	—	—	—	—	—
Pownal,	1,742	M.	886	1	1	—	—	—	—	—	—	2
		F.	856	3	—	—	—	—	—	—	—	3
Readsboro,	857	M.	447	—	—	—	—	—	—	—	—	—
		F.	410	—	—	2	—	—	—	3	—	1
Rupert,	1,101	M.	548	—	—	1	—	—	—	—	1	—
		F.	553	—	1	1	—	—	—	1	—	—
Sandgate,	850	M.	446	2	—	—	—	—	—	—	—	—
		F.	404	—	—	—	—	—	—	—	—	—
Searsburg,	201	M.	107	1	—	—	—	—	—	—	—	—
		F.	94	1	—	—	—	—	—	—	—	—

TABLE V.—Continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over	Unknown.	TOTAL. Males	Fem	Unk	Total	Percentage.
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	6	—	—	12	.83
1	—	1	—	—	—	—	1	—	—	1	—	—	—	—	1	—	6	—	—	.88
—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	2	6	—	—	15	.90
—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	2	—	—	.28
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—	—	7	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	2	1.42
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	7	.50
—	—	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	5	—	—	1.23
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	4	.64
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	.63
3	1	8	3	2	2	5	5	9	6	5	6	3	1	—	7	123	—	—	—	.86
8	3	9	5	4	9	4	3	2	12	8	10	1	—	2	6	—	138	—	—	1.04
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	—	—	9	—	—
11	4	17	8	6	11	9	8	11	18	13	16	4	1	2	22	123	138	9	270	1.01
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	—	1	1	1	1	1	3	2	1	1	—	1	—	3	34	—	—	70	1.74
1	2	1	3	1	1	—	1	1	2	2	2	—	—	1	1	—	36	—	—	1.83
1	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	12	—	—	27	1.39
1	1	1	1	1	—	—	1	1	—	—	1	—	1	—	—	—	15	—	—	1.78
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	4.00
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	3.90
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	5	—	—	10	2.86
—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	5	—	—	3.05
—	—	—	1	—	—	—	—	2	—	—	1	1	—	—	1	12	—	—	27	1.34
—	—	—	—	1	—	—	—	1	1	—	—	—	1	—	1	—	15	—	—	1.69
—	—	—	1	—	—	—	—	2	—	2	—	—	1	—	—	7	—	—	9	3.45
—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	2	—	—	.76
—	—	1	—	1	—	—	—	1	1	2	—	—	—	—	—	12	—	—	21	1.36
—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	9	—	—	1.05
—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	2	—	—	8	.45
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	1.46
—	—	—	—	1	—	—	1	—	—	1	—	1	—	—	—	6	—	—	12	1.10
—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	6	—	—	1.08
—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	4	—	—	9	.89
—	—	—	—	—	—	—	1	1	1	1	—	1	—	—	—	—	5	—	—	1.23
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	3	1.89
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1.01

TABLE V.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
Bennington-Con												
Shaftsbury,	1,896	M.	991	1	—	1	—	—	1	—	1	—
		F.	905	1	1	1	—	—	1	1	1	—
Stamford,	833	M.	462	1	1	2	—	—	—	1	1	—
		F.	371	—	1	—	—	—	—	—	—	1
Sunderland,	479	M.	245	—	—	—	—	—	—	—	—	—
		F.	234	—	—	—	—	—	—	—	—	1
Woodford,	423	M.	226	—	—	—	—	—	—	—	—	—
		F.	197	—	—	—	—	—	—	—	—	—
Winhall,	762	M.	371	—	3	1	—	—	1	—	—	—
		F.	391	1	—	—	—	—	1	—	1	1
	18,589	M.	9,478	22	9	7	2	—	6	2	6	4
		F.	9,111	21	7	4	1	2	3	8	7	12
		U.		—	—	—	—	—	—	—	—	—
	18,589		18,589	43	16	11	3	2	9	10	13	16
CALEDONIA.												
Barnet,	2,521	M.	1,381	1	1	—	—	—	—	1	—	—
		F.	1,140	3	—	—	—	—	—	—	—	1
Bradleyvale,	107	M.	56	—	—	—	—	—	—	—	—	—
		F.	51	—	—	—	—	—	—	—	—	—
Burke,	1,103	M.	565	1	—	—	—	—	—	1	—	—
		F.	538	2	—	1	—	—	1	1	1	—
Cabot,	1,356	M.	689	3	—	—	—	—	—	—	1	—
		F.	667	—	—	—	—	—	—	—	—	2
		U.		1	—	—	—	—	—	—	—	—
Danville,	2,577	M.	1,299	1	—	1	—	—	1	—	2	3
		F.	1,278	1	—	1	1	—	2	—	2	1
Groton,	1,118	M.	581	3	—	—	—	—	—	—	—	—
		F.	537	1	—	—	—	—	2	—	2	1
Hardwick,	1·482	M.	710	2	—	—	—	—	—	—	—	2
		F.	692	—	—	—	—	—	—	—	2	—
Kirby,	509	M.	279	—	1	—	—	—	—	—	—	—
		F.	230	2	—	—	—	—	—	1	—	—
Lyndon,	1,752	M.	886	—	3	—	1	—	—	—	1	—
		F.	866	2	—	—	—	—	—	1	3	—
Newark,	434	M.	225	—	—	—	—	1	—	—	—	—
		F.	209	1	—	—	—	—	—	—	—	—
Peacham,	1,377	M.	675	1	—	—	—	—	—	—	—	—
		F.	702	—	—	—	—	—	—	—	—	1
Ryegate,	1,606	M.	943	—	—	—	—	—	—	—	—	—
		F.	663	—	—	—	—	—	—	1	—	—

TABLE V.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95	95 and over	Unknown.	Sex. Males	Fem	Unk.	Total	Percentage.
1	1	–	–	–	–	–	–	1	–	–	–	–	–	1	8	–	–	21	.91
–	1	–	1	–	–	3	–	–	1	–	1	–	–	–	–	13	–	–	1.43
–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	8	–	–	11	1.73
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	.81
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	.41
1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	3	–	–	1.28
–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	3	–	–	4	1.33
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	.51
–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	7	–	–	12	1.89
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	1.28
3	3	2	5	3	3	2	4	10	5	7	4	3	2	–	9	123	–	–	250	1.30
4	4	3	6	4	1	3	3	5	7	5	6	2	2	2	4	–	127	–	–	1.31
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
7	7	5	11	7	4	5	7	15	12	12	10	5	4	2	13	123	127	–	250	1.35
–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	6	–	–	13	.43
–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	7	–	–	.61
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	2	1	2	–	–	1	–	1	–	–	–	–	–	9	–	–	23	1.59
–	–	–	–	1	2	1	–	1	3	–	1	–	–	–	1	–	14	–	–	2.42
–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	7	–	–	15	1.01
–	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	7	–	–	1.19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
–	–	1	–	1	1	1	–	–	–	–	6	1	–	–	–	19	–	–	35	1.46
1	–	–	–	1	–	2	1	1	–	1	1	–	–	–	–	–	16	–	–	1.26
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	5	–	–	13	.86
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	1.49
–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	6	–	–	13	.85
2	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	7	–	–	1.01
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	6	.36
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	5	–	–	2.16
–	–	–	1	1	–	–	–	–	–	1	–	2	–	–	1	11	–	–	28	1.23
–	–	–	2	1	–	–	–	1	1	–	2	–	–	1	3	–	17	–	–	1.96
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–	–	5	1.33
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	.96
–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	5	–	–	10	.74
–	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	5	–	–	.71
–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	7	.21
–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	5	–	–	.75

TABLE V.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
Caledonia—Con.												
St. Johnsbury,	2,758	M.	1,473	4	3	2	—	2	3	—	—	4
		F.	1,285	5	1	—	—	—	1	1	2	1
Sheffield,	797	M.	413	2	—	—	1	—	—	—	—	—
		F.	384	1	—	—	—	—	—	—	—	—
Sutton,	1,001	M.	517	—	2	—	—	—	—	—	1	—
		F.	484	—	—	—	—	—	1	—	2	—
Walden,	910	M.	473	1	—	—	—	—	—	—	—	—
		F.	437	2	—	1	—	—	1	—	1	2
Waterford,	1,412	M.	740	1	—	—	—	—	—	—	—	1
		F.	672	1	—	—	—	—	—	—	—	—
Wheelock,	855	M.	445	—	—	—	—	—	—	—	—	—
		F.	410	—	1	—	1	—	—	—	—	—
	23,595	M.	12,350	20	10	3	2	3	4	2	5	10
		F.	11,245	21	2	3	2	—	8	5	15	9
		U.		1	—	—	—	—	—	—	—	—
	23,595		23,595	42	12	6	4	3	12	7	20	19
CHITTENDEN.												
Bolton,	602	M.	313	—	—	—	—	—	—	—	—	—
		F.	289	—	—	—	—	—	—	—	—	—
Burlington,	7,585	M.	3,732	11	5	—	—	—	4	1	2	2
		F.	3,853	6	5	1	—	1	4	3	—	3
Charlotte,	1,634	M.	807	1	—	—	—	1	1	—	1	—
		F.	827	2	—	—	—	—	—	—	—	—
Colchester,	2,575	M.	1,272	2	1	1	—	—	1	1	—	—
		F.	1,303	—	1	—	—	—	—	—	2	—
Essex,	2,052	M.	1,042	2	2	—	—	—	1	—	1	—
		F.	1,010	1	—	—	—	—	—	1	1	—
Hinesburgh,	1,834	M.	931	3	1	1	1	1	—	—	—	1
		F.	903	1	—	—	—	1	—	—	2	1
		U.	—	—	—	—	—	—	—	—	—	—
Huntington,	903	M.	456	1	—	—	—	—	—	—	—	—
		F.	447	1	—	—	—	—	—	2	1	—
Jericho,	1,837	M.	926	5	—	—	—	—	1	—	1	—
		F.	911	2	1	—	—	—	—	1	—	—
Milton,	2,451	M.	1,295	—	—	—	1	—	—	—	—	—
		F.	1,156	1	—	—	—	—	1	—	1	—
Richmond,	1,453	M.	779	—	—	—	—	—	—	1	—	—
		F.	674	1	—	—	—	—	1	—	—	—
St. George,	127	M.	62	—	—	—	—	—	—	—	—	—
		F.	65	—	—	—	—	—	—	—	—	—

TABLE V.—Continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	Sex. Males	Fem	Unk.	Total	Percentage.
2	1	-	—	—	-	1	-	1	3	1	-	-	-	-	-	27	—	-	59	1.84
4	2	-	—	2	-	2	2	-	3	1	2	1	1	-	1	—	32	-	—	2.49
-	-	-	—	—	1	1	1	-	-	-	1	-	-	-	-	7	—	-	8	1.69
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	1	-	—	.26
-	-	-	2	—	-	-	1	-	-	-	1	1	-	-	-	8	—	-	15	1.55
1	1	-	—	1	-	-	-	-	-	1	-	-	-	-	-	—	7	-	—	1.45
-	-	1	2	—	-	-	-	-	-	-	-	-	-	-	-	4	—	-	15	.85
-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	—	11	-	—	2.51
-	-	1	—	—	-	-	-	-	1	-	-	-	-	-	-	4	—	-	10	.54
-	1	-	—	1	1	-	1	1	-	-	-	-	-	-	-	—	6	-	—	.89
1	-	-	—	—	-	-	-	-	-	-	1	-	-	-	1	3	—	-	8	.67
-	-	-	—	—	-	-	-	2	-	-	1	-	-	-	-	—	5	-	—	1.21
3	3	3	7	5	4	4	2	3	4	7	10	8	2	-	3	127	—	-	283	1.03
8	6	4	4	11	2	8	5	7	12	6	8	2	1	1	5	—	155	-	—	1.25
-	-	-	-	—	-	-	-	-	-	-	-	-	-	-	-	—	—	1	—	—
11	9	7	11	16	6	12	7	10	16	13	18	10	3	1	8	127	155	1	283	1.19
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	1	—
1	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	1	-	—	.35
-	1	1	1	1	2	-	1	1	1	1	1	-	-	-	-	36	—	-	82	.96
3	-	4	2	—	3	2	1	3	2	1	-	-	-	1	1	—	46	-	—	1.19
1	-	-	—	—	-	-	-	-	1	1	-	-	-	-	-	7	—	-	14	.86
1	-	1	—	—	2	-	-	-	-	-	1	-	-	-	-	—	7	-	—	.85
1	-	1	—	—	-	1	-	-	2	-	-	-	-	-	-	11	—	-	21	.87
-	-	-	2	1	-	-	-	-	1	1	-	1	1	-	-	—	10	-	—	.77
-	-	-	1	1	-	-	-	1	-	1	2	-	-	-	-	12	—	-	25	1.11
1	3	-	—	—	-	1	-	-	1	1	1	1	1	-	-	—	13	-	—	1.28
1	1	-	—	—	1	-	-	-	1	1	1	-	-	-	-	14	—	-	27	1.72
-	-	2	—	1	1	-	-	-	-	1	-	-	-	-	2	—	12	-	—	1.22
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	1	—	—	1	—	—
-	-	-	1	—	-	-	-	-	-	-	-	-	-	1	1	4	—	-	15	.88
-	-	-	1	1	1	-	-	-	1	-	-	-	1	2	-	—	11	-	—	2.46
-	-	-	1	1	1	1	-	3	-	1	2	1	-	-	2	20	—	-	34	2.37
2	-	1	2	—	-	-	1	-	2	-	1	-	-	-	-	—	14	-	—	1.43
-	-	1	—	—	-	-	-	-	-	-	-	-	-	-	1	3	—	-	8	.23
-	-	-	2	—	-	-	-	-	-	-	-	-	-	-	-	—	5	-	—	.43
-	-	-	—	—	-	-	-	-	1	-	1	-	-	-	-	3	—	-	9	.38
-	-	2	—	—	-	-	-	-	-	1	1	-	-	-	-	—	6	-	—	.89
-	-	-	—	—	-	-	-	-	-	-	1	-	-	-	-	1	—	-	1	1.52
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	—	—

TABLE V.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
Chittenden—Con.												
Shelburne,	1,257	M.	642	2	—	—	—	—	—	—	—	—
		F.	615	2	1	—	—	—	—	—	—	—
Underhill,	1,599	M.	818	2	—	—	—	—	—	—	1	—
		F.	781	4	—	—	—	—	—	—	—	—
		U.	—	—	—	—	—	—	—	—	—	—
Westford,	1,458	M.	741	—	—	—	—	—	—	—	—	—
		F.	717	—	—	—	—	—	—	—	1	1
Williston.	1,669	M.	853	—	—	—	—	—	—	1	—	—
		F.	816	2	2	1	—	—	—	—	—	—
	29,036	M.	14.679	29	9	2	2	2	8	4	6	3
		F.	14,357	23	10	2	—	2	6	7	8	5
		U.	—	—	—	—	—	—	—	—	—	—
Totals,	29,036		29,036	52	19	4	2	4	14	11	14	8
ESSEX.												
Averill,	7	M.	4	—	—	—	—	—	—	—	—	—
		F.	3	—	—	—	—	—	—	—	—	—
Bloomfield,	244	M.	125	—	—	—	—	—	—	—	—	—
		F.	119	—	—	—	—	—	—	—	—	—
Brighton,	193	M.	105	—	—	—	—	—	—	—	—	—
		F.	88	—	—	—	—	—	—	—	—	—
Brunswick,	119	M.	63	—	—	—	—	—	—	—	—	—
		F.	56	—	—	—	—	—	—	—	—	—
Canaan,	471	M.	253	—	1	—	—	—	—	—	—	—
		F.	218	—	—	—	—	—	1	—	—	—
Concord,	1,153	M.	594	—	—	—	1	1	1	—	—	2
		F.	559	—	—	2	—	1	—	—	—	1
Easthaven,	94	M.	47	—	—	—	—	—	—	—	—	—
		F.	47	1	—	—	—	—	—	—	—	—
Granby,	127	M.	60	—	—	—	—	—	—	—	1	—
		F.	67	—	—	—	—	—	—	—	—	—
Guildhall,	501	M.	256	—	—	—	—	—	—	—	1	—
		F.	245	—	—	—	—	—	1	—	—	—
Lemington,	187	M.	90	—	—	—	—	—	—	—	—	—
		F.	97	1	—	—	—	—	1	1	1	—
Lunenburgh,	1,123	M.	582	—	—	—	1	—	—	—	—	—
		F.	541	3	—	—	—	—	—	—	—	1
Maidstone,	237	M.	122	—	—	—	—	—	—	—	—	—
		F.	115	—	—	—	—	1	—	—	—	—
Victory,	168	M.	90	—	1	—	—	—	—	1	—	—
		F.	78	—	—	—	—	—	1	—	—	—

TABLE V.—Continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95	95 and over	Unknown.	Sex. Males	Fem	U.k.	Total	Percentage.
1	-	-	1	—	-	1	-	-	-	-	1	-	-	-	-	6	—	-	13	.94
-	-	-	—	—	-	-	2	-	-	-	-	1	-	1	-	—	7	-	—	1.14
-	-	-	—	—	1	-	-	-	-	-	1	1	-	-	-	6	—	-	16	.86
-	-	2	1	—	-	1	-	-	-	-	-	-	1	-	-	—	9	-	—	1.14
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	1	—	—	1	—	—
-	-	-	—	—	-	1	-	-	-	-	1	-	1	-	-	3	—	-	10	.41
1	1	-	—	—	-	-	-	-	2	-	-	-	-	-	1	—	7	-	—	.98
-	1	-	—	2	-	-	1	1	1	1	2	-	-	-	-	10	—	-	19	1.17
-	-	-	—	—	1	-	3	-	-	-	-	-	-	-	-	—	9	-	—	1.11
4	3	3	5	5	5	4	2	6	7	6	12	2	1	1	5	136	—	-	295	.92
9	4	12	10	3	8	4	7	3	9	5	5	3	4	4	4	—	157	-	—	1.08
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	2	—	—	2	—	—
13	7	15	15	8	13	8	9	9	16	11	17	5	5	5	11	136	157	2	295	1.01
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	—	—
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	—	—
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	—	—
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	—	—
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	—	—
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	—	—
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	1	—
-	1	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	1	-	—	1.79
-	1	-	—	—	-	-	-	-	1	1	-	-	-	-	-	4	—	-	7	.67
-	-	-	1	—	-	1	-	-	-	-	-	-	-	-	-	—	3	-	—	.54
3	-	-	1	—	-	-	-	-	-	1	-	-	1	-	-	11	—	-	21	4.34
-	-	-	—	—	-	1	-	-	1	1	2	1	-	-	-	—	10	-	—	4.57
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	2	—
-	-	-	—	—	1	-	-	-	-	-	-	-	-	-	-	—	2	-	—	4.17
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	1	—	-	1	1.66
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	—	—
-	-	-	—	—	1	-	1	-	-	-	-	-	-	-	-	3	—	-	7	1.17
-	1	-	—	—	-	-	-	-	-	-	-	-	2	-	-	—	4	-	—	1.71
-	-	-	—	—	-	-	-	-	-	1	-	1	-	-	-	2	—	-	8	2.22
1	-	-	—	—	-	-	1	-	-	-	-	-	-	-	-	—	6	-	—	6.21
-	-	-	1	—	2	-	-	1	-	-	-	1	-	-	-	6	—	-	12	1.03
1	-	-	—	—	-	-	-	-	-	-	-	-	-	1	-	—	6	-	—	1.11
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	1	—
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	1	-	—	.87
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	2	—	-	5	2.22
-	-	-	1	—	-	-	-	-	1	-	-	-	-	-	-	—	3	-	—	3.86

TABLE V.—Continued.

TOWNS.	Population. Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
Essex—Con.												
Wenlock,	26	M.	12	—	—	—	—	—	—	—	—	—
		F.	14	—	—	—	—	—	—	—	—	—
	4,650	M.	2,403	—	2	—	2	1	1	1	2	2
		F.	2,247	5	—	2	—	2	4	1	1	2
Totals,	4,650		4,650	5	2	2	2	3	5	2	3	4
FRANKLIN.												
Avery's Gore,	48	M.	23	—	—	—	—	—	—	—	—	—
		F.	25	—	—	—	—	—	—	—	—	—
Bakersfield,	1,523	M.	769	5	—	—	1	1	—	—	1	—
		F.	754	3	—	—	—	—	—	1	2	—
Berkshire,	1,955	M.	987	—	1	—	2	—	1	—	—	1
		F.	968	—	—	—	—	—	—	—	1	—
Enosburgh,	2,009	M.	1,006	2	—	—	1	—	1	—	—	—
		F.	1,003	1	—	—	2	1	—	—	—	—
Fairfax,	2,111	M.	1,064	—	—	—	1	—	1	—	—	—
		F.	1,047	3	—	—	—	—	—	1	1	1
Fairfield,	2,591	M.	1,290	1	—	—	—	—	2	—	—	2
		F.	1,301	2	1	—	—	—	—	—	1	1
Fletcher,	1,084	M.	552	1	1	1	3	—	—	—	—	—
		F.	532	1	—	1	—	—	—	—	1	—
Franklin,	1,646	M.	818	—	—	—	—	—	—	—	—	—
		F.	828	—	—	—	—	1	—	—	—	—
Georgia,	2,686	M.	1,515	1	—	—	—	—	—	—	—	2
		F.	1,171	—	—	—	—	1	—	—	1	2
Highgate,	2,653	M.	1,363	3	—	1	—	—	1	—	1	—
		F.	1,290	1	—	1	—	—	—	—	—	—
Montgomery,	1,001	M.	503	—	—	2	—	—	—	—	—	
		F.	498	—	1	—	—	—	—	—	—	—
Richford,	1,074	M.	547	—	—	—	—	—	—	—	—	—
		F.	527	—	—	—	—	—	2	—	—	—
Sheldon,	1,814	M.	904	5	2	—	—	—	—	—	—	—
		F.	910	—	2	1	3	—	—	—	—	1
St. Albans,	3,567	M.	1,807	—	—	3	—	—	—	—	1	—
		F.	1,760	1	2	—	—	—	—	—	—	1
Swanton,	2,824	M.	1,493	7	1	—	—	2	—	—	1	1
		F.	1,331	7	—	—	—	—	1	2	1	—
	28,586	M.	14,641	25	5	7	8	3	6	—	4	6
		F.	13,945	19	6	3	5	3	3	4	8	6
Totals,	28,586		28,586	44	11	10	13	6	9	4	12	12

Table V.—Continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over	Unknown	Total. Males	Total. Fem.	Total. Unk.	Total. Total	Percentage.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	1	—	2	—	3	—	1	1	1	3	—	2	1	—	—	29	—	—	65	1.20
2	2	—	2	—	1	2	1	—	2	1	2	1	2	1	—	—	36	—	—	1.11
5	3	—	4	—	4	2	2	1	3	4	2	3	3	1	—	29	36	—	65	1.39
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	1	—	1	—	—	—	—	—	—	1	1	—	—	12	—	—	25	1.56
—	2	—	—	—	—	—	1	—	—	2	1	1	—	—	—	—	13	—	—	1.72
—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	7	—	—	12	.71
—	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	5	—	—	.52
—	—	1	—	—	—	—	—	1	—	1	—	1	—	—	—	8	—	—	25	.79
1	1	2	—	—	3	—	—	1	2	—	2	—	—	—	1	—	17	—	—	1.69
—	—	—	2	—	1	—	1	—	1	—	—	2	—	—	1	10	—	—	22	.94
—	—	2	—	—	—	1	—	—	—	—	1	—	2	—	—	—	12	—	—	1.23
1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	9	—	—	21	.69
—	1	1	—	—	1	1	—	—	—	—	2	1	—	—	—	—	12	—	—	.92
—	—	1	—	—	—	1	—	—	1	1	—	—	—	1	—	11	—	—	17	1.99
—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	6	—	—	1.12
—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—	3	—	—	4	.36
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	.12
2	—	—	1	—	1	—	1	1	—	—	—	—	1	—	—	10	—	—	15	.65
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	5	—	—	.42
—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	9	—	—	18	.66
—	1	—	1	—	—	1	1	1	1	1	—	—	—	—	—	—	9	—	—	.70
—	—	—	—	—	—	1	—	—	2	1	1	—	—	—	1	8	—	—	14	1.59
—	—	1	1	1	—	—	—	1	—	—	—	—	—	—	1	—	6	—	—	1.32
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	5	.37
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—
—	—	—	1	—	—	1	—	1	—	1	—	—	—	—	—	11	—	—	22	1.22
—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	11	—	—	1.21
—	1	—	—	—	—	—	2	—	1	1	1	—	—	—	1	11	—	—	22	.61
—	1	—	—	1	—	1	2	—	—	1	—	1	—	—	—	—	11	—	—	.63
—	1	—	—	1	—	—	—	1	1	1	—	—	—	—	—	17	—	—	34	1.14
—	—	1	—	1	—	—	—	1	—	1	1	1	—	—	—	—	17	—	—	1.28
4	3	3	5	2	5	4	4	5	6	6	5	4	2	1	5	128	—	—	256	.87
1	7	7	2	3	4	5	5	8	5	8	8	4	2	—	2	—	128	—	—	.95
5	10	10	7	5	9	9	9	13	11	14	13	8	4	1	7	128	128	—	256	.89

TABLE V.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.
GRAND ISLE.										
Alburgh,	1,568	M.	827	2	—	2	—	1	—	—
		F.	741	—	—	—	—	1	—	—
Grand Isle,	666	M.	343	2	—	—	—	—	—	—
		F.	323	—	—	—	—	—	—	—
Isle La Motte,	476	M.	246	1	—	—	—	—	—	—
		F.	230	1	—	—	1	—	—	—
North Hero,	730	M.	395	—	—	—	—	—	—	—
		F.	335	—	—	—	—	—	—	—
South Hero,	705	M.	365	—	—	—	—	—	—	—
		F.	340	—	—	—	—	—	—	—
	4,145	M.	2,176	5	—	2	—	1	—	—
		F.	1,969	1	—	—	1	1	—	—
Totals,	4,145		4,145	6	—	2	1	2	—	—
LAMOILLE.										
Belvidere,	256	M.	138	1	—	—	—	—	—	—
		F.	118	—	—	—	—	—	—	—
Cambridge,	1,849	M.	942	1	—	—	—	1	—	—
		F.	907	1	—	—	—	—	1	—
Eden,	668	M.	342	—	—	—	1	—	—	1
		F.	326	—	—	—	—	—	—	1
Elmore,	504	M.	270	—	—	—	—	—	—	—
		F.	234	—	—	—	—	—	—	—
Hydepark,	1,107	M.	601	3	—	—	—	—	1	—
		F.	506	1	1	1	—	—	3	2
Johnson,	1,381	M.	704	—	—	—	—	—	—	—
		F.	677	—	1	—	—	—	—	—
Morristown,	1,441	M.	753	1	—	—	—	1	—	—
		F.	688	1	—	1	2	—	1	—
Sterling,	233	M.	120	—	—	—	—	—	—	—
		F.	113	—	—	—	—	—	—	—
Stowe,	1,771	M.	893	1	—	—	—	—	—	—
		F.	878	1	—	—	—	—	1	—
Waterville,	753	M.	362	—	—	—	—	—	—	—
		F.	391	—	—	—	—	—	—	—
Wolcott,	909	M.	460	—	—	—	—	—	—	—
		F.	449	2	—	—	—	—	—	—
	10,872	M.	5,585	7	—	—	1	2	1	1
		F.	5,287	6	2	2	2	—	6	3
Totals,	10,872		10,872	13	2	2	3	2	7	4

TABLE V.—Continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75	75 to 80.	80 to 85	85 to 90.	90 to 95.	95 and over.	Unknown.	Sex. Males	Fem.	Unk.	Total	Percentage.
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	3	10	—	–	13	1.21
–	–	–	—	—	–	–	–	–	1	–	–	1	–	–	–	—	3	–	—	.41
1	–	–	—	—	–	1	1	–	–	1	–	–	–	–	–	6	—	–	7	1.74
–	–	–	—	—	–	–	–	–	–	1	–	–	–	–	–	—	1	–	—	.31
–	–	–	—	—	–	–	–	–	–	–	–	–	–	–	–	1	—	–	7	.41
–	–	2	—	1	–	1	–	–	–	–	–	–	–	–	–	—	6	–	—	2.60
–	–	–	—	—	–	–	–	–	–	–	–	–	–	–	–	—	—	–	1	—
–	–	–	—	—	–	–	–	–	–	–	1	–	–	–	–	—	1	–	—	.29
–	–	–	—	—	–	–	–	–	–	1	–	–	–	–	–	1	—	–	4	.27
–	–	1	—	—	–	–	–	–	–	1	–	–	–	–	–	—	3	–	—	.88
1	–	–	1	1	–	1	1	–	–	2	–	–	–	–	3	18	—	–	32	.83
–	–	3	—	1	–	1	–	–	1	2	1	1	–	–	–	—	14	–	—	.71
1	–	3	1	2	–	2	1	–	1	4	1	1	–	–	3	18	14	–	32	.77
–	–	–	—	—	–	–	–	–	–	–	–	–	–	–	–	1	—	–	3	.73
–	2	–	—	—	–	–	–	–	–	–	–	–	–	–	–	—	2	–	—	1.93
–	–	–	1	—	–	–	–	–	–	1	–	–	–	–	1	5	—	–	13	1.38
–	–	1	—	1	2	–	–	–	–	1	–	–	–	–	1	—	8	–	—	.88
–	–	–	—	—	–	–	–	–	–	1	–	–	–	–	–	3	—	–	5	.87
–	–	–	—	—	–	–	–	–	1	–	–	–	–	–	–	—	2	–	—	.61
–	–	–	—	—	–	–	–	–	–	–	–	–	–	–	–	—	—	–	2	—
1	–	–	—	1	–	–	–	–	–	–	–	–	–	–	–	—	2	–	—	.85
–	–	–	—	1	–	–	–	1	–	–	1	–	1	–	1	10	—	–	20	1.66
–	–	–	—	—	1	–	–	–	–	–	–	–	–	–	–	—	10	–	—	1.99
–	–	–	—	—	–	–	–	1	–	1	–	–	–	–	–	2	—	–	8	.28
1	–	–	—	1	–	–	–	1	–	–	–	–	–	–	1	—	6	–	—	.89
1	–	–	—	—	–	–	1	1	1	–	–	–	–	–	–	7	—	–	19	.93
–	1	1	—	—	–	1	–	–	–	1	–	1	–	–	1	—	12	–	—	1.64
–	–	–	—	—	–	–	–	–	–	–	–	–	–	–	–	—	—	–	—	—
–	–	–	—	—	–	–	–	–	–	–	–	–	–	–	–	—	—	–	—	—
–	–	–	1	—	–	–	1	–	1	1	–	–	–	–	–	6	—	–	15	.67
2	–	1	—	—	–	–	–	–	1	2	–	–	–	–	–	—	9	–	—	1.03
–	–	–	—	—	–	–	–	–	–	–	–	–	–	–	–	—	—	–	—	—
–	–	–	—	—	–	–	–	–	–	–	–	–	–	–	–	—	—	–	—	—
–	–	–	—	—	–	–	1	–	–	–	–	–	–	–	–	1	—	–	7	.22
–	–	1	—	1	1	–	–	–	–	–	–	–	–	–	–	—	6	–	—	1.34
1	–	–	2	1	–	–	3	3	2	4	1	–	1	–	2	35	—	–	92	.66
4	3	4	—	4	4	1	–	1	2	4	–	1	–	–	3	—	57	–	—	1.04
5	3	4	2	5	4	1	3	4	4	8	1	1	1	–	5	35	57	–	92	.84

TABLE V.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
ORANGE.												
Bradford,	1,723	M.	855	4	—	1	—	—	—	—	1	—
		F.	868	1	1	1	—	—	—	—	1	—
Braintree,	1,228	M.	626	1	—	—	—	—	—	—	—	—
		F.	602	1	—	—	—	—	—	—	1	2
Brookfield,	1,672	M.	841	—	—	—	—	—	—	—	—	—
		F.	831	—	—	—	—	—	—	—	1	1
Chelsea,	1,958	M.	978	—	1	—	—	—	1	—	—	—
		F.	980	—	1	1	—	—	—	1	—	—
Corinth,	1,906	M.	931	—	—	—	—	—	—	—	—	—
		F.	975	2	—	—	1	—	—	—	—	—
Fairlee,	575	M.	285	1	—	—	—	—	—	—	—	—
		F.	290	—	—	1	—	—	—	—	—	—
Newbury,	2,984	M.	1,501	1	—	—	—	—	—	1	—	—
		F.	1,483	2	3	—	—	—	—	1	1	1
		U.	—	1	—	—	—	—	—	—	—	—
Orange,	1,007	M.	508	2	—	—	—	—	—	—	—	—
		F.	499	3	—	—	—	—	—	—	1	1
Randolph,	2,666	M.	1,327	1	—	—	1	—	—	—	1	—
		F.	1,339	2	—	—	—	—	—	1	1	3
Strafford,	1,540	M.	744	—	—	—	—	—	—	—	—	—
		F.	796	—	1	—	—	—	—	1	—	1
Thetford,	2,016	M.	1,027	—	1	—	—	—	—	—	—	1
		F.	989	—	1	—	—	—	—	1	1	1
Topsham,	1,668	M.	819	2	1	1	—	—	—	—	—	—
		F.	849	3	—	—	1	—	1	1	—	—
Tunbridge,	1,786	M.	868	1	—	1	—	—	1	—	—	—
		F.	918	2	—	—	—	—	—	—	—	—
Vershire,	1,071	M.	552	1	—	—	—	—	—	—	1	—
		F.	519	—	1	—	—	—	—	—	1	—
Washington,	1,348	M.	693	1	1	—	—	—	—	—	—	—
		F.	655	—	—	—	—	—	—	—	—	—
West Fairlee,	696	M.	336	1	—	—	—	—	—	—	—	—
		F.	360	1	—	—	1	—	—	—	—	1
Williamstown,	1,452	M.	733	1	2	—	—	—	—	—	2	1
		F.	319	3	—	—	—	1	—	1	—	2
	27,296	M.	13,654	17	6	3	1	—	2	1	5	2
		F.	13,642	20	8	3	3	1	1	7	8	13
		U.	—	1	—	—	—	—	—	—	—	—
Totals,	27,296		27,296	38	14	6	4	1	3	8	13	15

TABLE V.—Continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95	95 and over.	Unknown.	Sex. Males	Sex. Fem	Sex. Unk.	Sex. Total	Percentage.
-	2	1	—	—	-	-	1	1	1	-	1	-	-	-	-	13	—	-	24	1.60
-	1	-	—	—	2	-	-	-	-	-	2	-	1	-	1	—	11	-	—	1.27
-	-	-	—	—	-	-	-	1	-	1	1	-	1	-	-	5	—	-	14	.79
1	-	-	—	—	-	-	1	-	-	2	-	-	-	-	1	—	9	-	—	1.49
1	-	-	—	2	-	-	1	-	-	1	-	1	-	-	-	6	—	-	18	.81
1	1	2	—	—	-	-	-	1	2	1	-	2	-	-	-	—	12	-	—	1.45
-	1	2	—	—	2	-	2	-	-	-	-	1	1	-	-	11	—	-	21	1.13
-	2	1	—	1	-	-	-	2	1	-	-	-	-	-	-	—	10	-	—	1.02
-	1	-	—	—	-	-	-	-	-	-	2	2	-	-	-	5	—	-	13	.54
-	-	1	—	1	-	-	1	-	-	1	-	-	1	-	-	—	8	-	—	.82
-	-	-	—	—	-	1	-	1	-	-	1	-	-	-	-	4	—	-	8	1.41
-	-	-	—	—	-	-	-	-	1	-	1	1	-	-	-	—	4	-	—	1.38
1	-	2	—	—	1	-	1	-	-	1	4	2	1	-	-	15	—	-	30	.99
1	-	-	1	—	1	-	-	2	-	1	-	-	-	-	-	—	14	-	—	.94
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	1	—	—
-	-	-	—	—	-	1	-	2	2	-	-	1	-	-	-	8	—	-	14	1.58
1	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	6	-	—	1.21
-	-	1	1	—	-	-	1	2	1	1	-	1	-	-	-	11	—	-	25	.83
1	-	-	—	2	-	-	1	1	-	1	1	-	-	-	-	—	14	-	—	1.05
-	-	2	—	1	2	-	-	-	2	1	-	-	-	-	-	8	—	-	21	1.08
-	-	-	—	2	-	3	-	1	-	-	-	2	2	-	-	—	13	-	—	1.64
-	1	-	—	—	-	2	-	2	-	-	2	-	-	-	-	9	—	-	24	.88
1	1	1	—	2	-	-	-	-	1	2	-	1	1	1	-	—	15	-	—	1.51
-	-	-	1	—	-	-	-	2	-	2	1	1	-	-	-	11	—	-	26	1.35
-	2	1	—	1	-	-	1	1	1	1	1	-	-	-	-	—	15	-	—	1.77
2	-	-	—	—	-	-	-	-	1	1	1	1	-	-	-	9	—	-	12	1.04
-	-	-	—	—	-	-	-	-	-	-	-	-	1	-	-	—	3	-	—	.33
-	-	-	—	—	-	-	-	-	-	2	-	1	-	-	-	5	—	-	13	.91
1	-	1	—	1	-	1	-	-	1	-	-	-	1	-	-	—	8	-	—	1.54
-	-	-	—	—	-	-	-	1	-	-	-	-	-	-	-	3	—	-	11	.43
-	-	-	1	—	-	-	1	1	-	1	-	-	-	-	-	—	8	-	—	1.22
1	-	-	1	—	-	1	-	1	1	-	-	-	-	-	-	6	—	-	13	1.79
-	-	-	—	—	-	-	1	-	-	-	2	-	-	-	1	—	7	-	—	1.95
1	-	-	1	—	-	-	1	-	-	2	-	-	-	-	-	11	—	-	25	1.51
1	1	1	1	—	-	-	-	-	2	-	-	-	1	-	-	—	14	-	—	4.41
6	5	8	4	3	5	5	7	13	8	13	13	11	3	-	-	140	—	-	312	1.02
12	8	8	3	10	3	4	6	9	9	9	7	6	8	1	3	—	172	-	—	1.26
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	—	—
18	13	16	7	13	8	9	13	22	17	22	20	17	11	1	3	140	172	-	312	1.10

Table V.—Continued.

Towns.	Population. Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
Orleans.												
Albany,	1,052	M.	535	1	—	—	—	—	1	—	1	—
		F.	517	—	—	—	—	—	—	—	—	1
Barton,	987	M.	501	2	—	—	—	—	—	—	—	—
		F.	486	—	—	—	—	—	—	—	1	—
Brownington,	613	M.	313	2	—	—	—	—	—	—	—	—
		F.	300	—	—	—	—	—	1	1	—	—
Charleston,	1,008	M.	513	2	—	—	1	1	2	—	1	—
		F.	495	1	3	—	1	—	—	1	—	—
Coventry,	867	M.	449	—	—	—	—	—	1	—	—	—
		F.	418	—	—	—	—	—	—	—	—	—
Craftsbury,	1,223	M.	626	—	—	—	—	—	—	—	—	—
		F.	597	—	—	—	—	—	—	—	—	1
Derby,	1,750	M.	874	—	1	1	—	—	1	1	—	1
		F.	876	1	1	—	1	—	—	1	1	—
Glover,	1,137	M.	585	—	—	2	—	—	—	1	1	—
		F.	552	5	—	—	—	—	—	—	—	1
Greensboro',	1,008	M.	505	1	2	—	—	—	—	—	1	—
		F.	503	1	—	1	1	—	—	—	—	—
Holland,	669	M.	341	3	—	—	—	—	—	—	—	—
		F.	328	4	—	—	—	1	—	—	1	1
Irasburgh,	1,034	M.	531	2	—	—	—	—	—	1	—	—
		F.	503	1	—	—	1	—	—	—	—	—
Jay,	371	M.	200	—	1	—	—	—	—	—	—	—
		F.	171	1	—	—	—	—	—	1	—	—
Lowell,	637	M.	331	2	—	—	—	—	—	—	—	—
		F.	306	—	—	—	—	—	—	—	1	—
Morgan,	486	M.	246	—	—	—	—	—	—	—	—	—
		F.	240	—	—	—	1	1	—	—	—	—
Newport,	748	M.	375	—	2	1	—	1	1	1	—	—
		F.	367	—	1	—	—	—	2	—	—	—
Salem,	455	M.	232	—	1	—	—	—	—	1	—	—
		F.	223	—	—	—	—	—	—	—	—	—
Troy,	1,008	M.	522	—	—	—	—	1	—	—	—	—
		F.	486	2	—	—	—	—	—	—	—	—
		U.	—	—	—	—	—	—	—	—	—	—
Westfield,	502	M.	248	—	—	—	—	—	—	—	—	—
		F.	254	—	—	—	—	—	—	—	—	—
Westmore,	152	M.	76	—	—	—	—	—	—	—	1	—
		F.	76	—	—	—	—	—	—	—	—	—
	15,707	M.	8,006	15	7	4	1	3	6	5	5	1
		F.	7,701	16	5	1	5	2	3	4	4	4
Totals,	15,707		15,707	31	12	5	6	5	9	9	9	5

TABLE V.—Continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over	Unknown.	TOTAL. Males	Fem.	Unk.	Total	Percentage.
1	-	-	—	—	-	-	-	-	-	1	-	-	-	-	-	5	—	-	8	.93
-	-	1	—	—	1	-	-	-	-	-	-	-	-	-	-	—	3	-	—	.58
-	-	-	—	—	-	-	-	-	-	-	1	1	-	-	-	4	—	-	10	.79
1	-	-	—	1	-	1	-	1	-	1	-	-	-	-	-	—	6	-	—	1.24
-	-	-	—	2	-	-	1	-	-	-	-	-	-	-	-	5	—	-	8	1.61
-	-	1	—	—	-	-	-	-	-	-	-	-	-	-	-	—	3	-	—	1.00
-	-	-	—	1	-	-	1	-	1	-	1	-	-	-	-	11	—	-	22	2.15
-	1	-	—	—	1	-	1	1	1	-	-	-	-	-	-	—	11	-	—	2.05
-	-	-	—	—	-	-	-	-	-	1	-	-	1	-	-	3	—	-	7	.67
-	-	-	—	2	-	-	-	-	-	1	1	-	-	-	-	—	4	-	—	.96
-	-	-	—	—	-	-	-	-	-	-	2	2	1	-	-	5	—	-	9	.80
-	-	1	—	—	1	-	-	-	-	-	-	-	-	-	1	—	4	-	—	.67
-	1	-	—	1	1	1	-	-	-	1	1	-	-	-	-	11	—	-	17	1.26
-	-	-	—	—	-	-	-	-	-	-	-	-	1	-	-	—	6	-	—	.69
1	-	-	—	—	-	1	-	1	-	1	2	-	-	1	1	13	—	-	25	2.23
-	-	2	—	—	-	-	-	-	1	2	-	1	-	-	-	—	12	-	—	2.17
-	-	-	1	1	-	-	2	-	1	2	1	-	-	-	-	12	—	-	24	2.37
1	-	1	—	1	-	1	-	-	1	2	2	-	-	-	-	—	12	-	—	2.39
-	-	-	—	—	1	-	-	-	-	-	-	-	-	-	-	4	—	-	12	1.17
1	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	8	-	—	2.44
1	-	-	1	—	-	-	-	-	-	-	-	-	-	-	-	5	—	-	9	.94
-	-	-	1	—	-	-	1	-	-	-	-	-	-	-	-	—	4	-	—	.79
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	1	2	—	-	6	1.00
1	-	-	—	—	1	-	-	-	-	-	-	-	-	-	-	—	4	-	—	2.34
-	-	1	—	—	-	-	1	-	-	-	-	-	-	-	1	5	—	-	7	1.51
-	-	1	—	—	-	-	-	-	-	-	-	-	-	-	-	—	2	-	—	.65
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	3	—
-	-	-	—	—	-	-	-	1	-	-	-	-	-	-	-	—	3	-	—	1.25
1	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	7	—	-	11	1.87
-	-	-	—	—	-	-	-	-	-	-	1	-	-	-	-	—	4	-	—	1.09
-	-	-	1	—	-	-	-	-	-	-	-	-	-	-	-	3	—	-	5	1.29
-	-	-	—	—	-	-	1	-	1	-	-	-	-	-	-	—	2	-	—	.89
-	-	-	—	—	-	1	1	1	-	-	-	-	-	-	1	5	—	-	12	1.14
-	-	-	—	—	-	-	-	-	-	1	-	1	-	-	1	—	5	-	—	1.24
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	2	—	—	2	—	—
-	1	-	—	—	-	-	1	1	1	-	-	-	-	-	-	4	—	-	6	1.61
-	-	-	—	—	-	-	-	1	-	1	-	-	-	-	-	—	2	-	—	.79
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	1	—	-	1	1.32
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	—	—
4	2	1	3	5	2	3	7	3	3	6	8	3	2	1	4	105	—	2	202	1.31
4	1	7	1	4	4	2	3	4	4	8	4	2	1	-	2	—	95	-	—	1.17
8	3	8	4	9	6	5	10	7	7	14	12	5	3	1	6	105	95	2	202	1.27

TABLE V.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
RUTLAND.												
Benson,	1,305	M.	654	1	—	—	—	—	—	—	—	—
		F.	651	1	—	—	1	—	1	—	—	—
Brandon,	2,835	M.	1,455	3	1	—	—	—	—	1	—	—
		F.	1,380	1	—	—	—	—	—	—	—	2
Castleton,	3,016	M.	1,607	4	2	1	—	—	1	2	1	3
		F.	1,409	5	1	1	—	—	1	—	1	2
Chittenden,	675	M.	356	2	—	—	—	—	—	—	—	—
		F.	319	2	1	—	—	—	—	—	—	—
Clarendon,	1,477	M.	774	2	1	—	—	—	—	—	—	—
		F.	703	2	—	—	—	—	—	—	—	1
Danby,	1,535	M.	771	2	—	—	—	—	—	—	—	—
		F.	764	1	—	—	—	—	—	—	—	—
Fairhaven,	902	M.	473	—	1	—	—	—	—	—	—	—
		F.	429	1	1	—	—	—	—	—	1	—
Hubbardton,	701	M.	357	—	—	—	1	—	1	—	—	—
		F.	344	—	—	—	—	—	—	—	—	—
Ira,	400	M.	212	1	—	—	—	—	1	—	—	—
		F.	188	—	—	—	—	—	—	—	—	—
Mendon,	504	M.	263	—	—	—	—	—	—	—	—	—
		F.	241	—	—	—	—	—	—	—	—	—
Middletown,	875	M.	445	—	—	—	—	—	—	1	—	—
		F.	430	—	—	—	1	—	—	—	—	—
Mount Holly,	1,534	M.	792	1	1	—	—	1	—	2	—	—
		F.	742	2	—	—	—	—	1	—	—	—
Mount Tabor,	308	M.	167	—	—	—	—	—	—	—	—	—
		F.	141	—	—	—	—	—	—	—	—	1
Pawlet,	1,843	M.	928	—	—	—	—	—	—	—	—	—
		F.	915	—	—	—	—	—	—	—	—	—
Pittsfield,	512	M.	244	1	—	—	—	—	—	—	—	—
		F.	268	—	—	—	—	—	—	—	—	1
Pittsford,	2,026	M.	1,046	2	1	—	1	—	2	—	1	—
		F.	980	1	1	—	—	—	2	—	1	1
Poultney,	2,329	M.	1,187	3	1	—	—	—	1	—	—	1
		F.	1,142	3	1	—	1	—	—	1	—	—
Rutland,	3,715	M.	1,967	10	6	6	2	3	2	1	—	1
		F.	1,748	6	9	3	4	—	7	—	—	—
Sherburne,	578	M.	296	—	—	—	—	—	—	1	—	—
		F.	282	1	—	—	—	—	—	—	—	—
Shrewsbury,	1,268	M.	639	1	—	—	1	—	—	—	—	—
		F.	629	—	—	—	—	—	2	—	—	—
Sudbury,	794	M.	399	—	—	—	—	—	—	—	—	—
		F.	395	—	—	—	—	—	—	1	—	—
Tinmouth,	717	M.	366	—	—	—	—	—	—	—	—	—
		F.	351	—	—	—	—	—	—	1	—	—

Table V.—Continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75	75 to 80.	80 to 85	85 to 90.	90 to 95.	95 and over.	Unknown.	Sex. Males	Fem	Unk.	Total	Percentage.
1	-	-	—	1	-	1	1	1	-	1	-	-	-	-	1	8	—	-	15	1.22
-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	—	7	-	—	1.08
-	1	-	—	1	1	-	2	2	-	1	-	1	-	-	1	15	—	-	23	1.03
-	-	2	1	—	-	1	-	-	-	1	-	-	-	-	-	—	8	-	—	.58
4	1	-	—	—	1	1	1	1	-	-	-	-	-	-	-	23	—	-	45	2.29
1	2	1	—	2	1	-	-	1	-	-	-	3	-	-	-	—	22	-	—	1.57
1	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	3	—	-	8	.85
-	1	-	1	—	-	-	-	-	-	-	-	-	-	-	-	—	5	-	—	1.57
-	2	-	—	—	-	-	-	-	1	2	-	-	-	1	-	9	—	-	19	1.16
-	3	-	1	—	-	-	-	-	1	2	-	-	-	-	-	—	10	-	—	1.43
-	-	-	—	—	-	-	1	-	-	1	-	1	-	-	1	6	—	-	10	.78
-	-	-	1	—	-	-	1	-	1	-	-	-	-	-	-	—	4	-	—	.52
-	-	-	—	—	-	-	-	-	-	1	2	-	-	-	-	4	—	-	12	.85
-	-	-	1	1	-	-	-	-	1	-	2	-	-	-	-	—	8	-	—	1.87
-	-	-	—	—	-	1	-	-	-	-	1	-	-	-	-	4	—	-	5	1.12
-	-	1	—	—	-	-	-	-	-	-	-	-	-	-	-	—	1	-	—	.29
-	-	-	—	—	-	-	1	-	-	-	-	1	-	-	-	4	—	-	4	1.89
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	—	—
-	-	-	—	—	-	-	-	-	1	-	-	-	-	-	-	1	—	-	3	.38
-	-	-	1	—	-	-	-	-	-	1	-	-	-	-	-	—	2	-	—	.86
-	-	-	—	—	-	-	1	-	1	1	1	-	-	-	1	6	—	-	8	1.35
-	-	-	—	—	-	-	-	1	-	-	-	-	-	-	-	—	2	-	—	.46
-	-	1	—	—	-	-	1	-	-	-	-	-	-	-	-	7	—	-	15	.89
1	-	-	—	1	-	-	1	1	-	-	1	-	-	-	-	—	8	-	—	1.08
-	-	-	—	—	-	-	-	-	-	-	-	1	-	-	-	1	—	-	4	.59
-	-	-	—	1	-	-	-	1	-	-	-	-	-	-	-	—	3	-	—	2.13
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	—	—
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	—	—
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	1	—	-	4	.41
1	-	-	—	—	-	1	-	-	-	-	-	-	-	-	-	—	3	-	—	1.12
1	-	-	—	—	1	-	-	1	1	-	2	-	-	-	-	13	—	-	25	1.24
-	-	-	—	—	-	1	-	-	-	-	2	1	-	-	2	—	12	-	—	1.23
-	-	-	1	—	-	1	-	2	1	-	1	-	-	-	1	13	—	-	25	1.09
-	-	-	—	2	-	1	-	2	1	-	-	-	-	-	-	—	12	-	—	1.05
-	3	-	—	1	-	-	-	2	3	1	-	2	-	-	-	43	—	-	89	2.18
2	5	1	1	2	2	-	1	1	1	1	-	-	-	-	-	—	46	-	—	2.63
-	-	1	—	—	-	-	-	-	-	-	-	2	-	-	-	4	—	-	8	1.35
-	-	-	1	—	-	-	-	1	-	1	-	-	-	-	-	—	4	-	—	1.42
-	1	-	—	—	-	-	1	-	-	-	-	1	-	-	-	5	—	-	9	.78
-	-	-	—	—	-	1	-	-	1	-	-	-	-	-	-	—	4	-	—	.64
-	-	-	—	—	-	-	-	-	-	-	-	-	-	-	-	—	—	-	4	—
-	-	-	—	1	1	-	-	-	1	-	-	-	-	-	-	—	4	-	—	1.01
-	1	-	—	—	-	-	-	-	-	-	-	1	-	-	-	2	—	-	5	.55
-	-	-	—	—	-	1	-	-	-	1	-	-	-	-	-	—	3	-	—	.85

TABLE V.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
Rutland—Con.												
Wallingford,	1,688	M.	855	4	—	—	—	1	1	—	—	—
		F.	833	1	—	—	—	—	1	—	—	2
Wells,	804	M.	397	1	—	—	—	—	1	—	—	—
		F.	407	—	—	—	—	—	—	1	—	—
West Haven,	718	M.	374	1	—	—	—	—	—	—	—	—
		F.	344	—	—	—	—	—	—	—	—	—
	33,059	M.	17,024	39	14	7	5	5	10	8	2	5
		F.	16,035	27	14	4	7	—	15	4	3	10
Totals,	33,059		33,059	66	28	11	12	5	25	12	5	15
WASHINGTON.												
Barre,	1,845	M.	938	4	3	—	1	1	1	—	1	1
		F.	907	—	3	—	—	1	1	1	—	2
Berlin,	1,507	M.	760	1	—	1	—	—	—	—	1	—
		F.	747	—	1	—	—	1	—	—	1	—
Calais,	1,410	M.	701	—	—	—	—	—	—	—	—	2
		F.	709	1	—	—	—	—	1	—	—	—
Duxbury,	845	M.	444	—	—	—	—	—	—	—	—	—
		F.	401	—	—	—	—	—	—	—	1	—
E. Montpelier,	1,447	M.	748	—	—	—	—	—	—	—	—	1
		F.	699	2	—	—	—	—	—	—	—	—
Fayston,	684	M.	363	2	—	—	—	—	1	—	—	—
		F.	321	—	—	—	—	—	—	—	—	—
Marshfield,	1,102	M.	567	3	—	2	—	—	—	—	1	—
		F.	535	—	—	—	—	—	—	—	—	—
Middlesex,	1,365	M.	673	—	—	—	—	—	—	—	—	1
		F.	692	3	—	—	—	—	—	1	2	—
Montpelier,	2,310	M.	1,119	3	1	3	—	1	—	—	1	—
		F.	1,191	2	3	—	1	—	—	—	1	—
Moretown,	1,835	M.	657	4	—	—	—	—	—	2	—	1
		F.	678	1	—	—	—	—	—	—	—	1
Northfield,	2,922	M.	1,488	9	1	1	—	—	—	—	—	—
		F.	1,434	3	3	—	—	—	—	—	1	—
Plainfield,	808	M.	393	—	—	—	1	—	—	—	—	—
		F.	415	2	—	—	—	—	—	—	1	—
Roxbury,	967	M.	536	1	—	—	—	—	—	—	—	—
		F.	431	2	—	—	—	1	—	—	—	1
Waitsfield,	1,021	M.	513	1	—	—	—	—	—	—	1	1
		F.	508	—	—	—	—	—	—	1	1	—
Warren,	962	M.	501	—	—	1	—	—	—	—	—	—
		F.	461	—	—	—	—	—	—	1	—	—

TABLE V.—Continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95	95 and over	Unknown.	Sex. Males	Fem	Unk.	Total	Percentage.
1	–	1	1	1	–	2	2	1	–	1	–	–	1	–	–	17	—	–	29	1.99
–	–	1	2	—	–	–	2	1	1	–	1	–	–	–	–	—	12	–	—	1.44
–	–	–	—	—	1	–	1	–	–	–	–	–	–	–	–	4	—	–	10	1.01
–	–	–	—	—	–	1	–	–	–	–	1	1	1	1	–	—	6	–	—	1.48
–	–	–	—	—	1	–	–	–	–	–	–	–	–	–	–	2	—	–	1	.53
–	–	–	—	—	1	–	–	–	1	–	–	1	–	–	–	—	3	–	—	.87
8	9	3	2	4	5	6	12	10	8	9	7	10	1	1	5	195	—	–	384	1.11
5	11	6	11	11	6	7	5	9	10	7	7	6	1	1	2	—	189	–	—	1.08
13	20	9	13	15	11	13	17	19	18	16	14	16	2	2	7	195	189	–	384	1.15
–	–	–	1	—	–	–	1	1	1	2	–	1	–	–	–	19	—	–	35	2.02
–	–	1	2	—	–	–	2	–	1	1	1	–	–	–	–	—	16	–	—	1.76
–	–	1	—	—	–	–	1	–	1	–	–	–	1	–	–	7	—	–	12	.92
1	–	–	—	—	–	–	–	–	–	–	1	–	–	–	–	—	5	–	—	.66
–	1	–	—	—	–	1	–	–	–	1	–	–	–	–	1	6	—	–	15	.85
1	–	1	—	—	–	–	–	–	1	3	–	1	–	–	–	—	9	–	—	1.27
–	–	1	—	—	–	–	–	–	–	1	1	–	–	–	–	3	—	–	8	.68
1	1	–	1	—	–	1	–	–	–	–	–	–	–	–	–	—	5	–	—	1.24
–	–	–	—	—	–	3	1	1	–	2	–	–	1	–	1	10	—	–	16	1.34
–	–	–	—	—	–	–	–	–	1	1	2	–	–	–	–	—	6	–	—	.86
–	–	–	—	—	–	–	–	–	–	1	–	–	–	–	–	4	—	–	7	1.10
–	–	1	—	—	1	–	–	1	–	–	–	–	–	–	–	—	3	–	—	.94
–	–	–	—	1	–	–	–	–	–	1	1	–	–	–	–	9	—	–	11	1.59
1	–	–	—	—	–	–	–	–	–	–	–	1	–	–	–	—	2	–	—	.37
–	1	1	—	—	1	–	–	–	–	–	–	–	–	–	–	4	—	–	17	.59
1	–	–	2	—	–	–	–	–	–	1	1	1	–	–	1	—	13	–	—	1.88
2	–	–	—	—	–	–	1	–	–	–	–	–	–	–	3	15	—	–	30	1.34
1	–	–	1	—	1	–	2	–	–	2	–	1	–	–	–	—	15	–	—	1.26
1	–	1	—	1	–	–	–	1	–	1	–	–	–	–	–	12	—	–	18	1.83
–	–	1	—	—	–	–	1	–	1	1	–	–	–	–	–	—	6	–	—	.88
1	1	–	—	1	–	1	–	–	2	1	1	–	–	–	2	21	—	–	33	1.41
1	1	–	—	—	–	–	–	–	–	1	–	–	–	–	2	—	12	–	—	.84
–	1	–	—	—	–	–	–	–	–	–	2	2	–	–	–	6	—	–	11	1.61
–	–	–	—	—	–	–	–	–	–	1	–	–	1	–	–	—	5	–	—	1.20
–	–	–	—	—	–	–	–	–	–	1	1	–	–	–	–	3	—	–	9	.56
1	–	1	—	—	–	–	–	–	–	–	–	–	–	–	–	—	6	–	—	1.39
1	–	–	—	1	–	–	–	–	–	1	1	–	–	–	–	7	—	–	13	1.37
–	–	–	—	—	–	–	–	1	–	3	–	–	–	–	–	—	6	–	—	1.18
–	–	–	—	—	1	–	–	–	1	–	–	–	–	–	–	3	—	–	6	.59
–	–	1	—	—	–	1	–	–	–	–	–	–	–	–	–	—	3	–	—	.65

TABLE V.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
Washington-Con												
Waterbury,	2,352	M.	1,172	—	1	—	—	1	—	—	—	—
		F.	1,180	3	—	—	—	—	—	1	2	1
Woodbury,	1,070	M.	542	—	—	—	—	—	—	—	1	—
		F.	528	—	—	—	—	—	—	1	1	—
Worcester,	702	M.	352	1	1	—	—	—	—	1	—	—
		F.	350	—	—	—	—	—	—	—	—	—
	24,654	M.	12,467	29	7	8	3	3	2	3	6	7
		F.	12,187	19	10	—	1	3	2	6	11	5
Totals,	24,654		24,654	48	17	8	4	6	4	9	17	12
WINDHAM.												
Athens,	359	M.	186	—	—	—	—	—	—	—	—	—
		F.	173	—	—	—	—	—	—	—	—	—
Brattleboro',	3,816	M.	1,855	2	3	2	2	1	—	—	—	1
		F.	1,961	3	—	1	—	—	1	—	2	—
Brookline,	285	M.	138	—	—	—	—	—	—	—	1	—
		F.	147	—	—	—	—	—	1	—	—	—
Dover,	709	M.	362	2	—	—	—	—	—	—	—	—
		F.	347	1	—	—	—	—	—	—	—	—
Dummerston,	1,645	M.	900	1	1	—	—	—	1	—	—	—
		F.	745	—	—	2	—	—	—	—	—	1
Grafton,	1,241	M.	613	—	—	—	—	—	—	—	—	—
		F.	628	1	1	—	1	—	—	2	1	3
Guilford,	1,389	M.	701	3	—	1	—	—	—	—	—	—
		F.	688	—	—	1	—	—	—	—	—	1
Halifax,	1,133	M.	580	1	1	—	—	1	—	—	—	—
		F.	553	1	—	—	—	—	—	—	1	1
Jamaica,	1,606	M.	826	—	—	—	—	—	—	—	—	—
		F.	780	1	1	1	—	—	—	—	1	—
Londonderry,	1.274	M.	640	—	—	—	—	—	—	—	—	—
		F.	634	1	—	—	—	—	—	—	1	—
Marlboro',	896	M.	467	1	1	—	—	—	—	—	—	—
		F.	429	1	—	—	—	—	—	—	—	—
Newfane,	1,304	M.	661	1	—	—	—	—	1	—	—	1
		F.	643	1	—	—	—	—	1	—	—	—
Putney,	1,425	M.	735	—	—	—	—	—	—	—	—	—
		F.	690	1	—	—	—	—	—	1	1	1
Rockingham,	2,837	M.	1,490	3	—	—	2	—	1	1	1	—
		F.	1,347	2	2	1	2	2	2	—	1	1
Somerset,	321	M.	164	—	—	—	—	—	—	—	—	—
		F.	157	—	—	—	—	—	—	—	—	—

TABLE V.—Continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over	Unknown.	Total. Males	Total. Fem.	Total. Unk.	Total. Total	Percentage.
–	–	1	—	1	–	–	–	–	–	1	–	–	–	–	–	5	—	–	25	.43
1	2	–	1	2	1	1	–	1	1	1	1	1	–	–	–	—	20	–	—	1.69
–	–	1	—	—	–	–	–	1	1	2	1	1	–	–	–	9	—	–	12	1.66
–	–	–	—	—	–	–	–	–	–	–	–	1	–	–	–	—	3	–	—	.57
–	–	–	—	—	–	–	1	–	–	–	–	–	–	–	–	4	—	–	5	1.14
–	–	–	—	—	–	1	–	–	–	–	–	–	–	–	–	—	1	–	—	.29
5	4	6	1	4	2	5	5	4	6	15	8	4	2	–	7	148	—	–	283	1.18
9	4	6	7	3	3	4	5	3	5	15	6	6	1	–	3	—	135	–	—	1.11
14	8	12	8	7	5	9	10	7	11	30	14	10	3	–	10	148	135	–	283	1.10
–	–	–	—	—	–	–	–	1	–	–	–	1	1	–	–	3	—	–	3	1.46
–	–	–	—	—	–	–	–	–	–	–	–	–	–	–	–	—	—	–	—	—
–	–	1	—	1	–	–	–	2	1	–	2	1	–	–	1	20	—	–	41	1.08
2	1	1	—	1	2	–	1	1	2	1	1	–	1	–	–	—	21	–	—	1.07
–	–	–	—	—	–	–	–	–	1	–	–	–	–	–	–	2	—	–	3	1.45
–	–	–	—	—	–	–	–	–	–	–	–	–	–	–	–	—	1	–	—	.68
–	–	–	—	—	–	–	–	–	–	–	1	1	–	–	–	4	—	–	6	1.11
–	–	–	—	—	–	–	–	–	1	–	–	–	–	–	–	—	2	–	—	.58
–	–	–	—	—	1	–	–	–	1	–	–	–	–	–	–	5	—	–	14	.56
2	–	1	—	—	1	–	–	–	2	–	–	–	–	–	–	—	9	–	—	1.21
–	–	–	—	—	–	–	1	2	–	1	–	3	–	–	–	7	—	–	20	1.14
1	–	–	—	—	1	–	1	–	–	–	1	–	–	–	–	—	13	–	—	2.07
–	–	1	—	1	1	–	–	–	–	–	–	–	–	–	–	7	—	–	19	.99
–	–	–	1	—	2	–	3	–	–	2	–	2	–	–	–	—	12	–	—	1.74
–	–	1	—	—	–	1	1	2	–	2	1	–	–	–	–	11	—	–	21	1.90
–	–	–	—	—	–	1	1	–	1	1	2	–	1	–	–	—	10	–	—	1.81
–	1	–	—	—	–	1	1	–	–	–	2	–	–	–	–	5	—	–	14	.61
–	–	–	—	—	1	1	1	–	–	2	–	–	–	–	–	—	9	–	—	1.16
1	–	–	—	—	–	–	–	–	–	–	2	2	1	–	–	6	—	–	15	.94
–	1	–	—	—	1	1	–	1	–	–	3	–	–	–	–	—	9	–	—	1.41
1	–	–	—	—	–	–	–	–	1	–	–	1	–	–	–	5	—	–	8	1.07
–	–	–	—	—	–	–	–	–	1	1	–	–	–	–	–	—	3	–	—	.69
–	–	–	—	—	–	1	1	–	3	–	–	2	–	–	1	11	—	–	16	1.66
–	–	–	—	—	1	–	–	–	–	–	–	1	1	–	–	—	5	–	—	.78
–	1	–	—	—	–	–	–	–	–	1	–	1	–	–	–	3	—	–	13	.41
–	–	–	—	—	1	–	3	1	–	1	–	–	–	–	–	—	10	–	—	1.31
1	1	–	—	—	–	1	–	2	2	1	2	1	–	–	3	22	—	–	49	1.48
2	–	1	—	1	1	1	1	–	–	1	2	1	1	–	2	—	27	–	—	2.01
–	–	–	—	—	–	–	–	–	1	–	–	–	–	–	–	1	—	–	1	.61
–	–	–	—	—	–	–	–	–	–	–	–	–	–	–	–	—	—	–	—	—

TABLE V.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
Windham—Con												
Stratton,	286	M.	151	—	—	—	—	—	—	—	—	—
		F.	135	—	—	—	—	—	—	—	—	—
Townshend,	1,354	M.	643	—	—	—	—	1	1	—	—	—
		F.	711	1	1	1	—	—	2	—	5	—
Vernon,	821	M.	436	1	—	—	—	—	—	—	—	—
		F.	385	1	—	—	—	—	—	—	—	—
Wardsboro',	1,125	M.	560	—	—	—	—	—	—	—	—	1
		F.	665	—	—	—	—	—	—	—	1	1
Westminister,	1,721	M.	923	—	—	—	—	—	—	—	—	—
		F.	798	—	—	—	—	—	—	—	1	1
Whitingham,	1,380	M.	702	1	—	—	—	—	—	2	—	1
		F.	678	1	—	—	—	—	—	—	—	1
Wilmington,	1,372	M.	709	—	—	—	1	—	—	—	—	—
		F.	663	2	—	—	—	—	1	2	—	—
Windham,	763	M.	396	—	—	—	—	—	—	—	—	—
		F.	367	1	—	—	—	—	—	—	—	—
	29,062	M.	14,828	15	6	3	5	3	4	4	2	4
		F.	14,224	20	5	7	3	2	8	4	15	11
Totals,	29,062		29,052	35	11	10	8	5	12	8	17	15
WINDSOR.												
Andover,	725	M.	369	—	—	—	—	—	1	—	—	—
		F.	356	—	—	—	—	—	—	—	—	1
Baltimore,	124	M.	67	—	—	—	—	—	—	—	—	—
		F.	57	—	—	—	—	—	—	—	—	—
Barnard,	1,647	M.	826	2	1	—	—	—	1	—	—	—
		F.	821	1	—	—	—	—	—	—	1	1
Bethel,	1,730	M.	880	—	—	—	—	—	1	—	—	1
		F.	850	—	—	—	—	—	—	—	—	1
Bridgewater,	1,311	M.	676	1	—	1	1	—	—	—	—	—
		F.	635	—	—	1	—	—	1	—	—	—
Cavendish,	1,576	M.	769	1	—	—	—	—	—	—	—	—
		F.	807	3	—	—	—	—	—	—	1	1
Chester,	2,001	M.	1,042	1	1	—	—	1	1	—	—	—
		F.	959	3	—	—	—	—	1	—	1	2
Hartford,	2,159	M.	1,083	1	2	1	—	—	—	1	—	—
		F.	1,076	1	—	—	—	—	—	—	2	—
Hartland,	2,063	M.	1,043	—	2	—	—	—	—	—	2	—
		F.	1,020	3	—	2	—	—	—	1	—	1
Ludlow,	1,619	M.	811	1	—	1	—	—	—	—	1	1
		F.	808	2	—	—	—	—	—	—	—	1

TABLE V.—Continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95	95 and over	Unknown.	Sex. Males	Fem	Unk.	Total	Percentage.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1	—	2	—	—	1	—	—	—	1	—	1	1	—	—	9	—	—	25	1.40
—	2	1	—	1	—	—	—	1	—	1	—	—	—	—	—	—	16	—	—	2.24
—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	4	—	—	5	.92
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	.26
1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	5	—	—	12	.89
1	—	—	—	—	1	—	—	—	—	—	2	1	—	—	—	—	7	—	—	1.05
—	1	—	—	1	—	—	1	—	—	1	—	—	—	—	—	4	—	—	17	.43
—	1	1	—	—	—	—	—	—	8	—	4	1	—	1	—	—	18	—	—	1.68
—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	7	—	—	10	.99
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8	—	—	.44
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	16	.28
1	—	—	—	1	—	—	1	4	—	—	—	1	—	1	—	—	14	—	—	2.10
—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	3	—	—	6	.76
—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	3	—	—	.82
4	6	4	2	5	3	6	5	9	11	10	12	14	3	1	5	146	—	—	334	.99
9	5	5	1	4	12	4	13	8	10	11	15	8	4	2	2	—	188	—	—	1.32
13	11	9	3	9	15	10	18	17	21	21	27	22	7	3	7	146	188	—	334	1.14
—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	4	—	—	8	1.09
—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	4	—	—	1.14
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1.75
—	—	—	—	—	1	—	—	1	—	1	1	—	—	—	1	9	—	—	22	1.09
—	—	—	—	1	—	—	1	1	1	3	2	—	1	—	—	—	13	—	—	1.42
—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	5	—	—	8	.57
—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	3	—	—	.35
1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	6	—	—	13	.89
—	—	—	—	1	—	1	—	—	—	2	1	—	—	—	—	—	7	—	—	1.11
1	1	—	—	—	3	—	1	—	—	—	—	2	—	—	—	9	—	—	21	1.17
—	—	—	1	—	—	1	—	—	1	1	1	—	1	—	1	—	12	—	—	1.49
—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	7	—	—	25	.67
—	1	—	—	—	1	2	—	—	—	3	1	1	—	—	—	—	18	—	—	1.89
—	—	—	—	—	—	1	1	2	1	—	1	—	—	—	1	11	—	—	25	1.11
1	1	—	1	—	2	—	—	2	2	—	—	1	—	—	—	—	13	—	—	1.21
—	1	1	—	—	—	1	1	1	—	—	1	—	—	—	1	12	—	—	25	1.05
1	—	—	1	1	—	—	2	1	—	1	—	—	—	—	—	—	14	—	—	1.35
—	—	—	—	1	—	—	—	—	—	2	1	—	—	—	—	8	—	—	19	.99
1	—	1	—	1	—	—	1	—	2	2	—	—	—	—	—	—	11	—	—	1.36

TABLE V.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.
Windsor—Con.												
Norwich,	1,978	M.	993	—	—	—	1	1	1	—	—	—
		F.	985	1	1	1	—	—	1	1	—	6
Plymouth,	1,226	M.	650	2	—	—	—	—	—	—	—	1
		F.	576	—	—	—	—	—	—	—	—	—
Pomfret,	1,546	M.	798	2	1	1	—	—	—	—	—	1
		F.	748	2	—	—	1	—	2	1	2	—
Reading,	1,171	M.	578	1	—	—	—	—	1	1	1	—
		F.	593	2	—	3	—	—	—	—	—	—
Rochester,	1,493	M.	753	—	—	—	—	—	—	—	—	—
		F.	740	2	—	—	—	—	—	—	—	1
Royalton,	1,850	M.	930	—	1	2	—	—	1	—	—	1
		F.	920	—	—	—	—	—	—	—	3	—
Sharon,	1,240	M.	625	—	—	—	—	—	—	2	2	—
		F.	615	1	—	—	—	—	2	—	—	—
Springfield,	2,762	M.	1,351	1	—	—	—	—	3	—	—	2
		F.	1,411	—	2	—	—	—	—	—	—	2
Stockbridge,	1,327	M.	682	—	—	1	—	—	—	—	—	—
		F.	645	—	—	—	—	—	—	—	—	—
Weathersfield	1,851	M.	890	3	1	1	—	1	—	—	—	1
		F.	961	2	—	—	—	—	—	—	—	—
Weston,	950	M.	483	—	—	—	—	—	—	1	—	—
		F.	467	—	—	—	—	—	—	—	—	—
W. Windsor,	1,002	M.	488	2	—	—	—	—	—	—	1	1
		F.	514	—	1	—	—	—	—	—	—	2
Windsor,	1,928	M.	1,012	—	—	—	—	—	—	—	—	—
		F.	916	—	—	—	—	—	—	—	—	—
Woodstock,	3,041	M.	1,511	—	—	—	—	—	1	—	—	—
		F.	1,530	1	2	2	—	1	1	—	2	2
	38,320	M.	19,310	18	9	8	2	3	11	5	7	9
		F.	19,010	24	6	8	1	1	8	3	12	21
Totals,	38,320		38,320	42	15	16	3	4	19	8	19	30

TABLE V.—Continued.

25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over	Unknown.	Total. Males	Fem	Unk.	To'al	Percentage
–	1	–	—	—	–	–	–	–	1	–	1	2	–	–	–	8	—	–	32	.81
1	2	1	1	—	–	–	1	1	–	3	–	1	1	–	1	—	24	–	—	2.44
–	–	–	—	—	–	–	–	–	1	1	1	–	–	–	–	6	—	–	10	.92
–	–	–	—	—	–	–	1	1	1	1	–	–	–	–	–	—	4	–	—	.69
–	–	–	1	—	–	–	–	3	2	–	1	1	1	–	–	14	—	–	25	1.76
1	–	–	—	—	1	–	1	–	–	–	–	–	–	–	–	—	11	–	—	1.47
–	–	–	—	—	1	–	–	–	–	–	–	1	2	–	–	8	—	–	17	1.28
–	–	–	1	—	2	–	–	–	1	–	–	1	–	–	–	—	9	–	—	1.52
1	–	–	—	1	–	1	1	–	–	–	2	1	–	–	–	7	—	–	16	.93
1	–	–	1	—	–	–	–	–	–	1	–	1	–	–	2	—	9	–	—	1.22
–	–	–	—	—	1	–	–	–	1	2	1	–	–	–	–	10	—	–	26	1.05
–	–	–	1	—	1	1	1	1	–	2	1	4	1	–	–	—	16	–	—	1.74
–	1	–	—	—	–	–	–	–	1	–	3	–	–	–	–	9	—	–	15	1.44
–	–	–	—	—	1	–	1	1	–	–	–	–	–	–	–	—	6	–	—	.98
–	–	1	1	—	–	1	–	1	1	2	–	2	–	–	–	15	—	–	33	1.11
2	–	–	1	1	1	1	–	2	–	1	3	2	–	–	–	—	18	–	—	1.27
–	–	–	—	—	–	–	–	–	–	–	1	–	–	–	–	2	—	–	8	.29
–	1	–	—	—	1	–	–	1	–	2	1	–	–	–	–	—	6	–	—	.93
–	–	1	—	—	–	–	1	1	–	–	2	–	1	–	1	14	—	–	30	1.58
–	1	–	2	1	2	–	–	–	1	3	2	1	–	–	1	—	16	–	—	1.67
–	1	–	—	1	–	–	–	–	–	–	1	–	–	–	–	4	—	–	18	.83
1	2	–	1	1	–	1	1	1	3	1	1	1	–	–	–	—	14	–	—	3.00
–	–	–	—	1	–	–	1	–	3	–	2	–	–	–	–	11	—	–	19	2.25
–	–	1	—	—	–	1	1	–	–	1	1	–	–	–	–	—	8	–	—	1.55
–	–	–	—	—	–	–	–	–	1	–	–	–	–	–	–	1	—	–	2	.09
–	–	–	—	—	–	–	–	–	–	–	–	–	–	1	–	—	1	–	—	.11
–	–	–	1	—	–	–	1	2	2	2	1	2	1	–	–	13	—	–	36	.85
1	1	1	—	1	–	2	1	–	2	2	–	–	1	–	–	—	23	–	—	1.49
3	5	4	3	4	6	4	9	12	14	11	22	12	7	–	4	193	—	–	454	1.00
10	10	5	12	8	12	10	12	12	14	30	15	14	7	1	5	—	261	–	—	1.37
13	15	9	15	12	18	14	21	24	28	41	37	26	14	1	9	193	261	–	454	1.18

RECAPITULATION.

COUNTIES.	POPULATION. Whole number.	SEX.		Under 1	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10	10 to 15.	15 to 20.	20 to 25.	25 to 30	30 to 35.	35 to 40
Addison,	26,549	M.	13452	26	3	4	2	3	9	1	3	6	3	1	8
		F.	13097	15	2	4	2	–	6	5	10	8	8	3	9
		U.	—	—	—	—	–	–	—	–	—	—	—	—	—
Bennington,	18,589	M.	9478	22	9	7	2	–	6	2	6	4	3	3	2
		F.	9111	21	7	4	1	2	3	8	7	12	4	4	7
		U.	—	—	—	—	–	–	—	–	—	—	—	—	—
Caledonia,	23,595	M.	12350	20	10	3	2	3	4	2	5	10	3	3	3
		F.	11245	21	2	3	2	–	8	5	15	9	8	6	4
		U.	—	1	—	—	–	–	—	–	—	—	—	—	—
Chittenden,	29,036	M.	14679	29	9	2	2	2	8	4	6	3	4	3	3
		F.	14357	23	10	2	–	2	6	7	8	5	9	4	14
		U.	—	—	—	—	–	–	—	–	—	—	—	—	—
Essex,	4,650	M.	2403	—	2	—	2	1	1	1	2	2	3	1	—
		F.	2247	5	—	2	–	2	4	1	1	2	2	2	—
		U.	—	—	—	—	–	–	—	–	—	—	—	—	—
Franklin,	28,586	M.	14641	25	5	7	8	3	6	–	4	6	4	3	3
		F.	13945	19	6	3	5	5	3	4	8	6	1	7	7
		U.	—	—	—	—	–	–	—	–	—	—	—	—	—
Grand Isle,	4,145	M.	2176	5	—	2	–	1	—	–	—	—	1	—	—
		F.	1969	1	—	—	1	1	—	–	—	1	—	—	1
		U.	—	—	—	—	–	–	—	–	—	—	—	—	—
Lamoille.	10,872	M.	5585	7	—	—	1	2	1	1	2	1	1	—	—
		F.	5287	6	2	2	2	–	6	3	2	3	4	3	4
		U.	—	—	—	—	–	–	—	–	—	—	—	—	—
Orange,	27,296	M.	13354	17	6	3	1	–	2	1	5	2	6	5	1
		F.	13672	20	8	3	3	1	1	7	8	13	12	8	
		U.	—	1	—	—	–	–	—	–	—	—	—	—	—
Orleans,	15,707	M.	8006	15	7	4	1	3	6	5	5	1	4	2	
		F.	7701	16	5	1	5	2	3	4	4	4	4	1	
		U.	—	—	—	—	–	–	—	–	—	—	—	—	—
Rutland,	33,059	M.	17024	39	14	7	5	5	10	8	2	5	8	9	
		F.	16035	27	14	4	7	–	15	4	3	10	5	11	
		U.	—	—	—	—	–	–	—	–	—	—	—	—	—
Washington,	24,654	M.	12467	29	7	8	3	3	2	3	6	7	5	4	
		F.	12187	19	10	—	1	3	2	6	11	5	9	4	
		U.	—	—	—	—	–	–	—	–	—	—	—	—	—
Windham,	29,062	M.	14828	15	6	3	5	3	4	4	2	4	4	6	
		F.	14224	20	5	7	3	2	8	4	15	11	9	5	
		U.	—	—	—	—	–	–	—	–	—	—	—	—	

RECAPITULATION.

58 to 60.	60 to 65.	65 to 70.	70 to 75	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	Sex. Males.	Sex. Fem.	Sex. Unk.	Sex. Total.	Percentage.
5	5	9	6	5	6	3	1	—	7	123	—	–	270	.86
4	3	2	12	8	10	1	—	2	6	—	138	–	—	1.04
—	—	—	—	—	—	—	—	—	9	—	—	9	—	—
2	4	10	5	7	4	3	2	—	9	123	—	–	250	1.30
3	3	5	7	5	6	2	2	2	4	—	127	–	—	1.31
—	—	—	—	—	—	—	—	—	—	—	—	–	—	—
4	2	3	4	7	10	8	2	—	3	127	—	–	283	1.03
8	5	7	12	6	8	2	1	1	5	—	155	–	—	1.25
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
4	2	6	7	6	12	2	1	1	5	136	—	–	295	.92
4	7	3	9	5	5	3	4	4	4	—	157	–	—	1.08
—	—	—	—	—	—	—	—	—	2	—	—	2	—	—
—	1	1	1	3	—	2	1	—	—	29	—	–	65	1.20
2	1	—	2	1	2	1	2	1	—	—	36	–	—	1.11
—	—	—	—	—	—	—	—	—	—	—	—	–	—	—
4	4	5	6	6	5	4	2	1	5	128	—	–	256	.87
5	5	8	5	8	8	4	2	—	2	—	128	–	—	.95
—	—	—	—	—	—	—	—	—	—	—	—	–	—	—
1	1	—	—	2	—	—	—	—	3	18	—	–	32	.83
1	—	—	1	2	1	1	—	—	—	—	14	–	—	.71
—	—	—	—	—	—	—	—	—	—	—	—	–	—	—
—	3	3	2	4	1	—	1	—	2	35	—	–	92	.66
1	1	—	1	2	4	—	1	—	3	—	57	–	—	1.04
—	—	—	—	—	—	—	—	—	—	—	—	–	—	—
5	5	7	13	8	13	13	11	3	—	140	—	–	312	1.02
3	4	6	9	9	9	7	6	8	1	3	—	172	–	—	1.26
—	—	—	—	—	—	—	—	—	—	—	—	–	—	—
2	3	7	3	3	6	8	3	2	1	4	105	—	–	202	1.31
4	2	3	4	4	8	4	2	1	—	2	—	95	–	—	1.17
—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—
5	6	12	10	8	9	7	10	1	1	5	197	—	–	384	1.11
6	7	5	9	10	7	7	6	1	1	2	—	187	–	—	1.08
—	—	—	—	—	—	—	—	—	—	—	—	–	—	—
2	5	5	4	6	15	8	4	2	—	7	148	—	–	283	1.18
3	4	5	3	5	15	6	6	1	—	3	—	135	–	—	1.11
—	—	—	—	—	—	—	—	—	—	—	—	–	—	—
3	6	5	9	11	10	12	14	3	1	5	146	—	–	334	.99
2	4	13	8	10	11	15	8	4	2	2	—	188	–	—	1.32
—	—	—	—	—	—	—	—	—	—	—	—	–	—	—

RECAPITULATION—*Continued.*

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30	30 to 35.	35 to 40.
Windsor,	38,320	M.	19310	18	9	8	2	3	11	5	7	9	3	5	4
		F.	19010	24	6	8	1	1	8	3	12	21	10	10	5
		U.	—	—	—	—	–	–	—	–	—	—	—	—	—
Aggregate,		M.	160033	267	87	58	36	32	70	37	55	60	52	45	45
		F.	154087	237	77	43	33	21	73	61	104	110	85	68	79
		U.	—	2	—	—	–	–	—	–	—	—	—	—	—
Totals,	314,120		314120	506	164	101	69	53	143	98	159	170	137	113	124

RECAPITULATION—*Continued.*

40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	Sex. Males	Sex. Fem	Sex. Unk.	Sex. Total	Per.entage.
3	4	6	4	9	13	14	11	22	12	7		4	193	—	–	454	1.00
12	8	12	10	12	12	14	30	15	14	7	1	5	—	261	–	—	1.37
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	–	—	—
45	44	45	49	67	89	81	104	108	76	28	5	59	1644	—	–	—	1.02
64	70	69	59	68	71	102	119	94	57	33	15	41	—	1853	–	—	1.20
—	—	—	—	—	—	—	—	—	—	—	—	13	—	—	15	—	—
109	114	114	108	135	160	183	223	202	133	61	20	113	1644	1853	15	3512	1.11

TABLE VI.—CAUSES OF DEATH.

Exhibiting the number of deaths from different causes, (arranged alphabetically,) at various ages of each Sex, during the several months of the year 1857.

Sex.	Months.													Causes of Death.	Whole No.				Ages.										
	January.	February.	March.	April.	May.	June.	July.	August.	September	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
Females,	–	–	1	–	–	–	–	1	–	–	1	–	–	Abscess, . .	3	—	3	–	–	–	–	–	—	1	–	1	1	–	—	–
Males,	–	–	–	–	–	1	–	–	–	–	1	–	–	Abscess of the Lungs	2	2	—	–	–	–	–	–	1	–	–	–	1	–	—	–
Female,	–	–	–	–	–	–	1	–	–	–	–	–	–	Abscess, Hepatic, .	1	—	1	–	–	1	–	–	—	–	–	–	–	–	—	–
Males,	–	1	1	–	–	–	–	–	–	–	–	–	–	Alcohol, . .	2	2	—	–	1	–	–	–	—	1	–	–	–	–	—	–
Female,	–	–	1	–	–	–	–	–	–	–	–	–	–	Anæmia, . .	1	—	1	–	–	–	–	–	1	–	–	–	–	–	—	–
Males,	1	2	2	3	–	4	5	3	6	4	3	2	–	Apoplexy, . .	71	35	—	–	–	–	–	–	—	1	–	5	8	10	11	–
Females,	3	3	1	3	4	5	2	5	3	3	3	1	–	" . .	—	—	36	–	–	–	–	–	1	–	1	7	8	12	7	–
Male,	–	–	–	–	–	–	–	1	–	–	–	–	–	Ascites. . .	1	1	—	–	–	–	–	–	—	–	–	1	–	–	—	–
Males, .	–	–	1	–	–	–	1	–	1	–	1	–	–	Asthma, . .	5	4	—	–	–	–	–	–	—	1	–	1	1	1	—	–
Female,	–	1	–	–	–	–	–	–	–	–	–	–	–	" . .	—	—	1	–	–	–	–	–	—	–	–	1	–	–	—	–
Males,	–	–	–	–	–	–	–	1	–	–	1	1	–	Bowels, Disease of, .	9	3	—	–	–	–	–	–	—	–	2	1	–	–	—	–
Females,	1	–	1	–	1	–	–	1	1	–	1	–	–	" " .	—	—	6	–	2	–	–	–	—	–	1	1	1	–	1	–
Males,	3	4	6	3	2	4	2	1	3	4	1	3	–	Brain, Disease of, .	61	36	—	–	13	5	–	2	2	–	1	2	5	5	—	1
Females,	2	3	3	2	1	–	2	1	6	–	2	3	–	" " .	—	—	25	–	11	2	5	–	1	1	3	2	–	–	—	–
Females,	1	–	–	–	1	1	–	–	–	–	1	–	–	Bronchitis, . .	4	—	4	–	2	–	–	–	—	1	–	–	1	–	—	–
Male,	–	–	1	–	–	–	–	–	–	–	–	–	–	Burned, . .	5	1	—	–	–	–	–	–	—	1	–	–	–	–	—	–
Females,	–	–	–	–	–	–	2	–	–	2	–		–	" . .	—	—	4	–	3	–	–	–	1	–	–	–	–	–	—	–

Males,	1	2	2	–	3	4	2	5	2	1	2	6	–	Cancer,	73	30	—	–	–	–	–	–	—	2	1	5	5	6	11	–
Females,	5	3	6	1	2	3	4	6	2	3	5	3	–	"	—	—	43	–	–	–	–	–	—	3	9	10	7	8	5	1
Males,	–	–	–	–	–	–	1	–	1	–	–	–	–	Canker,	4	2	—	–	2	–	–	–	—	–	–	–	–	–	—	–
Females,	–	–	–	–	–	–	–	–	2	–	–	–	–	"	—	—	2	–	2	–	–	–	—	–	–	–	–	–	—	–
Males,	1	1	6	3	1	3	5	1	9	4	2	4	–	Casualty,	48	40	—	–	4	3	2	3	2	7	3	3	4	5	2	2
Females,	–	2	1	–	2	–	–	1	1	–	–	–	–	"	—	—	7	–	1	–	1	–	—	–	–	–	1	1	3	–
Unknown,	–	–	–	–	–	–	1	–	–	–	–	–	–	"	—	—	—	1	–	–	–	–	—	–	–	–	–	–	—	–
Males,	1	1	1	6	1	1	1	4	3	4	2	2	–	Cephalitis,	51	27	—	–	11	8	2	3	—	1	2	–	–	–	—	–
Females,	1	4	2	1	1	1	5	3	–	3	1	1	1	"	—	—	24	–	13	1	1	3	3	–	–	2	–	1	—	–
Females,	1	3	–	1	–	–	4	1	2	2	5	1	–	Childbirth,	20	—	20	–	–	–	–	1	5	9	5	–	–	–	—	–
Males,	–	–	–	–	–	–	–	1	2	1	–	–	–	Cholera,	9	4	—	–	–	–	–	–	—	1	–	1	1	1	—	–
Females,	–	–	–	–	–	–	–	1	1	3	–	–	–	"	—	—	5	–	–	1	–	–	—	–	1	–	–	3	—	–
Males,	1	–	–	–	–	–	–	1	–	–	1	–	1	Cholera Infantum,	11	4	—	–	3	–	1	–	—	–	–	–	–	–	—	–
Females,	–	–	–	–	1	–	–	5	–	1	–	–	–	" "	—	—	7	–	7	–	–	–	—	–	–	–	–	–	—	–
Female,	–	1	–	–	–	–	–	–	–	–	–	–	–	Chorea,	1	—	1	–	–	–	1	–	—	–	–	–	–	–	—	–
Male,	–	–	–	–	–	–	–	–	–	–	1	–	–	Climate, Change of,	1	1	—	–	–	–	–	–	—	–	–	1	–	–	—	–
Males,	–	1	–	1	–	–	–	–	–	1	–	1	–	Colic,	4	4	—	–	1	–	–	1	1	–	–	–	–	1	—	–
Female,	–	–	–	–	–	–	–	–	–	–	1	–	–	Calculi, billiary,	1	—	1	–	–	–	–	–	—	–	–	–	1	–	—	–
Males,	–	–	–	–	–	–	1	–	–	–	–	–	–	Complicat'd diseases	5	1	—	–	–	–	–	–	—	–	–	–	–	–	1	–
Females,	–	–	–	2	–	–	–	1	–	–	1	–	–	" "	—	—	4	–	1	1	–	–	1	1	–	–	–	–	—	–
Male,	–	–	–	–	–	–	–	–	–	–	–	1	–	Congestion,	2	1	—	–	1	–	–	–	—	–	–	–	–	–	—	–
Female,	–	–	–	–	–	–	–	–	1	–	–	–	–	"	—	—	1	–	1	–	–	–	—	–	–	–	–	–	—	–
Male,	–	–	–	–	–	–	–	–	–	–	1	–	–	Constipation,	1	1	—	–	–	–	–	–	—	–	–	–	1	–	—	–
Males,	21	14	23	29	20	12	24	15	22	24	31	20	4	Consumption,	785	259	—	–	16	–	1	12	57	36	31	25	37	17	14	13
Females,	32	28	56	43	59	30	41	49	34	50	43	50	3	"	—	—	526	–	18	7	18	60	130	77	57	37	57	34	12	19
Males,	3	5	3	6	4	4	2	3	2	1	2	8	–	Convulsions,	66	48	—	–	35	3	–	–	—	–	–	1	2	1	—	1
Females,	1	3	1	1	1	1	3	3	2	1	4	–	2	"	—	—	23	–	15	1	–	–	1	–	2	1	–	–	2	1
Males,	–	–	1	–	–	–	–	–	–	–	1	–	–	Cramp,	2	2	—	–	2	–	–	–	—	–	–	–	–	–	—	–
Males,	1	3	3	1	5	2	2	3	3	8	5	4	1	Croup,	73	40	—	–	31	8	–	–	—	1	–	–	–	–	—	–
Females,	1	1	2	2	1	–	2	1	1	7	5	9	1	"	—	—	33	–	31	1	–	–	—	–	1	–	–	–	—	–

TABLE VI—*Continued*.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March.	April.	May.	June	July.	August.	September.	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
Male,	–	–	1	–	–	–	–	–	–	–	–	–	–	Cut,	1	1	—	–	–	–	–	–	—	–	1	–	–	–	—	–
Males,	–	–	–	–	–	–	–	–	–	–	–	2	–	Cystitis,	2	2	—	–	–	–	–	–	—	–	–	–	1	–	1	–
Males,	1	–	–	–	–	1	1	–	–	–	1	–	–	Debility,	9	4	—	–	2	–	–	–	—	–	–	–	–	–	1	1
Females,	–	1	1	–	–	1	–	1	–	–	1	–	–	"	—	—	5	–	1	–	–	–	1	–	–	2	–	1	—	–
Males,	1	–	–	–	–	–	–	–	2	–	–	–	–	Delirium Tremens,	3	3	—	–	–	–	–	–	—	2	–	1	–	–	—	–
Males,	–	–	1	1	2	–	–	–	–	1	1	3	–	Diabetes,	12	9	—	–	–	–	–	2	—	1	–	–	2	1	3	–
Females,	1	–	–	–	–	–	2	–	–	–	–	–	–	"	—	—	3	–	–	–	1	1	—	–	–	–	1	–	—	–
Males,	–	1	–	–	–	–	1	2	1	1	2	2	–	Diarrhœa,	19	10	—	–	4	–	–	–	1	–	1	1	2	1	—	–
Females.	2	–	–	–	1	–	–	4	2	–	–	–	–	"	—	—	9	–	4	–	–	–	1	–	–	–	2	–	2	–
Males,	3	6	2	4	2	4	5	6	6	1	5	3	–	Dropsy,	109	48	—	–	6	–	1	–	—	–	4	4	11	8	10	4
Females,	5	6	6	3	2	8	8	4	10	2	3	4	–	"	—	—	61	–	5	1	1	1	4	4	8	12	7	16	1	1
Males,	–	2	1	2	–	5	5	8	1	3	1	3	–	Drowned,	35	31	—	–	4	7	7	5	2	2	1	1	1	–	—	1
Females,	–	1	–	1	1	–	–	–	–	1	–	–	–	"	—	—	4	–	–	1	–	1	—	1	–	–	–	1	—	–
Males,	2	1	–	–	–	–	1	11	18	9	2	–	1	Dysentery,	71	46	—	–	32	2	1	–	—	1	–	2	–	3	4	1
Females,	1	–	–	–	–	–	2	6	9	2	2	–	1	"	—	—	23	–	13	2	2	–	—	–	1	2	1	2	—	–
Unknown,	–	–	–	–	–	–	–	1	–	–	–	–	1	"	—	—	—	2	1	–	–	–	—	–	–	–	–	–	—	1
Males,	–	1	–	–	–	–	–	–	–	–	1	–	–	Dyspepsia,	3	2	—	–	–	–	–	–	—	1	–	–	–	–	—	1
Female,	–	–	–	–	–	–	–	–	1	–	–	–	–	"	—	—	1	–	–	–	–	–	—	–	–	–	–	–	—	1
Males,	1	1	3	–	2	1	5	3	5	6	–	8	..	Enteritis,	46	35	—	–	2	2	6	5	5	4	1	–	2	6	2	–

Females,	1	1	2	1	1	1	–	1	3	–	–	–	–	"			–	11	–	1	3	–	–	1	1	2	1	1	1	–	–
Males,	1	–	1	–	2	–	–	–	–	–	–	1	–	Epilepsy,		8	5	–	–	3	–	–	–	–	–	1	–	1	–	–	–
Females,	–	–	–	–	–	1	–	–	–	1	1	–	–	"		–	–	3	–	–	–	–	–	–	–	–	1	–	2	–	
Males,	–	1	2	5	2	1	1	1	–	2	1	3	–	Erysipelas,		26	19	–	–	5	1	2	–	1	1	2	–	2	3	2	–
Females.	2	–	1	–	1	–	–	–	1	–	2	–	–	"		–	–	7	–	2	–	–	–	–	1	–	3	–	–	1	–
Males,	–	–	–	–	–	–	–	–	1	1	–	–	–	Explosion,		2	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Males,	–	3	2	3	2	–	2	1	4	1	6	2	–	Fever,		54	26	–	–	8	–	2	2	4	2	1	8	3	–	1	–
Females,	1	–	1	2	3	1	1	1	1	5	6	5	1	"		–	–	28	–	5	2	2	–	7	–	1	–	3	6	1	1
Males,	1	–	1	1	–	–	–	–	–	–	–	–	–	Fever, Bilious,		5	3	–	–	1	–	–	–	–	–	–	1	1	–	–	–
Females,	–	–	–	–	–	–	–	–	–	–	2	–	–	"		–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
Male,	–	–	–	–	–	–	–	–	1	–	–	–	–	Fever, Continued,		6	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Females,	–	–	–	–	–	–	1	–	–	4	–	–	–	"		–	–	5	–	–	1	1	2	1	–	–	–	–	–	–	–
Males,	1	3	–	7	2	1	4	2	7	11	8	3	–	Fever, Typhoid,		88	49	–	–	–	1	3	18	13	7	5	3	3	2	–	–
Females,	3	1	3	1	1	1	1	3	6	8	9	1	1	"		–	–	39	–	3	–	–	11	11	2	3	5	1	3	–	–
Males,	1	1	–	1	–	–	–	–	1	3	3	2	–	Fever, Typhus,		21	12	–	–	2	2	–	1	2	1	1	1	1	1	–	–
Females,	1	1	–	–	–	–	–	–	1	1	4	1	–	"		–	–	9	–	–	1	–	1	1	–	3	1	–	1	1	–
Males,	–	–	1	–	–	–	–	–	–	1	–	–	–	Fracture of Hip,		4	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Females,	–	1	–	–	–	–	1	–	–	–	–	–	–	"		–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	
Males,	–	–	–	–	–	–	1	–	–	–	1	–	–	Fracture of Skull,		2	2	–	–	–	–	–	–	–	2	–	–	–	–	–	
Males,	1	–	1	–	–	–	–	–	–	–	–	1	–	Frost,		3	3	–	–	1	–	–	–	–	–	1	–	–	–	–	1
Males,	1	–	–	–	–	1	–	–	–	–	1	–	–	Gangrene,		4	3	–	–	–	1	–	–	–	–		–	1	–	1	–
Females,	–	–	–	–	1	–	–	–	–	–	–	–	–	"		–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Male,	–	–	–	–	–	–	–	–	–	–	–	1	–	Gastritis,		11	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Females,	1	–	–	–	–	2	–	–	2	–	2	1	2	"		–	–	10	–	2	–	1	1	–	1	1	–	1	2	1	–
Males,	–	–	–	–	–	1	1	1	2	3	–	–	–	Gravel,		8	8	–	–	–	–	–	–	–	–	–	–	1	4	3	–
Males,	–	–	–	–	1	–	–	–	–	1	–	–	–	Gun Shot,		2	2	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Males,	–	–	–	–	–	–	–	1	1	–	1	1	–	Hemorrhage,		6	4	–	–	–	1	–	–	–	–	1	–	1	–	1	–
Females,	–	–	–	–	1	–	–	–	–	–	–	1	–	"		–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	–
Males,	–	–	–	–	1	1	–	–	–	–	2	–	1	Hanging,		6	5	–	–	–	–	–	–	–	1	1	–	1	1	–	1
Female,	–	–	–	–	–	–	1	–	–	–	–	–	–	"		–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–

TABLE VI—*Continued.*

Sex.	Months.													Causes of Death.	Whole No.				Ages.										
	January.	February.	March.	April.	May.	June	July.	August.	September.	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
Males,	4	2	4	3	6	8	6	8	1	3	4	4	1	Heart, Disease of,	120	54	—	–	3	1	–	1	2	1	4	7	13	12	8	2
Females,	5	1	5	4	8	6	5	4	3	10	7	6	2	"	—	—	66	–	1	2	3	3	4	8	8	8	10	12	4	3
Males,	–	–	–	–	–	–	1	1	–	1	–	–	–	Heat,	3	3	—	–	–	–	–	–	1	–	–	1	–	–	—	1
Male,	–	–	–	–	–	–	–	–	1	–	–	–	–	Hernia,	1	1	—	–	–	–	–	–	—	–	–	–	1	–	—	–
Males,	–	–	–	–	1	–	–	1	–	–	–	–	–	Hip, Disease of,	4	2	—	–	–	–	–	–	1	–	–	–	–	–	1	–
Females,	–	–	–	–	–	–	–	1	–	1	–	–	–	"	—	—	2	–	–	–	1	–	—	–	1	–	–	–	—	–
Males,	1	2	1	4	1	1	2	–	4	1	4	1	–	Hydrocephalus,	46	22	—	–	20	–	1	–	—	–	–	–	–	1	—	–
Females,	2	1	3	1	1	1	4	–	3	2	3	3	–	"	—	—	24	–	15	1	4	–	2	–	–	–	–	–	2	–
Males,	–	–	1	–	–	–	–	–	–	1	–	1	–	Hydrops Pericardii,	6	3	—	–	1	–	–	–	—	–	–	–	–	1	1	–
Females,	–	–	2	–	–	–	1	–	–	–	–	–	–	"	—	—	3	–	–	2	–	–	—	–	–	–	–	–	1	–
Males,	–	–	–	–	1	2	–	–	–	–	–	–	–	Hydrothorax,	9	3	—	–	–	–	–	–	—	–	–	–	–	3	—	–
Females,	–	–	–	–	2	–	–	–	3	1	–	–	–	"	—	—	6	–	–	–	1	–	—	1	–	1	–	2	1	–
Male,	–	–	1	–	–	–	–	–	–	–	–	–	–	Humor,	1	1	—	–	5	–	–	–	—	–	–	–	–	–	—	–
Males,	2	1	4	2	4	6	4	5	7	6	3	7	–	Infantile,	108	51	—	–	51	–	–	–	—	–	–	–	–	–	—	–
Females,	3	2	3	3	3	5	3	6	6	7	6	6	1	"	—	—	54	–	54	–	–	–	—	–	–	–	–	–	—	–
Unknown,	–	–	–	–	1	1	–	1	–	–	–	–	–	"	—	—	—	3	3	–	–	–	—	–	–	–	–	–	—	–
Males,	–	1	–	–	3	–	–	–	–	1	–	1	–	Inflammation,	7	6	—	–	4	–	–	–	—	1	1	–	–	–	—	–
Female,	–	–	–	–	–	–	1	–	–	–	–	–	–	"	—	—	1	–	–	–	–	–	1	–	–	–	–	–	—	–
Males,	1	–	1	–	1	–	–	–	–	4	3	4	–	Influenza,	25	14	—	–	7	–	–	–	1	–	–	–	–	3	3	–

Females,	1	–	1	–	–	–	–	–	1	2	5	1	–	"	—	—	11	–	3	2	–	2	—	–	–	–	1	1	2	–
Males,	–	2	–	1	2	–	1	–	–	1	–	–	–	Insanity,	13	7	—	–	–	–	–	–	—	–	1	1	1	3	1	–
Females,	–	–	–	1	–	–	2	–	1	–	1	1	–	"	—	—	6	–	–	–	–	–	—	2	1	1	–	1	1	–
Males,	–	–	–	1	–	2	–	1	–	–	–	–	–	Jaundice,	8	4	—	–	1	–	–	–	—	–	–	–	2	–	1	–
Females,	–	–	1	–	1	–	1	–	–	–	1	–	–	"	—	—	4	–	–	1	–	–	—	–	–	–	1	1	—	1
Males,	1	1	–	–	1	2	2	1	1	–	–	3	–	Kidney, Disease of,	14	12	—	–	–	–	–	–	—	–	–	–	–	9	2	1
Females,	–	–	–	–	1	–	–	–	–	–	1	–	–	" "	—	—	2	–	1	–	–	–	1	–	–	–	–	–	—	–
Male,	–	–	–	1	–	–	–	–	–	–	–	–	–	Leprosy,	1	1	—	–	–	–	–	–	—	–	1	–	–	–	—	–
Male,	–	–	–	–	–	–	1	–	–	–	–	–	–	Lightning,	2	1	—	–	–	–	–	–	—	–	1	–	–	–	—	–
Female,	–	–	–	–	–	–	–	1	–	–	–	–	–	"	—	—	1	–	–	1	–	–	—	–	–	–	–	–	—	–
Males,	2	1	3	1	2	3	5	1	1	2	3	1	1	Liver, Disease of,	45	26	—	–	2	1	–	–	—	1	3	5	10	3	1	–
Females,	1	–	–	4	1	2	4	–	1	1	5	–	–	" "	—	—	19	–	1	–	–	–	2	1	3	3	3	4	1	1
Males,	1	1	2	4	1	2	2	3	–	2	4	1	1	Lungs, Disease of,	56	24	—	–	10	1	–	1	1	3	–	2	3	3	—	–
Females,	1	1	5	2	3	3	3	–	1	2	7	4	–	" "	—	—	32	–	8	2	2	1	—	5	3	3	1	5	2	–
Male,	–	–	–	–	–	–	1	–	–	–	–	–	–	Marasmus,	4	1	—	–	1	–	–	–	—	–	–	–	–	–	—	–
Females,	–	–	–	–	–	–	–	–	1	–	1	1	–	"	—	—	3	–	1	1	–	–	1	–	–	–	–	–	—	–
Males,	–	2	1	2	3	–	–	1	–	–	–	–	–	Measles,	13	9	—	–	4	1	1	2	—	–	–	–	–	–	—	1
Females,	–	–	1	1	1	–	–	–	1	–	–	–	–	"	—	—	4	–	3	–	–	–	—	–	–	1	–	–	—	–
Male,	–	–	–	–	–	–	1	–	–	–	–	–	–	Mumps,	1	1	—	–	1	–	–	–	—	–	–	–	–	–	—	–
Males,	–	–	–	–	–	–	1	–	–	–	1	–	–	Necrosis,	2	2	—	–	–	–	–	–	—	–	–	–	–	1	1	–
Males,	1	–	–	–	–	–	–	–	–	–	–	1	–	Neuralgia,	5	2	—	–	–	–	–	–	—	–	1	–	–	1	—	–
Females,	1	–	–	–	–	1	–	–	1	–	–	–	–	"	—	—	3	–	–	–	1	–	—	1	–	–	–	1	—	–
Males,	8	8	14	10	11	13	10	8	12	16	14	9	1	Old Age,	309	134	—	–	–	–	–	–	—	–	–	–	–	21	110	3
Females,	3	15	14	10	7	9	17	14	16	19	22	18	1	"	—	—	175	–	–	–	–	–	—	–	–	–	–	43	128	4
Males,	1	1	4	4	1	1	–	–	4	1	5	3	1	Paralysis,	73	26	—	–	–	–	1	–	—	–	1	3	5	10	6	–
Females,	2	5	1	4	5	3	7	3	6	3	4	3	1	"	—	—	47	–	–	–	1	–	—	1	2	6	6	18	13	–
Males,	1	–	–	–	–	1	–	–	1	–	–	–	–	Peritonitis,	5	3	—	–	–	–	–	–	—	–	1	–	2	–	—	–
Females,	–	1	–	–	–	–	–	–	–	–	–	1	–	"	—	—	2	–	–	–	1	1	—	–	–	–	–	–	—	–
Female,	–	–	–	–	–	–	–	–	–	1	–	–	–	Phlebitis,	1	—	1	–	–	–	–	–	—	–	1	–	–	–	—	–
Female,	1	–	–	–	–	–	–	–	–	–	–	–	–	Phlegmasia Dolens,	1	—	1	–	–	–	–	–	—	1	–	–	–	–	—	–

TABLE VI—*Continued.*

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March.	April.	May.	June.	July.	August.	September	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
Males,	1	–	–	1	–	–	–	–	–	1	–	–	–	Pleurisy,	10	3	—	–	–	–	–	–	—	1	–	1	–	1	—	–
Females,	–	2	–	–	–	2	–	–	–	1	1	1	–	"	—	—	7	–	–	–	–	–	1	1	1	1	–	3	—	–
Males,	6	5	8	12	5	1	4	–	4	8	15	9	1	Pneumonia,	163	78	—	–	36	2	–	–	4	1	1	10	8	6	8	1
Females,	5	9	6	8	10	3	7	4	4	7	13	8	1	"	—	—	85	–	33	3	–	3	2	4	5	2	12	17	4	–
Males,	–	–	1	–	–	–	1	1	–	–	–	3	2	Poison,	8	8	—	–	3	1	–	–	—	1	–	2	–	–	—	1
Females,	–	1	–	1	2	–	–	–	–	–	2	–	–	Puerperal,	6	—	6	–	–	–	–	–	1	4	1	–	–	–	—	–
Male,	–	–	–	–	1	–	–	–	–	–	–	–	–	Pustule, Malignant,	2	1	—	–	–	–	–	–	—	–	–	1	–	–	—	–
Female,	–	–	–	–	–	–	–	–	–	–	–	1	–	" "	—	—	1	–	–	–	–	1	—	–	–	–	–	–	—	–
Males,	1	–	–	–	–	–	–	–	–	1	–	–	–	Quinsy,	3	2	—	–	1	1	–	–	—	–	–	–	–	–	—	–
Female,	1	–	–	–	–	–	–	–	–	–	–	–	–	"	—	—	1	–	–	1	–	–	—	–	–	–	–	–	—	–
Males,	–	–	–	1	2	1	–	–	1	1	–	2	–	Rheumatism,	13	8	—	–	–	1	–	2	—	1	1	–	2	1	—	–
Females,	–	1	–	1	1	–	–	1	–	–	–	1	–	"	—	—	5	–	–	2	2	–	—	–	–	1	–	–	—	–
Males,	2	–	1	–	2	–	–	–	–	–	1	2	–	Scalded,	15	8	—	–	8	–	–	–	—	–	–	–	–	–	—	–
Females,	–	–	–	–	1	1	1	–	–	–	1	3	–	"	—	—	7	–	7	–	–	–	—	–	–	–	–	–	—	–
Males,	4	4	7	4	4	3	5	–	7	5	3	4	–	Scarlatina,	123	50	—	–	32	14	–	1	1	–	1	–	–	–	—	1
Females,	8	9	10	6	6	2	7	6	2	3	5	7	2	"	—	—	73	–	47	19	5	–	1	–	–	–	–	–	—	1
Males,	3	–	–	1	–	–	–	–	2	–	–	–	–	Scrofula,	16	6	—	–	2	1	–	–	—	–	3	–	–	–	—	–
Females,	2	–	–	3	–	1	–	1	1	1	–	1	–	"	—	—	10	–	2	2	1	1	1	2	–	–	–	–	—	1
Males,	1	–	–	–	1	–	–	1	–	–	–	–	–	Small Pox,	8	3	—	–	–	–	–	–	1	1	1	–	–	–	—	–

Females,	2	1	1	–	–	1	–	–	–	–	–	–	–	"	—	—	5	–	–	–	–	2	—	1	–	1	1	–	—	–
Female,	–	–	–	–	–	–	–	1	–	–	–	–	–	Starvation.	1	—	1	–	–	–	–	–	–	–	–	1	–	–	—	–
Females,	–	–	–	–	–	–	1	–	–	–	–	3	–	Stomach. Disease of.	4	—	4	–	–	–	–	–	–	1	1	–	1	1	—	–
Males,	–	–	–	–	2	–	1	–	1	–	–	–	–	Spine, Disease of,	8	4	—	–	1	–	–	–	2	–	–	–	1	–	—	–
Females,	–	–	2	–	–	2	–	–	–	–	–	–	–	"	—	—	4	–	1	–	–	–	–	1	–	–	2	–	—	–
Male,	–	–	–	–	–	–	1	–	–	–	–	–	–	Spider Bite,	1	1	—	–	1	–	–	–	–	–	–	–	–	–	—	–
Males,	2	–	–	–	1	–	–	1	1	–	2	–	–	Suicide,	9	7	—	–	–	–	–	–	2	–	3	–	–	1	—	1
Females,	1	–	1	–	–	–	–	–	–	–	–	–	–	"	—	—	2	–	–	–	–	–	–	1	–	–	1	–	—	–
Males,	3	1	3	4	2	3	1	2	4	1	1	1	–	Still Born,	54	26	—	–	–	–	–	–	–	–	–	–	–	–	—	–
Females,	–	4	2	1	1	2	1	3	3	2	2	1	–	"	—	—	22	–	–	–	–	–	–	–	–	–	–	–	—	–
Unknown.	–	–	1	1	–	–	1	1	–	–	1	1	–	"	—	—	—	6	–	–	–	–	–	–	–	–	–	–	—	–
Males,	–	1	–	–	1	1	–	2	1	1	1	1	–	Teething,	11	9	—	–	9	–	–	–	–	–	–	–	–	–	—	–
Females,	–	1	–	–	–	–	1	–	–	–	–	–	–	"	—	—	2	–	2	–	–	–	–	–	–	–	–	–	—	–
Males,	1	–	2	1	–	2	–	–	–	1	1	–	–	Throat, Disease of,	17	8	—	–	4	2	1	–	–	–	–	–	1	–	—	–
Females,	–	–	1	–	1	1	1	1	1	–	2	1	–	" "	—	—	9	–	1	2	1	2	–	–	–	–	2	1	—	–
Males,	3	–	–	–	–	–	–	–	–	1	–	1	–	Tumor,	8	5	—	–	–	–	1	–	–	–	1	–	1	2	—	–
Females,	1	–	–	–	1	–	–	–	–	–	1	–	–	"	—	—	3	–	–	–	–	–	–	1	–	–	–	–	2	–
Males,	7	5	6	6	12	7	8	7	12	13	5	6	3	Unknown,	207	97	—	–	35	5	2	5	3	2	5	4	5	14	2	15
Females,	5	3	5	6	8	8	1	5	13	12	8	8	18	"	—	—	100	–	38	5	1	3	4	4	5	3	6	10	2	19
Unknown.	–	–	2	–	–	–	–	–	1	–	–	–	7	"	—	—	—	10	2	–	–	–	–	–	–	–	–	–	—	8
Males,	–	2	2	–	–	–	1	–	–	–	–	–	–	Unknown, Sudden,	8	5	—	–	–	–	–	–	–	–	–	–	2	2	—	1
Females,	–	–	–	–	–	–	–	–	–	2	–	1	–	" "	—	—	3	–	–	–	–	–	–	–	1	–	–	2	—	–
Males,	1	–	–	1	–	1	1	–	2	–	–	1	–	Urinary Organs, D. of	7	7	—	–	–	–	–	–	–	–	–	–	–	2	5	–
Females,	2	–	–	–	–	1	–	–	–	1	1	1	–	Uterus, Disease of,	6	—	6	–	–	–	–	1	—	2	1	–	–	1	1	–
Female,	1	–	–	–	–	–	–	–	–	–	–	–	–	Varioloid,	1	—	1	–	–	–	–	–	–	1	–	–	–	–	—	–
Males,	1	1	1	1	–	1	1	1	–	5	3	1	–	Whooping Cough,	26	16	—	–	15	1	–	–	–	–	–	–	–	–	—	–
Females,	–	1	4	–	–	1	–	–	2	2	–	–	–	" "	—	—	10	–	8	–	–	–	–	–	–	–	–	–	—	2
Males,	–	1	–	–	–	–	–	–	–	1	1	–	–	Worms,	6	3	—	–	1	2	–	–	–	–	–	–	–	–	—	–
Females,	–	–	–	–	–	–	–	1	–	1	–	1	–	"	—	—	3	–	1	2	–	–	–	–	–	–	–	–	—	–

TABLE VII—CLASSIFICATION OF THE CAUSES OF DEATH.

Exhibiting the number of deaths in each Class of causes in the several Counties, together with the percentage, and ratio to the population.

CAUSES OF DEATH.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.	Totals.	Percentage.	One in every.
All Causes,	270	250	283	295	65	256	32	92	312	202	384	283	334	454	3,512	—	89
Specified Causes,	243	231	264	275	63	229	30	90	293	181	268	269	301	430	3,256	100.00	96
I. ZYMOTIC,	38	49	43	42	16	51	4	21	38	46	82	60	44	93	627	19.26	503
II. CONSTITUTIONAL,	80	71	[illegible]	107	2	74	8	35	106	51	95	73	111	128	1,041	31.97	302
III. LOCAL,	[illegible]	68	85	70	10	52	13	21	88	49	104	72	79	119	928	28.50	339
IV. DEVELOPMENTAL,	29	28	46	45	13	43	5	9	51	28	49	41	52	95	514	15.78	611
V. VIOLENT,	7	15	9	11	3	9	—	4	10	7	28	13	15	15	146	4.48	2,220
I.—1. MIASMATIC,	38	49	43	40	15	51	4	21	37	46	78	60	43	93	618	18.98	508
2. ENTHETIC,	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	.03	314,120
3. DIETIC,	—	—	—	—	—	—	—	—	—	—	1	—	1	—	2	.06	157,060
4. PARASITIC,	—	—	—	2	1	—	—	—	1	—	2	—	—	—	6	.18	52,353
II.—1. DIATHETIC,	14	16	12	16	2	18	1	3	20	14	16	13	16	32	193	5.92	1,628
2. TUBERCULAR,	66	55	69	91	19	56	7	32	86	37	79	60	95	96	848	25.83	370

5. Of the Urinary Organs,	1	1	8	4	1	8	—	—	4	4	7	1	5	5	43	1.32	7,305
6. Of the Organs of Generat.,	1	1	—	—	1	1	—	—	—	—	1	—	—	2	7	.21	44,870
7. Of the Organs of Locomot'n,	—	—	1	—	1	—	—	—	2	1	—	—	1	—	6	.18	52,358
8. Of the Integumentary Sys'm,	—	1	—	3	—	—	—	—	—	—	—	—	—	—	4	.12	78,530
IV.—1. Diseases of Children,	11	9	17	21	8	21	8	3	13	10	20	16	8	18	173	5.31	1,816
2. " Adults,	2	2	1	4	—	2	—	1	2	—	4	—	2	2	20	.61	15,706
3. " Old People,	16	16	26	19	10	18	2	5	35	18	23	25	40	56	309	9.49	1,016
4. " Nutrition,	—	1	2	1	—	2	—	—	1	—	2	—	2	1	12	.36	26,177
V.—1. Accident,	5	15	7	11	3	9	—	2	9	6	27	12	12	11	129	3.98	2,435
2. Suicide,	2	—	2	—	—	—	—	2	1	1	1	1	3	4	17	.51	18,478
Not Specified,	27	19	19	20	2	27	2	2	19	21	16	14	3[illegible]	24	256	—	1,227
I.—1. Miasmatic.																	
Cholera Morbus,	1	1	—	1	—	4	—	—	—	—	1	—	1	—	9	.27	34,902
Cholera Infantum,	2	—	2	1	—	—	—	—	—	1	—	1	1	3	11	.34	28,556
Croup,	7	10	2	6	1	11	1	3	[illegible]	3	6	5	—	12	73	2.24	4,303
Diarrhœa,	1	1	—	2	—	2	—	—	2	3	3	2	3	—	19	.83	16,533
Dysentery,	4	4	4	4	2	4	1	1	4	17	4	8	6	8	71	2.19	4,424
Erysipelas,	—	2	3	3	1	1	—	3	2	2	4	1	2	2	26	.79	12,082
Fever, Remittent,	1	1	—	—	—	1	—	—	—	—	—	—	1	1	5	.15	62,824
Fever, Typhus, &c.,	9	12	24	11	6	12	—	2	16	6	17	11	13	30	169	5.19	1,859
Influenza,	1	2	1	—	—	1	—	1	1	2	2	1	2	12	26	.79	12,082
Measles,	—	1	1	2	—	—	—	—	—	3	—	4	1	1	13	.39	24,163

TABLE VII—*Continued.*

CAUSES OF DEATH.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin,	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.	Totals.	Percentage.	One in every.
Metria,	—	3	—	—	—	—	—	—	—	—	—	1	—	1	5	.15	62,824
Quinsy,	2	1	—	—	—	2	—	1	1	1	3	1	3	5	20	.61	15,706
Rheumatism,	1	1	1	—	—	—	—	1	—	1	6	—	1	1	13	.39	24,163
Small Pox,	—	3	—	—	—	—	—	2	—	—	1	3	—	—	9	.27	34,902
Scarlatina,	7	6	5	3	5	9	2	7	5	4	25	21	9	15	123	3.78	2,554
Whooping Cough,	2	1	—	7	—	4	—	—	—	3	6	1	—	2	26	.79	12,082
Totals,	38	49	43	40	15	51	4	21	37	46	78	60	43	93	618	18.98	508
I.—2. ENTHETIC.																	
Bite of Spider,	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	.03	314,120
I.—3. DIETIC.																	
Intemperance,	—	—	—	—	—	—	—	—	—	—	1	—	1	—	2	.06	157,060

II.—1. Diathetic.																	
Cancer,	9	7	3	6	1	6	—	1	5	4	6	4	9	12	73	2.24	4,303
Dropsy,	5	8	8	10	1	9	1	2	11	9	10	9	7	20	110	3.38	2,856
Mortification,	—	—	1	—	—	2	—	—	3	—	—	—	—	—	6	.18	52,353
Noma, (Canker,)	—	1	—	—	—	1	—	—	1	1	—	—	—	—	4	.12	78,530
Totals,	14	16	12	16	2	18	1	3	20	14	16	13	16	32	193	5.92	1,627
II.—2. Tubercular.																	
Hydrocephalus,	4	5	3	11	1	3	—	1	5	2	5	1	3	2	46	1.41	6,887
Phthisis, (Consumption,]	59	50	66	79	18	52	7	31	81	33	72	58	87	92	785	24.11	400
Scrofula,	3	—	—	1	—	1	—	—	—	2	2	1	5	2	17	.52	18,478
Totals,	66	55	69	91	19	56	7	32	86	37	79	60	95	96	848	25–83	370
III.—1. Nervous System.																	
Apoplexy,	7	3	—	6	—	6	1	3	11	3	5	7	6	13	71	2.19	4,424
Brain, Disease of, &c.	19	11	10	9	—	1	3	2	8	11	16	7	11	13	121	3.71	2,595
Chorea,	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	.03	314,120
Convulsions,	4	8	6	6	—	5	1	—	8	2	9	4	7	6	66	2.03	4,759
Delirium Tremens,	1	—	—	2	—	—	—	—	—	—	—	—	—	—	3	.09	107,040
Epilepsy,	—	1	1	—	—	—	—	—	—	2	2	—	1	1	8	.24	39,265
Insanity,	2	—	2	1	1	—	—	—	1	—	2	—	1	2	12	.36	26,177
Paralysis,	11	5	7	3	—	2	—	1	8	7	8	7	6	8	73	2.24	4,303
Tetanus,	—	—	—	—	—	—	—	1	—	—	—	—	—	1	2	.06	157,060
Totals,	44	29	26	27	1	14	5	7	36	25	42	25	32	40	357	10.95	879
III.—2. Organs of Circulation.																	
Heart, Disease of, &c.	11	14	10	4	1	9	2	1	15	6	11	8	10	23	125	3.84	2,513

TABLE VII—*Continued.*

CAUSES OF DEATH.	Addison.	Bennington,	Caledonia,	Chittenden,	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland,	Washington.	Windham.	Windsor.	Totals.	Percentage.	One in every.
III.—3. ORGANS OF RESPIRATION.																	
Asthma,	1	—	—	—	—	—	—	—	1	—	—	1	—	2	5	.15	62,824
Bronchitis,	—	—	1	2	—	—	—	—	—	—	—	—	—	1	4	.12	78,530
Lungs, Disease of,	11	1	5	6	—	2	—	3	4	—	7	8	4	7	58	1.78	5,416
Pleurisy,	1	3	3	1	—	2	—	—	—	2	2	1	2	1	18	.54	17,451
Pneumonia,	13	10	13	12	3	14	2	4	12	8	18	15	18	21	163	5.03	1,932
Totals,	26	14	22	21	3	18	2	7	17	10	27	25	24	32	248	7.61	1,282
III.—4. DIGESTIVE ORGANS.																	
Ascites,	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	.03	314,120
Dyspepsia,	—	—	—	—	—	—	—	1	—	1	1	—	—	—	3	.09	107,040
Enteritis,	—	5	6	4	2	1	1	1	6	—	8	4	2	2	42	1.29	7,479
Gastritis.	—	—	2	2	—	—	—	—	2	—	—	2	—	3	11	1.33	28.556
Hernia,	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	.03	314,120
Ileus,	—	1	—	—	—	—	—	1	—	—	1	1	—	2	6	.18	52,353
Intestine, Disease of,	2	2	—	—	—	—	—	1	1	1	1	—	1	1	10	.30	31,412
Jaundice,	—	—	4	1	—	—	1	—	—	—	1	—	1	—	8	.24	39,265
Liver, Disease of,	3	—	3	3	—	7	1	1	3	6	5	5	2	7	46	1.41	6,837

Peritonitis,	1	—	2	1	—	—	—	—	—	—	—	1	—	—	5	.15	62,824
Stomach, Disease of, &c.	—	—	1	—	—	—	—	1	1	—	—	—	1	1	5	.15	62,824
Totals,	6	8	18	11	2	8	4	6	13	8	17	13	7	17	138	4.23	2,276
III.—5. URINARY ORGANS.																	
Cystitis,	—	—	1	—	1	—	—	—	—	1	—	—	—	—	5	.15	62,824
Diabetes,	—	—	2	1	—	1	—	—	2	3	—	—	1	2	12	.36	26,177
Gravel,	—	—	—	1	—	—	—	—	2	—	1	1	1	2	8	.24	39,265
Ischuria,	—	—	1	—	—	—	—	—	—	—	2	—	1	—	4	.12	78,530
Kidney, Disease of, &c.	1	1	4	2	—	1	—	—	—	—	2	—	2	1	14	.43	22,437
Totals,	1	1	8	4	1	2	—	—	4	4	7	1	5	5	43	1.32	7,305
III.—6. GENERATIVE ORGANS.																	
Uterus, Disease of, &c.	1	1	—	—	1	1	—	—	—	—	1	—	—	2	7	.21	44,870
III.—7. LOCOMOTVE ORGANS.																	
Joints, Disease of, &c.	—	—	1	—	—	—	—	—	1	1	—	—	1	—	4	.12	78,530
Necrosis,	—	—	—	—	1	—	—	—	1	—	—	—	—	—	2	.06	157,060
Totals,	—	—	1	—	1	—	—	—	2	1	—	—	1	—	6	—	—
III.—8. INTEGUMENTARY SYSTEM.																	
Abscess,	—	1	—	1	—	—	—	—	—	—	—	—	—	—	3	.09	107,040
Leprosy,	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	.03	314,120
Totals,	—	1	—	3	—	—		—			—	—	—	—	4	—	—

TABLE VII—*Continued.*

CAUSES OF DEATH.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.	Totals.	Percentage.	One in every.
IV.—1. DISEASES OF CHILDREN.																	
Infantile,	5	7	13	10	3	13	2	2	7	9	11	11	6	9	108	3.31	2,900
Stillborn,	4	2	4	10	—	7	1	1	6	1	5	5	—	8	54	1.66	5,817
Teething,	2	—	—	1	—	1	—	—	—	—	4	—	2	1	11	.33	28,556
Totals,	11	9	17	21	3	21	3	3	13	10	20	16	8	18	173	5.31	1,816
IV.—2. DISEASES OF ADULTS.																	
Childbirth,	2	2	1	4	—	2	—	1	2	—	4	2	—	—	20	.61	15,706
IV.—3. DISEASES OF OLD PEOPLE.																	
Old Age,	16	16	26	19	10	18	2	5	35	18	23	25	40	56	309	9.49	1,016
IV.—4. DISEASES OF NUTRITION.																	
Debility,	—	1	1	1	—	2	—	—	1	—	2	—	—	1	9	.27	34,902
Marasmus.	—	—	1	—	—	—	—	—	—	—	—	—	2	—	3	.09	107,040

Poison,	—	—	1	1	1	—	—	—	1	—	—	2	1	—	7	.21	44,870
Otherwise,	1	11	3	7	1	3	—	1	5	2	10	6	6	5	61	1.87	51,422
Totals,	5	15	7	11	3	9	—	2	9	6	27	12	12	11	129	3.98	2,435
V.—4. Suicide.																	
Hanging,	1	—	—	—	—	—	—	—	—	—	1	—	—	4	6	.18	52,353
Poison,	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	.03	314,120
Otherwise,	1	—	1	—	—	—	—	2	1	1	—	1	3	—	10	.30	31,412
Totals.	2	—	2	—	—	—	—	2	1	1	1	1	3	4	17	.51	18,478

TABLE VIII.—OCCUPATIONS.

Exhibiting the number of persons, pursuing different vocations, living in the State, according to the Census of 1850, *also the number of deaths occurring among each class, together with the ratio of the same to the living, and the aggregate and average ages.*

OCCUPATIONS.	Living.	Deaths.	Ratio to Living.	AGES. Given.	Aggregate.	Average.
Apothecaries,	19	1	1 in 19	1	33	33.
Bank Officers,	35	1	" " 35	1	38	38.
Basket Makers,	27	4	" " 7	3	197	65.66
Blacksmiths,	1,546	12	" " 129	11	541	49.18
Boatmen,	46	5	" " 9	3	144	48.
Cabinet Makers,	380	1	" " 380	1	32	32.
Carpenters,	2,360	15	" " 157	14	774	55.28
Chairmakers,	103	1	" " 103	1	64	64.
Clergymen,	619	6	" " 103	5	322	64.05
Clerks,	936	9	" " 104	7	241	34.42
Colliers,	42	1	" " 42	1	53	53.
Daguerrotypist,	12	1	" " 12	1	28	28.
Farmers,	48,312	616	" " 78	580	37,844	65.26
Gardenners,	15	1	" " 15	1	74	74.
Inn Keepers,	408	4	" " 102	3	132	47.33
Iron Founders,	76	2	" " 38	2	188	44.
Joiners,	542	6	" " 90	5	294	58.08
Laborers,	21,993	57	" " 386	47	2,075	44.15
Lawyers,	494	8	" " 61	8	437	54.62
Livery Stable Keepers,	29	1	" " 29	1	32	32.
Machinists,	213	3	" " 71	3	86	28.66
Manufacturers, not specified,	478	5	" " 95	5	290	58.
Masons,	508	6	" " 84	5	259	51.08
Mechanics, not specified,	633	21	" " 30	18	901	50.05
Millers,	348	3	" " 116	2	109	54.50
Millwrights,	140	1	" " 140	1	81	81.
Miners,	3	2	2 " 3	2	47	23.50
Moulders,	147	1	1 " 147	1	34	34.
Officers, State and U. S.,	29	3	" " 10	3	178	59.33
Painters,	419	5	" " 44	5	185	37.
Peddlers,	354	2	" " 177	2	135	67.50
Potters,	52	1	" " 52	1	61	61.
Physicians,	663	11	" " 60	11	595	54.09
Quarrymen,	60	2	" " 30	2	130	65.
Rail Road Men,	163	5	" " 54	4	132	33.

TABLE VIII.—*Continued.*

OCCUPATIONS.	Living.	Deaths.	Ratio to Living.	AGES. Given.	Aggregate.	Average.
Saddlers,	327	2	1 in 163	2	74	37.
Slaters,	29	6	" " 5	6	187	31.16
Speculators,	14	1	" " 14	1	55	55.
Servants,	34	2	" " 17	2	38	19.
Shoemakers,	1,676	19	" " 88	17	1,128	66.35
Stone Cutters,	265	1	" " 265	1	28	28.
Students,	1,016	2	" " 508	2	34	17.
Tailors,	381	4	" " 95	2	130	65.
Tanners,	273	1	" " 273	1	70	70.
Teachers,	150	1	" " 150	1	26	26.
Teamsters,	205	3	" " 68	3	139	46.33
Weavers,	41	3	" " 14	3	219	73.
Wheelwrights,	580	8	" " 72	8	387	48.37
Other occupations,	127	3	" " 42	3	161	53.66
Totals,	87,322	879	1 " 99	813	49,442	60.81

REMARKS.

It is gratifying to find our Registration Law going so promptly and extensively into operation. Returns have been received even beyond the sanguine expectations of its most ardent advocates. Only a few towns have neglected to send them in. *Pawlet*, in Rutland County, with a population of 1843, and *Arlington*, in Bennington County, with a population of 1084, are the only delinquents, with the exception of a few small towns in the extreme northern part of the State, all of them together containing less than one-half the number of inhabitants of those two towns.

It is true the returns are imperfect and incomplete. The District Clerks, not seeing the importance of all the items of information called for, have often given only such facts as seemed to them desirable, or perhaps, discouraged by the number of points to be noted, have failed to make any entries, or have only set down such as they happened to know. The Town Clerks have, in most instances, merely copied the facts as reported by the District Clerks. But, in some cases, with a very commendable desire to make the returns as complete as possible, they have apparently supplied, so far as they could, what was lacking.

On the whole, it may be considered a very fair beginning, and, considering the clumsiness necessarily attendant upon the starting of all new and complicated machinery, the practicability of Registration in this State is demonstrated. Its continuance may, therefore, be very confidently expected. Every year the work will be easier, the returns more perfect, the deductions more accurate and certain, and the benefits more apparent and decided.

It cannot be expected that all, or even a considerable part, of the benefits of Registration will be made obvious at once. The first object is to amass facts; inferences will follow after. The

greater the number of facts the safer and more conclusive, and hence the more useful, will be the inferences. Even from the facts collected this first year, many important conclusions may be safely drawn, and as the facts accumulate from year to year, not only will these conclusions become more satisfactory, but new ones will be brought to light.

It is admitted that, for a full comprehension of the means for the certain advancement of the population of States in prosperity and civilization, it is necessary to have a knowledge of the circumstances connected with the three important eras of existence, Birth, Marriage, and Death, as upon these, to a very great extent, are dependent the physical, moral and civil condition of the human family.

Each of these points will be succinctly considered in its appropriate place.

POPULATION.

Every one must see the necessity of taking into consideration the existing population in connection with the facts contained in this report. As no local census has been taken by this State, the United States Census of 1850 has been used. This can hardly be considered as correct for the present time, having been taken so long ago, but in the absence of more accurate information, must be used, as the best to be obtained.

The laws which regulate and control the lives and destinies of the people, present and future—the philosophy of the increase of population, is an exceedingly interesting topic for investigation, but cannot be considered extensively in this report. A review, however, of some of the chief points connected with the actual past increase of population may not be out of place.

The following table shows the actual population of this State at the several periods of enumeration, together with the increase and the percentage of increase :—

	Population.	Increase.	Percentum Increase.
1790	85,416		
1800	154,465	69,049	80.76
1810	217,713	63,248	40.96
1820	235,764	18,051	8.24
1830	280,652	44.888	19.12
1840	291,948	11,296	4.09
1850	314,120	22,172	7.61

The ratio of increase is here seen to be very variable. To speculate upon the causes of this variation is not a part of our present object. But some of the more obvious causes may be noticed.

During the ten years, from 1790 to 1800, the tide of emigration from Massachusetts and Connecticut was flowing with wonderful rapidity into Vermont. This continued, but to a less extent, from 1800 to 1810. Then the War of 1812, and the terrible epidemic, which decimated New England in 1814 and 1815, checked the immigration, and our increase was, probably, mainly of indigenous growth, from the excess of births over deaths. From 1820 to 1830, the tide began again to flow into this State. But during a considerable part of the next ten years, from 1830 to 1840, the "Western Fever" raged through the Eastern States, and Vermont furnished her share of emigrants to Ohio, Michigan, &c. Then came the great monetary crisis, during the latter part of this period, restraining the Western tide, and increasing somewhat the ratio of our increase, during the succeeding period, from 1840 to 1850. Since 1850, the flow West has received, a new impetus, and it may fairly be supposed that our rate of increase has been less than during the period from 1840 to 1850. Perhaps it would be fair to estimate the rate of increase at about the average of the rate for the twenty years, from 1830 to 1850. At that rate the population of the State, for the year 1857, would be about 325,000.

Comparing the growth of Vermont with that of the whole of the United States, it appears that,—

	The percentum of increase for the whole U.S., was	The percentum of increase for Vermont was	For every 1 individual in Vt., there were in the U. S.
1790	—	—	46.0
1800	35.0169	80.76	34.3
1810	36 4477	40.96	33.2
1820	33.1268	8.24	40.9
1830	33.4908	19.12	45.8
1840	32.6708	4.09	58.5
1850	35.8677	7.61	73.8

This shows that while the ratio of increase in this state has been variable, but on the whole diminishing rapidly, that of the United States, as a whole has been pretty constant. Also, that the fractional part, which this State forms of the whole Union, is constantly and greatly diminishing.

The ratio of increase of population of this State, is less than that of any other State in the Union.

The census tables for the first three periods did not make the distinction between the sexes. There were—

	Males.	Females.	Excess Males.	Excess Females.
1820	117,748	118,001	—	253
1830	140,422	140,230	192	—
1840	146,742	145,206	1,536	—
1850	160,033	154,087	5,946	—

In all the other New England States, except Maine, there is a considerable excess of females.

It is left for those who love to speculate on such things to account for this more rapid increase of males over females, in this State.

Only the census of 1850 gives the nativities of the inhabitants. By this it seems that, of the inhabitants of Vermont, there were born in—

Vermont	228,941
In the U. S., not in Vt	51,114
In Foreign Countries	33,715
In parts unknown	350

And it also appears that there were in the United States, out of Vermont, 145,655 persons who were born in the State. Probably the natives of Vermont in Canada and Foreign Countries, would swell this number to 150,000, making the actual natives of Vermont between 375,000 and 380,000.

The 314,120 persons in this State, in 1850, were distributed among

58,573 families.
Living in 56,421 dwellings,
Thus there were 18.64 families to 100 persons.
Giving 17.96 dwellings to 100 persons.
103.81 families requiring 100 dwellings.
5.36 individuals in each family.
5.56 " " dwelling.

As the State contains 9056 square miles of territory, we have 34.68 persons, on an average, to each square mile. This is nearly equal in point of density of population to New Hampshire, which is 34.26, while it is much less than Massachusetts, which averages 127.49 to the square mile.

In examining the salubrity of a place, the classification of the inhabitants by ages is of great importance. It is evident that if a large proportion of the people attain old age, the circumstances

connected with such a place must be such as conduce to health and life. Of course, this proportion is liable to variation from emigration and immigration, and hence, in any reasoning from such data, perturbations from these causes, must be taken into consideration.

Comparing our population with that of Massachusetts and England, we find that there were in every 10,000—

	In Vermont.	Massachusetts.	England.
Under 1	210	233	
1 to 5	988	914	3,610
5 to 15	2,369	2,022	
15 to 50	5,025	5,607	5,025
50 to 70	1,099	976	1,365
Over 70	310	246	

The productive part of community, from the age of 15 to that of 50, in Vermont precisely equals that of England, while in Massachusetts it is considerably greater. The number of children exceeds that of Massachusetts, but falls a trifle short of that of England. The aged are considerably more numerous in Vermont than in Massachusetts, and very slightly more so than in England.

BIRTHS.

In a country where the population is less variable, and composed of less heterogeneous elements than ours, the whole of the philosophy of increase of population is resolved into the simple problem of calculating the ratio between the births and deaths.

This simple calculation, of course, in a community fluctuating so much by immigration and emigration as our State has been shown to do, affords a smaller amount of actual information upon that point. But many useful and interesting lessons may be learned.

By Table II, of Births, page 20, it appears that 6,412 births were returned for the year 1857. This number undoubtedly falls considerably short of the actual number of births which took place. By the census, 6,594 births are reported to have occurred during the year 1850, for which those returns were made. Considering those returns correct, and supposing the increase of population to have been, as before estimated, then at the same rate as given by the census, there should have been about 6,900 births during the year 1857. But even this estimate is probably too low. No reason is apparent why the births in Vermont should be less, in proportion to the number of inhabitants, than in Massachusetts, France or England.

One birth occurs annually in—

Massachusetts to every	.....	35	persons.
France "	.....	35	"
England "	.....	31	"
Vermont, (by census,) 1850, to every	..	48	"
Vt., (by Reg. Return,) 1857, to every	.	50	"

Hence, it is evident that both the census and the registration returns are deficient. By making the correction for the known error in the census returns, in the manner proposed by the Superintendent of the census, it would show the births to be one to every 45 persons, evidently still incorrect.

Although this deficiency in the returns renders them of little or no value in some respects, yet they are, notwithstanding this, of considerable value.

The sex was not given in 59 cases. Of the remainder 3,282 were males, and 3,071 were females, the males being 211 in excess. This corresponds very closely with the Massachusetts reports. The percentage being in—

	Vermont.	Massachusetts.
Males.....	51.18	51.33
Females.....	47.90	48.16
Unknown.....	.92	.51

The relative number of the different sexes, in the several counties, may be seen in the following table:—

Counties.	Males.	Females.	Excess of Males.	Excess of Females.
Addison, . . .	226	199	27	—
Bennington, . . .	210	203	7	—
Caledonia, . . .	298	240	58	—
Chittenden, . . .	305	263	42	—
Essex, ...	39	42	—	3
Franklin, . . .	248	281	—	33
Grand Isle, . . .	66	56	10	—
Lamoille, . . .	103	97	6	—
Orange, . . .	300	255	45	—
Orleans, . . .	201	200	1	—
Rutland, . . .	413	381	32	—
Washington, . . .	278	281	—	3
Windham, . . .	274	253	21	—
Windsor, . . .	341	320	21	—

a la

In the following table the births are arranged by months:—

Months.	Males.	Females.	Excess of Males,	Excess of Females.
January, . . .	210	193	17	—
February, . . .	238	219	19	—
March, ...	265	244	21	—
April, ...	270	237	33	—
May, ...	263	282	—	19
June, ...	269	244	25	—
July, ...	226	264	—	38
August, ...	278	291	—	13
September, . . .	270	280	—	10
October, . . .	334	297	37	—
November, . . .	267	253	14	—
December, . . .	292	267	25	—

From the above table it will be seen that October was the most fruitful month, and January the least so.

We see also the influence of season upon the number of births. During the months of the

Winter,	there were	1,435	births.
Spring,	"	1,574	"
Summer,	"	1,686	"
Autumn,	"	1,717	"

In regard to children, as in other crops, the most plentiful harvest is in the autumn.

There were 92 children born in couplets. Of these 52 were males, and 40 were females. One set of triplets was reported in the town of East Montpelier, in Washington County. The three were females, two died; one, in 7 days, the other in 13 days; the third was living when the report was made. They were born in the month of September.

Comparing the births with the deaths, we find an excess of 2,900. This excess is found in all the counties, as shown by the following table:—

Counties.	Births.	Deaths.	Excess of Births.
Addison,	440	270	170
Bennington,	415	250	165
Caledonia,	525	283	242
Chittenden,	569	295	274
Essex,	81	65	16
Franklin,	530	256	274
Grand Isle,	122	32	90
Lamoille,	201	92	109
Orange,	556	312	244
Orleans,	409	202	207
Rutland,	797	384	413
Washington,	568	283	285
Windham,	538	334	204
Windsor,	661	454	207
Totals,	6,412	3,512	2,900

MARRIAGES.

The returns of the marriages are less complete in detail than those of births. In a majority of instances the returns show only the date of the marriage, the residence and names of the parties contracting the marriage, and of the person officiating. The important facts in regard to the ages and nativities of the parties, also as to whether the marriage returned was the first or a subsequent one of one or both, are not noted.

Considering the meagreness of the returns in these respects, it has not been thought advisable to construct tables to show the ages and conditions of the persons married. The table given, [Table III.] exhibits the number of marriages in each month, in each county, and in the whole state.

From the table it is found that 1,941 marriages were solemnized in the state during the year 1857. This number probably

falls considerably short of the truth. Yet our returns are evidently much more accurate than those of the census of 1850, which gave 1,326 as the number for one year. This would show an unaccountable increase of 45 per cent. for the marriages, while the population has increased probably not more than 5 per cent.

Comparing our state with those places most nearly resembling it, from which statistics of this kind have been received, it is found that the number of marriages is proportionately very much less. One marriage is contracted annually in

Massachusetts	among every	100	persons.
England	"	123	"
France	"	130	"
Vermont, [by Census, 1850,]	"	237	"
" [by Reg. Returns, 1857,]	"	167	"

The last number is found by making an estimate based on the supposed population as given on page 83. By taking the population, as given by the census, and retained in the foregoing tables, the number would be one marriage for every 162 inhabitants.

By the table it appears that the least number of marriages occurs in the month of August, and the greatest number in December.

It is stated in one of the Registration Reports of England, that season affects more decidedly the number of marriages, than of births or Deaths. Here we find that the marriages were in the

Winter.....	507	—	26	per centum.
Spring	476	—	25	"
Summer.....	347	—	18	"
Autumn.....	603	—	31	"

During the summer, while the farm work is most pressing, there is not time to spare for getting married. But when the harvests are gathered, and the income of the summer is realized, then time and money afford the opportunity and the means. This becomes more apparent still if the year is divided into three periods—

January, February, March, April....	599	—	31	per cent.
May, June, July, August.....	466	—	25	"
Sept., October, November, December.	836	—	44	"

Nearly twice as many are married in the fall as in the summer.

DEATHS.

The returns show that 3,512 persons died during the year 1857, in this State. Like the numbers given for the births and marriages, this probably falls far short of the truth. Taking the population as given in the census report for 1850, the deaths would be one for every 89 persons. But supposing the population to have increased as before estimated, *viz:* to 325,000, the deaths would be one for every 92 persons. Incorrect as this evidently is, it is still more accurate than the returns made to the census office. The deaths there returned were only one for every 100 of the inhabitants.

If, therefore, neither the present returns, nor the census returns can be relied upon to ascertain the absolute mortality of the state, or of any part of it, yet, as the probability of error is as great in one part or subject as in another, the different counties may be compared with each other, and the relative force of mortality of the different diseases may be examined, as well as the influence of the seasons, sex, &c.

Of course, any deductions or inferences made in these remarks must be taken only for what they are worth. They are stated as merely probable, and future reports must either prove or disprove them, as the returns become more numerous, complete and accurate.

The relative force of mortality in the several counties is shown in the following table, in which the counties are arranged in the order of the mortality for the year 1857, beginning with the one in which it was the least. The figures express the number of deaths in each 100 of the population:

	Counties.	By Reg. Returns.	By Census.
1	Grand Isle,	.772	.434
2	Lamoille,	.846	.864
3	Franklin,	.892	.769
4	Chittenden,	1.016	.947
5	Addison,	1.016	.836
6	Orange,	1.143	1.077
7	Washington,	1.148	.831
8	Windham,	1.149	1.222
9	Rutland,	1.161	1.106
10	Windsor,	1.185	1.255
11	Caledonia,	1.199	.958
12	Orleans,	1.286	.955
13	Bennington,	1.345	.876
14	Essex,	1.397	1.290
	Whole State,	1.118	.996

It is assumed by statisticians that a mortality of two per cent., or, one death in every fifty individuals, may be fixed upon as a healthy and natural standard. The mortality of European Countries ranges from 1.8 to 4 per cent. Russia gives one death for every 26 of its inhabitants, while Norway gives only one in 54. The greatér number of the countries, however, show a mortality of about 2.5 per cent., or one death among every 40 persons. The mortality of cities is usually greater than that of country places. That of London and Boston is, for each, about 2.5 per cent., while the rural districts of England and Massachusetts range from 1.5 to 2 per cent, being one death among 40 persons in the cities, and one among from 50 to 66 in the country.

It will be noticed that these returns exhibit for this state a mortality of only 1.118 per cent, or one death among 89 persons. If this is corrected for the supposed increase of population, it would be only 1.08 per cent, or one in 92. Now if we suppose that only two thirds of the actual number of deaths were returned, (and it would seem fair to suppose that as many as two thirds were returned,) the mortality still would be only 1.44 per cent, or one in 69. Even this is an incredibly low mortality.

According to the mortality statistics of the United States Census of 1850, Vermont stands third in the list as to healthfulness. Wisconsin shows the least mortality, and California next. Now as the liability to overlook deaths must have been greater in those new States, and as the difference was not great, it is probable that, in truth, Vermont should head the list, that is, the absolute force of mortality in this state is less than in any other.

With reference to the ages of the persons dying, it will be noticed that more than one seventh of the deaths, of which the ages are given, were of infants under a year old; nearly one quarter were under three years of age, and one third were under fifteen.

The following table gives the percentage of deaths of different ages to all the deaths, and the percentages of the living at those ages to the whole poopulation:

Ages.	Percentage of Deaths.	Percentage of Living.
Under 1,	14.8	2.1
Between 1 and 5,	11.4	9.9
" 5 " 15,	7.0	23.7
" 15 " 50,	27.4	50.3
" 50 " 70,	15.3	10.9
Over 70,	24.1	3.1

Under 3,	22.7
" 5,	26.2
" 15,	33.3

In England, where the ages of the population are very nearly the same as in this state, the deaths under one were 22.8 per cent of all; and those between one and five were 16.5 per cent. A considerable part, and perhaps all, this difference may be accounted for by the neglect to return the deaths of children as fully as those of adults. They are more likely to be forgotten, and the clerks think it less important to hunt them up.

Of the 3,512 deaths, 1,644 were of males, and 1,853 were of females, being an excess of 209 deaths among the females. The sex was not returned in 15 cases. The mortality of the different sexes varies at different ages; as will be seen by the following:—

	Males.	Females.	Exc. Males.	Exc. Females.
Under 1,	267	237	30	—
1 to 5,	213	174	39	—
5 " 10,	70	73	—	3
10 " 20,	92	165	—	73
20 " 30,	112	195	—	83
30 " 40,	90	147	—	57
40 " 50,	89	134	—	45
50 " 60,	94	128	—	34
60 " 70,	156	139	17	—
70 " 80,	185	221	—	36
80 " 90,	184	151	33	—
Over 90,	33	48	—	15
Unknown,	59	41	18	—

It will be recollected that the number of males exceeded the number of females born. Hence, an excess of male mortality in infancy might be expected. But the excess of male births was less than three per cent, while the excess of male mortality under one year, is six per cent. Between the ages of one and ten, also, more boys than girls die. In youth and adult age the heaviest mortality falls upon the weaker sex, while in old age, including all over sixty, the scale again turns against the males. This agrees with the facts developed by registration reports in other parts of the world. But in Massachusetts, Kentucky, South Carolina; in England, France, Austria, in fact in *every* State and Country, whose reports have been examined with reference to this point, the excess of male mortality, at the extremes of life, more than counterbalances the excess of female mortality of middle life, giving, universally, an excess of male mortality, when all ages are includ-

ed. In Vermont, on the contrary, the excess of female mortality between the ages of ten and sixty, very much overbalances the excess of male mortality at all other ages, giving an absolute excess of female mortality when all ages are included. If this has been so for years past, it will readily account for the excess of male population, while the New England States generally possess an excess of female population. Of each one hundred deaths, of those between the ages of ten and sixty, 38 were males, and 62 were females, making a difference of 24 per cent. against the females. Of each one hundred deaths at all other ages, 52 were males, and 48 females, a difference of only four per cent. against the males. In this the difference in the numbers of the different sexes living is not taken into the account. When it is considered that the male population preponderates, the difference is found to be still greater against the females. While it is usually the fact that during the term of *active* life the weaker sex are subject to a heavier mortality, yet it does not readily appear why the burden should be so much heavier in this State than elsewhere. During the development of womanhood, and through the procreative and climacteric periods, the female system is everywhere subject to increased liability to disease and death. In this State, this liability to disease and death, compared with that of males at the same age, is very wonderfully increased, particularly during the first period, that of development of womanhood. Of one thousand deaths of persons between the ages of 15 and 20 years, 654 were females, while only 346 were males, being a difference of nearly 31 per cent against the females, and this notwithstanding there were actually more males than females living between those ages. Taking the living population into the account, it appears that one death occured among 161 females, between 15 and 20 years of age, while only one among 318 males took place, being .6199 per cent for females, and .3146 per cent for males, or almost exactly two females to one male.

To speculate here upon the causes of this terrible destruction of young and productive female life, would be premature. The importance of the subject demands the most careful and earnest investigation. *What causes are in operation in this State, to produce this comparatively large female mortality?* This is a question which comes home directly to every man who has a wife, sister or daughter. These causes must be nearly universal in their operation, since almost every country shows the same fact But they must act with greater force in this State, or new causes

must be superadded, since the effect is so greatly augmented here.

This excess of female mortality is not equally distributed throughout the State. In fact, some of the counties show an excess of male mortality, viz: Orleans, Grand Isle, Essex, Washington and Rutland; the excess being greatest in the first county mentioned, the others following in their order. The following counties are named in the order of the excess of female mortality, beginning with the one in which it is the greatest,—Lamoille, Windsor, Windham, Orange, Caledonia, Addison, Chittenden, Franklin, Bennington.

From the obvious omission of deaths of children, very little reliance can be placed upon any speculations in regard to the average age at death. As obtained from the returns, it ranges from 28.06 to 46.11 years, in the several counties, the average for the State being 38.28 years. The percentage of mortality of the eight counties, East of the Green Mountain ridge, is very nearly the same with that of the six counties upon the West side of the Mountain, while the average age at death, as shown by the returns, is considerably greater. The age at death upon the East side is 40.27 years, upon the West side 35.61. The difference in age at death, between the Eastern and Western halves, in the Northern part of the State, is but a little more than one year in favor of the Eastern side. The Southern three counties upon the Eastern side give, for the average at death, 45.29 years. The Southern three Western counties, show only 34.05 years, a difference of 11 years and three months against the Western counties.

As the facts are collected, by the clerks, after the close of the year, it is probable that more omissions would occur in the first months of the year than during the last. The date would be forgotten and returned as unknown, or the whole fact would escape recollection, if it occurred nearly a year before. Hence, it is found that a less number, not only of deaths, but of births and marriages, are returned during the first half of the year. Yet, notwithstanding this, more deaths are actually returned as occurring in the spring, March, April and May, than in the summer, June, July and August; the former being 842, the latter 795.

October shows the greatest number of deaths, February the least. March would seem to be unfavorable to life, since the number of deaths is great, although the month occurs early in the year. June appears to be a healthy month, giving a less number of deaths than any in the year except February.

The Census of 1850 reports ten persons only as living, in this State, at over one hundred years of age. The returns show the deaths of seven persons aged 100 years or over. These were as follows :—

Town.	*Name.*	*Age.*	*Died.*	*Born.*
Thetford,	Martha Frezel,	104 yrs 4 ms 6 ds,	Feb. 4.	Mass.
Burlington,	Mary Laframboise,	104 "	Sept. 2.	Canada.
Wilmington,	Mary Wilder,	103 " 4 " 24 "	Sept. 30.	Ware, Mass.
Clarendon,	Nat'n Lownsbury,	101 " 7 " 17 "	April 26.	W'dbridge, C.
Pownal,	Anna Towslee,	100 " 4 "	January.	
Fletcher,	Tho. S. Munsel,	100 "	Oct. 11.	
Westminster,	Asenath Dolby,	100 "	July 6.	N. Carolina.

CAUSES OF DEATH.

The causes of death are arranged in alphabetical order, in table V., which shows also the number of deaths of each sex, occurring in each month of the year, together with the ages of those dying from each cause. There was evidently a great lack of discrimination and accuracy in stating the causes of death, as well as want of uniformity and precision in naming diseases. For instance, many cases of disease attended with a general wasting away and decay, are undoubtedly called "consumption" for want of proper discrimination, especially in recording the deaths of young children. So also the senile catarrh or chronic bronchitis of old people, because attended with a cough and expectoration, is inaccurately returned among cases of consumption. Now, since these annual reports are designed to be true and faithful abstracts of the *returns*, it would be improper to go beyond the returns and undertake to rectify any apparent inaccuracies. Hence, it is exceedingly important that those who collect the facts should exercise great care in discriminating properly the causes of death, particularly at the two extremes of age. The reports and abstracts cannot be more reliable and trustworthy than the materials furnished. The only license allowed, in making up the tables, has been that of referring to a single head several terms obviously synonymous, as "brain fever," "inflammation of the brain," and "cephalitis;" "lung fever," "inflammation of the lungs," and "pneumonia," &c. All doubtful cases have been classed with the "unknown."

Classification.—Very many systems of Nomenclature and Classification have been proposed and used by Nosologists and Statisticians, each more or less perfect and adapted to accomplish

objects, considered most desirable by their constructors. For statistical purposes of a national character, however, none seem so complete as that submitted, by Mr. Wm. Farr, of England, to the World's Statistical Congress, held at Brussels, in Belgium, in 1853. The Nomenclature was adopted by a succeeding Congress, and it is probable that the classification will be, by a future one, with perhaps some modifications. It was adopted by Massachusetts in the report for 1855, and by several other States since then. Since uniformity is desirable, and this system, in its essential points, will undoubtedly become universal in the civilized world, it has been deemed advisable to adopt it at once in this state. This system is based upon, and in many respects an improvement of the system introduced, by the same individual, into the registration reports of Great Britain, in 1838, and used in Massachusetts previous to 1855.

The distinctive feature of this Classification is its etiological character. Diseases are grouped together in accordance with certain similarities in the exhibition or manner of operation of their *causes*. Etiology, and not pathology, being the principle upon which it is based, we do not look at any changes in the conformation or structure of the body so much as at *forces and actions in and around us*. It is not intended to supercede any pathological classification, which, looking at results rather than causes, may be of great value to the physician. Nor does it interfere with, but rather magnifies the importance of specific distinctions of disease. In fact the species remain the same in all classifications of disease. But it is designed and most admirably adapted to assist the hygienist and national statist, by pointing out the sources from whence dangers to life and health arise, thus ennabling them to devise means for their suppression or mitigation.

It is found that all the agencies or influences causing death possess certain distinctive characters, which, from their similarities and differences, naturally divide them into groups or *classes*. There are five of these classes, well defined and easily recognized, each named from one of its most constant and prominent characteristics. So also each class is subdivided into other smaller groups or *orders*, according to similarities and differences, of a less general nature, but still equally important and constant. The orders comprehend the specific diseases and other causes of death, with the characteristics usually assigned to them.

It is true, by this classification, some diseases may fall into either of two or more different classes, according to the cause operating in any given case. For example pleurisy and pneumonia, if epidemic, would be placed in the first class; if sporadic, in the third class; if of traumatic origin, in the fifth class. But any confusion from this source may be readily obviated, if the reporter, in naming the disease, would append the cause. Besides, the manifest advantages of this system very greatly overbalance any imperfections of this sort.

The *first* class includes all those "diseases that are either epidemic, endemic or contagious;" also all such as are "induced by some specific body," however introduced into the system, as well as those produced "by the want of proper nourishment, or by the bad quality of food." This class derives its name, Zymotici, from *Zumosis*, a Greek word, signifying *fermentation*. The term is not used upon any theory or supposition that these diseases are an actual fermentation going on in the system, but because of the fact that the morbid processes are, in many respects, analagous to the processes of fermentation. Each requires its peculiar cause or exciters; each has its periods of incubation, access, increase, acme and decline; each also requires the co-incidence of certain external circumstances for its development. The word, with others from the same root, was used by Hippocrates, nearly 500 years before the Christian Era; and is, to say the least, a very convenient term by which much circumlocution may be avoided without risk of confusion or obscurity.

The orders in this class are very natural divisions, and seem to be all that is desirable, unless the first order should be subdivided, so as to form another, under the name of *Monoxysmal*, by "grouping together those diseases to which the whole human race are subject, and subject but once." The order thus formed would consist of—

Small-pox,	Varioloid,
Scarlatina,	Chickenpox,
Measles,	Whooping Cough,
Mumps.	

The name of this order, proposed by J. C. Simonds, of New Orleans, who first suggested its adoption,* is certainly very appropriate and in accordance with the general principles of nomenclature.

* Trans. Amer. Med. Assoc., 1850. Vol. III. page 273.

This class may be considered a very good "standard by which to estimate the hygienic character of any locality." If the deaths from zymotic diseases are numerous, the place must be unfavorable to health and life. By the census report of 1850, it is shown that in Vermont 1.00 per cent of the population died in one year, while in Wisconsin only .95 per cent, and in California .98 per cent died. But if we look at the deaths from zymotics, we find that in Vermont only .30 per cent of the population died from these causes, against .40 per cent and .71 per cent in Wisconsin and California respectively. Hence, Wisconsin cannot be as healthy a locality as Vermont, and California is more than twice as unhealthy. Nor can this difference be accounted for by want of care in collecting the facts, since from carelessness, the probability would be against any particular death being returned at all, rather than that the cause of death should be given wrongly. This would make the difference still greater. Those two States were selected because they gave a less mortality for all diseases. All the States, except North Carolina, give a greater mortality from zymotics, than is found in Vermont. It may not be fair, however, to form any important conclusions upon data so imperfect as the mortality statistics of the United States Census, particularly when confined to one year. To give truly the hygienic character of any locality only the first order of this class should be taken, and from this, those diseases included in the proposed new order, should be eliminated.

The other classes and orders are rendered sufficiently intelligible by the succinct, but clear definitions given in the synopsis, which is appended to this volume.

The *second* and *fourth* classes, including those diseases that, to a greater or less extent, implicate the whole system, and are dependent upon causes operating through long periods of time, or even through successive generations, form an excellent standard by which to measure the inherent vital energy or constitutional stamina of a community or race; as well as to test the hygienic influence of different vocations and pursuits of life. By this standard it will be found that although Wisconsin and California were inferior to us in the hygienic character of the country, yet in the hardihood and vigor of life of the inhabitants, they are very far superior.

The *third* class is really residual, including all those causes of death which cannot be classed elsewhere. Hence, its character is

not etiological, and its divisions into orders is anatomical, corresponding to the classification in use generally among physicians. It is probable that this class will gradually be diminished by eliminating such species of disease as may be referred to definite causes. The diseases so separated will find their proper places in the other classes.

The *fifth* class, called formerly *external*, embraces those causes of death external to the individual, and not due to zymotic influences. Since the number of fatal accidents may be presumed to be in some measure proportional to the degree of exposure, and as the laboring classes are those necessarily encountering this exposure in the greatest degree, the ratio of the numbers of the first order of this class to the population may be considered as indicative of the social position and pecuniary condition of the community, conjoined to the kind of labor and degree of exposure of its laboring population. The other orders of this class "indicating the value set upon human life, the degree of submission to the laws, and of regard for the rights of others, and," if we include the venereal diseases and alcoholism from the first class, "the extent to which the animal passions are indulged, may be made the standard for estimating the moral and social condition of different communities." (J. C. Simonds, *loc. cit.*)

The superior beauty, convenience and utility of this system of classification must be apparent to all.

In 256 cases the cause of death was not returned, or so imperfectly or obscurely returned as to render it necessary to class such cases with the unknown. These comprise 7.28 per cent of the whole number of deaths, leaving 92.72 per cent, or 3,256 cases in which the cause of death was specified.

CLASS I. *Zymotic Diseases.*—Diseases of this class prevailed only to a limited extent during the year. The deaths returned from these causes were 627, being 19.26 per cent of the deaths from specified causes, or one death among every 503 persons. The last census gave 951 deaths from zymotics, about 30 per cent of the deaths from all causes, or one in every 330 of the inhabitants. Hence, we may infer that although more deaths were returned, both proportionately and absolutely, yet it was a more healthful year, than the one ending on the first of June, 1850. The number of deaths from those causes which depend upon the seasons and atmospheric vicissitudes, was much less, and our excess in the

whole number of deaths must be accounted for, by the fact that our returns were more full than those of the census.

The following will show the force of mortality from zymotics, in the different counties, as derived from the returns. The figures give the percentage of deaths to the population.

Addison,	.143	Lamoille,	.193
Bennington,	.263	Orange,	.136
Caledonia,	.182	Orleans,	.292
Chittenden,	.144	Rutland,	.249
Essex,	.344	Washington,	.243
Franklin,	.178	Windham,	.151
Grand Isle,	.096	Windsor,	.242

Typhus Fever was the most fatal among the zymotic diseases, carrying off 169 persons, or 5.19 per cent of the deaths from specified causes. This term includes all the cases returned as "Typhus," "Typhoid," "Ship" and "Continued" fevers, and also those returned simply "fever." Cases were reported from every county except Grand Isle. The greatest number of cases were in Windsor county, 30 deaths, or one in 1,276 inhabitants. Caledonia, with 24 deaths, shows the greatest proportional number, being one death for every 926 of the population. Lamoille reported only two cases, Orleans and Essex, six each.

The influences of season and age are clearly seen in the distribution of the deaths among the different months, and at the different ages. The percentage is greatest in the months of October, November and September, respectively, and between the ages of fifteen and twenty, twenty and thirty, and under five.

Months.	Percentage.	Age.	Percentage.
January,	4.00	Under 5	10.90
February,	5.14	5 to 10	4.00
March,	3.43	10 " 15	5.71
April,	8.00	15 " 20	17.91
May,	4.60	20 " 30	22.96
June,	1.71	30 " 40	6.86
July,	5.71	40 " 50	8.67
August,	4.00	50 " 60	7.52
September,	12.87	60 " 70	6.28
October,	21.44	70 " 80	7.42
November,	20 87	Over 80	1.71
December,	8.24		

Sex has but little influence, the deaths of males and females being very nearly the same.

Scarlet Fever prevailed very extensively, every county returning cases. Essex, Washington, Rutland and Lamoille counties suffered most. Chittenden, Orange, Caledonia and Addison suffered

least. The influence of age is very conspicuously exhibited in this disease; 65.30 per cent of the deaths were under five years of age; 27.27 per cent were between five and ten. According to sex the deaths were in the exact ratio of five males to seven females. The disease prevailed most extensively during the first five months of the year, except in Rutland county, where very few deaths occurred until autumn, the greatest number, in that county, being in December.

Croup was the next most fatal disease in this class. This, being essentially a disease of childhood, we are not surprised to find 87 per cent of the cases to have occurred among children under five, and 10 per cent between five and ten. More than half of the deaths took place during the last three months of the year. Boys suffered more than girls, the ratio being about four boys to three girls.

Dysentery claimed 2.19 per cent of the deaths, the causes of which were specified. About two thirds of these were under five years of age. At other ages, those over seventy suffered most. About two thirds of the deaths from this disease were of males. September, August and October were the most fatal months, more than four fifths of the deaths taking place in those months.

Class II. *Constitutional Diseases.*—Nearly one third of the deaths from specified causes were from diseases of this class, 31.97 per cent.

In the first order, *Dropsy* was the most fatal disease. The deaths were not very unequally distributed through the several months. This seems to be a disease of advanced of life. From the ages of 40 to that of 80 there was a regular increase in the number of cases, nearly three quarters of the whole being persons between those ages. The ratio of deaths among the sexes was as four males to five females.

Cancer, being mainly a disease of age, no deaths were reported of persons under 30, and only five of those under 40. Among the males the greatest number of those affected were over 80. Among the females the greatest number were between 50 and 60. The sexes were in the ratio of three males to four females.

Consumption sweeps off more than any other disease, in fact, more than twice as many as any other whole order of diseases, except the single order Miasmatici. Nearly one quarter, 24.11

per cent. of deaths from specified causes, were from this disease. The accompaying table shows how the deaths from it were distributed through the several counties, the sex, months and ages being also given. The column headed *Percentage* gives the percentum of the population dying from this disease, during the year. The last three lines, upon the right hand half of the table, give the per cent. of deaths at different ages, for each sex, for the whole state.

CONSU

owing the number of Deaths, at different ages,

Months.		

'ION.

ch sex, in each month, in the several Count

		Ages.

It will be seen that season had very little influence. Spring and Autumn were rather the most destructive. March, May and April gave the greatest number of deaths. February, June and January gave the least number.

This fell destroyer seems to delight in striking down the weaker sex. More than twice as many females as males were returned, as victims of this disease. This enormous disparity between the sexes is peculiar to our state, and, if it is not due to error in the returns, forms a serious question for consideration.

It is during the period of development, and of early adult life, that this disease is the most destructive. About one quarter of its victims were between the ages of twenty and thirty, and one half were between fifteen and forty. This corresponds very nearly to the relative numbers given in the Massachusetts reports. In this state, however, the heaviest burden falls on the gentler sex. Between the ages of twenty and forty, more than twice as many females as males die, while in the period of development, from fifteen to twenty more than *five times* as many females as males are returned. When the numbers of those living at the several ages are taken into the account, the disparity is still greater.

From returns so incomplete it is of course impossible to determine the absolute force of mortality for this or any other disease. There were returned twenty-five deaths for each ten thousand of the population, and about thirty for each ten thousand between the ages of fifteen and forty.

CLASS III. *Local Diseases.*—Deaths from this class of diseases, depending less upon the vicissitudes of climate and season, and less upon the inherited constitution, or social condition, are more uniform in different communities, and in the same community in different years. Hence, we find them bearing very nearly the same ratio to the population, in this state, that they do in other states, upon the supposition that three quarters of the actual number of deaths were returned.

Pneumonia stands most prominent in this class. This disease, carrying off a little more than one fifth as many as consumption, unlike the latter, spends its force upon the two extremes of age. 43. per cent of the deaths were of children under five years of age, and 40 per cent were of people over fifty. Females between the ages of 60 and 70, seemed to have suffered most. At other ages, not much respect was paid to sex. The variable seasons of

autumn and spring were the most dangerous, the greatest number of deaths occurring in November and April.

CLASS IV. *Developmental Diseases.*—This class includes the *stillborn*, which were very imperfectly returned, and the *infantile*, or those dying under three or four weeks of age, variously returned as "infancy," "want of vital stamina," &c. These comprise nearly five per cent of the deaths.

The deaths ascribed to *Old Age* bear a very large proportion to the whole number. It is probable that many are erroneously returned. None are included who were under 70, and but very few who were not over 80, yet 9.3 per cent of the deaths from specified causes were attributed to this cause, being .092 per cent of the population. This last ratio is the same as that found in Massachusetts. Autumn was the most trying season for the aged, November, October and September, respectively, showing the greatest number of deaths. After these, March was most pernicious.

CLASS V. *Violent Causes.*—Although the deaths by *accident* were few compared with the population, yet the ratio to the whole number from specified causes was much greater than the same in Massachusetts. It has been presumed that the deaths from poison, &c., were accidental, unless otherwise specified, and hence they have been classed with accidents, and not with suicides. No instance of Homicide reported.

APPENDIX.

—ooo—

CLASSIFICATION
AND
NOMENCLATURE OF DISEASES.

RECOMMENDED FOR USE IN THE REGISTRY OF BIRTHS, MARRIAGES AND DEATHS.

The following classification of the Causes of Death has been adopted for the Vermont Registration Reports, in order that they may conform as nearly as possible with those of other countries, thereby securing to them much greater value for the comparison of facts both at home and abroad. The statistical nosology is that recommended by William Farr, Esq., M. D., of England, with the sanction and approval of the most eminent medical men of Europe, and which has been adopted in Massachusetts, and will probably be used by many other States, as well as upon the entire European continent.

CLASSES.

I.—ZYMOTIC DISEASES:—*Zymotici.* (*Sume*, leaven.)

Diseases that are either epidemic, endemic, or contagious; induced by some specific body, by the want of proper nourishment, or by the bad quality of food.

II.—CONSTITUTIONAL DISEASES:—*Cachectici.* (*Kachexia*, bad habit of body.)

Sporadic diseases; affecting several organs in which new morbid products are often deposited; sometimes hereditary.

III.—LOCAL DISEASES:—*Monorganici.* (*Monos*, alone, without others; *Organon*, organ.)

Sporadic diseases in which the functions of particular organs or systems are disturbed or obliterated, with or without *inflammation*; sometimes hereditary.

IV.—DEVELOPMENTAL DISEASES:—*Metamorphici.* (*Metamorphosis*, change of form.)

Special diseases, the incidental result of the formative, reproductive, and nutritive processes.

V.—Violent Diseases or Deaths :— *Thanatici.* (*Thanatoi*, violent deaths.)

Diseases which are the evident and direct results of physical or chemical forces, acting either by the will of the sufferer, of other persons, or accidentally.

ORDERS.

Class I.—Order 1. Miasmatic diseases :—Miasmatici. (*Miasma*, stain, defilement.)
2. Enthetic diseases :—Enthetici. (*Enthetos*, put in ; implanted.)
3. Dietic diseases :—Dietici. (*Diaita*, way of life ; diet,)
4. Parasitic diseases :—Parasitici. (*Parasitos*, parasite.)

Class II.—Order 1. Diathetic diseases :—Diathetici. (*Diathesis*, condition ; diathesis.)
2. Tubercular diseases :—Phthisici. (*Phthisis*, wasting away.)

Class III.—Order 1. Brain diseases :—Cephalici. (*Kephale*, head.)
2. Heart diseases :—Cardiaci. (*Kardia*, heart.)
3. Lung diseases : — Pneumonici. (*Pneumon*, lung.)
4. Bowel diseases :—Enterici. (*Enteron*, intestine.)
5. Kidney diseases : — Nephritici. (*Nephros*, kidney.)
6. Genetic diseases :—Aidoici. (*Aidoia*, pudenda.)
7. Bone and Muscle disease :—Myostici. (*Mus*' muscle ; *Osteon*, bone.)
8. Skin diseases :—Chrotici. (*Chros*, skin.)

Class IV.—Order 1. Developmental diseases of children :—Paidiaci. (*Paidia*, youth,)
2. Developmental diseases of woman:—Gyniaci. (*Gune*, woman.)
3. Developmental diseases of old people :—Geratici. (*Geras*, old age.)
4. Diseases of nutrition :—Atrophici. (*Atrophia*, atrophy.)

Class V.—Order 1. Accident:—Tychici. (*Tuche*, chance.)
2. Battle:—Polemici. (*Polemos*, battle; fight.)*
3. Homicide:—Androphonici. (*Aner*, man; *Phoneuo*, I kill.)
4. Suicide:—Autophonici. (*Autos*, self; *Phoneuo* I kill.)
5. Execution:—Demiotici. (*Demiotes*, executioner.)

—000—

[*** The names of such of the following diseases as are printed in small capitals, are sufficient for statistical tables of the Causes of Death.]

CLASS I. ZYMOTIC DISEASES.—*Zymotici.*

ORDER I.—*Miasmatici.*

SMALLPOX, *variola.*
Varioloid, *varioloides.*
Chicken-pox, *varicella.*
Miliaria.
MEASLES, *morbilli.*
SCARLATINA.
(a) Angina maligna, classed with scarlatina.
QUINSY, *tonsillia, tonsillitis.*
Diphtheria.
Mumps, *parotia, parotitis.*
CROUP, *trachelia, cynanche, trachealis.*
WHOOPING COUGH, *pertussis.*
Typhoid fever, *febris typhoides.*
Relapsing fever, *febris recurrens.*
TYPHUS.
ERYSIPELAS.
Erythema.
Pyemia.
Hospital Gangrene, *gangrena nosocomialis.*
METRIA, *febris puerperarum.*
Pestis, plague, *pestis.*
CARBUNCLE, *anthrax.*
Boil, *furunculus.*
INFLUENZA.
Including the epidemic pleurisy and pneumonia.
DYSENTERY, *dysenteria.*
DIARRHŒA.
CHOLERA.
Yellow fever, *typhus icterodes.*
AGUE, *febris intermittens.*
REMITTENT FEVER, *febris remittens.*
(Hong Kong and other fevers, *febris tropicorum*)
RHEUMATISM, *rheumatismus acutus.*

ORDER II.—*Enthetici.*

SYPHILIS, primary, *syphilis primarius.*
Syphilis, secondary, *syphilis secundarius.*
Gonorrhœa.
Leprosy, *lepra.*
(Including Greek elephantiasis.)

* [This order is omitted in the following list, as inapplicable to a civil population. A.]

Purulent ophthalmia, *opthalmia purulenta.*
Glanders, *equinia.*
HYDROPHOBIA, *rabies.*
Necusia.
(Infection by puncture in dissection.)
Malignant pustule, *pustula maligna.*

ORDER III.—*Dietici.*

Famine fever, *febris a fame.*
Scurvy, *scorbutus.*
PURPURA.
Rickets, *rachitis.*
Bronchocele.
Cretinism, *cretinismus.*
Ergotism, *ergotismus.*
Alcoholism, *alcoholismus.*
(Includes intemperance, delirium tremens, & catacausis.)

ORDER IV.—*Parasitici.*

THRUSH, *aphtha.*
Porrigo.
Scabies.
Phthiriasis, *morbus pedicularis.*
WORMS, *vermes.*
(a) Hydatids, *acephalocystis, echinococcus hominis.*
(b) Tape Worm, *tænia solium.*
(c) Strongilus Gigas.
(d) Round worm, *ascaris lumbricoides.*
(e) Thread worm, *ascaris vermicularis.*
(f) Guinea worm, *dracunculus.*

CLASS II. CONSTITUTIONAL DISEASES.—*Cachectici.*

ORDER I.—*Diathetici.*

GOUT, *podagra.*
Anæmia.
DROPSY, *hydrops.*
CANCER, [soft] *carcinoma encephaloides.*
Cancer [colloid,] *carcinoma alveolare.*
Cancer [osteoid,] *carcinoma osteoides.*
Cancer, [schirrhus,] *scirrhoma.*
Cancer, [epithelial,] *carcinoma epitheliale.*
[Sweep's cancer, &c.]
Melanosis.
Lupus.
CANKER, *noma.*
MORTIFICATION, *gangræna.*
Dry gangrene, *gangræna senilis.*
Bed sore.
[Refer hœmorrhage, abscess, ulcer, tumor, to the organs affected.]

ORDER II.—*Phthisici.*

SCROFULA.
(a) Psoas abscess, *abscessus psoanus.*)
White swelling.
TUBERCULOSIS MESENTERICA.
Tubercular peritonitis.
PHTHISIS.
(Hæmoptysis.)
HYDROCEPHALUS.
(With tubercular deposit.)

CLASS III. LOCAL DISEASES.—*Monorganici.*

ORDER I.—*Cephalici.*

Meningitis.
Encephalitis.
(Including acute hydrocephalus.)
CEPHALITIS.
Myelitis.
APOPLEXY, *apoplexia.*
PARALYSIS of ——.
Shaking palsy, *paralysis agitans.*
CHOREA.
DELIRUM TREMENS.*
MANIA.
Monomania.
Dementia.
EPILEPSY, *epilepsia.*
Hysteria.
TETANUS.
CONVULSIONS, *convulsio, eclampsia.*
Laryngismus.
Neuralgia.
[Tic douloureux.]
Neuroma.
Ophthalmitis.
Blindness, *cæcitas.*
Otitis.
Deafness, *surditas.*

ORDER II.—*Cardiaci.*

Carditis.
PERICARDITIS.
Endocarditis.
DISEASE OF HEART VALVES, *morbus cordis valvularum.*
Heart hypertrophy, *hypertrophia cordis.*
Heart atrophy, *atrophia cordis.*
Heart, fatty degeneration, *cordis degeneratio.*
ANEURISM OF THE HEART, *aneurisma cordis.*
Aneurism of the aorta, popliteal artery, &c., *aneurisma aortæ, &c.*
Angina pectoris.
Fainting, *syncope.*
Arteritis.
Atheroma of arteries, *atheroma arteriarum.*
Phlebitis.
Varicose veins, *varix.*

ORDER III.—*Pneumonici.*

Epistaxis.
LARYNGITIS.
(Œdema of the glottis, *œdema glottidis.*)
Laryngismus stridulus.
BRONCHITIS.
PLEURISY, *pleuritis.*
Hydrothorax.
Empyema.
Pneumothorax.
Congestion of lungs, *apoplexia pulmonalis.*
PNEUMONIA.
Pleuropneumonitis.
ASTHMA.
(Emphysema of lungs, *emphysema.*)
Grinder's asthma, *asthma tritorum.*
Miner's asthma, *asthma metallicorum.*
Spurious Melanosis, *asthma metallicorum.*

* [Although this is really a disease of the nervous system, yet as it is commonly the result of the use of Alcohol, or the "way of life," it would seem most in place in Class I. Order 3.—A.]

ORDER IV.—*Enterici.*

Glossitis.
Stomatitis.
Pharyngitis.
Œsophagitis.
GASTRITIS.
ENTERITIS.
PERITONITIS.
ILEUS.
Constipation, *constipatio.*
INTUSSUSCEPTION, *intussusceptio.*
HERNIA.
Hernia,(congenital,)*congenitalis.*
Hernia, (femoral,) *femoralis.*
Hernia, (inguinal,(*inguinalis.*
Hernia, (scrotal,) *scrotalis.*
Hernia, (umbilical,) *umbilicalis.*
Hernia, (ventral,) *ventralis.*
STRICTURE OF ILIUM, &c., *contractura ilii, &c.*
Perforation of ilium, &c., *perforatio ilii, &c.*
Dyspepsia.
Pyrosis.
Gastralgia.
Hæmatemesis.
Melæna.
Hæmorrhoids, *Hæmorrhois.*
FISTULA.
PANCREATIC DISEASE, *morbus pancreaticus.*
SPLENITIS.
HEPATITIS.
JAUNDICE, *icterus.*
Gallstones, *chololithus.*
Cirrhosis.
ASCITES.

ORDER V.—*Nephritici.*

NEPHRITIS.
ISCHURIA.
Diuresis.
NEPHRIA.
(Bright's disease, *Albuminuria.*)
DIABETES.
STONE, *calculus.*
(Uric acid, &c.)
Gravel, *calculus.*
Hæmaturia.
CYSTITIS.
Disease of the prostate gland, *morbus prostaticus.*
CONTRACTURA URETHRÆ.*

ORDER VI.—*Genetici.*

Varicocele.
Orchitis:
Hydrocele.
Hysteritis.
OVARIAN DROPSY, *hydrops ovarii.*
Ovarian tumor, *tumor ovarii.*
Uterine tumor, *tumor uteri.*
Polypus of uterus, *polypus uteri.*

ORDER VII.—*Myostici.*

SYNOVITIS.
Ostitis, (including periostitis and endostitis.)
Exostosis.
Brittle bones, *fragilitas ossium.*
Soft bones, *mollities ossium.*
Curvature of spine, *curvatura spinæ.*
Caries.
Necrosis.
Muscular atrophy, *atrophia musculorum.*

ORDER VIII.—*Chrotici.*

Roseola.
Urticaria.

* [When this is the result of gonorrhœa it should be classed with that disease, Class I, Order 2.—A.]

Eczema.
Herpes.
Pemphigus.
Rupia.
Ecthyma.
Impetigo.
Acne.
Mentagra.
Lichen.
Prurigo.
Psoriasis.
Pityriasis.
Ichthyosis.
PHLEGMON.
Whitlow, *paronychia.*
Abscess, (external,) *abscessus externus.*

CLASS IV. DEVELOPMENTAL DISEASES. *Metamorphici.*

ORDER I.—*Developmental diseases of Children:—paidiaci.*
Stillborn, *natus mortuus.*
PREMATURE BIRTH, *prematurus natus.*
Atelectasis, *atelectasis pulmonum.*
Malformations, *vitia conformationis.*
Cyanosis.
Spina bifida.
Anus imperforatus.
Idiocy, *fatuitas.*
Congenital deaf-dumbness, *mutitas.*
Teething, *dentitio.*

ORDER II. — *Developmental diseases of Women chiefly in the Reproductive age: Gyniaci.*
Chlorosis.
CHILDBIRTH, miscarriage, abortion, *partus abortus.*
Paramenia, including amenorrhæa, and leucorrhæa.
Climacteria (Turn of life.)

ORDER III.— *Developmental Diseases of Old People:—Geratici.*
Old Age, *senectus.*

ORDER IV.—*Diseases of Nutrition:—Atrophici.*
Atrophy, debility, including premature old age, *atrophia, asthenia.*

CLASS V. VIOLENT DEATHS OR DISEASES. *Thanatici.*

ORDER I.—*Accident: Tychici.*
Burn, scald, *ambustio.*
Explosion of powder, gas, &c., *explosio.*
Frost, *gelatio.*
Lightning, *fulmen.*
Sunstroke, *insolatio.*
Drowning, *submersio.*
Hanging, *suspendium.*
Suffocation, *suffocatio.*
Fracture of ——, *fractura* —.
Contusion of——, *contusio* —.
Concussion, of——, *commotio* —.
Gunshot wound, *vulnus a tormento.*
Cut; stab, *vulnus cultro*; *sica.*
Poisoning, *venenatio.*
Privation, *privatio.*
Otherwise.

ORDER III.—*Homicide.—Androphonici.*
Burn, scald, *ambustio.*

Drowning, *submersio.*
Suffocation, *suffocatio.*
Fracture of ——, *fractura* —.
Blow on ——, *ictus* —.
Contusion of ——, *contusio* —.
Concussion of ——, *concussio* —.
Gunshot wound, *vulnus a tormento.*
Cut; stab, *vulnus cultro; sica.*
Poisoning, *venenatio.*
Privation, *privatio.*
Otherwise.
(Duel, murder, &c., to be noted.)

ORDER IV.—*Suicide:—Autophonici.*
Burn, *ambustio.*
Drowning, *submersio.*
Hanging, *suspendium.*
Suffocation, *suffocatio.*
Fracture, &c., *fractura*, &c.
Gunshot wound, *vulnus a tormento.*
Cut; stab, *vulnus cultro; sica.*
Poison by ——, *venenatio.*
Privation, *privatio.*

ORDER V.—*Execution:—Demiotici.*
Gunshot wound, *vulnus a tormento.*
Hanging, *suspendium.*
Otherwise.

The preceding list of diseases is sufficiently minute for all practical purposes, and should be followed as strictly as possible by those who collect statistical facts for registration. Perhaps in some cases more particularity might be necessary and could easily be given. In such instances it would be well for the persons who keep records to enter more at large the causes of death and any extraordinary circumstances attending them.

Under no circumstances should carabuncle, worms, dropsy, cancer, canker, mortification, convulsions, aneurism, hernia, malformation, exostosis, necrosis, abscess, &c., be set down as the causes of death without a much greater particularity. For instance, with the local causes there should be given the special part affected; and with the others there should be also given some positive characteristic by which the disease could be easily classed. No clerk or register should consider any cause of death recorded satisfactorily that he cannot easily and without doubt classify.

For the purpose of tabulation only a less formidable list of causes may be used, than that on the preceding pages; but this should not prevent the keeping of perfect records by the registering officers. An ample list of causes of death for statistical purposes will be found on pages 113 and 114.

STATISTICAL NOSOLOGY.

The following list exhibits the principal causes of death, classified and arranged in the order in which they have been considered proper for statistical purposes. It comprises causes which, in the preceding list, are distinguished by being printed in small capitals, and with which all others should, in the process of tabulation, be incorporated.

I. ZYMOTIC.
II. CONSTITUTIONAL.
III. LOCAL.
IV DEVELOPMENTAL.
V. VIOLENT.

I.—1. MIASMATIC.
2. ENTHETIC.
3. DIETIC.
4. PARASITIC.

II.—1. DIETHETIC.
2. TUBERCULAR.

Diseases of the—

III.—1. NERVOUS SYSTEM.
2. ORGANS OF CIRCULATION
3. RESPIRATORY ORGANS.
4. DIGESTIVE ORGANS.
5. URINARY ORGANS.
6. GENERATIVE ORGANS.
7. ORGANS OF LOCOMOTION.
8. INTEGUMENTARY SYSTEM.

IV.—1. DISEASES OF CHILDREN.
2. DISEASES OF WOMEN.
3. DISEASES OF OLD PEOPLE.
4. DISEASES OF NUTRITION.

V.—1. ACCIDENT.
2. BATTLE.
3. HOMICIDE.
4. SUICIDE.
5. EXECUTION.
6. OTHER VIOLENT CAUSES.

SUDDEN DEATH.

CAUSE NOT STATED, (including stillborn.)

I.—1. MIASMATIC.
Smallpox.
Measles.
Scarlatina.
Quinsy.
Croup.
Whooping Cough.
Typhus.
Erysipelas.
Metria (puerperal fever.)
Carbuncle.
Influenza.
Dysentery.
Diarrhœa.
Cholera Infantum.
Cholera.
Ague.
Remittent Fever.
Rheumatism.

I.—2. ENTHETIC.
Syphilis.
Hydrophobia.

I.—3. DIETIC.
Privation.
Purpura and scurvy.
Intemperance.

I.—4. PARASITIC.
Thrush.
Worms. &c.

II.—1. DIATHETIC.
Gout.
Dropsy, (and anæmia.)
Cancer.
Noma, (canker)
Mortification.

II.—2 TUBERCULAR.
Scrofula.
Tabes Mesanterica.
Phthisis.
Hydrocephalus.

III.—1. NERVOUS SYSTEM.
Cephalitis.
Apoplexy.
Paralysis.
Delirium Tremens.
Insanity.
Chorea.
Epilepsy.
Tetanus.
Convulsions.
Disease of Brain, &c.

III.—2. ORGANS OF CIRCULATION.
Pericarditis.
Aneurism,
Disease of the Heart, &c.

III.—3. RESPIRATORY ORGANS.
Laryngitis.
Bronchitis.
Pleurisy.
Pneumonia.
Asthma.
Disease of Lungs, &c.

III.—4. DIGESTIVE ORGANS.
Gastritis.
Enteritis.
Peritonitis.
Ascites.
Ulceration of Intestines.
Hernia.
Ileus.
Intussusception.
Stricture of Intestines,
Fistula.
Disease of Pancreas.
Hepatitis.
Jaundice.
Disease of Liver.
Disease of Spleen.
Diseases of Stomack, &c.

III.—5. URINARY ORGANS.
Nephritis.
Ischuria.
Nephria.
Diabetes.
Calculus, (gravel, &c.)
Cystitis.
Stricture of Urethra.
Disease of Kidneys, &c,

III.—6. GENERATIVE ORGANS.
Ovarian Dropsy.
Disease of Uterus, &c.

III.—7. ORGANS OF LOCOMOTION.
Arthritis.
Disease of Joints, &c.

III.—8. INTEGUMENTARY SYSTEM.
Plegmon.
Ulcer.
Diseases of Skin, &c.

IV.—1. DISEASES OF CHILDREN.
Infantile, premature, &c.
Cyanosis.
Spina Bifida.
Other Malformations.
Teething.

IV.—2. DISEASES OF WOMEN.
Paramenia.
Child Birth.

IV.—3. DISEASES OF OLD PEOPLE.
Old Age.

IV.—4. DISEASES OF NUTRITION.
Atrophy and Debility.

V.—1. Accident.
3. Homicide.
4. Suicide.
5. Execution.
6. Other violent causes.
Sudden Death.
Cause not specified.

LAWS OF THIS STATE RELATING TO THE REGISTRY AND RETURNS OF BIRTHS, MARRIAGES AND DEATHS.

AN ACT

Relating to the Registry and Returns of Births, Marriages and Deaths.

SEC. 1. The clerks of the several towns in this state shall annually, in the month of June, transmit to the secretary of the state a certified copy of their record of births, marriages, and deaths, which have occurred in their respective towns during the year next preceding the first day of January. The births shall be numbered and recorded in the order in which they are received by the clerk. The record of births shall state in separate columns the date of the birth, the name of the child (if it have any,) the sex of the child, the place of birth, name and surname of one or both the parents, residence of the parents, occupation of the father, and the time when the record was made. The marriages shall be numbered and recorded in the order in which they are received by the clerk. The record of marriages shall state in separate columns the date and place of marriage, the names and surnames of groom and bride, the residence of each at time of marriage, the age of each, occupation of the man, and time when the record was made. The deaths shall be numbered and recorded in the order in which they are received by the clerk. The record of deaths shall state in separate columns the date of the death, the name and surname of the deceased, the sex, condition, (whether married or single,) age in years, months and days, the place of death, the disease or apparent cause of death, the occupation if a male over fifteen years of age, the place of birth, the name of the parents, and time when the record was made.

SEC. 2. The clerks in the several school districts in each town shall annually in the month of February ascertain from actual inquiry or otherwise all the births and deaths which have happened in their respective districts during the year next preceding the first

day of said month, together with such facts concerning said births and deaths as are required by the first section of this act, and shall make an accurate return thereof to the clerk of the town in which such school district is situated, on or before the first day of March, and said district clerk or other person or persons authorized to perform his duties and make such returns, shall be entitled to receive from the treasury of such town five cents for each and every birth and death so returned. And every person aforesaid, who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than three dollars for each neglect or refusal.

SEC. 3. Every justice of the peace or minister shall make a record of each marriage solemnized before him, together with all the facts relating to marriages, required by the first section of this act, and such justice or minister shall annually, in the month of February, or from time to time, return a copy of the record for the next year preceding the first day of said month, to the clerk of the town in which the marriage was solemnized, and every person aforesaid, who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than ten dollars for each neglect or refusal.

SEC. 4. The clerk of each town shall be entitled to receive from the treasury of the town five cents for recording each birth, death and marriage, provided said clerk shall comply with the provisions of this act in all respects.

SEC. 5. It shall be the duty of the clerks of the several towns to make such distribution of the blank forms of returns, as shall be designated by the secretary of state.

SEC. 6. The secretary of state shall prepare and furnish to the clerks of the several towns in this state, blank forms of suitable quality and size, to be used as books of records, according to the provisions of this act, and also blank forms of returns, as herein before specified, and shall accompany the same with such instructions and explanations as may be necessary and useful.

SEC. 7. Every physician who shall attend any deceased person shall leave with the town clerk a certificate containing the name of the disease or cause, (if known,) of the said death, within fifteen days after the interment of the deceased. Any such medical attendant who shall neglect or refuse to give the certificate required by this section, shall, for such offence, pay a fine of three

dollars for the use of the town where such offence shall be committed.

SEC. 8. It shall be the duty of the secretary of state to receive the returns made in pursuance of the first section of this act, and and with such assistance as may be voluntarily rendered by any authorized committee appointed by the Vermont medical society for that purpose, prepare therefrom such tabular results as will render them of practical utility, and make a report thereof annually to the legislature, and generally shall do whatever may be required to carry into effect the provisions of this act.

SEC. 9. All acts or sections of acts inconsistent with the provisions of this act are hereby repealed.

Approved, November 17, 1856.

AN ACT

In amendment of an act entitled, An Act relating to the Registry and Returns of Births, Marriages, and Deaths, passed November, 1856.

SEC. 1. Section two of an act entitled "an act relating to the registry and returns of births, marriages and deaths," approved November 17, A. D. 1856, is so amended as to read as follows:

The clerks in the several school districts in each town, shall annually in the month of February, ascertain from actual inquiry or otherwise, all the births and deaths, which have happened in their respective districts during the year next preceding the first day of January, together with such facts concerning said births and deaths, as are required by the first section of this act; and shall make an accurate return thereof to the clerk of the town in which such district is situated, on or before the first day of March; and the said district clerk or other person or persons authorized to perform his duties and make such returns, shall be entitled to receive from the treasury of such town five cents for each and every birth and death so returned: and every person aforesaid, who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than three dollars for each neglect or refusal.

SEC. 2. Section three of said act is so amended as to read as follows:

Every justice of the peace, or minister, shall make a record of each marriage solemnized before him, together with all the facts relating to marriages required by the first section of this act, and such justice or minister shall annually, in the month of Febuary, or from time to time, return a copy of the record for the year preceding the first day of Jannary to the clerk of the town in which the marriage was solemnized, and every person as aforesaid who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than ten dollars for each neglect or refusal.

Approved, October 30, 1857.

SECOND REPORT

TO

THE LEGISLATURE OF VERMONT,

RELATING TO THE

REGISTRY AND RETURNS

OF

Births, Marriages, and Deaths,

IN THIS STATE,

FOR THE YEAR ENDING DECEMBER 31, 1858.

PREPARED UNDER THE DIRECTION OF

BENJAMIN W. DEAN,

SECRETARY OF STATE.

MIDDLEBURY:
PRINTED AT THE REGISTER BOOK AND JOB OFFICE.
1859.

STATE OF VERMONT.

SECRETARY OF STATE'S OFFICE,
MONTPELIER, Oct. 27th, A. D. 1859.

To the General Assembly of the State of Vermont:

In compliance with the provisions of the act relating to the Registry and Returns of Births, Marriages and Deaths, I have the honor of submitting to the General Assembly the Annual Report on this subject, for the year 1858.

The Vermont State Medical Society appointed Drs. H. F. Stevens of St. Albans, C. L. Allen of Middlebury, and P. Pineo of Queechy, a Committee to aid in the preparation of the work.

The immediate care of preparing the Report was confided to Dr. Allen. The Remarks were written by him, and the abstracts and tables forming the first part, were made from the Returns of the several Town Clerks, under his direction, by a competent assistant.

Respectfully submitted,

BENJ. W. DEAN,

Secretary of State.

In House of Representatives,
October 27, 1859.

Ordered to lie, and the Clerk directed to procure the printing of fifteen hundred copies for the use of the members of the General Assembly.

CHAS. CUMMINGS, *Clerk.*

CONTENTS.

TABLES.

PAGE.

I. General Abstact.—Population of 1850—Births, Marriages and Deaths, registered in each Town, distinguishing the sex and parentage of Births, the nativity of Marriages, the sex, aggregate and average ages, and the percentage of deaths, ... 2—17

Recapitulation of general abstract, ... 18—19

II. Births.—Showing the number of each sex, in the several Counties, during each month, ... 20—21

A. *Supplement.*—Plurality Births, by Counties, by months, and by sex, .. 22

B. *Supplement.*—Illegitimate Births, by Counties, by months, and by sex, ... 23

III. Marriages,—by counties and by months, ... 24

IV. Persons Married,—by ages and by conjugal conditions, ... 25—27

V. Deaths,—by counties, by months and by sex, ... 28—29

VI. Deaths according to age,—showing the number of each sex, at different ages, in each town and county,—with the population and percentage, ... 30—61

Recapitulation of deaths according to age, ... 62—65

VII. Causes of Death,—Alphabetically arranged,—showing the number of each sex, dying at different ages, during the several months, with the various diseases, ... 66—75

VIII. Classification of the Causes of Death,—by counties, with the totals and percentage, ... 76—83

IX. Occupations,—showing the number of those pursuing different avocations, the number of deaths in each, the ratio to the living, and the aggregate and average ages of those dying .... 84—85

REMARKS.

PAGE.

Improvement in the returns, ... 88
Number and appearance of returns, ... 87
Tables compared with those of 1857, ... 88

POPULATION,

Ages of, compared with England and Massachusetts, ... 89
Census of 1850 used, ... 89
Changes of, in different parts of the State, ... 90
Estimate of, for 1858, ... 89
Excess of female, ... 89
Nativities of, ... 90
Of Rutland, ... 90

BIRTHS,

Illegitimate, ... 92
Parentage of children born, ... 92
Plurality, ... 92
Ratio of, to population compared with England, ... 91
Ratio of sexes of children compared with other places, ... 91
Season, influence of, upon, ... 92
Sex of children born, ... 91
Stillborn, ... 93

MARRIAGES,

Ages of persons married, ... 94
Conjugal condition ditto, ... 94
Nativity ditto, ... 94
Ratio of, to population compared with England, ... 93
Returns of, more full and complete than for 1857, ... 93
Season, influence of, upon, ... 95

DEATHS,

Ages, Percentage of deaths and living population at different, ... 95
Average age, ... 96
Female mortality, wonderful preponderance of, ... 97
Number of deaths, and ratio to population, ... 95
Oldest persons who died during the year, ... 96
Season, influence of,—table of deaths in the several months, ... 97
Sexes, excess of females, ... 96
" relative mortality of at different ages, ... 96

PAGE.

CAUSES OF DEATH,

Imperfectly returned, ... 98

Table of percentage of the several classes, ... 98

Zymotics,

Cholera Morbus and Cholera Infantum, ... 99

Croup, ... 99

Dysentery, ... 99

Typhus fever, ... 99

Scarletina, ... 98

Constitutional Diseases,

Cancer, ... 100

Consumption, ... 100

Dropsy, ... 100

Local Diseases,

Apoplexy, ... 101

Cephalitis, ... 101

Pneumonia, ... 100

Developmental Diseases,

Infantile, ... 101

Old age, ... 101

Stillborn, ... 101

Violent Deaths,

Accidents, ... 101

Murders, ... 101

Suicides, ... 101

APPENDIX,

Classification of Diseases, ... 103

Nomenclature of Diseases, ... 105

Statutes concerning Registration, ... 118

REGISTRATION

OF

Births, Marriages, and Deaths,

IN

VERMONT,

FOR THE YEAR ENDING DECEMBER 31, 1858.

TABLE I.—BIRTHS,

Returned to the Secretary's Office, for

Counties & Towns.	Population in 1850	BIRTHS.						
		Whole number	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
ADDISON.								
Addison,	1,279	12	7	5	..	9	3	..
Bridport,	1,393	19	6	13	..	16	3	..
Bristol,	1,344	23	11	12	..	12	4	7
Cornwall,	1,155	22	9	13	..	15	7	..
Ferrisburgh,	2,075	22	11	11	..	14	7	1
Goshen,	486	11	3	8	..	7	4	..
Granville,	603	4	1	3	..	4	..	..
Hancock,	430	9	1	8	..	4	..	5
Leicester,	596	24	12	12	..	14	10	..
Lincoln,	1,057	30	10	16	4	26	2	2
Middlebury,	3,517	69	28	41	..	36	27	6
Monkton,	1,246	24	15	9	..	13	10	1
New Haven,	1,663	24	14	9	1	17	7	..
Orwell,	1,470	23	10	13	..	11	12	..
Panton,	559	13	8	5	..	6	6	1
Ripton,	567	7	3	4	..	6	1	..
Salisbury,	1,027	16	7	9	..	12	4	..
Shoreham,	1,601	39	20	19	..	22	15	2
Starksboro'	1,400	28	20	7	1	25	3	..
Vergennes,	1,378	6	2	4	..	1	5	..
Waltham,	270	—	—	—	—	—	—	—
Weybridge,	804	21	10	11	..	12	9	..
Whiting,	629	9	5	3	1	6	2	1
Totals,	26,549	455	213	235	7	288	141	26
BENNINGTON.								
Arlington,	1,084	15	6	9	..	9	6	..
Bennington.	3,923	109	57	52	..	66	40	3
Dorset,	1,700	58	28	30	..	30	27	1
Glastenbury,	52	..	..	..	..	..	..	..
Landgrove,	337	5	2	3	..	4	1	..

MARRIAGES AND DEATHS.

the year ending December 31, 1858.

MARRIAGES.				DEATHS.							
Whole number	NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age.	
1	1	..	..	3	..	3	..	3	206.17	68.72	.24
8	7	1	..	9	5	4	..	7	368.72	52.68	.65
9	7	1	1	18	9	9	..	18	614.23	34.12	1.34
5	5	..	..	10	3	7	..	10	376.44	37.64	.86
15	13	2	..	13	9	4	..	13	478.00	36.75	.62
2	2	..	..	5	1	4	..	5	192.68	38.53	1.03
4	4	..	..	3	..	3	..	3	214.32	71.44	.50
4	3	..	1	2	1	1	..	2	130.88	65.44	.47
1	..	1	..	7	4	3	..	7	324.40	46.54	1.35
2	2	0	..	8	5	3	..	8	404 25	50.53	.76
24	12	12	..	48	21	27	..	48	1822.66	37.97	1.37
9	9	..	..	6	2	4	..	6	293.75	48.96	.50
16	15	1	..	15	7	8	..	15	545.37	36.36	.90
4	1	2	1	15	3	12	..	15	531.13	35.41	1.02
5	2	3	..	7	1	6	..	7	363.47	51.91	1.25
1	1	..	..	1	1	..	..	1	53.33	53.33	.18
10	8	..	2	10	3	7	..	10	475.25	47.52	.97
9	4	1	4	26	12	14	..	26	851.43	32.75	1.55
7	4	2	1	12	7	5	..	12	552.65	46.05	.86
10	6	3	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	
7	7	..	..	6	3	3	..	6	210.06	35.01	.74
4	4	..	..	13	4	9	..	13	184.37	14.18	2.06
157	117	29	11	237	101	136		235	9193.56	39.12	.86
4	4	..	..	3	..	3	..	3	115.17	38.39	.28
44	26	2	16	69	29	40	..	66	2073.04	31.41	1.76
8	6	2	..	35	12	23	..	31	871.74	28.12	2.06
..	..	..	..	1	1	..	..	1	49.08	49.08	1.92
..	..	..	..	2	..	2	..	2	148.39	74.20	.60

TABLE I.—Continued.

Counties & Towns.	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk	Am	For.	Unk.
Ben'gton—Cont.								
Manchester, ...	1,782	56	27	29	..	40	8	8
Peru.	567	8	5	3	..	6	1	1
Pownal, ...	1,742	41	19	22	..	23	18	..
Readsboro', ...	857	19	9	10	..	19	..	..
Rupert, ...	1,101	24	11	13	..	21	1	2
Sandgate, ...	850	16	8	8	..	16	..	..
Searsburgh, ...	201	6	2	4	..	2	2	2
Shaftsbury, ...	1,896	35	20	15	..	21	14	..
Stamford, ...	833	25	15	10	..	21	4	..
Sunderland, ...	479	12	3	8	1	7	..	5
Winhall, ...	762	16	9	7	..	12	2	2
Woodford, ...	423	8	6	2	..	8	..	..
Totals, ...	18,589	453	227	225	1	305	124	24
CALEDONIA.								
Barnet, ...	2,521	36	16	20	..	28	6	2
Bradley-Vale, .	107	—	—	—	—	—	—	—
Burke, ...	1,103	28	17	11	..	22	4	2
Danville, ...	2,577	59	23	36	..	53	1	5
Groton, ...	895	25	14	11	..	24	1	..
Hardwick, ...	1,402	18	11	7	..	18	..	..
Kirby, ...	509	7	4	3	..	6	1	..
Lyndon, ...	1,752	30	13	14	3	11	1	18
Newark, ...	434	12	4	8	..	10	1	1
Peacham, ...	1,377	23	12	11	..	20	1	2
Ryegate, ...	1,606	14	10	4	..	10	4	..
Sheffield, ...	797	26	10	16	..	23	3	..
St. Johnsbury, .	2,758	69	33	36	..	41	26	2
Sutton, ...	1,001	29	18	10	1	22	2	5
Walden, ...	910	26	15	11	..	24	2	..
Waterford, ...	1,412	23	11	12	..	19	2	2
Wheelock, ...	855	23	15	8	..	20	2	1
Totals, ...	22,239	448	226	218	4	351	57	40
CHITTENDEN.								
Bolton, ...	602	12	8	4	..	6	4	2

TABLE I.—Continued.

MARRIAGES.				DEATHS.							
Whole number.	NATIVITY.			Whole number.	SEX			AGE.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age	
6	4	..	2	21	8	13	..	21	895.24	42.65	1.18
5	3	..	2	7	5	2	..	7	282.25	40.32	1.25
9	1	..	8	17	7	10	..	17	559.07	32.88	.98
7	7	..	..	8	4	4	..	8	286.53	35.82	.93
8	8	..	..	19	13	6	..	19	732.61	39.04	1.71
6	6	..	..	11	6	5	..	11	364.07	33.09	1.30
1	..	..	1	1	..	1	..	1	30.00	30.00	.50
7	6	1	..	17	8	9	..	17	612.52	36.03	.90
10	8	..	2	8	5	3	..	8	180.00	22.50	.96
9	7	2	..	9	5	4	..	9	119.79	13.31	1.90
7	6	..	1	11	7	4	..	11	478.68	43.52	1.44
3	3	..	..	3	2	1	..	3	165.65	55.22	.71
134	95	7	32	242	112	130	..	235	7963.83	33.89	1.30
16	11	2	3	13	5	8	..	13	596.64	45.89	.51
14	11	..	3	22	8	14	..	22	865.63	39.08	2.00
19	8	1	10	27	14	13	..	27	908.66	32.54	1.05
5	4	..	1	12	7	5	..	11	519.18	47.20	1.34
10	7	..	3	16	7	9	..	16	407.75	25.48	1.14
3	3	..	..	5	2	3	..	5	188.70	37.74	.98
17	7	..	10	16	5	11	..	14	546.11	39.01	.91
..	..	..	—	8	4	4	..	8	396.79	49.59	1.84
13	13	..	..	16	11	5	..	16	861.74	53.86	1.16
6	5	1	..	10	5	5	..	10	456.75	45.67	.62
5	5	..	..	13	6	6	1	13	412.53	30.73	1.63
31	17	..	14	32	13	19	..	31	889.66	29.02	1.16
12	6	..	6	12	3	9	..	11	357.10	32.47	1.19
6	6	..	..	10	3	7	..	10	361.00	36.01	1.10
11	5	1	5	16	4	12	..	16	656.30	41.02	1.13
8	7	1	..	7	3	4	..	6	172.19	28.70	.82
176	115	6	55	235	100	134	1	229	8596.73	37.54	1.06
3	..	..	3	4	2	2	..	4	148.39	37.10	.66

TABLE I.—Continued

Counties & Towns.	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
Chit'den—Cont.								
Burlington,....	7,585	186	101	85	..	46	89	51
Charlotte,.....	1,634	29	13	16	..	16	12	1
Colchester, ...	2,575	80	46	34	..	32	42	6
Essex,.....	2,052	47	25	22	..	24	21	2
Hinesburgh, ...	1,834	52	25	27	..	34	17	1
Huntington, ...	885	6	3	3	..	3	..	3
Jericho, ...	837	36	20	16	..	28	7	1
Milton,.....	2,451	40	21	19	..	21	..	19
Richmond, ...	1,453	26	8	18	..	13	11	2
Shelburne, ...	1,257	32	20	12	..	19	11	2
St. George,....	127	3	1	2	..	3	..	..
Underhill,.....	1,599	42	19	23	..	23	19	..
Westford,.....	1,458	19	14	5	..	18	1	..
Williston,.....	1,669	37	25	12	..	21	16	..
Totals.....	29,036	647	349	298	..	307	250	90
ESSEX.								
Averill, ...	7	..	..	..	..	..	..	..
Bloomfield,....	244	—	—	—	—	—	—	—
Brighton, ...	193	5	2	3	..	1	4	..
Brunswick, ...	119	2	..	2	..	2	..	..
Canaan, ...	471	..	..	..	..	..	..	..
Concord,.....	1,153	32	18	14	..	29	3	..
East Haven,...	94	5	1	4	..	2	1	2
Granby, ...	127	3	2	1	..	2	1	..
Guildhall,.....	501	2	..	2	..	2	..	..
Lemington.....	187	2	..	2	..	1	1	..
Lunenburgh,...	1,123	24	14	10	..	20	3	1
Maidstone, ...	237	—	—	—	—	—	—	—
Victory, ...	168	11	6	5	..	1	..	10
Wenlock, ...	26	..	..	..	..	..	..	..
Totals,.....	4,650	86	43	43	..	60	13	13
FRANKLIN.								
Bakersfield, ...	1,523	41	21	20	..	23	16	2
Berkshire, ...	1,955	44	21	23	..	17	16	11

TABLE I.—Continued.

MARRIAGES.				DEATHS.							
NATIVITY.				Whole number.	SEX.			AGE.			Percentage.
	Am.	For.	Unk		M.	F.	Unk.	Ages given	Agg'te.	Av'age.	
[illegible]	12	1	54	71	40	30	1	70	2047.12	29.24	.94
[illegible]	7	1	3	9	1	8	..	9	322.13	35.79	.55
[illegible]	19	12	5	30	19	11	..	30	827.19	27.57	1.17
[illegible]	10	1	3	24	12	12	..	24	578.01	24.08	1.17
[illegible]	11	6	..	17	7	10	..	17	465.42	27.38	.92
—	—	—	—	10	6	4	..	10	498.43	49.84	1.13
[illegible]	10	1	1	20	7	13	..	20	497.18	24.86	2.39
[illegible]	4	..	2	12	7	5	..	11	437.04	39.73	.50
[illegible]	5	2	1	10	3	7	..	10	249.38	24.94	.69
[illegible]	6	..	..	9	6	3	..	8	321.40	40.18	.71
—	—	—	—	—	—	—	—	—	—	—	—
[illegible]	3	2	..	12	6	6	..	12	373.88	31.16	.75
[illegible]	3	..	6	11	6	4	1	9	182.49	20.30	.70
[illegible]	3	..	..	16	9	7	..	16	445.07	27.82	.96
[illegible]	93	26	78	255	131	122	2	250	7393.13	29.57	.90
..	..	..	..	..	..	..	..	..	.....	....	...
[illegible]	4	..	1	—	—	—	—	—	—	—	—
[illegible]	..	..	2	6	5	1	..	3	132.00	44.00	3.11
[illegible]	3	..	..	—	—	—	—	—	—	—	—
..	..	..	..	..	..	..	..	..	.....	....	...
11	2	..	9	14	9	5	..	12	540.42	45.03	1.21
1	1	..	..	—	—	—	—	—	—	—	...
1	1	..	..	1	..	1	..	1	58.57	58.57	.80
2	2	..	..	2	1	1	..	2	16.42	8.21	.40
—	—	—	—	4	3	1	..	3	88.37	29.45	2.14
[illegible]	3	..	7	9	6	3	..	9	318.52	35.39	.80
—	—	—	—	—	—	—	..	—	—	—	—
..	..	..	1	1	1	..	..	1	70.93	70.93	.60
..	..	..	..	..	..	..	..	..	.....	....	...
16	..	..	20	37	25	12	..	31	1225.23	39.52	.80
8	..	..	..	23	10	13	..	21	651.87	31.04	1.51
2	2	1		19	6	13	..	17	418.59	24.62	.97

TABLE I.—Continued.

Counties & Towns.	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M	F.	Unk.	Am.	For.	Unk.
Franklin—Con.								
Enosburgh, ...	2,009	20	11	9	—	6	12	2
Fairfax, ...	2,111	27	15	12	..	17	7	3
Fairfield, ...	2,591	37	20	17	..	16	12	9
Fletcher, ...	1,0[illegible]4	22	5	17	..	18	1	3
Franklin, ...	1,646	31	17	14	..	14	14	3
Georgia, ...	2,686	32	18	14	..	23	8	1
Highgate, ...	2,653	46	27	19	..	21	21	4
Montgomery, ..	1,001	32	15	17	..	17	14	1
Richford, ...	1,074	14	4	5	5	5	4	5
Sheldon, ...	1,814	38	26	12	..	19	15	4
St. Albans, ...	3,567	81	43	38	..	40	39	2
Swanton, ...	2,824	99	46	53	..	41	53	5
Totals	2,8586	564	289	270	5	277	232	55
GRAND ISLE.								
Alburgh, ...	1,568	55	28	25	2	29	19	7
Grand Isle.....	666	17	11	6	..	8	9	..
Isle La Mott, ..	476	18	8	10	..	10	8	..
North Hero, ...	730	7	2	5	..	3	4	..
South Hero, ...	705	15	9	6	..	7	8	..
Totals, ...	4,145	112	58	52	2	57	48	7
LAMOILLE,								
Belvidere, ...	256	13	9	4	..	8	5	..
Cambridge, ...	1,849	33	17	16	..	30	2	1
Eden, ...	668	27	13	14	..	23	3	1
Elmore, ...	504	14	8	6	..	12	..	2
Hyde Park. ...	1,107	40	14	26	..	33	5	2
Johnson, ...	1,381	36	21	15	..	33	3	..
Morristown, ...	1,441	40	18	21	1	28	4	8
Stowe, ...	1,771	26	13	13	..	25	1	..
Waterville, ...	753	14	6	8	..	11	2	1
Wolcott, ...	909	24	14	10	..	23	1	..
Totals.....	10,872	267	133	133	1	226	26	15

TABLE I.—Continued.

MARRIAGES.				DEATHS.							
Whole number.	NATIVITY.			Whole number.	SEX.			AGE.			Percentage
	Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age.	
18	8	3	7	9	2	7	..	9	228.95	25.44	.45
7	7	..	..	19	6	13	..	18	779.49	44.42	.90
7	7	..	..	18	12	6	..	14	556.67	39.76	.69
4	3	1	..	12	7	5	..	10	313 69	31.37	1.01
19	3	2	14	11	4	7	..	10	242 76	24.27	.67
17	10	..	7	24	12	12	..	24	794.62	33.11	.90
8	2	6	..	15	8	7	..	15	485.18	32 35	.60
9	7	..	2	15	6	9	..	14	533.04	38.07	1.50
10	2	..	8	2	2	..	..	2	130.00	65.00	.20
26	14	4	8	10	6	4	..	9	216.09	24 01	.78
41	5	10	26	43	24	19	..	41	1213.11	29.59	1 21
13	8	2	3	49	12	36	1	49	1033.12	21.08	1.74
192	86	30	76	269	117	151	1	253	7597.18	30.03	.94
10	4	5	1	20	11	9	..	20	509.35	25.47	1.28
2	2	..	..	11	6	5	..	11	101.40	9.22	1.65
1	..	..	1	14	8	6	..	14	253.18	18.08	2.99
7	6	1	..	10	8	2	..	10	30.49	3.05	1.38
5	5	..	..	5	5	..	..	5	239.08	48 00	.71
25	17	6	2	60	38	22	..	60	1133.50	18.89	1.44
4	4	..	..	10	5	5	..	10	217.60	21.76	3.90
13	8	1	4	15	4	11	..	15	559.27	37.28	.81
4	3	1	..	18	7	11	..	17	575.73	33 86	2.70
—	—	—	—	6	2	4	..	6	274.93	45.82	1 39
4	4	..	..	22	7	15	..	22	931 21	42.33	2 00
23	16	1	6	15	5	10	..	15	505.58	33 71	1.0[illegible]
23	15	2	6	27	12	13	2	27	1123.76	41 62	1.80
16	9	4	3	15	7	8	..	15	374.54	24.95	.85
1	1	..	..	7	6	1	..	7	285.84	40.83	.93
6	6	..	..	11	5	6	..	11	232 14	21 10	1.21
94	66	9	19	146	60	84	2	145	5080.60	35.04	1.35

TABLE I.—Continued.

Counties & Towns.	Population in 1850	BIRTHS.						
		Whole number	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
ORANGE.								
Bradford, ...	1,723	34	15	19	..	30	2	2
Braintree, ...	1,223	18	8	10	..	15	2	1
Brookfield, ...	1,672	37	24	13	..	34	1	2
Chelsea, ...	1,958	32	11	21	..	29	2	1
Corinth, ...	1,906	24	10	14	..	21	3	..
Fairlee, ...	575	7	4	3	..	7	..	..
Newbury, ...	2,984	58	28	30	..	47	11	..
Orange, ...	1,007	16	8	8	..	14	1	1
Randolph, ...	2,660	53	21	31	1	46	3	4
Strafford, ...	1,540	32	16	15	1	27	3	2
Thetford, ...	2,016	34	20	14	..	34	..	..
Topsham.	1,668	29	16	13	..	25	2	2
Tunbridge, ...	1,786	33	18	15	..	33	..	..
Vershire	1,071	19	7	12	..	16	3	..
Washington, ...	1,348	34	19	15	..	31	..	3
West Fairlee, ..	696	18	4	13	1	6	..	12
Williamstown, .	1,452	24	13	11	..	23	1	..
Totals, ...	27,296	502	242	257	3	438	34	30
ORLEANS.								
Albany, ...	1,052	20	10	10	..	9	6	5
Barton, ...	987	7	5	2	..	4	1	2
Brownington, ..	613	18	7	11	..	14	4	..
Charleston, ...	1,008	32	21	11	..	25	4	3
Coventry, ...	867	17	11	6	..	13	4	..
Craftsbury, ...	1,223	24	13	11	..	21	2	1
Derby, ...	1,750	41	21	20	..	26	13	2
Glover, ...	1,137	29	18	11	..	17	9	3
Greensboro', ...	1,008	23	9	14	..	13	9	1
Holland	669	13	9	4	..	6	7	..
Irasburgh, ...	1,034	30	12	18	..	23	3	4
Jay, ...	371	11	5	6	..	10	1	..
Lowell, ...	637	16	14	2	..	14	2	..
Morgan, ...	486	13	6	7	..	8	3	2
Newport, ...	748	—	—	—	—	—	—	—
Salem, ...	455	12	9	3	..	2	10	..
Troy, ...	1,008	36	17	19	..	28	5	3

TABLE I.—Continued.

MARRIAGES.				DEATHS.							
Whole number	NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age.	
12	6	3	3	28	11	17	..	25	1052.57	42.02	1.62
4	2	2	..	6	1	5	..	5	90.59	18.12	.48
17	14	..	3	28	16	12	..	27	1117.14	41.35	1.80
21	18	1	2	26	12	14	..	26	920.32	35.39	1.33
9	9	..	..	15	5	10	..	15	658.40	43.89	.80
2	2	..	..	14	10	4	..	14	490.73	35.95	2.61
26	14	6	6	31	19	12	..	31	1468.50	47.37	1.12
3	3	..	..	11	7	4	..	11	447.71	40.70	1.09
24	20	..	4	30	16	14	..	29	1418.75	48.92	1.13
13	10	..	3	21	8	13	..	20	599.00	30.00	1.36
29	15	1	13	25	9	16	..	25	1395.42	55.82	1.29
8	6	2	..	16	6	10	..	16	406.63	25.41	.96
14	10	..	4	18	10	8	..	18	529.34	29.41	1.01
3	3	..	..	10	5	5	..	10	382.05	38.20	.93
6	3	..	3	21	7	14	..	19	944.12	49.69	1.56
4	..	..	4	7	3	4	..	7	147.90	21.12	1.00
10	7	3	..	18	6	12	..	18	776.08	43.00	1.24
205	142	18	45	325	151	174		316	12845.25	40.65	1.19
6	5	..	1	13	5	8	..	13	260.53	20.04	1.24
11	5	..	6	3	1	2	..	3	167.24	55.74	.31
5	5	..	..	9	2	7	..	9	298.33	33.15	1.46
10	3	2	5	19	10	9	..	16	603.86	37.74	1.[illegible]
8	4	..	4	8	6	2	..	6	301.29	50.22	.93
8	5	..	8	10	4	6	..	10	432.50	43.25	.82
23	6	7	15	25	12	13	..	25	708.21	28.3[illegible]	1.43
16	7	3	6	17	10	7	..	16	553.04	34.56	1.50
20	13	5	2	16	5	11	..	11	601.02	54.64	1.59
3	3	..	..	8	5	2	1	8	205.09	25.63	1.33
7	5	2	..	8	5	3	..	8	266.63	33.33	.77
5	5	..	..	2	1	1	..	2	109.76	54.88	.53
4	1	2	1	3	3	..	..	2	69.99	34.99	.47
6	5	1	..	9	3	6	..	9	295.70	32.86	1.85
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	2	1	1	..	0	—	—	.44
21	19	2	..	14	1	13	..	14	415.12	29.65	1.39

TABLE I.—Continued

Counties & Towns.	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
Orleans—Cont.								
Westfield,	502	15	10	5	..	10	4	1
Westmore,	152	6	1	5	..	5	1	..
Totals,	15,707	363	198	165	..	248	88	27
RUTLAND.								
Benson,	1,305	29	16	12	1	16	7	6
Brandon,	2,835	44	21	22	1	16	25	3
Castleton,	3,016	90	48	39	3	40	50	..
Clarendon,	1,477	28	16	12	..	21	5	2
Chittenden,	675	15	8	7	..	11	4	..
Danby,	1,535	33	15	17	1	21	12	..
Fairhaven,	902	23	10	13	..	6	15	2
Hubbardton,	701	21	12	9	..	16	4	1
Ira,	400	10	6	4	..	8	2	..
Mendon,	504	15	9	6	..	8	7	..
Middletown,	875	6	4	2	..	5	1	..
Mount Holly,	1,534	28	12	15	1	21	3	4
Mount Tabor,	308	13	7	6	..	11	..	2
Pawlet,	1,843	19	12	7	..	9	3	7
Pittsfield,	512	9	5	4	..	8	1	..
Pittsford,	2,026	50	26	24	..	33	16	1
Poultney,	2,329	52	30	22	..	27	18	7
Rutland	3,715	234	119	114	1	83	143	8
Sherburne,	578	11	2	9	..	11	..	..
Shrewsbury,	1,268	37	20	17	..	23	11	3
Sudbury,	794	4	3	1	..	2	1	1
Tinmouth,	717	—	—	—	—	—	—	—
Wallingford,	1,688	36	18	18	..	24	10	2
Wells,	804	7	5	2	..	5	1	1
West Haven,	718	10	5	5	..	5	3	2
Totals,	33,059	824	429	387	8	430	342	52
WASHINGTON.								
Barre,	1,845	33	17	16	..	29	..	4
Berlin,	1,507	17	11	6	..	12	4	1
Cabot,	1,356	22	8	13	1	18	2	2

TABLE I.—Continued.

RIAGES.			DEATHS.							
NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age.	
2	..	2	11	4	7	..	11	281.72	25.61	2.59
—	—	—	1	..	1	..	1	28.33	28.33	.70
3	24	45	178	78	99	1	164	5598.36	34.13	1.15
8	2	2	12	6	6	..	12	435.78	36.31	.92
8	..	1	19	7	10	2	17	379.88	22.34	.70
9	3	8	39	20	19	..	38	1239.78	32.62	1.29
4	3	..	23	9	13	1	23	859.49	37.36	1.56
—	—	—	8	3	5	..	8	261.41	32.67	1.50
8	2	..	19	8	11	..	19	427.31	22.49	1.24
4	1	1	13	5	8	..	13	175.87	13.53	1.44
2	1	..	9	3	6	..	9	273.59	30.39	1.28
3	1	..	4	3	1	..	4	127.76	31.94	1.00
1	1	..	8	5	3	..	8	108.25	13 53	1.59
2	..	..	4	3	1	..	4	207.17	51.79	.45
3	..	..	21	11	10	..	21	856.50	40.79	1.36
.	—	—	6	3	3	..	6	195.41	32.57	1.95
1	1	..	9	5	4	..	9	63 71	7.08	.49
4	..	..	14	5	9	..	14	524.26	37.45	2.73
)	..	2	16	6	10	..	16	741.67	46.35	.99
)	1	4	37	19	18	..	37	1330.65	35.96	1.72
1	4	10	106	54	51	1	104	1794.08	17.25	2 85
3	..	..	10	5	5	..	9	249.92	27.77	1.73
3	..	1	19	11	8	..	18	654.25	36.35	1.50
2	1	..	6	4	2	..	6	253.00	42.16	.80
—	—	—	—	—	—	—	—	—	—	—
)	1	1	16	8	8	..	16	774.02	48.38	1.07
2	1	1	6	1	5	..	5	263.18	52.63	.74
3	..	1	5	4	1	..	5	124.92	24.98	,70
1	23	32	429	208	217	4	421	12321.86	28.72	1.30
4	3	1	17	8	9	..	17	537.74	31.63	.92
4	2	5	17	8	9	..	15	647.42	43 16	1.20
3	..	3	12	4	8	..	11	477.77	43.43	.90

TABLE I.—Continued.

Counties & Towns.	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk	Am.	For.	Unk.
Wash'ton—Con.								
Calais, ...	1,410	26	13	13	..	22	2	2
Duxbury, ...	895	14	4	10	..	13	..	1
E. Montpelier, .	1,447	26	18	8	..	23	1	2
Fayston, ...	684	7	6	1	..	4	3	..
Marshfield, ...	1,102	23	11	12	..	19	1	3
Middlesex, ...	1,365	36	16	20	..	25	5	6
Montpelier, ...	2 310	24	19	5	..	11	9	4
Moretown, ...	1,335	13	8	5	..	6	7	..
Northfield, ...	2,922	140	68	69	3	57	55	28
Plainfield, ...	808	15	7	8	..	12	3	..
Roxbury, ...	967	15	10	5	..	11	1	3
Waitsfield, ...	1,021	19	14	5	..	15	3	1
Warren, ...	962	21	9	12	..	20	1	..
Waterbury, ...	2,352	25	10	15	..	20	2	3
Woodbury, ...	1,070	29	14	15	..	19	..	10
Worcester, ...	702	25	14	11	..	15	2	8
Totals, ...	24,654	530	277	249	4	351	101	78
WINDHAM.								
Athens, ...	359	10	7	3	..	8	2	..
Brattleboro', ...	3,816	71	46	25	..	48	21	2
Brookline, ...	285	5	4	1	..	4	..	1
Dover, ...	709	8	5	3	..	8	..	..
Dummerston, ..	1,645	18	8	10	..	15	3	..
Grafton, ...	1,241	16	9	7	..	15	..	1
Guilford.....	1,389	21	13	8	..	20	..	1
Halifax, ...	1,133	34	15	19	..	30	2	2
Jamaica.....	1,606	35	16	19	..	35	..	..
Londonderry, ..	1,274	16	6	10	..	15	..	1
Marlboro', ...	896	17	10	7	..	16	..	1
Newfane.	1,304	17	9	10	..	13	1	3
Putney, ...	1,425	24	8	16	..	22	2	..
Rockingham, ..	2,837	63	22	26	5	24	19	20
Somerset, ...	321	9	7	2	..	9	..	..
Stratton, ...	286	8	5	3	..	8	..	..
Townshend, ...	1,354	20	9	11	..	19	1	..
Vernon, ...	821	16	7	9	..	12	3	1

TABLE I.—Continued.

MARRIAGES.				DEATHS.							
Whole number.	NATIVITY.			Whole number.	SEX			AGE.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age	
13	12	..	1	28	14	14	..	28	732.63	26.17	2.00
2	2	..	..	8	4	4	..	8	294.51	36.81	.90
5	4	..	1	11	5	6	..	11	385.92	35.08	.76
2	2	..	..	—	—	—	—	—	—	—	—
6	4	..	2	8	5	3	..	8	401.00	50.12	.73
12	10	..	2	26	14	11	1	26	1232.76	47.41	1.90
25	4	..	21	14	9	5	..	14	400.51	28.60	.61
3	2	1	..	7	4	3	..	7	314.75	44.96	.53
15	6	..	9	56	25	31	..	55	1103.85	20.44	1.91
8	7	..	1	17	9	8	..	16	266.80	16 67	2.10
—	—	—	—	11	7	4	..	10	344.28	34.42	1.14
11	6	1	4	9	4	5	..	9	310 16	34.46	1.18
7	6	..	1	10	6	4	..	9	336.58	37.39	1.25
19	16	3	..	12	6	6	..	12	534.90	44.57	.50
2	2	..	..	14	10	4	..	14	783.00	56.00	1.31
3	3	..	..	10	4	6	..	10	250.90	25.09	1.42
171	110	10	51	237	146	140	1	280	9355,53	32.59	1.17
—	—	—	—	3	1	2	..	3	160.80	53.60	.84
75	11	..	64	58	27	31	..	58	3731.69	37.32	1.57
1	1	..	..	3	..	3	..	3	207.93	69.31	1.05
8	7	1	..	9	5	4	..	9	439.00	48.78	1.27
5	3	..	2	15	7	8	..	15	596.24	39.75	.91
8	6	..	2	16	9	10	..	15	573.37	38.22	1.21
14	8	1	5	13	6	7	..	12	590.51	49.21	.94
11	5	..	6	11	8	3	..	11	516.69	46.97	.97
13	11	..	2	23	8	15	..	23	974.53	40.61	1.50
18	12	..	6	12	6	6	..	12	373.88	31.15	.94
6	6	..	..	10	8	2	..	10	286.86	28.68	1.12
9	4	..	5	19	7	12	..	19	738.50	38.87	1.46
3	3	..	..	11	4	7	..	11	259.85	23.62	.77
38	19	1	18	41	22	19	..	34	1436.88	42.26	1.52
1	1	..	..	5	3	2	..	5	272.58	54.52	1.56
3	3	..	..	6	3	3	..	6	163.74	27.29	1.45
11	..	..	11	25	13	12	..	25	1166.37	46.65	1.84
23	19	1	3	13	8	5	..	13	434.84	33,45	1.57

TABLE I.—Continued.

Counties & Towns.	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk	Am	For.	Unk
Wind'am—Con.								
Wardsboro', ...	1,125	13	8	5	..	6	7	
Westminster, ..	1,721	32	13	19	..	24	5	
Whitingham, ..	1,330	25	6	19	..	21	1	
Wilmington, ...	1,372	24	12	12	..	23	1	
Windham, ...	763	22	10	11	1	21	..	
Totals, ...	29,062	524	263	255	6	416	68	4
WINDSOR.								
Andover, ...	725	12	1	11	..	11	..	
Baltimore, ...	124	5	4	1	..	5	..	
Barnard, ...	1,647	20	10	10	..	19	1	
Bethel, ...	1,730	44	20	24	..	37	4	
Bridgewater, ..	1,311	25	12	13	..	22	1	
Cavendish, ...	1,576	24	12	12	..	15	8	
Chester, ...	2,001	35	16	19	..	29	5	
Hartford, ...	2,159	57	32	25	..	48	4	
Hartland, ...	2,063	27	13	14	..	22	..	
Ludlow, ...	1,619	38	21	17	..	33	4	
Norwich, ...	1,978	30	13	17	..	30	..	
Plymouth, ...	1,226	24	11	13	..	17	4	
Pomfret, ...	1,546	37	17	20	..	35	2	
Reading, ...	1,171	21	11	10	..	18	..	
Rochester, ...	1,493	30	17	13	..	27	1	
Royalton, ...	1,850	20	9	11	..	16	4	
Sharon, ...	1,240	28	16	12	..	20	5	
Springfield, ...	2,762	63	34	29	..	58	5	
Stockbridge, ...	1,327	22	8	14	..	20	..	
Weathersfield, .	1,851	26	12	14	..	22	2	
Weston, ...	950	19	10	9	..	17	1	
West Windsor, .	1,002	21	14	7	..	19	2	
Windsor, ...	1,928	27	15	12	..	21	4	
Woodstock, ...	3,041	46	18	28	..	43	2	
Totals, ...	38,320	701	346	355	..	604	59	

TABLE I.—Continued.

MARRIAGES.			DEATHS.							
NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age	
3	..	..	8	5	3	..	8	362.16	45.27	.71
9	1	..	23	8	15	..	23	1070.83	46.55	1.34
13	..	6	13	4	9	..	13	637.02	49.00	.94
9	..	1	19	9	10	..	18	813,92	42.95	1.39
—	—	—	11	6	5	..	11	469.59	42.69	1.44
153	5	131	367	174	193		357	16177.78	45.60	1.26
2	..	1	9	2	7	..	9	409.42	45.49	1.24
—	—	—	6	4	2	..	6	332.08	55.34	4.84
9	..	3	28	11	17	..	28	1422.34	50.79	1.82
4	..	7	14	7	7	..	13	545.81	45.48	.81
4	..	..	8	2	6	..	8	464.98	58.12	.61
8	..	9	26	15	11	..	26	1336.72	51.41	1.65
9	..	2	32	9	23	..	32	1312.09	41.00	1.15
6	..	2	31	16	15	..	29	1333 93	45.99	1.43
12	..	5	24	11	13	..	24	1407.19	58.63	1.12
4	..	10	20	7	13	..	20	740.54	37.03	1.29
8	..	..	21	10	11	..	19	748.26	39.91	1.06
8	..	1	14	11	3	..	14	462.01	33.00	1.14
4	1	1	15	8	7	..	15	714.65	47.64	.97
6	..	4	6	3	3	..	6	311.09	51.85	.51
6	2	5	21	9	12	..	21	993.75	47.32	1.40
2	..	2	20	7	13	..	20	1030.31	51.75	1.14
5	..	2	14	5	9	..	14	557.34	39.81	1.29
26	..	..	34	13	21	..	34	1148.67	33.78	1.23
4	..	..	14	8	6	..	14	911.25	65.09	1.06
3	..	19	39	16	23	..	37	1674.90	45.27	2.11
10	..	3	13	7	6	..	13	409.20	31.47	1.37
2	..	2	27	11	16	..	27	1266.11	46.89	2.69
6	..	7	10	6	3	1	10	195.33	19.53	.52
..	..	55	26	9	17	..	26	986.28	37.92	.81
148	3	140	472	207	264	1	464	20714.25	44.64	1.23

TABLE I.—*Recapitulation of Births,*

Counties.	Population in 1850.	Births.						
		Whole number.	Sex.			Parentage.		
			M.	F.	Unk	Am	For.	Unk.
Addison, ...	26549	455	213	235	7	288	141	26
Bennington, ...	18589	453	227	225	1	305	124	24
Caledonia, ...	23595	448	226	218	4	351	57	40
Chittenden, ...	29036	647	349	298	..	307	250	90
Essex, ...	4650	86	43	43	..	60	13	13
Franklin, ...	23536	564	289	270	5	277	232	55
Grand Isle, ...	4145	112	58	52	2	57	48	7
Lamoille, ...	10371	267	133	133	1	226	26	15
Orange, ...	27296	502	242	257	3	438	34	30
Orleans, ...	15707	363	198	165	..	248	88	27
Rutland, ...	33059	824	429	387	8	430	342	52
Washington, ...	24654	530	277	249	4	351	101	78
Windham, ...	29062	525	264	255	6	417	68	40
Windsor, ...	38320	701	346	355	..	604	59	38
Vt. Asylum, ...	.....	.....	....	....	....	....	....	....
Whole State, ...	314120	6477	3284	3142	41	4359	1583	535

riages and Deaths, for the year 1858.

MARRIAGES.			DEATHS.							
NATIVITY.			Whole number.	SEX				AGE.		Percentage.
Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age	
117	29	11	237	101	136	..	235	9193.56	39.12	.86
95	7	32	242	112	130	..	235	7963.83	33.89	1.30
115	6	55	235	100	134	1	229	8596.73	37.54	1.06
93	26	78	255	131	122	2	250	7393.13	29.57	.90
16	..	20	37	25	12	..	31	1225.23	39.52	.80
86	30	76	269	117	151	1	253	7597.18	30.03	.94
17	6	2	60	38	22	..	60	1133.50	18.89	1.44
66	9	19	146	60	84	2	145	5080.60	35.04	1.35
142	18	45	325	151	174	..	316	12845.25	40.65	1.49
93	24	45	178	78	99	1	164	5598.36	34.13	1.14
131	23	32	429	208	217	4	421	12321.86	28.72	1.30
110	10	51	287	146	140	1	280	9355.53	32.59	1.17
153	5	131	367	174	193	..	355	16277.78	45.60	1.26
148	3	140	472	207	264	1	464	20714.25	44.64	1.23
....	....	....	42	19	23	..	42	1976.00	47.00	....
1382	196	737	3581	1637	1901	13	3480	127272.79	36.57	1.14

TABLE II—BIRTHS—1858.

Exhibiting the number of each Sex born in the several Counties, during each month of the year.

Months.	Sex.	Whole number.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Jan'y.	Males,	233	16	15	16	18	4	19	5	6	21	20	26	20	21	26
	Females,	224	13	15	15	16	7	18	3	10	10	15	29	15	22	26
	Unknown,	3		1	2											
Feb'y.	Males,	232	16	18	9	24	5	24	4	9	18	19	20	18	23	16
	Females,	212	14	14	15	15	4	12	2	6	20	19	29	15	20	24
	Unknown,	3	1						2						1	
March.	Males,	257	13	16	16	27	5	25	6	15	19	21	25	25	13	32
	Females,	256	21	15	12	33	4	27	..	8	23	14	30	23	17	29
	Unknown,	1									1					
April.	Males,	266	14	24	20	31	3	23	8	9	18	10	35	22	19	30
	Females,	260	25	16	18	19	2	24	3	9	22	15	39	22	23	23
	Unknown,															
May.	Males,	299	17	19	23	36	2	24	4	8	23	10	51	25	22	35
	Females,	246	21	16	21	22	3	21	5	12	18	12	23	18	27	27
	Unknown,	4	1					1			1			1		
June.	Males,	240	10	18	17	22	3	25	2	8	22	21	26	16	19	31
	Females,	562	19	17	29	22	4	22	6	7	19	17	29	18	19	34
	Unknown,	1			1											

July.	Males,	306	23	20	23	33	4	28	8	14	19	16	43	26	24	25
	Females,	261	13	18	17	34	4	23	3	16	25	11	32	22	16	27
	Unknown,	2												1	1	
August.	Males,	271	20	18	20	25	3	19	5	12	21	19	36	34	18	21
	Females,	287	23	27	19	21	4	21	4	16	24	14	33	25	22	34
	Unknown,	1											1			
Sept.	Males,	267	14	19	21	23	3	22	4	17	25	8	41	15	21	34
	Females,	291	18	22	21	27	3	16	7	13	32	17	30	16	20	49
	Unknown,	5	2					1		1				1		
Oct'r.	Males,	299	25	17	18	33	5	24	4	17	19	21	23	28	34	31
	Females,	290	19	23	13	23	2	32	7	17	22	11	35	25	29	22
	Unknown,	4	2								1			1		
Nov'r.	Males,	306	28	21	18	31	3	30	4	7	16	18	46	26	27	31
	Females,	237	25	19	16	23	2	20	4	13	14	7	31	20	15	28
	Unknown,	2	1					1								
Dec'r.	Males,	293	17	20	23	34	3	24	9	11	21	14	42	23	18	34
	Females,	310	24	22	21	43	4	32	8	6	18	11	40	27	24	30
	Unknown,	5			1			2					2			
Unk'n.	Males,	25	..	2	2	7	..	2	..	..	..	1	6	..	5	..
	Females,	16	..	1	1	..	..	2	..	..	..	2	7	..	1	2
	Unknown,	9											5		4	
Aggregate.	Males,	3294	213	227	226	349	43	289	28	133	242	198	429	277	264	346
	Females,	3142	235	225	218	298	43	270	52	133	257	165	387	249	255	355
	Unknown,	41	7	1	4			5	2	1	3		8	4	6	
	Totals,	6477	455	453	448	647	86	564	112	267	502	363	824	530	525	701
Par'tage	American,	4359	288	305	351	307	60	277	57	226	438	248	430	351	417	604
	Foreign,	1583	141	124	57	250	13	232	48	26	34	88	342	101	68	59
	Unknown,	535	26	24	40	90	13	55	7	15	30	27	52	78	40	38

SUPPLEMENT A.—TABLE II.

Births—Exhibiting the number of Plurality cases.

(Included in Tables I and II.)

Months.	Sex.	Whole No.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
January,	Males,	6	..	..	..	..	..	..	..	..	..	..	3	2	..	1
	Females,	9	..	..	..	..	..	..	..	2	2	..	1	..	..	4
February,	Males,	3	..	..	..	..	1	..	..	..	1	..	..	..	..	1
	Females,	7	..	..	..	†1	1	..	..	..	‡2	..	..	..	..	3
March,	Males	8	..	2	..	..	..	..	..	..	..	2	3	..	..	1
	Females,	4	..	..	..	..	..	..	..	..	..	..	3	..	..	1
April,	Males	5	1	..	..	2	..	1	..	..	..	..	..	..	1	..
	Females,	7	1	..	..	..	..	1	..	2	..	..	..	2	1	..
May,	Males,	5	1	1	..	2	..	..	..	..	..	..	..	..	..	1
	Females,	5	3	1	..	..	..	..	..	..	..	..	..	..	..	1
June,	Males,	6	*1	..	..	..	..	..	..	..	..	2	2	1	..	..
	Females,	12	..	..	2	..	..	..	..	..	..	2	3	1	2	2
July,	Males,	12	2	1	..	2	..	..	..	..	2	2	2	1	..	..
	Females,	4	..	1	..	..	..	..	..	..	2	..	..	1	..	..
August	Males,	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1
	Females,	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1
September	Males,	2	..	..	..	..	..	..	..	..	..	..	1	..	..	1
	Females,	2	..	..	..	..	..	..	..	..	..	..	1	..	..	1
October,	Males,	9	..	2	..	..	..	..	..	1	2	..	..	..	2	2
	Females,	6	†1	..	..	..	..	..	..	1	..	..	2	2	..	..
November,	Males,	8	..	2	..	..	..	2	..	..	..	..	..	2	2	..
	Females,	9	2	..	..	2	..	..	..	..	2	..	§1	2	..	..
December,	Males,	5	..	..	..	..	..	2	..	..	..	2	..	1	..	..
	Females,	5	..	..	..	2	..	..	..	..	..	..	..	1	..	2
Totals,		141	12	10	2	11	2	6	..	6	13	10	22	16	8	3

*The mate of this was stillborn,—sex not given.

†The mates of these were stillborn females.

‡The mate of one of these was a stillborn male.

In addition to these, there were reported in Addison Co. a pair of stillborn twins, (males,) in Dec. In Chittenden Co., a pair of stillborn twins, (male and female,) in Aug., and a pair in Oct. (male and female.) In Orange Co., a pair in July, (males.) In Orleans Co., a set of triplets, (females.)

SUPPLEMENT B.—TABLE II.

Exhibiting the number of Illegitimate Births.

(Included in Tables I and II)

Months.	Sex.	Whole No.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
January,	Males,	2	..	..	..	..	..	..	..	..	..	1	1	..	..	..
	Females,	3	1	..	..	..	..	..	..	..	..	..	..	..	2	..
February,	Males,	3	..	..	..	..	..	..	..	..	..	1	..	..	..	2
	Females,	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..
March,	Males,	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Females,	2	..	..	..	..	..	..	..	..	..	..	..	1	1	..
April,	Males,	2	..	..	..	..	..	..	1	..	..	..	1	..	..	..
	Females,	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
May,	Males,	2	..	..	..	..	..	..	1	..	..	..	..	1	..	..
	Females,	3	..	..	..	1	..	1	..	..	..	..	..	1	..	..
June,	Males,	2	..	..	..	..	..	2	..	..	..	..	..	..	..	..
	Females,	5	1	..	..	..	1	1	..	..	..	1	..	..	..	1
July,	Males,	3	..	..	..	..	..	1	..	..	..	..	..	1	..	1
	Females,	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..
	Unknown,	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..
August,	Males,	2	..	..	..	..	..	..	..	..	..	..	..	1	..	1
	Females,	3	1	1	..	..	..	..	..	..	..	..	..	1	..	..
September,	Males,	3	1	..	..	..	..	..	..	..	..	..	..	1	..	1
	Females,	4	..	..	..	1	1	1	..	..	1	..	..	..	..	..
October,	Males,	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..
	Females,	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..
November,	Males,	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..
	Females,	3	1	..	2	..	..	..	..	..	..	..	..	..	..	..
December,	Males,	3	..	..	..	..	..	..	..	..	1	..	..	1	..	1
	Females,	2	..	..	..	1	..	..	..	..	1	..	..	..	..	..
	Unknown,	2	..	..	..	..	..	..	..	..	..	..	1	..	..	1
Unknown,	Unknown,	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Totals,		56	5	1	4	3	2	6	2	..	3	4	5	9	4	8

In addition to these, there were reported illegitimate stillborn children, in C hittenden Co., a male in Feb.: in Lamoille Co., a male in Nov.: in Washington Co., a male in March; in Windsor Co, a female in April and a male in July.

TABLE III—MARRIAGES.

Exhibiting the number contracted in the several Counties, during each month of the year.

Months.	Whole No.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
January, ..	189	21	10	8	20	2	16	1	9	17	11	13	14	21	26
February ..	147	11	8	7	16	2	14	2	9	16	11	11	11	17	12
March,....	228	11	4	32	14	4	15	2	10	21	19	12	15	35	34
April,.....	166	9	11	10	21	2	18	1	4	18	15	10	13	23	11
May, ...	163	11	6	18	11	2	14	..	9	12	7	12	10	26	25
June, ...	143	8	3	7	19	7	4	4	7	13	12	10	11	21	17
July,.....	152	13	15	18	12	3	12	2	4	10	8	12	10	14	19
August,....	144	8	11	7	17	1	13	1	5	15	14	10	11	18	13
Septem'r, ..	246	21	19	13	15	2	16	2	10	25	13	25	24	29	32
October,...	238	12	16	15	11	5	23	1	12	21	17	22	17	29	37
Novem'er..	216	14	8	15	14	2	19	3	8	15	16	22	19	30	31
Decem'er,..	257	16	19	23	24	3	26	5	5	20	19	22	16	25	34
Unknown ..	26	2	4	3	3	1	2	1	2	2	..	5	..	1	..
Totals,...	2315	157	134	176	197	36	192	25	94	205	162	186	171	289	291

TABLE IV.—PERSONS MARRIED.

Distinguishing by Ages, the number of Persons, of different social conditions, who were married during the year.

(A.) Aggregate.

Ages of Men.	Whole number	Ages of Women.												
		Under 20	20 to 25	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	Over 70.	Unknown.
Whole number.	2315	604	733	246	97	55	37	32	13	16	8	5	3	466
Under 20	55	45	10	..	..	..	..	..	..	..	..	..	..	..
20 to 25	766	360	339	40	3	3	1	..	1	..	..	..	..	19
25 to 30	499	155	235	82	15	3	2	..	..	..	..	..	..	7
30 to 35	196	27	84	53	19	4	3	1	..	..	..	..	..	5
35 to 40	105	11	34	30	13	12	2	..	..	..	..	..	..	3
40 to 45	87	2	13	21	21	14	7	3	..	4	..	..	..	2
45 to 50	47	..	4	11	14	9	4	2	1	2	..	..	..	..
50 to 55	44	..	6	5	6	6	7	9	4	..	..	..	..	1
55 to 60	25	..	..	..	3	3	6	7	3	3	..	..	..	..
60 to 65	18	2	1	..	1	1	3	3	2	4	1	..	..	..
65 to 70	10	..	..	..	1	..	2	3	..	1	2	..	1	..
Over 70	18	..	..	..	..	..	..	4	1	2	4	5	2	..
Unknown	445	2	7	4	1	..	..	..	1	..	1	..	..	429

(B.) First Marriage of both parties.

Whole number,	1249	453	470	128	19	8	1	2	..	1	..	..	..	167
Under 20	42	36	6	..	..	..	..	..	..	..	..	..	..	..
20 to 25	557	289	227	25	1	..	..	..	..	..	..	..	..	15
25 to 30	333	109	157	55	9	..	..	..	..	..	..	..	..	3
30 to 35	103	14	54	30	4	1	..	..	..	..	..	..	..	..
35 to 40	40	4	19	11	2	3	..	..	..	..	..	..	..	1
40 to 45	8	..	2	3	1	1	..	..	..	1	..	..	..	..
45 to 50	4	..	1	1	1	..	..	1	..	..	..	..	..	..
50 to 55	5	..	..	..	1	3	..	1	..	..	..	..	..	..
55 to 60	1	..	..	..	..	..	1	..	..	..	..	..	..	..
60 to 65	..	..	..	..	..	..	..	..	..	..	..	..	..	..
65 to 70	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Over 70	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Unknown, ...	156	1	4	3	..	..	..	..	..	..	..	..	..	148

TABLE IV.—Continued.

(C.) First of men, but subsequent of women.

Ages of Men.	Whole number.	Ages of Women.												
		Under 20.	20 to 25.	25 to 30	30 to 35.	35 to 40	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	Over 70.	Unknown.
Whole number,	50	4	11	8	4	4	7	2	..	2	..	..	..	8
Under 20	..	..	..	..	..	..	..	..	..	..	..	..	..	..
20 to 25.....	15	2	7	2	..	3	1	..	..	..	..	..	..	..
25 to 30.....	9	..	4	2	2	..	1	..	..	..	..	..	..	..
30 to 35.....	10	1	..	4	1	..	2	..	..	..	..	..	..	2
35 to 40.....	3	1	..	..	..	1	1	..	..	..	..	..	..	..
40 to 45.....	6	..	..	..	1	..	1	2	..	2	..	..	..	..
45 to 50.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..
50 to 55.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..
55 to 60.....	1	..	..	..	..	..	1	..	..	..	..	..	..	..
60 to 65.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..
65 to 70.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Over 70.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Unknown	6	..	..	..	..	..	..	..	..	..	..	..	..	6

(D.) Subsequent of men, but first of women.

Whole number	215	33	54	48	32	10	6	5	1	2	..	..	..	24
Under 20	..	..	..	..	..	..	..	..	..	..	..	..	..	..
20 to 25.....	12	7	4	1	..	..	..	..	..	..	..	..	..	..
25 to 30.....	25	11	8	4	..	1	..	..	..	..	..	..	..	1
30 to 35.....	43	9	14	10	8	2	..	..	..	..	..	..	..	..
35 to 40.....	37	3	11	15	7	1	..	..	..	..	..	..	..	..
40 to 45.....	30	..	9	9	7	2	2	..	..	..	..	..	..	1
45 to 50.....	14	..	2	3	5	2	1	1	..	..	..	..	..	..
50 to 55.....	16	..	5	5	3	1	2	..	..	..	..	..	..	..
55 to 60.....	5	..	..	..	..	1	..	2	1	1	..	..	..	..
60 to 65.....	3	2	..	..	..	..	1	..	..	..	..	..	..	..
65 to 70.....	1	..	..	..	1	..	..	..	..	..	..	..	..	..
Over 70.....	2	..	..	..	..	..	..	1	..	1	..	..	..	
Unknown	27	1	1	1	1	..	..	1	..	..	..	..	..	[illegible]

TABLE IV.—Continued.

(E.) Subsequent marriage of both parties.

Ages of Men.	Whole number.	Ages of Women.												
		Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	Over 70	Unknown.
Whole number	116	...	2	11	17	13	12	22	7	10	4	4	3	11
Under 20	..	...	...	...	...	...	...	...	...	...	...	..	..	...
20 to 25.....	..	...	...	...	...	...	...	...	...	...	...	..	..	...
25 to 30.....	1	...	1	...	...	...	...	...	...	...	...	..	..	...
30 to 35.....	7	...	1	3	1	...	1	1	...	...	...	..	..	...
35 to 40.....	2	...	...	1	...	1	...	...	...	...	...	..	..	...
40 to 45.....	19	...	...	4	6	5	2	1	...	1	...	..	..	...
45 to 50.....	17	...	...	3	6	4	1	...	1	2	...	..	..	...
50 to 55.....	15	...	...	...	1	2	2	7	3	...	...	..	..	...
55 to 60.....	14	...	...	...	2	...	4	5	1	2	...	..	..	...
60 to 65.....	12	...	...	...	1	1	2	3	1	4	...	..	..	...
65 to 70.....	5	...	...	...	...	...	...	2	...	1	1	..	1	...
Over 70.....	12	...	...	...	...	...	...	3	1	...	2	4	2	...
Unknown	12	...	...	...	...	...	...	...	...	...	1	..	..	11

(F.) Conditions of parties not stated.

Whole number,	685	114	196	51	25	20	11	2	4	1	4	1	..	256
Under 20	13	9	4	...	...	...	...	...	...	...	...	..	..	...
20 to 25.....	182	62	101	12	2	...	...	...	1	...	...	..	..	4
25 to 30.....	131	35	65	21	4	2	1	...	...	...	...	..	..	3
30 to 35.....	33	3	15	6	5	1	...	...	...	...	...	..	..	3
35 to 40.....	23	3	4	3	4	6	1	...	...	...	...	..	..	2
40 to 45.....	24	2	2	5	6	6	2	...	...	...	...	..	..	1
45 to 50.....	12	...	1	4	2	3	2	...	...	...	...	..	..	...
50 to 55.....	8	...	1	...	1	...	3	1	1	...	...	..	..	1
55 to 60.....	4	...	...	...	1	2	...	...	1	...	...	..	..	...
60 to 65.....	3	...	1	...	...	...	...	...	1	...	1	..	..	...
65 to 70.....	4	...	...	...	...	...	2	1	...	...	1	..	..	...
Over 70.....	4	...	...	...	...	...	...	...	...	1	2	1	..	...
Unknown	244	...	2	...	...	...	...	...	...	...	...	..	..	242

TABLE V.—DEATHS.

Exhibiting the number of each Sex in the several Counties, during each month of the year.

Months.	Sex.	Whole number.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
January.	M. ..	126	11	9	6	7	2	6	3	11	14	5	16	13	12	11
	F....	143	12	12	6	9	1	7	3	7	9	5	23	13	15	21
	U....	1								1						
February.	M. ..	122	6	13	5	6	3	6	2	1	10	7	17	5	22	19
	F....	171	9	15	13	8	..	13	..	7	19	11	16	10	20	30
	U....															
March.	M. ..	161	8	11	6	19	1	11	5	6	17	9	19	12	15	22
	F....	197	20	7	11	12	2	16	4	12	22	11	23	16	13	28
	U....	3			1								2			
April.	M. ..	134	7	7	7	7	2	9	2	6	15	2	15	17	21	17
	F....	161	7	12	14	8	1	12	4	8	16	15	14	13	15	22
	U....															
May.	M. ..	127	11	9	3	13	1	10	5	3	6	9	15	10	16	16
	F....	170	17	9	11	9	..	18	4	10	16	9	13	16	16	22
	U....	3											2	1		
June.	M. ..	129	6	4	13	7	3	10	6	4	8	5	16	14	14	19
	F....	126	9	6	7	7	..	8	2	6	8	9	15	12	17	20
	U....	1				1										
July.	M. ..	131	9	10	13	14	2	6	3	5	11	3	15	16	13	11
	F....	147	11	10	16	10	1	9	2	7	14	8	12	7	15	25
	U....															
August.	M. ..	152	9	12	14	16	2	13	1	4	13	9	21	13	11	14
	F....	173	14	10	15	7	1	8	1	13	17	7	27	12	17	[illegible]
	U....	2						1				1				

TABLE V.—Continued.

Months.	Sex.	Whole No.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Sept.	M. ..	151	10	11	12	10	2	8	3	3	18	8	16	11	9	30
	F....	153	11	17	6	9	..	20	..	4	16	7	16	10	21	16
	U....	2								1						1
Oct.	M. ..	134	9	7	8	9	4	15	..	6	16	4	18	8	10	20
	F....	137	8	12	11	9	2	14	..	3	15	7	18	9	13	16
	U....															
Nov.	M. ..	122	9	7	9	5	..	13	2	3	10	8	12	17	11	16
	F....	132	9	10	13	14	2	15	..	3	7	3	15	11	12	18
	U....															
Dec.	M. ..	132	6	11	4	14	2	8	6	7	13	6	17	9	18	11
	F....	148	9	10	11	19	1	9	2	4	15	5	15	10	17	21
	U....															
Unknown.	M. ..	27	..	1	..	4	1	2	..	1	..	3	11	1	2	1
	F....	20	..	..	..	1	1	2	..	..	..	2	10	1	2	1
	U....	1		1		1										
Aggregate.	M. ..	1648	101	112	100	131	25	117	38	60	151	78	208	146	174	207
	F....	1878	136	130	134	122	12	151	22	84	174	99	217	140	193	264
	U....	13	..	..	1	2	..	1	..	2	..	1	4	1	..	1
	Totals	3539	237	242	235	255	37	269	60	146	325	178	429	287	367	472
Nativity.	Amer.	2975	211	210	209	198	24	199	52	130	290	140	366	230	310	406
	For. .	178	9	13	15	38	1	22	4	5	11	12	26	10	4	8
	Unk..	386	17	19	11	19	12	48	4	11	24	26	37	47	53	58

TABLE VI.—DEATHS,

Exhibiting the number of each Sex, at different ages,

TOWNS.	Population. Whole number	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10	10 to 15.	15 to 20.	20 to 25.	25 to 30.
ADDISON.													
Addison,	1279	M.	659	...	..	..	..	..	..	..	..	..	..
		F.	620	...	..	..	..	..	..	..	..	..	..
Bridport,	1393	M.	735	...	..	2	..	..	..	..	..	1	..
		F.	658	...	..	..	..	..	..	..	..	1	1
Bristol,	1344	M.	684	1	..	1	..	..	1	..	1	1	1
		F.	660	...	..	..	..	..	1	1	2	..	1
Cornwall,	1155	M.	578	...	..	..	..	..	..	..	..	..	..
		F.	577	3	..	..	..	..	..	..	..	..	..
Ferrisburgh,	2075	M.	1048	2	..	1	..	..	1	..	..	1	..
		F.	1027	...	..	..	1	..	..	..	..	..	..
Goshen,	486	M.	261	...	..	..	..	..	..	..	..	..	..
		F.	225	2	..	..	..	..	..	..	..	..	..
Granville,	603	M.	314	...	..	..	..	..	..	..	..	..	..
		F.	289	...	..	..	..	..	..	..	..	..	..
Hancock,	430	M.	236	...	..	..	..	..	..	..	..	..	..
		F.	194	...	..	..	..	..	..	..	..	..	..
Leicester,	596	M.	291	...	..	..	..	1	1	..	1	..	..
		F.	305	...	..	..	..	..	..	..	..	..	..
Lincoln,	1057	M.	567	...	..	..	..	..	..	..	1	..	..
		F.	490	...	..	..	..	..	..	..	..	..	..
Middlebury,	3517	M.	1738	5	2	..	1	..	..	..	2	..	..
		F.	1779	3	..	..	..	1	..	2	3	1	1
Monkton.	1246	M.	600	...	2	..	..	..	..	..	..	..	..
		F.	646	...	..	..	..	..	..	..	..	..	..
New Haven,	1663	M.	830	1	..	..	..	..	1	..	..	..	1
		F.	833	...	..	1	..	..	2	1	1	..	1
Orwell,	1470	M.	727	...	..	1	..	..	..	..	..	..	..
		F.	743	2	2	..	..	..	..	..	..	1	1
Panton,	559	M.	290	...	..	..	..	..	..	..	..	..	..
		F.	269	...	..	..	1	..	1	..	1	..	..
Ripton,	567	M.	303	...	..	..	..	..	..	..	..	..	..
		F.	264	...	..	..	..	..	..	..	..	..	..

ACCORDING TO AGE.

in the several Towns and Counties, during the year.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95	95 and over.	Unknown.	Sex. Males	Fem.	Unk	Total.	Percentage.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	2	1	..	..	..	..	..	..	....	3	....	3	.48
..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	5	....	....	....	.68
..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	....	4	....	9	.60
1	1	..	..	..	..	..	..	..	..	..	..	1	..	..	9	....	....	....	1.32
..	..	..	1	..	..	..	..	1	..	..	1	1	..	..	....	9	....	18	1.36
1	1	..	..	..	..	..	..	1	..	..	..	..	..	..	3	....	....	....	.52
..	..	1	..	..	1	..	1	1	..	..	..	..	..	..	....	7	....	10	1.21
..	..	..	1	1	..	..	..	1	..	..	1	..	..	..	9	....	....	....	.86
..	..	..	1	..	..	1	..	..	1	..	..	..	..	..	....	4	....	13	.39
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	....	....	....	.36
..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	....	4	....	5	1.66
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	2	..	..	1	..	..	..	..	....	3	....	3	1.04
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	....	....	....	.42
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	....	1	....	2	.52
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	4	....	....	....	1.37
..	..	..	..	..	..	1	..	..	..	2	..	..	..	..	....	3	....	7	.98
1	..	..	..	..	..	..	1	2	..	..	..	..	..	..	5	....	....	....	.88
1	..	1	..	..	..	1	..	..	..	..	..	..	..	..	....	3	....	8	.61
..	1	1	..	..	2	2	2	..	2	..	1	..	..	..	21	....	....	....	1.20
2	2	1	1	..	1	1	2	2	..	4	..	..	..	..	....	27	....	48	1.52
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	....	....	.33
..	..	..	1	..	..	..	..	..	1	1	1	..	..	..	....	4	....	6	·62
..	..	..	1	..	..	..	..	1	..	..	1	1	..	..	7	....	....	....	.84
..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	....	8	....	15	.90
..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	3	....	....	....	.41
1	1	1	..	..	..	1	..	..	1	..	1	..	..	..	....	12	....	15	1.62
..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	....	....	....	.34
..	..	..	..	..	..	..	..	1	..	1	1	..	..	..	....	6	....	7	2.23
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	....	....	1	.33
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....

TABLE VI.—Continued.

TOWNS.	POPULATION.			Under 1.	1 to 2	2 to 3.	3 to 4.	4 to 5.	5 to 10	10 to 15.	15 to 20.	20 to 25	25 to 30.
	Whole number.	SEX.											
Addison—Con.													
Salisbury,	1027	M.	526	...	..	..	..	..	..	..	..	..	..
		F.	501	2	1	..	..	..	..	..	1	..	..
Shoreham,	1601	M.	822	2	..	1	..	..	..	..	..	..	1
		F.	779	...	3	1	1	2	2	2	1	..	..
Starksboro',	1400	M.	725	2	..	..	..	..	..	..	..	..	..
		F.	675	...	..	..	..	..	1	..	..	..	..
Vergennes,	1378	M.	666	—	—	—	—	—	—	—	—	—	—
		F.	712	—	—	—	—	—	—	—	—	—	—
Waltham,	270	M.	141	—	—	—	—	—	—	—	—	—	—
		F.	129	—	—	—	—	—	—	—	—	—	—
Weybridge,	804	M.	399	1	..	..	..	..	..	..	..	..	..
		F.	405	1	..	..	..	..	1	..	..	..	..
Whiting,	629	M.	312	1	..	..	..	..	1	1	..	1	..
		F.	317	1	..	1	..	2	1	1	1	..	..
Aggregate	.....	M.	13452	15	4	6	1	1	5	1	5	4	3
	.....	F.	13097	14	6	3	3	5	9	7	10	3	5
Totals,	.....	..	26459	29	10	9	4	6	14	8	15	7	8
BENNINGTON.													
Arlington,	1084	M.	535	...	..	..	..	..	.	..	..	..	..
		F.	549	...	1	..	..	..	..	..	..	1	..
Bennington,	3923	M.	1958	9	2	..	..	..	2	..	..	1	1
		F.	1965	7	3	3	..	1	5	..	1	3	4
Dorset,	1700	M.	860	3	1	1	..	..	.	..	..	..	..
		F.	840	5	..	2	2	..	..	..	1	2	1
Glastenbury,	52	M.	25	...	..	..	..	..	..	..	..	..	..
		F.	27	...	..	..	..	..	..	..	..	..	..
Landgrove,	337	M.	173	...	..	..	..	..	..	..	..	..	..
		F.	164	...	..	..	..	..	..	..	..	..	..
Manchester,	1782	M.	895	3	1	..	..	.	..	..	.	1	..
		F.	887	...	..	1	..	..	1	..	1	..	..
Peru,	567	M.	303	1	1	1	..	..	..	..	..	..	..
		F.	264	...	..	..	..	..	..	..	..	..	1
Pownal,	1742	M.	886	1	:	..	..	..	1	1	1	..	..
		F.	856	1	..	1	1	.	..	..	2	..	..
Readsboro',	857	M.	447	...	..	..	..	..	..	..	1	..	
		F.	410	1	..	..	..	..	..	1	..	..	.

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60	60 to 65	65 to 70	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown	Total Males.	Total Fem.	Total Unk.	Total Total.	Percentage.
..	..	..	..	..	..	..	..	..	2	1	..	..	..	..	3	....	....	....	.57
..	..	..	..	..	1	..	..	..	1	1	..	..	..	..	....	7	....	10	1.38
..	..	..	..	1	..	..	1	1	2	1	1	1	..	..	12	....	....	....	1.46
..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	....	14	....	26	1.80
..	..	..	..	..	2	..	1	..	..	..	1	1	..	..	7	....	....	....	.97
1	1	..	1	..	..	..	1	..	..	..	..	..	..	..	....	5	....	12	.74
..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	3	....	....	....	.79
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	....	3	....	6	.74
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	....	....	....	1.28
..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	....	9	....	13	2.84
3	3	1	2	3	4	3	6	8	10	3	5	5	..	..	101	....	....	....	.75
5	6	4	6	..	5	8	9	7	5	10	5	1	..	..	....	136	....	237	1.04
8	9	5	8	3	9	11	15	15	15	13	10	6	..	..	101	136	....	237	.89
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	....	3	....	3	.55
1	..	..	4	..	..	1	1	1	1	2	..	1	1	1	29	....	....	....	1.48
1	..	..	2	..	1	..	1	3	1	..	3	1	..	..	....	40	....	69	2.04
1	..	..	..	..	..	..	2	1	1	..	..	..	..	2	12	....	....	....	1.39
1	..	1	1	1	1	1	..	1	..	..	1	..	..	2	....	23	....	35	2.74
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	....	....	1	4.00
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	....	2	....	2	1.22
..	..	..	..	..	..	..	1	..	1	1	..	..	..	..	8	....	....	....	.89
..	1	1	..	2	1	1	1	1	..	..	2	..	..	..	....	13	....	21	1.46
..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	5	....	....	....	1.65
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	....	2	....	7	.76
1	..	..	..	..	..	..	..	1	..	1	..	..	..	..	7	....	....	....	.79
..	..	1	1	..	..	1	1	1	..	..	..	..	..	..	....	10	....	17	1.17
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	4	....	....	....	.89
..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	....	4	....	8	.98

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Bennington—Con.													
Rupert,	1101	M.	548	2	1	1	..	..	1	..	..	1	..
		F.	553	2	..	..	..	..	..	..	..	1	..
Sandgate,	850	M.	446	2	..	1	..	..	1	..	..	..	..
		F.	404	1	..	..	..	..	..	..	..	1	..
Searsburg,	201	M.	107	..	..	..	..	..	..	..	..	..	..
		F.	94	..	..	..	..	..	..	..	..	..	1
Shaftsbury,	1896	M.	991	1	1	..	..	..	1	..	..	1	1
		F.	905	2	..	..	..	..	..	..	1	1	..
Stamford,	833	M.	462	3	..	..	..	1	..	..	..	..	..
		F.	371	..	1	..	..	..	..	..	..	..	..
Sunderland,	479	M.	245	1	3	..	..	..	..	..	..	..	..
		F.	234	1	..	..	1	..	..	..	1	..	1
Woodford,	423	M.	226	..	..	..	..	..	..	..	..	..	..
		F.	197	..	..	..	..	..	..	..	..	..	..
Winhall,	762	M.	371	..	..	1	..	..	1	..	..	..	1
		F.	391	..	..	..	1	1	..	..	..	..	..
Aggregate	.....	M.	9478	26	10	5	..	1	7	1	2	4	4
	.....	F.	9111	20	5	7	5	2	7	1	7	9	8
Totals,	.....	..	18589	46	15	12	5	3	13	2	9	13	12
CALEDONIA.													
Barnet,	2521	M.	1381	1	..	..	..	..	..	..	..	1	..
		F.	1140	2	..	..	..	..	..	..	1	..	..
Bradley Vale,	107	M.	56										
		F.	51										
Burke,	1103	M.	565	1	1	1	..	..	..	..	..	..	..
		F.	538	..	..	1	..	..	1	1	1	1	1
Danville,	2577	M.	1299	1	..	1	1	1	1	1	..	1	1
		F.	1278	4	..	..	..	..	..	..	1	1	1
Groton,	1118	M.	581	..	..	..	..	..	..	..	..	..	2
		F.	537	..	..	..	..	..	..	..	2	1	..
Hardwick,	1402	M	710	2	1	..	..	..	..	1	1	..	..
		F.	692	1	1	1	1	..	..	..	..	1	..
Kirby,	509	M.	279	..	..	..	..	..	..	..	1	..	..
		F.	230	..	..	..	..	..	..	..	..	1	..
Lyndon,	1752	M.	886	..	..	..	..	1	..	..	..	..	1
		F.	866	1	..	..	..	1	..	..	1	..	1

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	..	1	1	..	..	1	1	1	..	2	..	..	..	13	....	....	....	2.40
1	..	..	..	..	..	..	1	..	..	1	..	..	..	..	....	6	....	19	1.08
..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	6	....	....	....	1.34
..	..	..	..	1	..	..	..	..	1	1	..	..	..	..	....	5	....	11	1.23
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	....	1	1.06
..	1	..	..	..	2	..	..	..	..	..	..	..	..	..	8	....	....	....	.80
..	..	..	1	..	..	1	..	1	..	1	..	1	..	..	....	9	....	17	.99
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	5	....	....	....	1.08
..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	....	3	....	8	.80
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	5	....	....	....	2.04
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	4	....	9	1.70
..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	2	....	....	....	.89
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	....	1	....	3	.50
..	..	..	1	..	..	1	..	1	..	..	..	1	..	..	7	....	....	....	1.89
..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	....	4	....	11	1.02
3	1	2	7	3	2	2	7	6	5	5	3	2	1	3	112	....	....	....	1.18
3	2	4	5	5	3	5	4	8	4	6	6	3	..	2	....	130	....	242	1.42
6	3	6	12	8	5	7	11	14	9	11	9	5	1	5	112	130	....	242	1.30
..	..	..	..	..	..	..	1	..	..	1	1	..	..	..	5	....	....	....	.36
1	..	..	..	1	..	..	..	1	..	2	..	..	..	..	....	8	....	13	.70
								..											
								..											
1	1	1	..	..	..	..	..	1	..	1	..	..	..	..	8	....	....	....	1.41
1	1	..	..	..	1	..	2	..	1	1	..	..	..	..	....	14	....	22	2.42
..	..	1	..	1	1	..	..	2	..	1	..	..	..	..	14	....	....	....	1.08
..	..	1	..	2	..	..	1	..	..	1	1	..	..	..	....	13	....	27	1.02
..	..	..	..	..	..	..	3	..	1	..	..	..	..	1	7	....	....	....	.98
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	....	5	....	12	.93
..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	7	....	....	....	.99
..	1	2	..	..	..	..	..	1	..	..	..	..	..	..	....	9	....	16	1.30
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	2	....	....	....	.72
1	..	..	..	..	..	..	..	.	1	..	..	..	..	..	....	3	....	5	1.30
..	..	1	..	..	..	..	..	1	..	..	1	..	..	..	5	....	....	....	.36
1	..	1	..	1	..	..	1	1	..	..	..	..	..	2	....	11	....	16	27

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25	25 to 30.
Caledonia—Con.													
Newark,	434	M.	225	..	..	..	..	..	..	..	..	..	..
		F.	209	1	1	..	..	..	..	..	..	..	..
Peacham,	1377	M.	675	..	..	1	1	..	..	..	1	..	..
		F.	702	..	..	..	..	..	..	1	..	..	..
Ryegate,	1606	M.	943	..	..	1	..	..	..	..	..	..	..
		F.	663	1	..	..	..	..	..	..	..	1	..
St. Johnsbury,	2758	M.	1473	2	..	1	1	..	..	1	1	..	..
		F.	1285	2	4	2	..	..	..	1	..	..	2
Sheffield,	797	M.	484	..	1	..	..	..	1	1	..	..	..
		F.	313	1	..	..	..	..	..	..	2	..	..
		U.		1	..	..	..	..	..	..	..	..	..
Sutton,	1001	M.	517	1	..	..	..	..	..	..	..	..	..
		F.	484	2	1	..	1	..	..	..	..	..	..
Walden,	910	M.	473	1	..	..	..	..	..	..	..	..	..
		F.	437	1	..	1	1	..	..	.	1	..	..
Waterford,	1412	M.	740	..	..	..	..	1	..	..	..	..	..
		F.	672	1	1	..	..	2	..	..	2	..	..
Wheelock,	855	M.	445	1	..	..	..	..	..	..	1	..	..
		F.	410	..	..	..	1	..	1	..	1	..	..
Aggregate	.....	M.	12350	10	3	5	3	3	2	4	5	2	4
	.....	F.	11245	17	8	5	4	3	2	3	12	6	5
	.....	U.		1	..	..	..	..	..	..	..	..	..
Totals,	.....	..	23595	28	11	10	7	6	4	7	17	8	9
CHITTENDEN.													
Bolton,	602	M.	313	..	..	..	..	..	..	..	..	1	..
		F.	289	..	..	..	..	..	..	..	1	..	1
Burlington,	7585	M.	3732	12	2	1	..	1	1	1	2	1	..
		F.	3853	5	..	3	5	..	1	..	1	2	2
		U.		1	..	..	..	..	..	..	..	..	..
Charlotte,	1634	M.	807	..	..	..	..	..	..	..	..	..	..
		F.	827	1	..	..	1	..	..	..	1	1	..
Colchester,	2575	M.	1272	4	..	2	1	..	1	1	..	2	..
		F.	1303	..	1	..	1	..	1	..	..	1	2
Essex,	2052	M.	1042	3	..	..	..	..	4	1	..	..	1
		F.	1010	1	..	..	2	..	1	..	2	1	1
Hinesburgh,	1834	M.	931	2	..	..	..	..	1	..	..	..	1
		F.	903	..	..	1	1	..	2	..	..	1	3

TABLE VI.—Continued

45 to 50.	50 to 55	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown.	Total. Males	Total. Fem.	Total. Unk.	Total. Total.	Percentage
..	..	1	..	..	2	..	1	..	..	..	..	4	....	....	....	1.77
..	..	..	..	..	1	..	..	..	..	..	..	....	4	....	8	1.91
..	..	2	1	..	..	1	2	1	1	..	.	11	....	....	....	1.63
..	..	1	1	..	..	1	..	..	..	..	..	....	5	....	16	.71
..	..	..	1	1	1	1	..	..	..	..	..	5	....	....	....	.33
1	..	..	..	..	..	..	1	..	1	..	..	....	5	....	10	.75
..	1	1	..	..	..	1	1	..	..	..	..	15	....	....	....	.88
1	..	..	1	..	..	..	1	..	1	..	1	....	19	....	32	1.48
..	..	..	..	1	..	..	..	..	..	1	..	6	....	....	....	1.24
..	1	..	1	..	..	..	..	..	..	..	..	....	6	....	13	1.91
..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
1	..	..	..	..	..	..	..	..	..	..	1	3	....	....	....	.58
..	1	..	..	..	1	..	1	..	..	..	..	....	9	....	12	1.86
..	..	..	..	1	..	..	1	..	..	..	..	3	....	....	....	.63
1	..	1	..	..	..	1	..	..	..	..	..	....	7	....	10	1.60
..	..	..	..	1	..	..	..	1	..	..	..	4	....	....	....	.54
..	1	..	..	..	1	1	1	1	..	..	..	....	12	....	16	1.77
..	1	..	..	..	..	..	..	..	..	..	..	3	....	....	....	.67
..	..	..	..	..	1	..	..	..	..	..	..	....	4	....	7	.98
1	3	5	2	9	7	4	8	5	1	1	2	100	....	....	....	.81
3	7	3	4	5	7	5	9	2	2	..	3	....	134	....	235	1.19
..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
4	10	8	6	14	14	9	17	7	3	1	5	100	134	1	235	1.00
..	..	..	..	..	..	..	1	..	..	..	..	2	....	....	....	.64
..	..	..	..	..	..	..	..	..	..	..	..	....	2	....	4	.69
3	1	..	3	3	2	1	3	..	..	..	..	40	....	....	....	1.07
2	1	..	..	..	1	2	..	..	..	1	1	....	30	....	71	.77
..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
..	..	1	..	..	..	..	..	..	..	..	..	1	....	....	....	.12
..	1	..	..	..	..	..	1	..	..	..	..	....	8	....	9	.95
..	1	..	..	1	1	..	..	1	..	..	..	19	....	....	....	1.49
..	..	..	1	..	1	..	..	..	..	..	..	....	11	....	30	.84
..	1	..	..	..	1	..	..	1	..	..	..	12	....	....	....	1.11
..	..	..	1	..	1	..	..	..	..	..	..	....	12	....	24	1.12
..	1	..	1	..	..	..	..	1	..	..	..	7	....	....	....	.75
1	1	..	..	..	..	..	..	..	..	..	..	....	10	....	17	1.10

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	Sex.		Under 1	1 to 2	2 to 3	3 to 4.	4 to 5.	5 to 10	10 to 15.	15 to 20.	20 to 25	25 to 30.
Chittenden—Con.													
Huntington,	903	M.	456	..	..	..	..	..	..	..	..	1	..
		F.	447	..	..	..	..	..	..	.	..	1	1
Jericho,	1837	M.	926	1	1	..	..	1	..	..	..	..	1
		F.	911	2	2	..	..	..	..	1	2	..	2
Milton,	2451	M.	1295	..	..	1	..	1	1	..	..	..	..
		F.	1156	..	..	..	..	..	1	..	..	..	..
Richmond,	1453	M.	779	..	..	..	..	..	..	..	1	..	..
		F.	674	1	..	..	..	..	2	..	1	1	..
St. George,	127	M.	62	..	..	..	..	..	..	..	..	..	..
		F.	65	..	..	..	..	..	..	..	..	..	..
Shelburne,	1257	M.	642	1	..	..	..	..	..	1	..	..	..
		F.	615	..	..	..	..	1	..	..	..	..	..
Underhill,	1599	M.	818	2	..	..	..	..	..	..	..	1	..
		F.	781	..	1	..	1	..	..	..	2	..	..
Westford,	1458	M.	741	2	1	1	..	.	..	..	..	..	..
		F.	717	2	..	..	..	..	..	..	..	..	.
		U.	.....	..	..	..	..	..	..	..	..	..	..
Williston,	1669	M.	853	3	1	..	..	..	1	..	1	1	..
		F.	816	2	..	..	..	..	..	..	..	..	..
Aggregate,	.....	M	14679	30	5	5	1	3	9	4	4	7	3
	.....	F.	14357	14	4	4	11	1	8	1	10	8	12
	.....	U.	.....	1	..	..	..	..	..	..	..	..	..
Totals	.....	..	29036	45	9	9	12	4	17	5	14	15	15
ESSEX.													
Averill,	7	M.	4	—	—	—	—	—	—	—	—	—	—
		F.	3	—	—	—	—	—	—	—	—	—	—
Bloomfield,	244	M.	125	..	..	..	..	..	..	..	..	..	..
		F.	119	..	..	..	..	..	..	..	..	..	..
Brighton,	193	M.	105	2	..	..	..	..	..	..	..	..	..
		F.	88	..	..	..	..	..	..	..	..	..	..
Brunswick,	119	M.	63	..	..	..	..	..	..	..	..	..	..
		F.	56	..	..	..	..	..	..	..	..	..	.
Canaan,	471	M.	253	—	—	—	—	—	—	—	—	—	—
		F.	218	—	—	—	—	—	—	—	—	—	—
Concord,	1153	M.	594	1	1	..	..	..	..	..	1	..	..
		F.	559	..	..	..	..	..	..	1	..	1	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	1	1	..	..	1	1	..	..	1	..	..	..	..	6	....	....	....	1.31
..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	....	4	....	10	.89
..	..	1	1	1	..	..	..	..	..	..	..	..	..	..	7	....	....	....	.75
..	..	2	..	..	..	1	..	1	..	..	..	..	..	..	....	13	....	20	1.42
1	2	..	..	..	..	..	..	..	..	..	1	..	..	..	7	....	....	....	.54
..	..	..	1	..	..	..	..	..	..	..	2	..	..	1	....	5	....	12	.43
1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	3	....	....	....	.38
..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	....	7	....	10	1.04
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	1	..	..	1	..	..	1	..	..	1	6	....	....	....	.94
..	..	2	..	..	..	..	..	..	..	..	..	..	..	..	....	3	....	9	.48
..	..	..	1	..	1	..	..	..	..	1	..	..	..	..	6	....	....	....	.86
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	....	6	....	12	.76
..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	6	....	....	....	.80
1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	....	4	....	11	.55
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	1	....	....
..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	9	....	....	....	1.06
..	..	..	..	1	..	..	1	..	1	1	..	..	..	1	....	7	....	16	.86
3	7	3	6	5	5	6	5	6	1	6	5	..	..	2	131	....	....	....	.89
4	3	11	4	5	..	3	2	4	4	3	2	..	1	3	....	122	....	255	.85
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	...	2	....	....
7	10	14	10	10	5	9	7	10	5	9	7	..	1	6	131	122	2	255	.88
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
1	..	..	..	..	..	..	1	..	..	..	..	..	..	1	5	....	....	....	4.76
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	....	6	1.13
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	2	1	1	..	..	..	2	9	....	....	....	1.51
..	..	1	..	..	1	..	..	..	..	1	..	..	..	..	....	5	....	14	.89

TABLE VI.—Continued.

Towns.	Population. Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10.	10 to 15.	15 to 20	20 to 25	25 to 30.
Essex—Con.													
Easthaven,	94	M.	47	..	..	..	..	..	..	..	..	..	..
		F.	47	..	..	..	..	..	..	..	..	..	..
Granby,	127	M.	60	..	..	..	..	..	..	..	..	..	..
		F.	67	..	..	..	..	..	..	..	..	..	..
Guildhall,	501	M.	256	..	..	1	..	..	..	..	..	..	..
		F.	245	..	..	..	..	..	..	1	..	..	..
Lemington,	187	M.	90	..	..	..	..	..	..	1	..	..	..
		F.	97	..	..	..	..	..	..	..	..	..	1
Lunenburgh,	1123	M.	582	2	..	..	..	..	..	..	..	..	..
		F.	541	2	..	..	..	..	..	..	..	1	..
Maidstone,	237	M.	122	..	..	..	..	..	..	..	..	..	..
		F.	115	..	..	..	..	..	..	..	..	..	..
Victory,	168	M.	90	..	..	..	..	..	..	..	..	..	..
		F.	78	..	..	..	..	..	..	..	..	..	..
Wenlock,	26	M.	12	..	..	..	..	..	..	..	..	..	..
		F.	14	..	..	..	..	..	..	..	..	..	..
		M.											
Aggregate	.....	F.	2403	5	1	1	..	..	..	1	1	..	..
	.....		2247	2	..	..	..	..	..	2	..	2	1
		M.											
Totals,	.....	F.	4650	7	1	1	..	..	..	3	1	2	1
FRANKLIN.		..											
Avery's Gore,	48		23	..	..	..	..	..	..	..	..	..	..
			25	..	..	..	..	..	..	..	..	..	..
Bakersfield,	1523	M.	769	3	..	..	..	..	..	..	1	..	..
		F.	754	2	..	1	..	1	1	..	1	1	1
Berkshire,	1955	M.	987	1	1	..	1	..	..	..	..	..	1
		F.	968	2	1	1	1	..	..	..	1	1	1
Enosburgh,	2009	M.	1006	..	..	..	..	..	..	..	..	..	1
		F.	1003	1	2	..	..	..	..	1	..	..	1
Fairfax,	2111	M.	1064	1	..	..	..	..	..	..	..	..	..
		F.	1047	1	..	2	2	..	..	..	..	1	..
Fairfield,	2591	M.	1290	2	..	..	..	..	2	1	..	..	..
		F.	1301	..	..	1	..	..	..	..	..	..	..
Fletcher,	1084	M.	552	..	..	..	..	..	..	1	2	..	..
		F.	532	..	..	..	..	1	..	2	..	..	..
Franklin,	1646	M.	818	1	1	..	..	..	..	..	..	..	1
		F.	828	3	..	..	..	..	..	..	2	..	1

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60	60 to 65.	65 to 70	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	....	1	....	1	1.50
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	....	.39
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	....	2	.41
..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	3	....	....	....	3.33
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	....	4	1.03
..	..	..	1	..	..	..	..	..	1	1	1	..	..	..	6	....	....	....	1.03
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	3	....	9	.55
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	....	....	....	1.11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	1	....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
1	..	..	1	1	..	..	1	3	2	2	1	..	..	4	25	....	....	....	1.04
1	..	1	..	..	2	..	..	..	..	1	..	..	..	..	....	12	....	37	.53
2	..	1	1	1	2	..	1	3	2	3	1	..	..	4	25	12	....	37	.79
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
1	..	..	..	..	1	..	1	..	2	..	..	..	..	1	10	....	....	....	1.29
..	1	..	..	1	..	..	..	1	1	..	..	..	..	1	....	13	....	2[illegible]	1.72
..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	6	....	....	....	.60
..	1	..	..	..	..	..	1	..	1	1	..	..	..	1	....	13	....	19	1.34
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	2	....	....	....	.16
..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	....	7	....	9	.69
..	..	..	..	1	..	..	..	..	..	1	2	..	..	1	6	....	....	....	.56
..	..	..	1	1	1	1	2	..	..	..	1	..	..	..	....	13	....	19	1.24
..	..	1	..	..	..	..	..	..	..	..	3	..	..	3	12	....	....	....	.93
..	1	..	1	..	1	..	..	..	1	..	..	..	..	1	....	6	....	18	.46
..	1	..	..	..	..	..	..	..	1	..	1	..	..	1	7	....	....	....	1.26
..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	....	5	....	12	.90
..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	4	....	....	....	.49
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	....	7	....	11	.84

TABLE VI.—Continued.

TOWNS.	Population. Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Franklin—Con.													
Georgia,	2686	M.	1515	2	3	..	..	..	..	..	..	3	..
		F.	1171	..	1	1	..	..	2	..	..	1	..
Highgate,	2653	M.	1363	1	3	..	..	..	1	..	..	..	..
		F.	1290	2	1	..	..	..	..	..	1	..	..
Montgomery,	1001	M.	503	1	..	..	1	..	..	1	..	..	..
		F.	498	..	1	..	..	..	1	..	1	..	..
Richford,	1074	M.	547	..	..	..	..	..	..	..	..	..	..
		F.	527	..	..	..	..	..	..	..	..	..	..
Sheldon,	1814	M.	904	..	..	..	1	..	..	1	1	1	1
		F.	910	1	..	..	..	..	..	..	..	1	..
St. Albans,	3567	M.	1807	6	1	3	..	..	1	1	1	..	1
		F.	1760	2	1	..	1	2	..	2	..	1	2
Swanton,	2324	M.	1493	3	1	..	..	..	1	..	1	2	..
		F.	1331	7	..	3	2	1	3	4	1	..	6
		U.		1	..	..	..	..	..	..	..	..	..
Aggregate	.....	M.	14641	21	10	3	3	..	5	5	6	6	5
	.....	F.	13945	21	7	9	6	5	7	9	7	6	12
	.....	U.	.....	1	..	..	..	..	..	..	..	..	..
Totals,	.....	..	28586	43	17	12	9	5	12	14	13	12	17
GRAND ISLE.													
Alburgh,	1568	M.	827	4	..	..	..	..	..	1	..	..	..
		F.	741	3	..	..	..	..	1	1	..	1	..
Grand Isle,	666	M.	343	2	1	1	..	..	1	..	1	..	..
		F.	323	1	..	1	1	..	1	..	..	..	..
Isle La Motte,	476	M.	246	2	1	..	..	..	1	..	..	..	..
		F.	230	1	2	..	2	..	1	..	..	..	..
North Hero,	730	M.	395	1	1	2	..	1	3	..	..	..	..
		F.	335	1	1	..	..	..	..	..	..	..	..
South Hero,	705	M.	365	..	..	..	1	..	..	..	..	..	..
		F.	340	..	..	..	..	..	..	..	..	..	..
Aggregate	.....	M.	2176	9	3	3	1	1	5	1	1	..	..
	.....	F.	1969	6	3	1	3	..	3	1	..	1	..
Totals,	.....	..	4145	15	6	4	4	1	8	2	1	1	..

TABLE VI.—Continued.

50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95	95 & over.	Unknown.	Total. Males	Fem.	Unk	Total	Percentage.
..	..	..	..	..	1	..	..	1	..	..	12	....	....	....	.79
..	..	..	..	1	1	1	1	..	..	..	....	12	....	24	1.02
..	..	..	..	..	..	2	..	..	..	..	8	....	....	....	.58
..	..	..	..	1	..	1	1	..	..	..	....	7	....	15	.54
..	..	..	..	2	..	..	..	..	..	1	6	....	....	....	1.19
1	..	1	..	2	..	..	..	..	..	..	....	9	....	15	1.80
..	..	..	..	..	..	..	1	..	..	..	2	....	....	....	.36
..	..	..	..	..	..	..	..	..	..	..	....	....	....	2	....
..	..	..	..	..	..	..	..	..	..	..	6	....	....	....	.66
..	..	..	..	1	..	..	..	..	..	1	....	4	....	10	.44
1	..	..	2	2	2	1	..	..	..	1	24	....	....	....	1.33
1	1	..	..	..	..	1	..	1	..	1	....	19	....	43	1.08
..	1	..	1	..	..	.	..	..	..	..	12	....	....	....	.80
1	2	2	..	..	1	..	..	..	..	..	....	36	....	49	2.70
..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
2	2	1	4	4	6	4	8	1	..	9	117	....	....	....	.79
6	5	5	3	6	5	4	3	1	..	6	....	151	....	....	1.09
..	..	..	..	..	..	..	..	..	..	..	....	....	1	269	....
8	7	6	7	10	11	8	11	2	..	15	117	151	1	269	.94
..	..	1	..	1	..	1	..	..	..	2	11	....	....	....	1.33
..	..	..	..	..	1	..	1	..	..	..	....	9	....	20	1.21
..	..	..	..	..	..	..	..	..	..	..	6	....	....	....	1.75
..	1	..	..	..	..	..	..	..	..	..	....	5	....	11	1.54
1	..	1	..	..	..	1	..	..	..	..	8	....	....	....	3.25
..	..	..	..	..	..	..	..	..	..	..	....	6	....	14	2.61
..	..	..	..	..	..	..	..	..	..	..	8	....	....	....	2.02
..	..	..	..	..	..	..	..	..	..	..	....	2	....	10	.61
..	2	..	..	..	1	..	..	..	..	..	5	....	....	....	1.37
..	..	..	..	..	..	..	..	..	..	..	....	....	....	5	....
1	1	2	2	..	1	1	2	..	..	..	2	38	....	....	....	1.76
..	..	1	..	..	..	1	..	1	..	..	..	....	22	....	60	1.12
1	1	3	2	..	1	2	2	1	..	..	2	38	22	....	60	1.44

TABLE VI.—Continued.

TOWNS.	Population. Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
LAMOILLE.													
Belvidere,	256	M.	138	3	..	..	..	..	..	..	..	..	1
		F.	118	1	..	..	..	..	..	2	..	..	..
Cambridge,	1849	M.	942	..	..	..	..	..	..	..	..	1	..
		F.	907	1	1	..	..	..	1	..	1	3	..
Eden,	668	M.	342	1	2	..	..	..	..	..	..	..	..
		F.	326	1	1	2	..	..	..	1	..	..	..
Elmore,	504	M.	270	..	..	..	..	..	..	..	..	..	..
		F.	234	1	..	..	..	..	..	..	..	..	1
Hyde Park,	1107	M.	601	1	..	..	..	..	..	..	2	1	..
		F.	506	2	..	..	..	..	1	1	1	..	..
Johnson,	1381	M.	704	3	..	..	1	..	..	..	..	..	..
		F.	677	2	..	1	1	..	..	..	..	..	..
Morristown,	1441	M.	753	1	1	..	..	..	..	..	2	2	..
		F.	688	1	..	..	..	..	..	..	2	..	1
		U.	.....	2	..	..	..	..	..	..	..	..	..
Stowe,	1771	M.	893	1	1	1	1	..	1	..	..	..	..
		F.	878	2	..	..	..	..	..	..	..	2	1
Waterville,	753	M.	362	..	..	..	..	..	1	..	2	..	..
		F.	391	..	..	..	..	..	..	..	..	1	..
Wolcott,	909	M.	460	1	1	..	..	..	..	1	..	..	..
		F.	449	1	1	1	..	..	..	..	1	..	1
Aggregate	.....	M.	5585	11	5	1	2	..	2	1	6	4	1
	.....	F.	5287	13	3	4	1	..	2	4	5	6	4
	.....	U.	.....	2	..	..	..	..	..	..	..	..	..
Totals,	.....	..	10872	26	8	5	3	..	4	5	11	10	5
ORANGE.													
Bradford,	1723	M.	855	2	..	..	..	..	..	..	..	1	1
		F.	868	3	..	..	1	..	..	..	2	1	1
Braintree,	1228	M.	626	..	..	..	..	..	..	..	..	..	..
		F.	602	..	..	1	..	..	1	1	..	1	..
Brookfield,	1672	M.	841	2	..	..	..	..	..	1	1	1	1
		F.	831	2	..	..	..	..	..	..	1	..	..
Chelsea,	1958	M.	978	2	2	..	..	..	2	..	1	..	..
		F.	980	2	1	1	..	..	1	..	1	..	1
Corinth,	1906	M.	931	..	1	..	..	..	..	..	..	..	..
		F.	975	..	..	..	..	..	..	1	1	1	1

TABLE VI.—Continued

30 to 35.	35 to 40	40 to 45.	45 to 50.	50 to 55	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown	Total. Males	Total. Fem.	Total. Unk.	Total. Total.	Percentage
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	5	....	....	....	3.62
1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	....	5	....	10	4.24
1	..	..	..	..	..	..	..	..	1	..	1	..	..	..	4	....	....	....	.42
..	..	..	..	1	1	1	..	1	..	..	..	..	..	..	....	11	....	15	1.21
1	..	..	1	..	..	..	..	..	..	1	..	..	..	1	7	....	....	....	2.04
..	..	..	1	1	..	1	..	2	1	..	..	..	..	..	....	11	....	18	3.37
..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	2	....	....	....	.74
..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	....	4	....	6	1.70
..	..	..	..	..	..	1	..	2	..	..	..	..	..	..	7	....	....	....	1.16
1	1	..	..	1	1	2	..	..	2	2	..	..	..	..	....	15	....	22	2.96
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	5	....	....	....	.71
..	..	1	..	..	..	..	2	..	..	2	1	..	..	..	....	10	....	15	1.49
..	1	..	..	1	1	..	..	..	..	1	1	1	..	..	12	....	....	....	1.59
..	..	1	..	..	..	1	..	..	4	2	..	..	..	..	....	13	....	27	1.89
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	2	....	....
..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	7	....	....	....	.78
1	..	2	..	..	..	..	..	..	..	..	..	..	..	..	....	8	....	15	.91
..	..	..	1	..	..	..	..	..	..	1	1	..	..	..	6	....	....	....	1.66
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	....	7	.25
..	..	..	..	..	1	1	..	..	..	..	..	..	..	..	5	....	....	....	1.09
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	....	6	....	11	1.33
2	2	1	2	1	2	3	..	3	1	4	3	2	..	1	60	....	....	....	1.07
3	1	4	1	4	2	5	3	4	7	6	2	..	..	..	....	84	....	146	1.58
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	2	....	....
5	3	5	3	5	4	8	3	7	8	10	5	2	..	1	60	84	2	146	1.34
1	..	..	1	..	..	..	..	1	1	..	2	..	..	1	11	....	....	....	1.29
..	..	2	..	1	..	1	1	..	1	2	..	..	..	1	....	17	....	28	1.96
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	....	....	....	.16
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	....	5	....	6	.83
1	2	1	1	1	..	..	1	..	1	1	..	..	..	1	16	....	....	....	1.89
1	..	..	1	..	..	..	1	1	1	..	2	..	..	..	....	12	....	28	1.44
..	..	1	..	..	1	..	..	1	1	..	1	..	..	..	12	....	....	....	1.23
..	1	1	..	..	..	..	1	..	1	1	..	2	..	..	....	14	....	26	1.43
1	..	1	..	..	..	..	1	..	1	..	..	..	..	..	5	....	....	....	.54
..	..	1	2	..	..	..	1	1	..	1	..	..	..	..	....	10	....	15	1.02

TABLE VI.—Continued.

TOWNS.	POPULATION.			Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.
	Whole number.	SEX.								
Orange—Con.										
Fairlee,	575	M.	285	1	1	..	..	1	1	..
		F.	290	...	..	..	..	..	1	..
Newbury,	2384	M.	1501	1	2	..	..	..	..	..
		F.	1483	...	..	..	1	..	1	..
Orange,	1007	M.	508	1	1	..	..	..	..	..
		F.	499	...	1	..	..	..	..	..
Randolph,	2666	M.	1327	1	1	..	..	..	..	..
		F.	1339	1	..	..	1	..	1	..
Strafford,	1540	M.	744	1	1	..	..	..	..	1
		F.	796	2	..	..	..	..	1	..
Thetford,	2016	M.	1027	...	1	1	..	..	..	1
		F.	989	1	..	..	..	..	..	..
Topsham,	1668	M.	819	2	..	..	..	..	..	..
		F.	849	2	1	1	..	..	..	..
Tunbridge,	1786	M.	868	1	1	..	..	1	1	..
		F.	918	...	1	2	..	..	..	..
Vershire,	1071	M.	552	2	2	..	..	..	..	..
		F.	519	...	..	..	..	..	..	..
Washington,	1348	M.	693	1	1	..	..	1	1	..
		F.	655	...	..	..	1	..	2	..
West Fairlee,	696	M.	336	...	..	..	1	..	..	1
		F.	360	1	..	1	1	..	..	..
Williamstown,	1452	M.	733	1	..	..	1	..	..	1
		F.	719	...	..	..	..	..	..	..
Aggregate	.....	M	13654	18	14	1	2	3	5	5
	.....	F.	13642	14	4	6	5	..	8	2
Totals,	.....	..	27296	32	18	7	7	3	13	7
ORLEANS.										
Albany,	1052	M.	535	1	2	1	..	..	..	..
		F.	517	2	..	..	..	..	1	..
Barton,	987	M.	501	...	..	..	1	..	..	..
		F.	486	...	..	..	..	..	..	..
Brownington,	613	M.	313	...	1	..	..	..	..	..
		F.	300	...	1	..	..	..	..	..
Charleston,	1008	M.	513	2	1	..	..	..	..	..
		F.	495	2	..	..	..	..	..	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65	65 to 70.	70 to 75.	75 to 80	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	1	..	1	..	..	..	1	..	..	1	..	..	..	10	....	....	....	3.50
..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	....	4	....	14	1.30
1	1	..	1	..	..	5	2	..	..	..	2	1	1	..	19	....	....	....	1.26
1	2	..	..	1	..	..	..	1	..	1	1	..	..	..	....	12	....	31	.80
..	..	1	1	..	..	..	..	..	1	1	..	..	..	..	7	....	....	....	1.38
..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	....	4	....	11	.80
..	..	1	..	2	1	1	1	1	2	..	1	1	..	1	16	....	....	....	1.20
..	..	1	1	..	..	1	..	1	1	2	1	..	..	..	....	14	....	30	1.04
..	1	..	1	..	..	..	..	1	..	..	..	..	..	..	8	....	....	....	1.07
..	..	2	1	..	..	..	..	1	..	1	..	..	..	1	....	13	....	21	1.63
..	..	..	1	..	..	..	..	..	1	1	1	..	..	..	9	....	....	....	.87
..	..	..	..	1	2	..	2	3	2	1	1	2	..	..	....	16	....	25	1.62
..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	6	....	....	....	.73
..	1	..	..	..	1	..	1	..	..	..	..	..	..	..	....	10	....	16	1.17
..	..	1	..	..	..	..	..	1	..	..	1	..	..	..	10	....	....	....	1.15
..	..	..	..	..	2	..	1	..	..	..	..	..	..	..	....	8	....	18	.87
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	5	....	....	....	.90
..	..	..	..	..	..	..	1	..	1	..	2	..	..	..	....	5	....	10	.96
..	..	..	1	..	..	..	..	..	..	..	1	..	..	1	7	....	....	....	1.01
..	..	..	..	..	..	..	1	..	1	1	4	2	..	1	....	14	....	21	2.14
..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	3	....	....	....	.90
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	....	4	....	7	1.11
..	..	..	..	..	1	..	..	..	..	1	1	..	..	..	6	....	....	...	.82
..	1	..	..	..	..	..	..	..	..	2	2	..	..	..	....	12	....	18	1.67
4	5	7	7	4	3	6	6	7	8	4	12	2	1	5	151	....	....	....	1.10
2	8	7	6	3	5	3	10	8	9	14	13	6	..	3	....	174	....	325	1.28
6	13	14	13	7	8	9	16	15	17	18	25	8	1	8	151	174	....	325	1.19
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	5	....	....	....	.93
1	..	1	..	..	..	..	..	1	..	..	..	..	..	..	....	8	....	13	1.55
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	....	.20
..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	....	2	....	3	.40
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	2	....	....	....	.64
..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	....	7	....	9	2.33
1	..	1	..	..	1	1	..	..	1	..	..	..	..	2	10	....	....	....	1.95
..	..	..	..	1	..	1	..	1	..	..	1	..	..	1	....	6	....	19	1.82

TABLE VI.—Continued.

Towns.	Population. Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10.	10 to 15.	15 to 20.	20 to 25	25 to 30.
Orleans—Con.													
Coventry,	867	M.	449	1	..	..	..	..	..	..	..	1	..
		F.	418	..	..	..	..	..	..	..	..	..	..
Craftsbury,	1223	M.	626	1	..	..	..	..	..	..	..	..	1
		F.	597	..	..	..	..	..	1	..	..	1	..
Derby,	1750	M.	874	2	..	3	..	..	1	..	..	..	..
		F.	876	4	1	..	..	..	..	..	2	1	..
Glover,	1137	M.	585	3	..	..	1	..	..	..	..	..	..
		F.	552	1	..	..	..	..	..	..	1	..	1
Greensboro,	1008	M.	505	..	..	..	..	..	..	..	..	..	..
		F.	503	1	..	..	..	..	..	..	..	..	..
Holland,	669	M.	341	..	1	..	..	..	..	..	..	..	1
		F.	328	..	..	1	..	..	..	..	..	..	..
		U	....	..	..	..	..	..	..	1	..	..	..
Irasburgh,	1034	M.	531	1	..	1	..	..	..	..	..	..	1
		F.	503	1	..	..	..	..	..	..	..	..	..
Jay,	371	M.	200	..	..	..	..	..	..	..	..	..	..
		F.	171	..	..	..	..	..	..	..	..	..	..
Lowell,	637	M.	331	1	..	..	..	..	..	..	..	..	..
		F.	306	..	..	..	..	..	..	..	..	..	..
Morgan,	486	M.	246	..	..	..	..	..	..	..	..	1	1
		F.	240	2	1	..	..	..	..	..	..	..	..
Newport,	748	M.	378										
		F.	370										
Salem,	455	M.	232	..	..	..	..	..	..	..	..	..	..
		F.	223	..	..	..	..	..	..	..	..	..	..
Troy,	1008	M.	522	..	..	..	..	..	1	..	..	..	..
		F.	486	3	..	..	..	..	1	1	1	2	1
Westfield,	502	M.	248	1	..	..	..	..	..	1	1	1	..
		F.	254	2	..	..	..	..	..	1	..	..	..
Westmore,	152	M.	76	..	..	..	..	..	..	..	..	..	..
		F.	76	..	..	..	..	..	..	..	..	1	..
Aggregate	.....	M.	8006	13	5	5	2	..	2	1	1	3	4
	.....	F.	7701	18	3	1	..	..	3	2	6	10	3
	.....	U.	.....	..	..	..	..	..	..	1	..	..	..
Totals,	.....	..	15707	31	8	6	2	..	5	4	7	13	7

TABLE VI.—Continued.

30 to 35	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60	60 to 65	65 to 70	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Fem.	Unk.	Total.	Percentage.
..	..	..	..	..	..	1	2	..	..	..	..	..	..	1	6	....	....	....	1.33
..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	....	2	....	8	.48
..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	4	....	....	....	.64
..	..	..	..	..	1	1	1	1	..	..	..	..	..	..	....	6	....	10	1.00
2	..	..	..	2	1	..	..	..	1	..	..	..	..	..	12	....	....	....	1.38
..	..	1	..	1	..	..	1	..	..	1	1	..	..	..	....	13	....	25	1.47
1	..	..	..	..	1	..	..	1	1	1	..	..	..	1	10	....	....	....	1.70
2	..	..	..	1	..	..	1	..	..	..	..	..	..	..	....	7	....	17	1.27
..	1	..	1	..	..	..	..	..	..	1	..	..	..	2	5	....	....	....	.99
1	..	..	1	..	1	..	1	..	1	2	..	..	..	3	....	11	....	16	2.18
2	..	..	..	..	1	..	..	..	..	..	..	..	..	..	5	....	....	....	1.47
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	....	2	....	8	.61
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	5	....	....	....	.94
..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	....	3	....	8	.59
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	....	....	....	.50
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	....	1	....	2	.59
..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	3	....	....	....	.90
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	3	....
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	3	....	....	....	1.22
..	..	2	..	..	..	..	..	..	1	..	..	..	..	..	....	6	....	9	2.50
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	....	....	....	.43
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	1	....	2	.44
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	....	.19
..	..	..	..	..	..	..	1	1	1	1	..	..	..	..	....	13	....	14	2.67
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	....	....	....	1.61
1	1	..	..	..	..	1	..	..	1	..	..	..	..	..	....	7	....	11	2.75
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	....	1	1.30
6	1	1	1	3	5	2	6	1	5	3	..	..	..	8	78	....	....	....	.97
5	2	5	2	3	2	5	5	5	6	4	3	..	..	6	....	99	....	178	1.29
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
11	3	6	3	6	7	7	11	6	11	7	3	..	..	14	78	99	1	178	1.13

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	26 to 30.
RUTLAND.													
Benson,	1305	M.	654	2	..	..	..	..	..	..	..	1	1
		F.	651	2	..	..	..	..	..	..	..	1	..
Brandon,	2835	M.	1455	3	..	..	..	..	..	1	..	..	..
		F.	1380	4	1	..	..	..	2	..	..	..	..
		U.		..	..	..	..	..	..	..	..	..	..
Castleton,	3016	M.	1607	4	1	2	..	..	1	..	..	2	1
		F.	1409	2	3	1	..	..	..	..	1	..	3
Chittenden,	675	M.	356	..	..	..	..	..	..	..	..	1	1
		F.	319	1	..	1	..	..	1	..	1	..	..
Clarendon,	1477	M.	774	1	..	..	..	..	1	..	1	..	1
		F.	703	..	..	..	1	..	..	2	..	1	3
		U.		..	1	..	..	..	..	..	..	..	..
Danby,	1535	M.	771	2	..	..	..	..	..	..	2	1	..
		F.	764	5	..	2	..	..	..	..	..	..	..
Fairhaven,	902	M.	473	..	..	..	..	..	2	1	1	..	..
		F.	429	3	..	2	1	..	..	1	..	..	..
Hubbardton,	701	M	357	..	2	..	..	..	..	..	..	..	..
		F.	344	..	..	..	..	..	1	..	2	..	..
Ira,	400	M.	212	..	1	..	..	..	1	..	..	..	..
		F.	188	..	..	..	..	..	..	..	..	..	..
Mendon,	504	M.	263	..	2	2	..	1	..	..	..	..	..
		F.	241	..	..	..	1	..	..	..	..	..	..
Middletown,	875	M.	445	..	..	..	..	..	..	..	..	..	..
		F.	430	..	..	..	..	..	..	..	..	1	..
Mt. Holly,	1534	M.	792	1	..	..	..	1	..	1	1	..	1
		F.	742	1	..	..	..	..	..	..	1	1	..
Mt. Tabor,	308	M.	167	1	..	..	..	..	1	..	..	..	..
		F.	141	..	..	..	..	..	..	..	..	1	..
Pawlet,	1843	M.	928	3	..	..	..	..	1	..	..	..	..
		F.	915	1	1	..	..	1	..	..	1	..	..
Pittsfield,	512	M.	244	..	..	..	..	..	..	..	1	..	1
		F.	268	1	1	..	..	2	..	..	1	..	..
Pittsford,	2026	M.	1046	1	..	..	..	..	..	1	..	..	..
		F.	980	1	..	..	..	..	..	..	..	2	..
Poultney.	2329	M.	1187	2	..	1	1	1	..	1	1	1	..
		F.	1142	4	..	1	..	..	..	..	..	..	1
Rutland,	3715	M.	1967	18	7	5	3	3	2	..	1	..	2
		F.	1748	14	3	5	5	3	3	1	4	1	1
		U.		..	..	..	..	..	1	..	..	..	..

TABLE VI.—Continued.

55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males	Total. Fem.	Total. Unk	Total. Total	Percentage.
..	..	1	..	..	1	..	..	..	..	6	...	....	....	.92
1	..	..	..	1	1	..	..	..	..	....	6	....	12	.92
..	..	..	1	1	..	..	1	..	..	7	....	....	....	.48
..	..	..	..	..	..	..	..	..	..	....	10	....	19	.72
..	..	..	..	..	..	..	..	..	2	....	....	2	....	....
2	1	1	1	2	..	..	1	..	..	20	....	....	....	1.24
1	..	1	..	1	..	..	..	1	1	....	19	....	39	1.35
..	..	..	..	..	..	..	1	..	..	3	....	....	....	.84
..	..	..	..	..	..	..	1	..	..	....	5	....	8	1.56
..	..	1	2	1	..	..	..	..	..	9	....	....	....	1.16
1	1	..	2	..	..	..	..	..	..	....	13	....	23	1.85
..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
..	..	..	..	..	1	..	..	..	..	8	....	....	....	1.04
..	1	..	..	..	..	..	..	..	..	....	11	....	19	1.44
..	..	..	..	..	1	..	..	..	..	5	....	....	....	1.06
..	..	..	..	..	..	..	..	..	..	....	8	....	13	1.87
..	..	1	..	..	..	..	..	..	..	3	....	....	....	.84
..	..	..	1	..	..	..	..	..	..	....	6	....	9	1.74
..	..	..	..	..	..	..	..	..	..	3	....	....	....	1.41
..	..	..	..	1	..	..	..	..	..	....	1	....	4	.53
..	..	..	..	..	..	..	..	..	..	5	....	....	....	1.90
..	1	..	.	..	..	..	..	..	..	....	3	....	8	1.24
..	..	1	..	..	1	..	..	..	..	3	....	....	....	.67
..	..	..	..	..	..	..	..	..	..	....	1	....	4	.23
1	1	1	1	..	..	..	..	..	..	11	....	....	....	1.39
..	1	..	2	1	..	..	..	..	..	....	10	....	21	1.35
..	..	..	..	..	..	..	..	..	..	3	....	....	....	1.79
..	1	..	..	..	..	..	..	..	..	....	3	....	6	2.12
..	..	..	..	..	..	..	..	..	..	5	....	....	....	.54
..	..	..	..	..	..	..	..	..	..	....	4	....	9	.44
..	..	..	1	..	..	..	..	..	..	5	....	....	....	2.05
..	..	..	1	..	2	..	..	..	..	....	9	....	14	3.32
..	..	..	1	..	..	1	..	..	..	6	....	....	....	.57
..	1	..	1	..	1	..	..	..	..	....	10	....	16	1.02
..	..	..	2	..	1	..	..	..	..	19	....	....	....	1.60
1	..	..	1	3	..	1	..	..	..	....	18	....	37	1.57
..	1	..	3	1	2	..	..	1	1	54	....	....	....	2.74
..	..	..	1	..	..	2	2	..	1	....	51	....	106	2.92
..	..	..	..	..	..	..	..	..	..	....	....	1	....	....

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25	25 to 30.
Rutland—Con.													
Sherburne.....	578	M.	296	1	..	..	..	1	1	..	..	..	..
		F.	282	..	..	..	..	..	..	..	..	1	1
Shrewsbury, ...	1268	M.	639	..	..	1	..	..	..	..	1	4	1
		F.	629	1	1	..	..	..	..	..	..	..	2
Sudbury,.....	794	M.	399	1	..	..	..	..	..	..	..	..	..
		F.	395	..	..	..	..	..	..	..	1	..	..
Tinmouth,.....	717	M.	366										
		F.	351										
Wallingford,.....	1688	M.	855	1	..	..	1	..	1	..	..	..	..
		F.	833	..	..	..	..	1	..	1	..	1	..
Wells,.....	804	M.	397	..	..	..	..	..	..	..	..	..	..
		F.	407	..	..	..	..	..	..	..	..	1	..
West Haven,.....	718	M.	374	..	2	1	..	..	..	..	..	..	..
		F.	344	..	..	..	..	..	..	..	..	..	..
Aggregate, ...	.....	M.	17024	41	15	12	5	7	11	5	9	10	9
	.....	F.	16035	40	10	12	8	6	7	5	12	12	11
	.....	U.	.....	..	1	..	..	..	1	..	..	..	..
Totals	.....	..	33059	81	26	24	13	13	19	10	21	22	20
WASHINGTON.													
Barre,.....	1845	M.	938	..	..	..	1	..	1	..	..	1	..
		F.	907	1	..	..	..	..	..	2	1	..	2
Cabot,.....	1356	M.	689	..	..	1	..	..	..	..	..	..	..
		F.	667	1	..	..	..	..	..	1	..	..	1
Berlin,.....	1507	M.	760	2	..	..	..	..	..	1	..	..	..
		F.	747	1	1	..	..	..	..	..	1	1	1
Calais,.....	1410	M.	701	2	1	..	..	..	1	..	1	2	1
		F.	709	4	..	1	..	1	1	1	1	1	..
Duxbury,.....	845	M.	444	..	..	..	..	..	..	..	..	..	1
		F.	401	1	1	..	..	..	..	..	1	..	..
East Montpelier, ...	1447	M.	748	2	1	..	..	..	..	1	..	..	..
		F.	699	..	..	..	..	..	..	..	1	..	..
Fayston, ...	684	M.	363										
		F.	321										
Marshfield, ...	1102	M.	567	1	..	..	..	..	..	..	..	..	..
		F.	535	..	..	..	..	..	1	1	..	..	..

TABLE VI.—Continued

30 to 35.	35 to 40	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown	Total. Males	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	5	....	....	....	1.69
..	..	..	1	..	..	..	1	..	..	..	..	..	..	1	....	5	....	10	1.77
..	..	..	..	..	..	..	..	2	1	..	..	..	..	1	11	....	....	....	1.72
..	..	1	1	..	1	..	..	..	..	..	..	1	..	..	....	8	....	19	1.27
..	1	..	1	..	..	..	..	..	..	1	..	..	..	..	4	....	....	....	1.00
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	....	2	....	6	.50
..	..	..	..	..	..	1	1	2	..	1	..	..	..	..	8	....	....	....	.93
..	..	..	1	..	1	..	..	..	2	..	..	..	1	..	....	8	....	16	.96
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	....	....	....	.25
..	1	1	..	..	..	..	..	..	1	..	1	..	..	..	....	5	....	6	1.23
..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	4	....	....	....	1.07
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	....	5	.29
4	5	7	6	8	3	4	7	16	6	9	2	3	1	3	208	....	....	....	1.22
11	13	5	5	9	6	6	2	10	10	4	4	4	2	3	....	217	....	429	1.35
..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	....	4	....	....
15	18	12	11	17	9	10	9	26	16	13	6	7	3	8	208	217	4	429	1.30
..	1	..	1	..	2	..	1	..	..	..	..	..	..	..	8	....	....	....	.85
1	1	..	..	..	..	..	1	..	..	..	..	..	..	..	....	9	....	17	.99
..	..	..	..	2	..	..	..	1	..	..	..	..	..	..	4	....	....	....	.58
..	..	..	1	..	1	..	1	..	..	1	..	..	..	1	....	8	....	12	1.20
..	..	..	..	..	..	..	1	2	1	..	..	..	..	1	8	....	....	....	1.05
..	1	..	..	..	..	..	1	..	..	1	1	..	..	..	....	9	....	17	1.20
..	..	..	3	1	..	..	..	1	..	..	1	..	..	..	14	....	....	....	2.00
..	1	1	..	1	..	..	..	..	1	..	..	..	..	..	....	14	....	28	2.00
..	..	..	..	..	1	..	..	..	1	1	..	..	..	..	4	....	....	....	.90
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	4	....	8	1.00
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	....	....	....	.67
1	..	..	1	..	..	..	..	..	2	..	1	..	..	..	....	6	....	11	.86
..	..	..	..	..	..	..	2	..	..	1	1	..	..	..	5	....	....	....	.90
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	....	3	....	8	.56

TABLE VI.—Continued.

TOWNS.	POPULATION.			Under 1.	1 to 2	2 to 3.	3 to 4.	4 to 5.	5 to 10	10 to 15.	15 to 20.	20 to 25	25 to 30.
	Whole number.	SEX.											
Washington—Con.													
Middlesex,	1365	M.	673	3	..	..	..	..	1	..	..	..	1
		F.	692	...	1	..	..	..	1	..	1	..	..
		U.	.....	1	..	..	..	..	..	..	..	..	..
Montpelier,	2310	M.	1119	2	2	..	..	..	2	..	..	..	..
		F.	1191	...	..	..	..	..	..	..	..	1	1
Moretown,	1335	M.	657	...	..	..	..	..	..	..	..	1	..
		F.	678	...	..	..	..	..	2	..	..	..	..
Northfield,	2922	M.	1488	8	3	3	..	..	2	..	1	1	2
		F.	1434	5	7	1	2	1	1	..	..	3	..
Plainfield,	808	M.	393	1	..	1	1	..	1	..	..	1	1
		F.	415	1	1	..	1	..	4	..	1	..	..
Roxbury,	967	M.	536	1	1	..	..	..	..	..	..	..	..
		F.	431	...	..	1	..	..	..	..	1	..	..
Waitsfield,	1021	M.	513	1	1	..	..	..	..	..	..	..	..
		F.	508	1	..	..	..	..	..	..	..	..	..
Warren,	962	M.	501	1	..	..	..	..	1	..	..	..	..
		F.	461	...	..	..	..	1	..	..	..	..	..
Waterbury,	2352	M.	1172	1	..	..	..	..	..	..	..	1	..
		F.	1180	1	1	..	..	..	..	..	..	..	..
Woodbury	1070	M.	542	1	..	..	..	..	..	..	..	2	..
		F.	528	...	..	..	..	..	..	..	..	..	..
Worcester,	702	M.	352	2	..	..	..	..	1	..	..	..	..
		F.	350	1	..	..	..	..	..	..	..	1	..
Aggregate	.....	M	12467	28	9	5	2	..	10	2	2	9	6
	.....	F.	12187	17	12	3	3	3	10	5	8	7	5
	.....	U.	.....	1	..	..	..	..	..	..	..	..	..
Totals,	.....	..	24654	46	21	8	5	3	20	7	10	16	11
WINDHAM.													
Athens,	359	M.	186	1	..	..	..	..	..	..	..	..	..
		F.	173	...	..	..	..	..	..	..	..	..	..
Brattleboro',	3816	M.	1855	8	4	2	..	1	2	..	2	1	..
		F.	1961	4	1	..	1	..	1	..	2	2	3
Brookline,	285	M.	138	...	..	..	..	..	..	..	..	..	..
		F.	147	...	..	..	..	..	..	..	..	..	..
Dover,	709	M.	362	2	..	..	..	..	..	..	..	..	.
		F.	347	...	..	..	..	..	..	..	..	..	

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	..	1	..	1	1	1	1	2	..	1	..	1	..	14	....	....	....	2.03
..	..	1	..	1	..	1	1	3	..	..	1	..	..	..	....	11	....	26	1.59
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
..	1	..	..	..	..	..	1	1	..	..	..	..	..	..	9	....	....	....	.80
1	..	1	..	..	..	..	..	..	..	1	..	..	..	..	....	5	....	14	.42
..	..	..	..	1	..	..	..	1	..	1	..	..	..	..	4	....	....	....	.60
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	....	3	....	7	.44
..	..	1	..	1	..	..	..	1	..	..	1	..	..	1	25	....	....	....	1.67
..	1	..	..	2	..	2	1	3	..	1	..	..	..	1	....	31	....	56	2.16
..	..	..	..	..	..	..	..	..	2	..	..	..	..	1	9	....	....	....	2.30
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	8	....	17	1.93
..	1	1	2	..	..	..	1	..	..	..	..	..	..	..	7	....	....	....	1.30
..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	....	4	....	11	.93
1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	4	....	....	....	.78
..	2	1	..	..	..	..	..	..	1	..	..	..	..	..	....	5	....	9	.93
..	..	1	..	..	..	..	..	1	1	..	..	..	..	1	6	....	....	....	1.20
..	2	..	..	..	..	1	..	..	..	..	..	..	..	..	....	4	....	10	.87
..	..	1	..	..	..	..	..	2	1	..	..	..	..	..	6	....	....	....	.51
..	1	..	1	..	..	..	..	..	1	..	1	..	..	..	....	6	....	12	.51
..	..	..	..	2	1	1	..	1	..	1	..	1	..	..	10	....	....	....	1.84
..	..	1	1	..	..	..	..	..	1	..	..	1	..	..	....	4	....	14	.76
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	....	....	....	1.13
1	1	..	..	1	..	..	..	1	..	..	..	..	..	..	....	6	....	10	1.71
3	3	4	7	7	5	2	7	12	8	5	4	1	1	4	146	....	....	....	1.17
5	10	5	4	5	1	4	5	8	7	5	4	1	..	3	....	140	....	287	1.15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
8	13	9	11	12	6	6	12	20	15	10	8	2	1	7	146	140	1	287	1.16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	....	.54
..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	....	2	....	3	1.15
1	..	..	1	1	1	..	1	1	..	1	..	..	..	..	27	....	....	....	1.46
1	4	..	..	1	2	1	1	1	3	1	..	2	..	..	....	31	....	58	1.58
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	1	..	..	..	..	..	..	..	2	..	..	..	..	....	3	....	3	2.04
..	..	..	..	..	..	1	1	..	..	1	..	..	..	..	5	....	....	....	1.38
..	..	1	..	..	..	..	..	..	1	1	..	..	..	..	....	4	....	9	1.15

TABLE VI.—Continued.

Towns.	Population. Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20	20 to 25	25 to 30.
Windham—Con.													
Dummerston,	1645	M.	900	...	1	..	..	..	..	..	..	3	..
		F.	745	...	1	..	..	..	..	..	1	..	2
Grafton	1241	M.	613	1	..	1	..	..	..	..	..	..	..
		F.	628	...	1	1	..	..	..	..	3	..	..
Guilford	1389	M.	701	1	..	..	..	..	1	..	..	..	..
		F.	688	...	..	..	..	..	..	..	..	..	..
Halifax,	1133	M.	580	1	..	1	1	..	..	..	..	..	..
		F.	553	...	..	..	..	..	1	..	..	1	..
Jamaica,	1607	M.	826	...	..	..	..	..	2	..	..	1	..
		F.	780	3	..	2	..	..	..	..	..	1	1
Londonderry,	1274	M.	640	2	..	..	1	..	..	..	..	..	1
		F.	634	1	..	1	..	..	..	..	..	1	..
Marlboro,	896	M.	467	1	..	..	1	..	1	..	.	..	..
		F.	429	...	..	..	..	..	1	..	..	1	..
Newfane,	1304	M.	661	1	..	1	..	..	1	..	..	1	..
		F.	643	2	..	..	..	..	1	..	1	1	2
Putney,	1425	M.	735	...	2	..	..	..	..	..	1	..	..
		F.	690	3	..	..	..	..	..	..	1	..	..
Rockingham,	2837	M.	1490	2	2	1	..	..	2	..	..	1	..
		F.	1347	...	..	1	..	1	..	..	..	2	1
Somerset,	321	M.	164	...	1	..	..	..	..	..	..	..	..
		F.	157	...	..	..	..	..	..	..	..	..	..
Stratton,	286	M.	151	...	..	..	..	1	1	..	..	..	1
		F.	135	...	..	..	..	..	..	1	..	..	..
Townshend,	1354	M.	643	2	..	..	..	..	1	..	..	2	1
		F.	711	...	1	..	..	..	1	..	..	2	..
Vernon,	821	M.	436	1	..	..	..	1	..	1	1	..	1
		F.	385	...	..	..	..	..	1	..	..	..	1
Wardsboro',	1125	M.	560	...	1	2	..	..	..	..	..	..	..
		F.	565	...	..	..	..	..	..	..	1	..	..
Westminster,	1721	M.	923	...	..	1	..	..	..	1	..	..	..
		F.	798	1	..	..	..	..	1	..	..	2	1
Whitingham,	1380	M.	702	...	..	1	..	..	..	..	..	..	..
		F.	678	...	..	..	..	..	2	..	..	..	1
Wilmington,	1372	M.	709	1	2	1	1	..	..	..	..	..	..
		F.	663	...	..	..	..	..	1	..	..	..	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	..	..	..	..	1	..	1	1	..	..	..	..	..	7	....	....	....	.77
..	..	..	..	..	2	1	1	..	..	..	..	..	..	..	....	8	....	15	1.07
..	..	..	1	..	..	..	..	1	..	..	1	..	..	1	6	....	....	....	.98
..	..	1	..	1	1	1	..	..	..	..	..	1	..	..	....	10	....	16	1.59
..	1	..	..	1	1	1	..	..	..	..	..	..	..	..	6	....	....	....	.85
..	1	1	..	..	..	1	..	1	1	..	1	..	..	1	....	7	....	13	1.02
..	..	..	..	1	..	..	..	..	2	..	1	..	1	..	8	....	....	....	1.38
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	....	3	....	11	.54
..	..	..	..	..	..	..	1	..	..	1	3	..	..	..	8	....	....	....	.97
..	2	1	..	1	1	..	..	1	1	..	..	1	..	..	....	15	....	23	1.92
..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	6	....	....	....	.94
1	..	..	..	..	1	..	..	1	..	..	..	..	..	..	....	6	....	12	.95
2	..	..	..	1	1	..	..	1	..	..	..	..	..	..	8	....	....	....	1.71
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	....	10	.47
..	..	..	..	..	..	..	..	..	..	1	1	1	..	..	7	....	....	....	1.06
..	..	..	..	..	..	2	1	1	1	..	..	..	..	..	....	12	....	19	1.86
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	4	....	....	....	.54
1	1	..	..	..	..	..	..	..	..	1	..	..	..	..	....	7	....	11	1.01
2	..	..	..	1	1	1	2	2	1	1	..	..	..	3	22	....	....	....	1.47
1	..	3	..	..	1	2	1	..	..	..	3	..	..	4	....	19	....	41	1.41
..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	3	....	....	....	1.82
..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	....	2	....	5	1.27
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	....	....	....	1.98
..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	....	3	....	6	2.22
..	..	..	..	..	..	..	1	2	1	2	1	..	..	..	13	....	....	....	2.02
2	1	..	..	..	1	..	..	1	..	2	..	1	..	..	....	12	....	25	1.69
1	1	..	..	..	..	..	..	..	1	..	..	..	..	..	8	....	....	....	1.83
..	1	..	..	..	..	..	..	1	1	..	..	..	..	..	....	5	....	13	1.30
..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	5	....	....	....	.89
..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	....	3	....	8	.53
..	1	..	1	..	2	..	..	1	..	1	..	..	..	..	8	....	....	....	.86
2	..	..	1	2	..	1	..	1	..	2	1	..	..	..	....	15	....	23	1.88
..	..	..	..	..	2	..	..	..	1	..	..	..	..	..	4	....	....	....	.57
..	..	1	..	..	..	2	..	2	..	..	1	..	..	..	....	9	....	13	1.32
..	..	..	1	..	..	..	..	1	1	1	..	..	..	..	9	....	....	....	1.27
..	..	1	..	2	..	..	..	4	..	1	..	..	..	1	....	10	....	19	1.55

TABLE VI.—Continued.

TOWNS.	Population. Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Windham—Con.													
Windham,	763	M.	396	2	1	..	..	..	..	..	..	..	..
		F.	367	1	..	..	..	..	..	..	..	1	..
Aggregate	.....	M.	14828	26	14	11	4	3	11	2	4	9	4
	.....	F.	14224	15	4	5	1	1	10	1	9	14	13
Totals,	.....	..	29052	41	18	16	5	4	21	3	13	23	17
WINDSOR.													
Andover,	725	M.	369	..	..	..	..	..	..	1	..	..	..
		F.	356	2	..	..	..	..	..	..	..	1	..
Baltimore,	124	M.	67	..	..	..	..	..	..	1	..	..	..
		F.	57	..	..	..	..	..	..	..	1	..	..
Barnard,	1647	M.	826	1	..	..	1	..	1	..	..	..	..
		F.	821	..	1	..	..	..	1	..	..	2	2
Bethel,	1730	M.	880	..	..	1	..	..	..	..	1	..	..
		F.	850	2	..	..	..	..	..	..	..	1	..
Bridgewater,	1311	M.	676	..	..	..	..	..	..	..	..	..	..
		F.	635	..	..	..	1	..	..	..	..	1	..
Cavendish,	1576	M.	769	1	1	..	..	..	1	..	..	..	1
		F.	807	..	..	1	..	..	..	..	1	..	..
Chester,	2001	M.	1042	1	..	..	1	..	..	..	1	1	..
		F.	959	2	2	2	..	..	..	..	1	2	1
Hartford,	2159	M.	1083	1	1	..	..	..	..	..	5	1	..
		F.	1076	..	..	..	..	..	..	1	..	1	2
Hartland,	2063	M.	1043	..	..	..	..	..	..	..	1	..	..
		F.	1020	1	..	..	..	..	..	..	1	..	..
Ludlow,	1619	M.	811	1	..	..	..	..	2	..	1	..	1
		F.	808	1	1	1	..	..	..	..	2	1	..
Norwich,	1978	M.	993	..	1	1	..	..	..	..	1	2	..
		F.	985	..	2	..	..	..	..	1	..	1	..
Plymouth,	1226	M.	650	2	..	1	1	..	1	..	..	1	..
		F.	576	..	1	..	..	..	..	..	..	..	2
Pomfret,	1546	M.	798	..	1	..	..	1	1	..	..	..	1
		F.	748	..	..	1	..	..	..	..	..	..	1
Reading,	1171	M.	578	..	..	..	..	1	..	..	..	1	..
		F.	593	..	..	..	..	..	..	..	..	..	..
Rochester,	1493	M.	753	1	..	..	..	..	..	..	..	1	..
		F.	740	1	..	..	..	1	1	..	..	1	1

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk	Total. Total	Percentage.
..	..	..	..	..	..	..	1	..	1	..	1	..	..	..	6	....	....	....	1.51
..	..	..	..	1	..	..	..	1	..	..	1	..	..	..	....	5	....	11	1.36
6	4	..	4	5	8	4	7	12	11	10	9	1	1	4	174	....	....	....	1.17
7	10	10	2	8	9	13	4	16	8	13	8	5	1	6	....	193	....	367	1 36
13	14	10	6	13	17	17	11	28	19	23	17	6	2	10	174	193	....	357	1.26
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	2	....	....	....	.54
..	..	..	..	..	..	..	..	1	1	2	..	..	..	..	....	7	....	9	1.96
..	..	..	..	1	..	..	..	..	1	..	1	..	..	..	4	....	....	....	6.00
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	....	2	....	6	3.50
..	..	..	1	..	1	2	..	1	1	1	..	..	1	..	11	....	....	....	1.33
2	..	..	..	1	..	1	1	..	2	1	2	1	..	..	....	17	....	28	2.07
..	..	..	..	..	1	..	..	1	1	1	..	..	..	1	7	....	....	....	.79
..	..	..	..	..	..	1	..	1	1	..	..	..	..	1	....	7	....	14	.82
..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	2	....	....	....	.30
..	..	..	..	1	..	1	..	..	1	1	..	..	..	..	....	6	....	8	.94
..	..	..	..	2	1	1	3	1	..	1	2	..	..	..	15	....	....	....	2.00
2	1	..	..	..	1	2	..	..	2	..	1	..	..	..	....	11	....	26	1.36
..	..	..	2	1	1	..	..	1	..	..	..	..	..	..	9	....	....	....	.86
..	1	1	1	..	..	2	..	2	2	2	2	..	..	..	....	23	....	32	2.40
1	..	..	..	..	1	..	2	1	2	..	..	..	..	1	16	....	....	....	1.48
..	1	..	..	2	..	1	1	2	1	..	1	1	..	1	....	15	....	31	1.39
..	..	..	..	1	1	..	5	1	1	1	..	..	..	..	11	....	....	....	1.05
1	1	..	1	..	1	1	1	3	1	..	..	1	..	..	....	13	....	24	1.27
..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	7	....	....	....	.86
..	1	1	..	..	..	1	..	1	..	2	1	..	..	..	....	13	....	20	1.60
1	..	..	..	..	1	..	..	..	2	..	..	..	..	1	10	....	....	....	1.00
..	1	..	..	1	..	1	1	..	..	1	..	1	..	1	....	11	....	21	1.01
..	..	..	..	..	..	1	..	2	1	..	1	..	..	..	11	....	....	....	1.69
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	3	....	14	.52
..	1	..	..	..	..	..	2	..	..	..	1	..	..	..	8	....	....	....	1.00
..	..	..	..	..	..	..	..	2	2	..	..	1	..	..	....	7	....	15	.93
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	3	....	....	....	.52
..	..	..	..	..	..	2	..	..	..	..	1	..	..	..	....	3	....	6	.50
..	..	1	..	..	1	..	..	1	2	2	..	..	..	..	9	....	....	....	1.19
2	1	..	..	..	1	..	..	1	..	..	..	2	..	..	....	12	....	21	1.65

TABLE VI.—Continued.

TOWNS.	POPULATION.			Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
	Whole number.	SEX.											
Windsor—Con.													
Royalton,	1850	M.	930	2	..	..	..	..	2	..	..	..	..
		F.	920	...	..	..	..	..	..	1	..	..	..
Sharon,	1240	M.	625	...	..	..	..	..	1	..	..	1	..
		F.	615	...	1	..	..	1	..	..	..	..	..
Springfield,	2762	M.	1351	3	1	..	1	..	..	1	..	..	1
		F.	1411	7	..	..	..	..	..	..	1	1	1
Stockbridge,	1327	M.	682	...	..	..	..	..	..	..	..	..	..
		F.	645	1	..	..	..	..	..	..	..	..	..
Weathersfield,	1851	M.	890	3	..	1	..	..	..	..	..	..	1
		F.	961	3	..	..	2	..	1	1	..	..	1
Weston,	950	M.	483	...	..	..	1	..	1	..	2	..	..
		F.	467	1	1	..	..	..	1	..	..	1	..
W. Windsor,	1002	M.	488	...	..	..	1	..	2	..	..	..	..
		F.	514	1	..	..	..	..	2	..	..	1	..
Windsor,	1928	M.	1012	3	..	..	..	..	1	..	..	..	..
		F.	916	...	..	..	..	1	..	..	1	..	..
		U.	.....	1	..	..	..	..	..	..	..	..	..
Woodstock,	3041	M.	1511	1	..	..	1	..	1	2	..	1	..
		F.	1530	...	..	..	1	..	..	2	2	3	..
Aggregate	.....	M.	19310	20	5	4	7	2	14	5	12	9	5
	.....	F.	19010	22	9	5	4	3	6	6	10	17	11
	.....	U.	.....	1	..	..	..	..	..	..	..	..	..
Totals,	.....	..	38320	43	14	9	11	5	20	11	22	26	16

TABLE VI.—Continued

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown.	Total. Males	Total. Fem.	Total. Unk.	Total. Total.	Percentage
..	1	..	..	..	1	..	1	..	..	..	..	..	..	..	7	....	....	....	.75
1	..	..	..	..	2	2	..	2	1	3	..	1	..	..	....	13	....	20	1.41
..	1	1	1	..	..	..	..	..	..	..	..	..	..	..	5	....	....	....	.80
..	1	1	1	..	1	..	1	2	..	..	..	..	..	..	....	9	....	14	1.46
..	1	..	..	2	..	..	1	..	..	2	..	..	..	..	13	....	....	....	.96
2	1	1	1	..	..	..	1	1	2	..	2	..	..	..	....	21	....	34	1.49
..	..	..	..	..	2	..	1	1	1	2	1	..	..	..	8	....	....	....	1.17
..	..	1	..	1	..	1	..	..	..	2	..	..	..	..	....	6	....	14	.93
..	..	..	1	1	..	1	1	1	3	1	1	..	1	..	16	....	....	....	1.80
2	2	..	1	..	1	..	2	..	2	2	1	..	..	2	....	23	....	39	2.39
..	1	..	..	..	..	..	..	..	..	..	..	2	..	..	7	....	....	....	1.45
1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	....	6	....	13	1.28
1	1	..	1	..	1	..	3	1	..	..	..	..	..	..	11	....	....	....	2.25
..	..	4	1	1	..	..	1	2	..	..	3	..	..	..	....	16	....	27	3.11
..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	6	....	....	....	.59
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	....	3	....	10	.33
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
..	..	..	..	..	1	..	..	..	..	1	..	1	..	..	9	....	....	....	.59
..	..	1	..	3	..	..	2	..	3	..	..	..	..	..	....	17	....	26	1.11
3	6	3	6	8	13	6	20	13	17	14	7	3	2	3	207	....	....	....	1.07
13	11	11	6	11	7	16	11	20	21	17	14	8	..	5	....	264	....	472	1.38
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
16	17	14	12	19	20	22	31	33	38	31	21	11	2	8	207	264	1	472	1.23

TABLE VI.—RECAPITULATION.

COUNTIES.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2	2 to 3	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25	25 to 30.
Addison,	26459	M.	13452	15	4	6	1	1	5	1	5	4	3
		F.	13097	14	6	3	3	5	9	7	10	3	5
		U.		..	..	..	..	..	..	..	..	..	..
Bennington,	18589	M.	9478	26	10	5	..	1	7	1	2	4	4
		F.	9111	20	5	7	5	2	6	1	7	9	8
		U.		..	..	..	..	..	..	..	..	..	..
Caledonia,	23595	M.	12350	10	3	5	3	3	2	4	5	2	4
		F	11245	17	8	5	4	3	2	3	12	6	5
		U.		1	..	..	..	..	..	..	..	..	..
Chittenden,	29036	M.	14679	30	5	5	1	3	9	4	4	7	3
		F.	14357	14	4	4	11	1	8	1	10	8	11
		U.		1	..	..	..	..	..	..	..	..	..
Essex,	4650	M.	2403	5	1	1	..	..	..	1	1	..	..
		F.	2247	2	..	..	..	..	..	2	..	2	1
		U.		..	..	..	..	..	..	..	..	..	..
Franklin,	28586	M.	14641	21	10	3	3	..	5	5	6	6	5
		F.	13945	21	7	9	6	5	7	9	7	6	12
		U.		1	..	..	..	..	..	..	..	..	..
Grand Isle,	4145	M.	2176	9	3	3	1	1	5	1	1	..	..
		F.	1969	6	3	1	3	..	3	1	..	1	..
		U.		..	..	..	..	..	..	..	..	..	..
Lamoille,	10872	M.	5585	11	5	1	2	..	2	1	6	4	1
		F.	5287	13	3	4	1	..	2	4	5	6	4
		U.		2	..	..	..	..	..	..	..	..	..
Orange,	27296	M.	13354	18	14	1	2	3	5	5	8	7	7
		F.	13672	14	4	6	5	..	8	2	12	13	13
		U.		..	..	..	..	..	..	..	..	..	..
Orleans,	15707	M.	8006	13	5	5	2	..	2	1	1	3	4
		F.	7701	18	3	1	..	..	3	2	6	10	3
		U.		..	..	..	..	..	..	1	..	..	..
Rutland,	33059	M.	17024	41	15	12	5	7	11	5	9	10	9
		F.	16035	40	10	12	8	6	7	5	12	12	11
		U.		..	1	..	..	..	1	..	..	..	..
Waashington,	24654	M.	12467	28	9	5	2	..	10	2	2	9	6
		F.	12187	17	12	3	3	3	10	5	8	7	5
		U.		1	..	..	..	..	..	..	..	..	..
Windham,	29062	M.	14838	26	14	11	4	3	11	2	4	9	4
		F.	14224	15	4	5	1	1	10	1	9	14	13
		U.		..	..	..	..	..	..	..	..	..	..

Table VI.—RECAPITULATION.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
3	3	1	2	3	4	3	6	8	10	3	5	5	..	..	101	....	....	....	.75
5	6	4	6	..	5	8	9	7	5	10	5	1	..	..	....	136	....	237	1.04
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
3	1	2	7	3	2	2	7	6	5	5	3	2	1	3	112	....	....	....	1.18
3	2	4	5	5	3	5	4	8	4	6	6	3	..	2	....	130	....	242	1.42
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
4	3	4	1	3	5	2	9	7	4	8	5	1	1	2	100	....	....	....	.81
6	4	9	3	7	3	4	5	7	5	9	2	2	..	3	....	134	....	235	1.19
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
3	7	3	6	5	5	6	5	6	1	6	5	..	..	2	131	....	....	....	.89
4	3	11	4	5	..	3	2	4	4	3	2	..	1	3	....	122	....	255	.85
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	2	....	....
1	..	..	1	1	..	..	1	3	2	2	1	..	..	4	25	....	....	....	1.04
1	..	1	..	..	2	..	..	..	..	1	..	..	..	..	....	12	....	37	.53
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
1	1	8	2	2	2	1	4	4	6	4	8	1	..	9	117	....	....	....	.79
2	8	2	6	6	5	5	3	6	5	4	5	1	..	6	....	151	....	269	1.09
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
1	..	1	1	1	2	2	..	1	1	2	..	..	..	2	38	....	....	....	1.76
..	1	..	..	..	1	..	..	..	1	..	1	..	..	..	....	22	....	60	1.12
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
2	2	1	2	1	2	3	..	3	1	4	3	2	..	1	60	....	....	....	1.07
3	1	4	1	4	2	5	3	4	7	6	2	..	..	..	....	84	....	146	1.58
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	2	....	....
4	5	7	7	4	3	6	6	7	8	4	12	2	1	5	151	....	....	....	1.10
2	8	7	6	3	5	3	10	8	9	14	13	6	..	3	....	174	....	325	1.28
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
6	1	1	1	3	5	2	6	1	5	3	..	..	..	8	78	....	....	....	.97
5	2	5	2	3	2	5	5	5	6	4	3	..	..	6	....	99	....	178	1.29
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
4	5	7	6	8	3	4	7	16	6	9	2	3	1	3	208	....	....	....	1.22
11	13	5	5	9	6	6	2	10	10	4	4	4	2	3	....	217	....	429	1.35
..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	....	4	....	....
3	3	4	7	7	5	2	7	12	8	5	4	1	1	4	146	....	....	....	1.17
5	10	5	4	5	1	4	5	8	7	5	4	1	..	3	....	140	....	287	1.15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	....
6	4	..	4	5	8	4	7	12	11	10	9	1	1	4	174	....	....	....	1.17
7	10	10	2	8	9	13	4	16	8	13	8	5	1	6	....	193	....	367	1.36
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....

TABLE VI.—RECAPITULATION—Continued.

COUNTIES.	POPULATION.			Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.
	Whole No.	SEX.												
Windsor, .	38320	M.	19310	20	5	4	7	2	14	5	12	9	5	3
		F.	19010	22	9	5	4	3	6	6	10	17	11	13
		U.		1	...	...	..	..	...	...	...	...	...	...
Vt. Asylum		M.		...	...	...	..	..	...	...	...	1	4	1
		F.		...	...	...	..	..	...	...	...	2	1	2
Aggregate	.....	M.	160033	273	103	67	33	24	88	38	66	75	59	45
	.....	F.	154087	233	78	65	54	29	81	49	108	116	104	69
	.....	U.	.....	7	1	...	..	..	1	1	...	...	...	...
Totals....	.....	..	314120	513	182	132	87	53	170	88	174	191	163	114

TABLE VI.—RECAPITULATION—Continued.

35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total	Percentage.
6	3	6	8	13	6	20	13	17	14	7	3	2	3	207	....	..	....	1 07
11	11	6	11	7	16	11	20	21	17	14	8	..	5	....	264	..	472	1.38
...	...	...	...	...	...	...	...	...	...	...	..	..	..	....	....	1	....	...
...	3	4	...	2	2	2	...	...	...	...	..	..	..	19	....	..	....	...
2	2	2	5	1	1	3	...	2	...	...	..	..	..	....	23	..	42	...
41	45	57	54	61	45	87	99	85	79	64	21	8	50	1667	....	..	....	1 04
81	80	52	71	52	78	66	103	94	96	67	31	4	40	....	1901	..	....	1.23
...	...	...	...	...	...	...	...	...	...	...	..	..	3	....	....	13	....	...
122	125	109	125	113	123	153	202	179	175	131	52	12	93	1667	1901	13	3581	1.14

9

TABLE VII.—CAUSES OF DEATH.

Exhibiting the number of deaths from different causes, (arranged alphabetically,) at various ages of each Sex, during the several months of the year.

Sex.	Months.													Causes of Death	Whole No.				Ages.										
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
Male...	..	..	..	..	..	..	..	..	..	..	1	..	..	Abscess, ...	3	1	...	..	..	1	..	..	..	..	..	..	..	..	..	..
Females.	1	..	..	..	1	..	..	..	..	..	..	..	..	"	...	...	2	..	..	..	..	..	1	..	..	..	1	..	..	..
Male...	..	..	..	1	..	..	..	..	..	..	..	..	..	" of the Leg,.	1	1	...	..	..	..	..	1	..	..	..	..	..	..	..	..
Female.	..	..	..	..	1	..	..	..	..	..	..	..	..	" Hepatic, ..	1	...	1	..	..	..	..	..	..	..	..	1	..	..	..	..
Male...	..	..	..	..	..	..	..	..	..	..	1	..	..	" Lumbar, ..	2	1	...	..	..	..	..	1	..	..	..	..	..	..	..	..
Female.	..	..	..	..	..	..	..	..	1	..	..	..	..	" " ..	...	...	1	..	..	..	..	1	..	..	..	..	..	..	..	..
Females.	..	..	..	..	..	1	..	..	1	..	..	..	..	Anæmia,.....	2	...	2	..	..	..	1	..	..	1	..	..	..	..	..	..
Males ..	3	1	..	1	1	2	1	1	1	5	1	4	..	Apoplexy,.....	49	21	...	..	..	..	..	..	..	1	..	1	3	10	6	..
Females.	4	2	1	1	3	4	4	2	2	2	2	1	..	"	...	...	28	..	..	..	..	..	..	1	7	6	2	7	5	..
Females.	1	..	1	..	..	..	..	..	..	..	1	..	..	Asthma, ...	3	...	3	..	..	..	..	..	..	1	..	..	2	..	..	..
Males ..	2	1	..	..	1	1	2	2	1	..	..	2	..	Bowels, Disease of,.	20	12	...	..	4	..	..	..	1	1	1	3	1	1	..	..
Females.	..	..	..	..	1	1	1	1	2	1	1	..	..	" " .	...	...	8	..	6	1	..	..	..	..	..	..	1	..	..	..
Males ..	1	1	5	4	5	1	1	2	1	3	1	1	..	Brain, " .	48	26	...	..	14	4	..	1	..	..	1	2	..	3	1	..
Females.	1	2	3	5	..	1	2	..	3	2	1	2	..	" " .	...	...	22	..	9	1	..	3	1	4	..	..	3	1	..	..
Males ..	..	1	..	1	..	..	1	1	..	..	..	1	..	Bronchitis, ...	12	5	...	..	..	..	..	..	1	1	..	1	..	1	1	..
Females.	2	1	2	..	1	..	..	1	..	..	..	..	..	"	...	...	7	..	3	..	..	..	..	..	..	2	1	..	1	..
Males ..	2	..	1	1	1	1	..	..	..	2	..	1	..	Burns and Scalds,..	19	9	...	..	8	..	..	..	..	..	..	..	..	..	..	1

Females.	1	..	..	2	2	..	..	..	1	..	2	2	..	" ...	...	...	10	..	6	2	..	..	1	1	..	..	..	..	..	..	..	..	..	..
Males ..	..	2	..	2	..	1	2	3	..	..	..	3	1	Cancer, ...	45	14	...	..	..	..	..	..	..	..	1	2	2	5	3	1				
Females.	2	..	3	..	4	4	2	8	1	..	4	3	..	"	...	...	32	..	..	..	..	..	1	4	5	8	6	4	3	..				
Male ...	..	..	..	1	..	..	..	..	..	..	..	..	..	" of the Bladder,	1	1	...	..	..	..	..	..	..	..	..	..	..	1	..	..				
Females.	..	..	..	..	1	..	1	..	2	..	..	..	..	" of the Breast, .	1	...	4	..	..	..	..	..	..	..	2	2	..	..	..	..				
Female .	..	..	..	..	..	..	..	..	..	..	1	..	..	" of the Face, ..	1	...	1	..	..	..	..	..	..	..	..	..	1	..	..	..				
Male ...	..	..	..	1	..	..	..	..	..	..	..	..	..	" of the Liver, ..	1	1	...	..	..	..	..	..	..	..	..	..	..	1	..	..				
Females.	..	..	..	..	..	..	..	1	..	..	1	..	..	" of the Rectum,	2	...	2	..	..	..	..	..	..	..	..	1	..	..	1	..				
Males ..	..	1	1	1	..	..	1	1	3	..	..	..	..	" of the Stomach,	12	8	...	..	..	..	..	..	..	..	2	3	3	..	..	..				
Females.	1	..	..	1	1	..	..	..	..	..	..	1	..	" "	...	...	4	..	..	..	..	..	..	1	..	2	1	..	..	..				
Males ..	..	..	..	..	..	..	..	1	2	1	..	..	..	Canker, ...	6	4	...	..	4	..	..	..	..	..	..	..	..	..	..	..				
Females.	..	..	..	..	..	..	..	..	..	..	2	..	..	"	...	...	2	..	2	..	..	..	..	..	..	..	..	..	..	..				
Male ...	..	..	1	..	..	..	..	..	..	..	..	..	..	Carbuncle, ...	2	1	...	..	..	..	..	..	..	..	..	..	1	..	..	..				
Female .	..	..	..	..	..	..	..	1	..	..	..	..	..	"	...	...	1	..	..	..	..	..	..	..	..	..	1	..	..	..				
Males ..	1	2	..	3	2	1	3	3	2	5	2	..	..	Casualty, ...	32	24	...	..	4	4	2	..	1	5	1	2	3	1	1	..				
Females.	1	1	..	..	..	1	1	1	1	..	2	..	..	"	...	...	8	..	..	..	1	..	1	..	..	..	1	1	4	..				
Males ..	..	3	2	2	1	5	2	3	4	6	3	2	1	Cephalitis, ...	62	34	...	..	24	5	..	..	1	..	3	1	..	..	..	..				
Females.	5	1	4	3	4	3	..	2	..	3	1	3	..	"	...	...	29	..	14	5	6	3	..	..	1	..	..	..	..	..				
Females.	7	6	3	6	3	..	..	5	..	1	2	6	..	Childbirth, ...	39	...	39	..	..	..	..	3	13	17	5	..	..	..	..	1				
Males ..	..	1	..	..	..	..	2	..	2	..	..	1	..	holera, ...	13	6	...	..	1	..	..	..	..	1	..	1	1	2	..	..				
Females.	..	..	..	..	..	1	1	2	3	..	..	..	..	"	...	...	7	..	1	..	..	..	..	1	..	1	..	2	2	..				
Males ..	..	..	..	1	..	1	1	6	2	2	..	..	..	Cholera Infantum, .	19	13	...	..	12	1	..	..	..	..	..	..	..	..	..	..				
Females.	..	..	..	..	..	..	..	3	2	1	..	..	..	" .	...	...	6	..	6	..	..	..	..	..	..	..	..	..	..	..				
Females.	..	1	..	..	..	1	..	..	..	..	..	..	..	Chorea, ...	2	...	2	..	..	1	..	..	..	..	..	1	..	..	..	..				
Female .	..	..	1	..	..	..	..	..	..	..	..	..	..	Coma, ...	1	...	1	..	..	..	..	..	..	..	..	..	..	1	..	..				
Male ...	..	..	..	..	..	..	..	..	..	1	..	..	..	Complication, ...	2	1	...	..	..	..	..	..	..	..	..	..	..	..	1	..				
Female .	..	..	1	..	..	..	..	..	..	..	..	..	..	"	...	...	1	..	..	..	..	..	..	..	1	..	..	..	..	..				
Males ..	16	14	27	6	27	30	19	20	16	23	21	24	8	Consumption, ...	738	261	...	..	15	5	2	14	48	39	33	25	26	29	15	10				
Females.	29	36	49	36	37	32	44	44	45	44	39	35	7	"	...	...	477	..	16	2	12	46	141	70	49	40	40	41	11	9				

TABLE VII.—Continued.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80	Unknown.
Males..	..	1	5	5	3	1	3	1	3	3	3	3	..	Convulsions,	51	31	..	..	31	..	..	..	..	..	..	..	..	..	..	..
Females.	1	3	3	2	2	3	..	3	..	..	1	2	..	"	..	..	20	..	18	2	..	..	..	..	..	..	..	..	..	..
Males..	4	3	6	..	..	3	..	..	1	2	6	4	..	Croup,	54	29	..	..	26	2	..	..	..	..	..	..	1	..	..	..
Females.	1	3	2	1	2	2	1	..	3	2	4	2	2	"	..	..	2	..	20	1	..	1	..	..	..	..	..	..	..	3
Males..	..	..	..	..	..	1	..	..	..	..	1	..	..	Cut Throat,	2	2	..	..	..	..	..	..	..	..	..	2	..	..	..	..
Males..	..	..	..	..	..	..	..	..	1	..	..	..	1	Cystitis,	2	2	..	..	..	..	..	..	..	..	..	..	1	..	..	1
Males..	..	..	..	..	1	..	1	1	..	..	..	..	1	Debility,	11	4	..	..	1	..	..	..	..	1	..	1	1	..	..	..
Females.	..	..	1	1	..	..	1	2	..	1	..	1	..	"	..	..	7	..	3	..	..	..	1	..	1	..	2	..	..	..
Male...	..	..	..	..	..	..	..	..	..	..	..	1	..	Delirium Tremens,	1	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..
Males..	4	..	..	1	..	1	..	..	1	1	2	1	..	Diabetes,	19	11	..	..	..	..	..	1	1	2	1	2	1	2	1	..
Females.	..	..	..	1	1	1	2	..	2	..	..	1	..	"	..	..	8	..	1	..	1	1	..	2	1	1	..	..	..	1
Male...	..	..	..	..	..	1	..	..	..	..	..	..	..	Diaphragm Infl'n of.	1	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..
Males..	2	..	2	1	..	3	..	3	4	1	..	2	..	Diarrhœa,	24	18	..	..	7	..	..	..	1	3	1	2	1	3	..	..
Females.	1	1	..	..	..	..	1	..	1	1	1	..	..	"	..	..	6	..	3	..	..	..	..	1	1	..	1	..	..	..
Males..	..	..	..	..	..	1	2	..	..	1	2	1	1	Diphtheria,	14	8	..	..	3	1	1	1	..	..	1	..	..	1	..	..
Females.	..	..	..	..	2	..	..	2	..	1	..	..	..	"	..	..	5	..	2	2	..	1	..	..	..	..	..	..	..	..
Unkno'n	..	..	..	..	..	..	..	1	..	..	..	..	..	"	..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..
Males..	1	..	2	4	6	4	7	3	2	3	4	..	1	Dropsy,	93	37	..	..	2	1	..	1	..	..	3	3	7	12	7	1
Females.	2	5	4	4	8	3	2	4	5	8	3	6	1	"	..	..	55	..	1	..	..	1	1	6	7	9	12	11	6	1
Unkno'n	..	..	1	..	..	..	..	..	..	..	..	..	..	"	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..

Males..	..	1	..	..	1	5	2	2	..	..	..	..	..	..	Drowned,	16	11	..	..	1	..	4	3	1	..	1	1	..	..	..	..
Females.	1	..	..	2	..	..	1	..	..	..	..	..	..	1	"	..	..	5	..	2	1	..	..	..	..	1	..	..	..	..	1
Males..	..	..	..	..	..	1	8	19	19	3	..	..	..	2	Dysentery,	97	52	..	..	38	2	1	2	2	..	3	..	2	2	3	..
Females.	..	..	..	..	..	5	1	11	23	4	1	..	..	..	"	..	..	45	..	29	1	..	..	..	2	1	2	4	1	4	1
Males..	..	1	..	..	..	..	..	..	..	1	1	..	..	..	Dyspepsia,	7	3	..	..	..	..	..	..	..	1	..	1	..	1	..	..
Females.	..	..	..	1	..	..	..	2	..	..	1	..	..	..	"	..	..	4	..	1	..	..	..	..	..	..	2	..	1	..	..
Males..	2	3	3	4	..	3	4	6	3	1	4	8	..	..	Enteritis,	63	36	..	..	7	1	4	1	6	1	3	3	2	4	1	3
Females.	..	1	4	1	1	2	5	2	3	1	1	5	1	..	"	..	..	27	..	9	..	1	3	3	..	2	3	1	2	2	1
Males..	..	3	..	..	..	2	2	..	1	3	1	4	..	..	Epilepsy,	26	12	..	..	..	1	..	..	3	2	2	..	2	..	2	..
Females.	6	4	..	4	2	..	..	..	..	..	..	..	..	..	"	..	..	14	..	1	1	2	..	2	1	1	3	..	1	2	..
Males..	..	1	..	1	2	1	1	1	..	1	2	..	..	..	Erysipelas,	40	10	..	..	1	..	..	..	2	..	..	..	4	1	2	..
Females.	6	3	4	2	2	2	2	4	..	1	3	..	1	..	"	..	..	30	..	7	5	..	3	..	1	3	1	3	2	5	..
Males..	..	..	2	..	1	..	..	..	..	..	..	..	..	..	Fever, Billious,	6	3	..	..	..	..	..	..	..	..	..	1	..	1	1	..
Females.	..	..	1	..	..	1	..	..	..	..	..	..	..	..	" "	..	..	2	..	..	..	..	1	..	..	..	..	..	1	..	..
Unkno'n	..	..	..	..	..	..	1	..	..	..	..	..	..	..	" "	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..
Male...	1	..	..	..	..	..	..	..	..	..	..	..	..	..	" Intermittent,	1	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..
Males..	..	8	5	..	7	2	2	7	17	10	6	3	..	..	" Typhoid,	116	67	..	..	4	3	3	8	22	7	6	5	6	1	1	1
Females.	2	5	3	4	2	2	2	4	4	9	6	5	1	..	" "	..	..	49	..	3	8	..	11	11	3	..	3	3	5	2	..
Males..	1	..	1	3	2	1	4	..	4	4	2	..	..	..	" Typhus,	38	22	..	..	2	3	..	2	3	2	4	1	3	1	1	..
Females.	1	..	3	1	2	..	..	1	1	3	3	1	..	..	" "	..	..	16	..	2	1	1	4	1	1	..	1	4	1	..	..
Male...	..	..	..	..	1	..	..	..	..	..	..	..	..	..	Fistula,	1	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..
Male...	..	..	1	..	..	..	..	..	..	..	..	..	..	..	Fits,	5	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..
Females.	..	..	..	1	..	..	..	..	..	2	..	1	..	..	"	..	..	4	..	..	..	..	1	1	1	..	..	..	1	..	..
Females.	..	..	..	..	..	..	..	1	..	..	1	..	..	..	Fracture,	2	..	2	..	..	..	..	1	..	..	..	..	..	1	..	..
Male...	..	1	..	..	..	..	..	..	..	..	..	..	..	..	" of the Ankle,	1	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..
Male...	..	..	..	..	1	..	..	..	..	..	..	..	..	..	" " Hip,	1	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..
Male...	..	..	..	..	..	..	..	1	..	..	..	..	..	..	" " Leg,	1	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Males..	..	..	2	..	..	..	..	..	..	..	..	..	..	..	" " Spine,	3	2	..	..	..	..	..	..	1	..	1	..	..	..	..	..
Female.	..	..	..	..	..	..	..	..	..	..	..	..	1	..	" " "	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..

TABLE VII.—Continued.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March.	April	May.	June	July.	August.	September	October.	November	December.	Unknown.		Totals.	Males.	Females.	Unknown	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70	70 to 80.	Over 80.	Unknown.
Female.	1	..	..	..	..	..	..	..	..	..	..	..	..	Fr'ct're of the Thigh,	1	...	1	..	..	..	..	..	...	..	..	..	..	..	1	..
Male...	1	..	..	..	..	..	..	..	..	..	..	..	..	Frozen,	1	1	...	..	..	..	..	1	...	..	..	..	..	..	..	..
Males..	..	..	..	..	..	1	..	..	..	2	1	1	..	Gastritis,	12	5	...	..	1	..	..	..	...	..	..	..	3	..	1	..
Females.	..	1	2	2	..	..	..	..	..	..	1	1	..	"	...	...	7	..	1	..	..	..	4	..	1	1	..	..	..	..
Males..	..	1	..	..	..	..	..	..	1	..	..	1	..	Gravel,	3	3	...	..	..	..	..	..	...	..	..	1	..	1	1	..
Males..	..	..	..	..	..	..	1	2	..	1	2	..	..	Gun-Shot,	7	6	...	..	..	..	..	4	1	..	..	..	1	..	..	..
Female.	..	..	..	..	..	..	..	..	..	..	..	1	..	"	...	...	1	..	..	..	..	..	...	..	1	..	..	..	..	..
Males..	3	..	..	1	1	1	..	2	2	..	2	..	..	Hanging,	13	12	...	..	..	..	..	..	2	2	2	3	1	1	1	..
Female.	..	..	..	..	..	..	..	..	1	..	..	..	..	"	...	...	1	..	..	..	..	..	...	1	..	..	..	..	..	..
Males..	3	4	5	9	10	2	6	8	4	6	7	4	..	Heart, Disease of,	141	68	...	..	5	3	1	4	1	2	..	6	16	22	8	..
Females	4	5	8	6	7	8	6	3	6	8	4	6	2	" "	...	...	73	..	6	1	3	5	10	1	8	4	13	15	3	4
Male...	..	..	1	..	..	..	..	..	..	..	..	..	..	Hemoptysis,	2	1	...	..	..	..	..	..	...	1	..	..	..	..	..	..
Female.	1	..	..	..	..	..	..	..	..	..	..	..	..	"	...	...	1	..	..	..	..	1	...	..	..	..	..	..	..	..
Females.	1	..	..	1	..	..	..	..	..	..	..	..	..	Hemorrhage,	2	...	2	..	1	..	..	..	...	1	..	..	..	..	..	..
Male...	..	..	..	..	..	..	..	..	..	..	1	..	..	" of the Bowels,	1	1	...	..	..	..	..	..	...	..	..	..	..	1	..	..
Males..	..	1	..	..	..	..	..	..	1	..	..	..	..	" " Stomach,	2	2	...	..	..	..	..	..	...	..	1	..	..	1	..	..
Females.	..	1	1	..	..	..	..	..	..	..	..	..	..	" " Uterus,	2	...	2	..	..	..	..	..	...	..	1	1	..	..	..	..
Males..	1	..	..	..	..	..	1	..	..	..	..	..	..	Hepatitis,	2	2	...	..	..	..	..	..	...	..	1	..	1	..	..	..
Males..	..	..	..	..	..	..	..	3	1	..	..	2	..	Hernia,	10	6	...	..	..	..	..	..	2	..	..	1	..	1	1	1
Females.	..	..	..	2	..	..	..	1	..	1	..	..	..	"	...	...	4	..	..	..	..	..	...	..	1	1	1	..	..	1

Males								2	1					Hip, Disease of,	4	3						1	2							
Female			1											" "			1												1	
Males							2	1						Homicide,	3	3							2							1
Males	3	1	2	2	2	2	3	1	1	1	1			Hydrocephalus,	32	19			13	3		1			1					1
Females		1	1		2		4	1	1		2	1		"			13		11		1				1					
Males	1				1	1		1						Hydrothorax,	8	4				1			1			1		1		
Females		2							1	1				"			4			1				1			1		1	
Males			1	1		1	1			1	1			Ileus,	8	6							1	1	1		1	1	1	
Females				1								1		"			2		1										1	
Male							1							Inanition,	1	1										1				
Males	3	3	2	6	6	7	5	2	4	4	3	8	1	Infantile,	112	54			54											
Females	4	6	6	5	3	4	7	5	1	3	2	8		"			54		54											
Unkno'n	1							1	2					"				4	4											
Males			1			2	1	1	1			2		Inflammation,	10	8			5			1	1					1		
Females		1	1											"			2		1						1					
Male	1													Influenza,	3	1			1											
Females	1							1						"			2		2											
Males	3		1									1		Insanity,	9	5				1			2		1		1			
Females	1						1		1			1		"			4								1	3				
Males	1							1						Intemperance,	2	2										2				
Female						1								Intestine, Strict're of	1		1										1			
Males				2	1	1								Intussusception,	5	4			2								1	1		
Female								1						"			1		1											
Males	1	1							1					Ischuria,	3	3											2		1	
Male									1					Jaundice,	5	1													1	
Females	1		1		1		1							"			4		1					1				1	1	
Males	1	2	1	1	1	1	1		2		2	1		Kidneys, Disease of,	15	13									1	3	4	2	2	1
Females	1											1		" "			2								1			1		
Male												1		Laryngitis,	1	1			1											

TABLE VII.—Continued.

Sex.	Months.												Causes of Death.	Whole No.				Ages.										
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60	60 to 70	70 to 80.	Over 80.	Unknown.
Males..	4	1	2	2	..	1	..	3	2	2	1	..	..	Liver, Disease of,..	34	18	...	..	3	..	1	..	...	1	1	3	5	3	1	..
Females.	2	1	2	4	2	..	1	1	..	2	..	1	..	" " ..	...	...	16	..	1	..	1	1	1	2	1	2	3	4	...	..
Males..	4	3	2	2	2	2	1	1	1	2	1	2	..	Lungs, Disease of,..	53	23	...	..	7	..	1	..	3	1	2	1	2	5	...	1
Females.	3	5	4	6	1	1	1	1	3	2	2	1	..	" " ..	...	...	30	..	5	..	..	3	3	1	4	1	4	9	...	..
Males..	..	..	..	..	..	..	..	..	1	..	..	1	..	Malformation,.....	2	2	...	..	2	..	..	..	...	..	..	..	..	..	...	..
Males..	1	1	3	..	..	..	1	..	..	..	..	..	..	Marasmus,.....	16	6	...	..	6	..	..	..	...	..	..	..	..	..	...	..
Females.	1	1	..	1	..	..	..	1	1	..	4	1	..	"	...	...	10	..	7	..	..	..	...	1	1	1	..	..	...	..
Males..	..	1	3	2	..	..	..	..	1	..	..	1	..	Measles,.....	17	8	...	..	5	..	..	1	...	..	..	..	..	..	...	2
Females.	1	..	..	5	2	1	..	..	..	..	..	..	..	"	...	...	9	..	1	..	2	1	2	..	3	..	..	..	...	..
Females.	2	..	1	1	..	1	..	..	..	1	1	1	..	Metria,.....	8	...	8	..	..	..	..	..	5	2	1	..	..	..	...	..
Female..	..	..	..	..	..	..	1	..	..	..	..	..	..	Mortification,.....	1	...	1	..	..	..	..	..	...	..	1	..	..	..	...	..
Male...	..	..	1	..	..	..	..	..	..	..	..	..	..	Necrosis,.....	1	1	...	..	..	..	..	..	...	..	..	1	..	..	...	..
Males..	..	1	..	..	1	..	1	..	1	..	..	..	..	Nephritis,.....	5	4	...	..	..	..	..	1	...	..	..	..	1	1	1	..
Female..	..	1	..	..	..	..	..	..	..	..	..	..	..	"	...	...	1	..	..	..	..	..	...	..	..	..	1	..	...	..
Males..	..	..	..	1	1	..	..	..	..	..	..	..	..	Neuralgia,.....	5	2	...	..	..	..	..	..	...	1	..	..	..	1	...	..
Females.	..	..	..	1	..	1	..	..	1	..	..	..	..	"	...	...	3	..	..	..	..	..	...	..	..	..	2	1	...	..
Males..	12	6	12	9	5	8	2	6	13	10	5	11	3	Old age,.....	232	102	...	..	..	..	..	..	...	..	..	..	..	19	82	1
Females.	7	20	11	10	19	8	9	8	8	8	12	9	..	"	...	...	129	..	..	..	..	..	...	..	..	..	..	24	104	1
Unkno'n	..	..	..	..	..	..	..	..	..	..	..	..	1	"	...	...	...	1	..	..	..	..	...	..	..	..	..	..	...	1
Female.	..	..	..	..	..	..	1	..	..	..	..	..	..	Ovary, Disease of,.	1	...	1	..	..	..	..	..	...	..	..	..	1	..	...	..

Males..	3	1	3	2	3	3	1	3	2	4	1	3	..	Paralysis,	89	29	..	..	..	1	..	..	..	2	2	8	7	9	..
Females.	6	6	2	5	7	4	5	6	1	6	6	6	..	"	..	..	60	..	1	..	..	..	..	4	..	9	27	19	..
Females.	2	1	..	..	..	..	..	..	..	..	..	..	..	Paramenia,	3	..	3	..	..	..	1	1	..	1	..	..	..	..	..
Male...	..	..	..	1	..	..	..	..	..	..	..	..	..	Parotia,	2	1	..	..	..	..	..	..	1	..	..	..	..	..	..
Female.	..	..	..	..	..	1	..	..	..	..	..	..	..	"	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..
Male...	..	..	..	..	..	..	1	..	..	..	..	..	..	Peritonitis,	3	1	..	..	..	..	..	1	..	..	..	..	..	..	..
Females.	..	..	..	1	..	..	..	..	..	1	..	..	..	"	..	..	2	..	..	..	..	..	2	..	..	..	..	..	..
Males..	..	..	2	1	1	..	..	..	..	..	1	..	..	Pleurisy,	7	5	..	..	..	..	..	..	2	2	..	..	1	..	..
Females.	..	..	..	..	..	..	1	..	..	..	1	..	..	"	..	..	2	..	..	..	..	..	1	..	..	1	..	..	..
Males..	13	19	18	9	3	3	3	5	3	2	4	5	..	Pneumonia,	169	87	..	..	24	2	3	3	2	2	10	10	9	12	8	2
Females.	9	8	13	10	9	3	4	7	4	7	3	4	1	"	..	..	82	..	31	4	1	2	2	3	2	9	6	16	5	1
Male...	..	..	..	..	..	..	..	..	..	..	..	1	..	Poison,	4	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Females.	..	..	..	..	1	1	..	..	1	..	..	..	..	"	..	..	3	..	2	..	..	..	..	..	1	..	..	..	..	..
Males..	..	..	..	1	..	..	..	..	..	1	..	..	..	Prostate gland, Diso	2	2	..	..	..	..	..	..	..	..	..	..	..	2	..	..
Males..	..	..	..	..	1	..	..	1	..	..	..	..	..	Purpura,	3	2	..	..	..	..	..	..	..	..	1	..	..	1	..	..
Female.	..	..	..	..	1	..	..	..	..	..	..	..	..	"	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..
Males..	1	..	..	..	..	..	..	..	1	..	..	..	..	Quinsy,	4	2	..	..	1	..	..	..	..	..	..	1	..	..	..	..
Females.	..	..	..	..	..	..	..	..	..	1	..	1	..	"	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..
Males..	..	3	..	2	..	..	2	1	..	1	1	..	..	Rail Road Accident	10	10	..	..	..	..	1	1	4	1	..	1	1	..	..	1
Males..	..	2	1	..	..	..	3	2	1	1	1	1	..	Rheumatism,	15	12	..	..	1	1	1	1	1	2	1	2	..	1	..	1
Females	..	..	..	..	1	1	..	..	1	..	..	..	..	"	..	..	3	..	..	..	..	..	..	..	..	1	1	1	..	..
Males..	18	13	22	19	8	11	9	3	2	4	4	13	3	Scarletina,	275	129	..	..	84	34	8	2	..	..	..	1	..	..	..	..
Females.	13	25	32	10	16	12	9	8	3	3	3	10	1	"	..	..	145	..	94	32	12	4	1	2	..	..	..	..	..	..
Unkno'n	..	..	1	..	..	..	..	..	..	..	..	..	..	"	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..
Males..	..	..	..	1	..	..	..	3	2	..	2	..	..	Scrofula,	17	8	..	..	2	..	..	2	..	..	1	1	..	1	1	..
Females.	..	1	1	..	1	..	..	3	..	1	1	1	..	"	..	..	9	..	2	..	1	1	1	1	1	..	..	1	..	1
Male...	..	1	..	..	..	..	..	..	..	..	..	..	..	Skin, Disease of, ..	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Males..	..	..	..	..	..	1	4	..	..	..	..	1	..	Small Pox,	.0	6	..	..	2	1	1	1	1	..	..	..	..	..	..	..
Females.	..	..	..	..	1	2	1	..	..	..	..	..	..	"	..	..	4	..	3	..	..	1	..	..	..	..	..	..	..	..

TABLE VII.—Continued.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
Male	..	..	..	..	..	..	..	..	..	1	..	..	..	Spina Bifida,	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Males	..	..	..	..	..	..	..	..	..	..	1	1	..	Spine, Disease of,	6	2	..	..	..	..	..	..	2	..	..	..	..	..	..	..
Females	..	..	..	1	..	2	1	..	..	..	..	..	..	" "	..	..	4	..	..	..	..	..	1	2	..	..	1	..	..	..
Female	..	..	..	..	1	..	..	..	..	..	..	..	..	Starvation,	1	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..
Males	5	8	5	3	6	2	6	7	10	5	6	8	..	Still Born,	147	71	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Females	4	5	4	4	5	1	4	7	4	3	6	3	..	"	..	..	50	..	..	..	..	..	..	..	..	..	..	..	..	..
Unkno'n	3	4	..	2	2	1	..	2	..	1	6	5	..	"	..	..	..	26	..	..	..	..	..	..	..	..	..	..	..	..
Males	..	..	..	..	1	..	..	1	..	1	..	1	1	Stomach, Disease of.	9	5	..	..	..	..	..	..	..	..	1	1	..	2	1	..
Females	..	1	..	..	1	1	1	..	..	..	..	..	..	" "	..	..	4	..	1	..	1	..	..	..	1	..	1	..	..	..
Males	1	..	1	2	1	1	2	..	..	1	2	1	..	Sudden,	15	12	..	..	2	2	..	..	1	..	1	1	2	1	1	1
Females	..	..	..	..	1	..	1	..	1	..	..	..	..	"	..	..	3	..	1	..	..	..	..	..	..	..	..	1	1	..
Males	..	..	..	1	1	..	..	..	..	..	..	..	..	Suffocation,	3	2	..	..	2	..	..	..	..	..	..	..	..	..	..	..
Female	..	..	..	..	..	..	..	..	..	..	..	1	..	"	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Males	..	..	..	..	1	2	..	1	..	..	..	..	..	Suicide,	4	4	..	..	..	..	..	..	3	..	..	1	..	..	..	..
Males	..	..	..	..	..	..	1	..	..	..	1	..	..	Tabes Mesenterica,	3	2	..	..	1	..	1	..	..	..	..	..	..	..	..	..
Female	..	..	1	..	..	..	..	..	..	..	..	..	..	"	..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..
Males	1	1	..	..	..	..	..	1	2	..	..	..	..	Teething	7	5	..	..	5	..	..	..	..	..	..	..	..	..	..	..
Females	..	..	..	..	..	..	..	..	1	..	1	..	..	"	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..
Males	..	..	..	..	1	1	..	..	..	..	..	..	..	Tetanus,	2	2	..	..	..	..	..	1	..	..	..	..	..	..	..	1
[illegible]	..	..	..	..	1	..	..	..	..	..	..	..	..	Thrush,	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..

Males	..	..	..	..	..	1	..	..	..	..	..	..	1	..	Tumor,	7	2	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..
Females	..	1	..	..	..	..	..	1	2	1	..	..	..	..	"	..	..	5	..	..	..	..	..	..	..	2	2	1	..	..	..	..
Female	..	..	..	..	..	..	..	1	..	..	..	..	..	..	" in the Breast,	1	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..
Female	..	..	..	..	..	..	..	..	..	1	..	..	..	..	" " Face,	1	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..
Male	..	..	..	1	..	..	..	..	..	..	..	..	..	..	" " Side,	1	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
Male	..	..	..	..	..	..	..	..	..	..	1	..	..	..	" " Stomach,	3	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
Females	..	..	..	..	..	1	1	..	..	..	..	..	..	..	" " "	..	..	2	..	..	..	..	..	..	..	..	1	..	..	1	..	..
Male	..	..	..	..	1	..	..	..	..	..	..	..	..	..	Ulcers,	2	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
Female	..	..	..	..	1	..	..	..	..	..	..	..	..	..	"	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..
Male	..	..	..	..	..	1	..	..	..	..	..	..	..	..	" of the Anus,	1	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
Female	..	..	..	1	..	..	..	..	..	..	..	..	..	..	" " Intestine,	1	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..
Males	..	..	1	..	..	1	..	..	..	..	..	..	..	..	" " Stomach,	5	2	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..
Females	..	..	..	..	1	1	1	..	..	..	..	..	..	..	" " "	..	..	3	..	..	..	..	..	2	..	..	..	..	..	1	..	..
Males	7	8	10	3	3	2	5	16	9	5	11	8	4		Unknown,	217	91	..	..	43	2	3	1	3	2	3	5	3	5	5	16	
Females	11	8	18	11	9	5	12	6	10	6	6	12	5		"	..	..	119	..	48	5	1	2	6	8	7	5	4	9	9	15	
Unkno'n	..	1	..	..	3	1	..	..	..	..	..	..	2		"	..	..	..	7	3	..	..	..	..	..	..	..	..	..	..	..	4
Males	..	..	1	..	..	..	..	..	..	..	..	1	..		Urinary Org., Dis. of	2	2	..	..	..	..	..	..	..	..	..	..	..	1	1	..	
Males	1	..	..	2	3	2	1	..	2	2	1	..	1		Whooping Cough,	34	15	..	..	13	2	..	..	..	..	..	..	..	..	..	..	
Females	1	1	1	..	..	..	4	6	3	..	..	2	1		"	..	..	19	..	17	1	1	..	..	..	..	..	..	..	..	..	
Males	..	..	..	..	..	2	..	..	..	..	..	..	..		Worms,	4	2	..	..	2	..	..	..	..	..	..	..	..	..	..	..	
Females	..	..	..	..	..	..	..	2	..	..	..	..	..		"	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..	

TABLE VIII.—CAUSES OF DEATH.—CLASSIFIED ARRANGEMENT.

Exhibiting the number of Deaths from each Cause, in the several Counties, statistically classified, together with the percentages.

CAUSES OF DEATH.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.	Totals.	Percentage.
All Causes,	252	248	216	268	39	276	60	155	334	188	419	397	418	488	3728	.....
Specified Causes,	235	229	237	251	35	251	53	150	312	173	421	279	394	463	3484	100.00
Classes.																
I. ZYMOTIC,	45	51	46	53	2	58	23	33	79	32	121	83	94	81	804	23.08
II. CONSTITUTIONAL,	52	64	72	81	11	67	6	44	88	53	100	67	120	148	973	27.35
III. LOCAL,	90	65	70	70	14	60	18	45	84	51	102	69	127	142	1013	29.07
IV. DEVELOPMENTAL,	41	38	39	40	6	44	6	24	48	32	86	47	46	73	570	16.36
V. VIOLENT,	7	11	10	7	3	16	...	4	13	5	12	13	7	16	124	3.56
Orders.																
I.—1. MIASMATIC,	44	50	46	52	2	58	23	32	79	32	119	80	92	83	792	22.73
3. DIETIC,	1	...	...	...	...	...	...	...	...	...	2	2	2	...	7	.20
4. PARASITIC,	...	1	...	1	...	...	...	1	...	...	...	1	...	1	5	.14
II.—1. DIATHETIC,	6	13	12	13	1	14	1	10	15	12	18	15	21	30	181	5.19
2. TUBERCULAR,	46	51	60	68	10	53	5	34	73	41	82	52	99	118	792	22.73
III.—1. OF THE NERVOUS SYSTEM,	33	21	24	26	4	24	6	16	31	19	28	20	51	47	350	10.04

4. Of the [illegible]	5	1	3	7	1	2	1	1	4	3	8	4	5	4	49	1.42
5. Of the Urinary Organs,	...	1	...	...	...	...	...	...	...	...	2	...	1	1	5	.14
6. Of the Organs of Generation,	2	1	3	...	...	1	1	...	...	...	...	1	...	3	12	.34
7. Of the Organs of Locomotion,	2	1	...	...	...	2	...	...	1	...	1	...	1	...	8	.23
8. Of the Integumentary System,																
IV.—1. Diseases of Children,	17	18	18	25	4	20	3	14	19	16	46	26	16	27	269	7.72
2. " Women,	...	2	2	4	...	2	...	3	6	6	8	4	1	4	42	1.20
3. " Old People,	21	16	18	10	2	21	3	7	22	10	23	14	26	39	232	6.66
4. " Nutrition	3	2	1	1	...	1	...	...	1	...	9	3	3	3	27	.77
V.—1. Accident,	6	9	10	7	2	16	...	3	9	1	10	8	3	13	97	2.78
3. Homicide,	...	...	...	...	...	...	...	...	...	...	...	2	...	1	3	.09
4. Suicide,	1	2	...	...	1	...	...	1	4	4	2	3	4	2	24	.68
Sudden Death,	...	...	...	...	...	...	...	...	6	2	2	2	2	1	15	.43
Not Specified,	17	19	9	17	3	25	7	5	16	13	26	26	22	24	229	6.57
I.—1. Miasmatic.																
Carbuncle,	...	...	...	...	...	...	...	...	1	...	...	1	...	...	2	.06
Cholera Morbus,	...	1	1	...	...	...	...	...	2	...	1	...	4	4	13	.37
Cholera Infantum,	2	...	6	2	...	1	...	...	1	1	...	...	4	2	19	.54
Croup,	2	3	1	8	...	11	...	4	1	1	10	7	5	1	54	1.55
Diarrhœa,	3	1	...	2	...	2	2	1	1	1	4	...	4	3	24	.68
Diphtheria,	2	...	1	2	...	1	2	...	2	1	2	1	...	...	14	.40
Dysentery,	2	17	4	2	...	7	1	...	9	8	4	8	30	5	97	2.78

TABLE VIII.—Continued.

CAUSES OF DEATH.	Addison.	Bennington	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.	Totals.	Percentage
Erysipelas,	3	6	1	3	...	2	...	2	5	3	4	1	5	5	40	1.15
Fever, Intermittent,	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	.03
" Remittent,	...	...	...	1	...	...	...	1	...	...	2	...	1	1	6	.17
" Typhoid,	5	7	9	4	1	8	...	2	23	5	17	7	6	22	116	3.33
" Typhus,	2	...	4	3	...	...	...	1	2	...	2	19	3	2	38	1.09
Influenza,	1	...	...	...	...	...	...	...	...	...	...	...	...	2	3	.09
Measles,	...	...	...	...	...	...	...	5	5	...	1	3	2	1	17	.48
Metria,	1	...	...	2	...	...	...	...	1	...	2	1	1	...	8	.23
Parotia, (Mumps,)	...	...	...	1	...	...	...	1	...	...	...	...	...	...	2	.06
Quinsy,	...	...	...	1	...	...	...	...	...	...	2	...	...	1	4	.14
Rheumatism,	...	...	2	3	...	2	...	...	...	2	2	1	1	2	15	.43
Scarletina,	19	9	16	18	...	20	18	11	25	9	55	26	27	22	275	7.89
Small Pox,	...	5	...	...	...	...	...	...	...	...	5	...	...	...	10	.28
Whooping Cough,	2	1	1	...	1	4	...	4	...	1	6	3	1	10	34	1.00
I.—3. DIETIC.																
Intemperance,	1	...	...	...	...	...	...	...	...	...	...	1	1	...	3	.09
Privation,	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	.03
Purpura	...	...	...	...	...	...	...	...	...	...	2	1	...	...	3	.09
I.—4 PARASITIC.																
Thrush,	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	.03
Worms,	...	1	...	1	...	...	...	1	...	...	...	...	...	1	4	.14

II.—1. Diathetic.																
Anæmia,	...	...	1	...	...	...	...	...	...	...	...	...	...	1	2	.06
Cancer,	6	3	3	5	1	4	...	3	4	4	7	7	6	13	66	1.89
Canker,	...	...	...	1	...	...	...	...	1	...	4	...	...	...	6	.17
Dropsy,	...	7	8	6	...	8	...	7	8	7	7	7	4	14	93	2.67
Hemorrhage,	...	...	...	...	...	1	...	...	1	1	...	...	...	...	3	.09
Mortification,	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	.03
Tumor,	...	3	...	1	...	1	1	...	1	...	...	1	1	1	10	.28
II.—2. Tubercular.																
Hydrocephalus,	1	5	3	6	...	3	...	2	3	1	3	...	3	2	32	.91
Phthisis, (Consumption,)	44	43	56	59	10	48	5	32	70	39	77	48	94	113	738	21.18
Scrofula,	1	2	1	3	...	2	...	...	...	1	2	3	1	3	19	.54
Tabes Mesenterica,	...	1	...	...	...	...	...	...	...	...	...	1	1	...	3	.09
III.—1. Nervous System.																
Apoplexy,	7	1	7	1	1	4	...	2	6	1	4	1	7	7	49	1.42
Cephalitis,	7	4	2	8	1	8	...	3	5	2	3	6	7	7	63	1.80
Chorea,	...	...	...	...	...	1	...	1	...	...	...	...	...	...	2	.06
Convulsions,	2	2	3	3	...	6	3	3	2	9	9	4	5	5	56	1.60
Epilepsy,	3	3	1	2	1	1	...	...	3	1	...	...	8	3	26	.74
Insanity,	...	1	...	1	...	...	...	1	...	...	...	...	6	...	9	.26
Neuralgia,	...	...	...	...	...	1	...	...	...	1	1	...	1	1	5	.14
Paralysis,	6	4	8	3	1	1	...	5	12	4	5	7	15	18	89	2.55
Tetanus,	...	...	...	...	...	...	1	...	...	...	...	...	...	1	2	.06
Brain, Diseases of, &c.,	8	6	3	8	...	2	2	1	3	1	6	2	2	5	49	1.42
III.—2. Organs of Circulation.																
Heart, Diseases of, &c.,	12	10	12	10	2	7	1	4	7	6	14	10	17	29	141	4.05

TABLE VIII.—Continued.

CAUSES OF DEATH.	Addison.	Bennington	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.	Totals.	Percentage
III.—3. ORGANS OF RESPIRATION.																
Asthma,	...	...	...	...	...	1	...	...	1	1	...	...	...	...	3	.09
Bronchitis,	...	1	1	1	...	...	1	2	...	...	2	...	1	3	12	.34
Laryngitis,	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	.03
Pleurisy,	1	2	...	2	1	...	1	1	1	...	1	2	2	1	15	.43
Pneumonia,	17	13	8	10	3	9	2	9	16	8	19	13	20	22	169	4 85
Lungs, Diseases of, &c.,	2	5	4	3	...	5	1	2	4	2	8	4	4	11	55	1.57
III.—4. ORGANS OF DIGESTION																
Dyspepsia,	...	...	1	...	...	1	...	2	...	...	...	1	1	1	7	.20
Enteritis,	9	6	6	5	1	5	1	...	8	...	3	5	7	7	63	1.80
Gastritis,	...	...	3	1	...	...	...	...	1	2	1	1	1	2	12	.34
Hepatitis,	...	...	1	...	...	...	...	...	1	...	...	...	...	...	2	.06
Hernia,	...	...	1	...	...	...	...	2	...	2	3	...	2	...	10	.28
Ileus	..	..	..	1	..	2	..	2	1	..	..	..	2	..	8	.23
Intussusception,	..	..	1	..	1	..	..	1	..	..	..	..	2	1	6	.17
Jaundice,	..	2	..	..	..	..	1	..	..	..	..	2	..	..	5	.14
Liver, Disease of,	3	..	2	2	..	5	..	1	3	3	6	2	3	5	35	1.00
Peritonitis,	..	..	..	..	..	..	..	1	..	..	1	..	..	1	3	.09
Stomach, Diseases of, &c.,	4	1	..	2	1	2	2	1	5	4	5	4	7	4	42	1.20
III.—5. URINARY ORGANS.																
[illegible]s, (Gravel,)	..	..	..	1	..	..	..	..	..	..	1	1	..	..	3	.09

Cystitis,	...	...	...	...	...	...	...	...	...	1	...	1	...	...	2	.06
Diabetes,	1	1	2	1	1	2	1	1	1	1	1	1	2	3	19	.54
Ischuria,	...	...	...	...	...	...	...	...	1	1	...	...	1	...	3	.09
Nephritis,	2	...	...	...	...	...	...	...	...	...	1	...	1	1	5	.14
Kidneys, Diseases of, &c.,	2	...	1	5	...	...	...	...	2	...	5	1	1	...	17	.48
III.—6. Generative Organs.																
Ovarian Dropsy,	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	.03
Prostate Gland, Disease of,	...	...	...	...	...	...	...	...	...	...	1	...	...	1	2	.06
Uterus, Disease of,	...	...	...	...	...	...	...	...	...	...	1	...	1	...	2	.06
III.—7. Locomotive Organs.																
Necrosis,	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	.03
Spine, Disease of,	1	1	1	...	...	...	...	...	...	...	...	...	...	3	6	.17
Joints, Diseases of, &c.,	1	...	1	...	...	1	1	...	...	...	...	1	...	...	5	.14
III.—8. Integumentary System.																
Abscess,	...	...	...	...	...	1	...	...	1	...	1	...	1	...	4	.14
Ulcers,	2	...	...	...	...	1	...	...	...	...	...	...	...	...	3	.09
Skin, Diseases of, &c.,	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	.03
IV.—1. Diseases of Children.																
Infantile,	2	9	7	12	1	11	3	5	10	6	22	8	6	10	112	3.50
Malformation,	...	1	...	...	1	...	...	...	...	...	...	...	...	...	2	.06
Spina Bifida,	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	.03
Stillborn,	15	7	11	12	2	7	...	9	9	10	21	18	10	16	147	4.22
Teething,	...	1	...	1	...	2	...	...	...	...	3	...	...	...	7	.20

TABLE VIII.—Continued.

CAUSES OF DEATH.	Addison	Bennington	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.	Totals.	Percentage.
IV.—2. DISEASES OF WOMEN.																
Childbirth,	...	2	2	3	...	2	...	3	6	6	7	4	1	3	39	1.12
Paramenia,	...	...	...	1	...	...	...	...	...	...	1	...	...	1	3	.09
IV.—3. DISEASES OF OLD PEOPLE.																
Old Age,	21	16	18	10	2	21	3	7	22	10	23	14	26	39	232	6.66
IV—.4. DISEASES OF NUTRITION.																
Debility,	1	2	...	1	...	...	...	...	1	...	3	2	...	1	11	.31
Marasmus,	2	...	1	...	...	1	...	...	...	...	6	1	3	2	16	.46
V.—1. ACCIDENTS.																
Burns and Scalds,	2	...	1	3	1	5	...	1	1	...	...	1	2	2	19	.54
Drowned,	...	1	1	1	...	3	...	1	...	...	1	3	...	1	12	.34
Fractures,	1	2	3	...	...	...	...	...	2	...	...	...	...	1	9	.26
Frost,	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	.03
Gunshot,	...	...	2	...	...	2	...	...	...	...	2	...	...	1	7	.20
Poisoning,	1	...	...	...	...	...	...	...	...	...	1	...	...	2	4	.14
Rail Road Accident,	...	2	...	1	1	2	...	...	...	...	2	1	...	1	10	.28
Otherwise,	2	3	3	2	...	4	...	1	6	1	4	3	1	5	35	1.00

V.—2. Homicide.																	
Gunshot,	...	...	...	...	...	...	...	...	...	...	...	2	...	...	2	.06
Otherwise,	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	.03
V.—4. Suicide.																	
Cut Throat,	...	1	...	...	...	...	...	...	...	1	...	...	...	...	2	.06
Drowning,	1	...	...	...	...	...	...	...	...	...	...	1	1	1	4	.14
Hanging,	...	1	...	...	1	...	...	1	2	3	1	1	2	1	13	.37
Strangulation,	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	.03
Otherwise,	...	...	...	...	...	...	...	...	1	...	1	1	1	...	4	.14

TABLE IX.—OCCUPATIONS.

Exhibiting the number of persons, pursuing different avocations, living in the State, according to the Census of 1850, *also the number of deaths occurring among each class, together with the ratio of the same to the living, and the aggregate and average ages.*

OCCUPATIONS.	Living.	Deaths.	Ratio to Living.	Ages. Given.	Ages. Aggregate.	Ages. Average.
Artists,	169	1	1 in 169	1	75	75.
Basket Makers,	27	3	1 " 9	3	221	73.66
Blacksmiths,	1546	22	1 " 70	21	1090	52.
Boatmen,	46	1	1 " 46	1	30	30.
Bookbinders,	22	1	1 " 22	1	60	60.
Builders,	9	1	1 " 9	1	81	81.
Cabinet Makers,	380	4	1 " 95	4	199	49.75
Carpenters,	2360	27	1 " 88	23	1257	54.65
Chairmakers,	103	1	1 " 103	1	66	66.
Clergymen,	619	7	1 " 88	7	464	66.27
Clerks,	936	7	1 " 134	7	213	30.42
Clothiers,	124	2	1 " 62	2	147	73.50
Coopers,	287	6	1 " 48	6	391	65.16
Drivers,	119	2	1 " 59	2	64	32.
Drovers,	29	1	1 " 29	1	23	23.
Dyers,	16	2	1 " 8	2	64	32.
Farmers,	48312	537	1 " 90	524	33416	63.87
Gardeners,	15	1	1 " 15	1	37	37.
Glass Manufacturers,	14	1	1 " 14	1	74	74.
Goldsmiths,	21	1	1 " 21	1	19	19.
Grocers,	92	1	1 " 92	1	30	30.
Gunsmiths,	22	1	1 " 22	1	37	37.
Harness Makers,	327	3	1 " 109	3	154	51.33
Hatters,	51	2	1 " 25	2	134	67.
Horse-Dealers,	12	1	1 " 12	1	67	67.
Inn Keepers,	408	5	1 " 82	5	250	50.
Laborers,	21993	55	1 " 400	55	2738	49.78
Lawyers,	494	4	1 " 123	4	227	56.75
Machinists,	213	4	1 " 53	4	121	30.25
Manufacturers, (not specified,)	478	6	1 " 78	5	276	55.20
Mariners,	112	1	1 " 112	1	24	24.
Masons,	508	7	1 " 72	6	347	57.83

TABLE IX.—Continued.

OCCUPATIONS.	Living.	Deaths.	Ratio to Living.	AGES. Given.	Aggregate.	Average.
Mechanics, (not specified,)	633	13	1 in 49	13	508	46.07
Merchants,	1282	10	1 " 128	9	421	45.66
Messengers,	11	2	1 " 5	2	51	25.50
Millers,	348	5	1 " 70	5	203	40.60
Millwrights,	140	1	1 " 140	1	94	94.
Miners,	3	1	1 " 3	1	37	37.
Moulders,	147	2	1 " 73	2	109	54.50
Officers, State and U. S.,	29	1	1 " 29	1	74	74.
Painters,	419	4	1 " 105	3	106	35.33
Peddlers,	354	2	1 " 177	2	100	50.
Physicians,	663	12	1 " 55	12	769	64.08
Potters,	52	3	1 " 17	2	142	71.
Printers,	138	1	1 " 138	1	31	31.
Quarrymen,	60	1	1 " 60	1	36	36.
Rail Road Men,	163	10	1 " 16	10	294	29.40
Sash and Blind Makers,	37	1	1 " 37	1	24	24.
Sawyers,	178	1	1 " 178	1	26	26.
Servants,	34	1	1 " 34	1	25	25.
Shoemakers,	1676	19	1 " 88	18	1132	62.89
Stone and Marble Cutters,	265	4	1 " 66	4	212	53.
Students,	1016	2	1 " 508	2	42	21.
Tailors,	381	1	1 " 381	1	52	52.
Tanners and Curriers,	273	1	1 " 273	1	92	92.
Teachers,	150	4	1 " 38	4	126	31.50
Teamsters,	205	3	1 " 68	3	113	37.66
Tinsmiths,	168	4	1 " 42	4	131	32.75
Upholsterers,	3	1	1 " 3	1	30	30.
Watchmakers,	10	1	1 " 10	1	60	60.
Wheelwrights,	580	5	1 " 116	5	293	58.60
Wooden Ware Manufacturers,	18	1	1 " 18	1	71	71.
Other occupations,	127	4	1 " 32	3	175	58.33

REMARKS.

THE returns for the second year show a decided improvement, in many respects, over those of the first year. In December last, a circular of instructions was issued and sent to the clerks in the several towns. The result has been that the returns are more uniform and complete. The facts seem to have been more carefully collected and more fully and clearly reported. A few of the towns, however, did not report as fully as the year before, probably from mere carelessness. Nearly all the town clerks sent in returns of some sort. A small number wrote that they were unable to make them, as none were made by the district clerks; and a very few paid no attention whatever to the subject. The aggregate population, of the towns from which no returns were received, is less than half that of the towns not heard from last year.

It is much to be regretted that the first report was not printed in season to be sent to the different towns before they were obliged to make their returns, since if they could see some result of their previous labors, and know that their work is of practical consequence, they would probably exert themselves more assiduously.

It is desirable that the clerks should be more prompt in making their returns. The time fixed by the statute must certainly give opportunity for all to complete their records and send the copies to the State department. On the other hand the period from the time when the returns are due until the session of the Legislature is scarcely sufficient to make the proper abstracts, and afterwards study them with such care as to make the report as valuable as it might be. But when a delay is made of one and two months, (and even

more was made by some towns) the labor of constructing the tables is very much increased. And not only this, but no results can be obtained until so late that the necessary time cannot be found to mature and render available for valuable purposes any conclusions which might be drawn from them.

Although the returns were much more complete in detail, this year than last, yet they were not much more full. Not many more births, marriages or deaths were recorded, but the records were more complete, in that fewer blanks were left in the columns of sex, parentage, nativity, age, &c. Yet very great deficiencies exist this year in this respect.

When the importance of registration shall be more generally appreciated in this State, we hope to have more complete and full details. There seems to be no good reason why our State should fall behind other States and countries in this respect. We claim as much general intelligence, and civilization, as good government and as much obedience to law as any, yet other communities "do require and *obtain* a registration of similar facts with reliable accuracy and completeness."

The tables and abstracts will of course have an appearance of sameness from year to year, since it is desirable to have a uniformity in the reports that their value may annually be augmented as the materials accumulate. In the first table, the general abstract, the ratio of the births and marriages, to the population, given in the first report, have been omitted in this. The ratio of deaths to the population is given in percentage, instead of by the thousand as last year; the only difference being that the decimal point is removed one place to the left.

POPULATION.

Considering how important an element, in any computations connected with births, marriages and deaths, is a correct knowledge of the population, it is very much to be regretted that the only means available in this State is the United States Census, taken eight years before these facts were collected. Incorrect as must be any deductions made from such imperfect data, they are still of sufficient importance to warrant making comparisons and computations, bearing in mind continually the allowances necessary to be made on account of errors from this source. The population of our State, however, does not change as rapidly as in many others. Hence in some computations the errors are not of such magnitude as to be of considerable consequence.

It is probable that there has been, in the State as a whole, a small increase from year to year, since 1850. Taking the average of increase for the twenty previous years as a fair standard for estimating that of the past eight years, it is reasonable to suppose that this State contained in 1858 about 328,000 inhabitants.

Vermont, as shown in the report for 1857, has an excess of females, increasing from year to year; differing in this respect from all the New England States, except Maine.

As mentioned also in the first report, the productive part of community in this State, is considerably less than that of Massachusetts, while it precisely equals that of England. The number of children under fifteen years of age exceeds that of Massachusetts, but falls a trifle short of that of England. The aged are considerably more numerous in this State than in Massachusetts, and very slightly more so than in England.

These places stand as follows: In every 10,000 of the population there are in

	Vermont.	Massachusetts.	England.
Under 15	3,566	3,169	3,610
15 to 50	5,025	5,607	5,026
Over 50	1,409	1,224	1,365

Hence in any computations into which the ages of the living population enter as important elements, it is more just to compare this State with England than with Massachusetts. But when locality, climate, habits, &c., are of the most consequence, comparisons with Massachusetts are more reliable.

England and Massachusetts are often referred to in these reports because they are in so many respects similar to Vermont, rendering comparisons more trustworthy, and in addition to this, they have efficient and valuable registration laws in operation.

About seventy-two per cent. of the population of Vermont are natives of the State, while only about sixty per cent. of the actual natives of this State, still reside in Vermont.

The proportionate distribution of the population within the State has probably changed considerably. Some towns have undoubtedly diminished in numbers. Many remain nearly the same. The greater number have probably increased somewhat. While a few, and these generally the larger towns, have added largely to their population.

Rutland has probably increased more than any other town. By a census, taken two years since, by the authorities of that town, it then contained about 8,000 inhabitants, having more than doubled since 1850. This would change the rate of mortality from 2.85 per cent, as given in table I, page 13, to 1.33 per cent; or from one death in 35 to one in 75 persons.

Another source of error is the variation of town lines, by which population is added to one town while it is taken from another. These changes will be noticed from time to time, after another census shall furnish the means of greater accuracy.

Such errors affect mainly single towns and are at present unavoidable.

BIRTHS.

There were reported in this State 6,477 births during the year, exclusive of the stillborn. This exceeds, by 119, the number recorded the previous year. It is undoubtedly not over two-thirds of the actual number born. Since the producing part of our community is the same as in England, we ought, unless some other efficient cause operates to prevent, to have about the same proportion of births. But in England one birth occurs among every thirty-one persons, whereas our returns show only one among every forty-nine. If we suppose the 6,477 births returned to be one-half of the actual number, it would still give only one among every thirty-three persons.

Sex.—The sex was not given in 41 cases. Of the remainder, 3,294 were males and 3,142 were females. There were 152 more boys than girls. In Addison County there was an excess of 22 females, in Caledonia County an excess of 15 females, in Essex and Lamoille Counties the males and females were exactly equal, excluding one birth in Lamoille County, the sex of which was not given. In all the other Counties the males were in excess.

The preponderance of males is less than it was the previous year, and the same was found to be true in a still greater degree, in Massachusetts. In every 100 children born, there were in—

	Vermont.		Massachusetts.	
	1857	1858	1857	1858
Males	51.67	51.18	51.28	50.89
Females	48.33	48.82	48.72	49.11

The records of "several different Cities and States of the Union, also those of England, France, Belgium, Sweden, Norway, Russia, Prussia, Austria, Saxony, and other foreign countries, covering upwards of one hundred million births, show 1,073 boys to 1,000 girls. Over one million of recorded births in the United States show 1,066 boys to 1,000 girls. The records of Massachusetts alone for thirteen years, 1845–57, give only 1,054 boys to 1,000 girls." (*Sixteenth Registration Report, Mass.* 1857.) In 1858

the ratio in Massachusetts stood 1,036 boys to 1,000 girls. In this State the ratio in 1857 was 1,069 boys to 1,000 girls. For 1858 it stands 1,048 boys to 1,000 girls.

The causes of these differences in the proportion of the sexes, in different countries, and in different years, are interesting subjects for investigation. At present they can be only matters for speculation.

Season.—It is undoubtedly true that season has a decided influence upon the number of births. By table II, page 20, it will be seen that December was the most fruitful month, October the next, and February the least so. In 1857 October was the most fruitful, December next, and January the least. In most places there are more births during the first than in the last half of the year. In this State, there were during the

First Quarter,	1,421	births.
Second "	1,578	"
Third "	1,691	"
Fourth "	1,736	"

Perhaps a part of the increase in numbers, from the beginning to the close of the year, may be owing to the fact that the records are made only at the end of the year, and many more omissions occur in the early months, they being more likely to be forgotten.

Pleurality Births.—There were 148 children born in couplets, including thirteen that were stillborn. Of the women bearing children, about one in 86 had twins. There were three sets of triplets reported. One in Orleans County, females, stillborn. One set in Rutland County, a male, lived four days, a female, five days, the other, a female, was living when the record was made. One set in Windsor County, a male and two females, all living. There was one case of triplets among each 2,132 childbearing women.

Illegitimate Births.—These were probably not very fully reported. Supplement B, table II, page 23, shows their number and distribution. Including the stillborn, there was one illegitimate child among every 108 born. Massachusetts reports one in 146, England one in 16.

Parentage.—In the preceding tables only the birth place of the

father has been noticed. This was not given in 535 cases. Of the remainder 4,359 had American, and 1,583 foreign fathers. Comparing these with the native and foreign population, we find that the ratio is 1.55 per cent. for the American, and 4.69 per cent. for the foreign population. One birth occurred among sixty-four Americans, and one among twenty-two foreigners, showing the foreign population to be much the most prolific. This difference, however, may perhaps in part be accounted for by the greater increase of foreign population.

Stillborn.—In 1857 but few of these were recorded. They were included in the tables, both among the births and deaths. In this report they are not tabulated with either; except in the tables VII. and VIII. The number registered during 1858, was 147. This would give one for every forty-four living children born. In Massachusetts one is reported for every forty-nine children born alive. There were 71 males and 50 females, the sex of the remainder not being reported. This excess of males corresponds with the records of other places, "and in connection with the fact that there is a decided preponderance of males in the deaths at very early ages, is significant of the relative powers of vitality in the sexes on entering independent life."

MARRIAGES.

More improvement in the returns of marriages is perceptible than in those of births or deaths. In 1857 comparatively few gave the ages or the conditions of the persons married. The returns are also more full as well as more complete in detail, nearly twenty per cent. more cases being returned than in the previous year.

There were reported for the year 2,315 marriages, being 374 more than last year. Comparing this with England where the marriagable portion of community bears the same ratio as in this State, our returns give one marriage among each 141 of the population, while England gives one for every 123 persons. Hence we may

infer that the reports are not yet full, although so much more so than the year before, which gave only one marriage for every 167 persons.

The nativity of 1,578 men who were married was given, 737 not being reported. This shows one marriage among 203 American persons, and one among 170 foreigners. The greater proportionate number of marriages among foreigners will account, in part, for the greater number of children born among them. But it will not do so wholly, since the difference of the ratios of the children born is very much greater than the difference of the ratios of marriages.

Of the 2,315 men married the ages of 1870 were given, 445 not being reported. Of those given 55 were under twenty years of age, 766 were between twenty and twenty-five, 499 were between twenty-five and thirty, 196 between thirty and thirty-five, 105 between thirty-five and forty, and the remainder 249 were over forty.

Of the 2,315 women married the ages of 1849 were given, 466 not being reported. Of those given 604 were under twenty years of age, 733 were between twenty and twenty-five, 246 were between twenty-five and thirty, and the remainder 256 were over thirty.

Eighteen men and three women were over seventy years of age.

The previous condition of the parties was stated in 1630 instances, 685 not being reported. In many cases, a number for the marriage was written against the name of one of the parties, the other being blank, usually this *probably* meant that it was the first or second marriage of both, but as this report is to be a faithful abstract of only what is actually reported, such cases are included among the unknown.

Of those in which the condition was reported 1,249 were instances of the first marriage of both parties, 50 were of men married for the first time to women who had before been married, 215 were of men who had been married before to women who were then married for the first time. In 116 instances both of the parties had been married before.

By table III, page 24, it appears that the greatest number

marriages occurred in December, as was also the case in 1857. The least number took place in June.

Dividing the year into three periods, the marriages were in

January, February, March, April,..... 730
May, June, July, August,..... 602
September, October, November, December,..... 957

This shows more than three marriages in the Autumn for every two in the Summer. In other communities also an increase in marriages is found in the Autumn, although in cities the increase is not as great.

DEATHS.

The whole number of deaths reported for 1858 is 3,728, including 147 stillborn. This is 216 more than the number returned for 1857. It is about one death among every 84 persons, according to the population, as given by the census of 1850. If we suppose the population to have increased, as before estimated, viz: to 328,000, it would give for the mortality, one in 88 persons, or 1.14 per cent. But the most salubrious localities show one death among 66 persons, or 1.5 per cent. If only two-thirds of the actual number of deaths were recorded, the mortality would be 1.7 per cent. or one death in 58 persons, quite an uncommon degree of healthfulness for any State.

Age.—Excluding the stillborn, and 93 persons whose ages were not reported, there were 3,488 deaths of those whose ages were given. Of these considerably more than one in seven were of children under one year old, and nearly one quarter were under three years of age.

The percentages of deaths at different ages to all the deaths, and of the living at those ages to the whole population, were as follows:—

Ages.	Per cent. of Deaths.	Per cent. of Living.
Under 1	14.73	2.1
Between 1 and 5	13.00	9.9
" 5 " 15	7.41	23.7
" 15 " 50	28.60	50.3
" 50 " 70	14.75	10.9
Over 70	21.51	3.1

Under one and over seventy the ratio of deaths is more than seven times that of the living, while between fifteen and fifty it is but little more than half. At the extremes of life the feeble vital energies are not adequate to protect the body from the various noxious influences surrounding it.

Average Age.—The deaths of children have been more fully reported than last year, although undoubtedly, many more children than adults have been omitted, so that the average age, as given by the returns is still very much too great. It ranges, in the different Counties, from 18.89 to 45.6 years. That for the whole State is 36.57, which is a little less than that given for 1857.

No person is reported to have died during the year in this State at the age of 100 years or over. Twelve were returned over 95. The oldest persons were—

Town.	Name.	Age	Died.	Born.
Halifax,	Thomas Adams,	99 yrs. 6 ms.	April 14.	Massachusetts.
Barnard,	John Ellis,	98 " 11 " 17 ds,	Sept. 15,	"
Athens,	Zebiah Colburn,	97 " 6 " 15 "	Feb. 15,	"

Sex.—Of the 3,581 deaths reported, 1667 were of males, and 1,901 were of females, an excess of 234 females. The sex was not recorded in thirteen instances.

When the relative male and female population is taken into the account, this difference against females is found to be very great, as shown in the first report. The deaths among males were only one in 96, or 1.04 per cent., while for females, it was one in every 81, or 1.23 per cent.

The mortality of the sexes varies at different ages. The deaths were—

Ages.	Males.	Females.	Excess Males.	Excess Females.
Under 10	588	540	48	...
Between 10 and 50	422	659	..	237
Over 50	603	662	..	59

Among children boys possess the least amount of vital stamina, and this is still more forcibly shown when the stillborn children are taken into the account. There were 1,117 boys dying for every 1,000 girls. But during the period of the development of womanhood, and through the procreative and climacteric periods, females seem to be by far the weaker sex. In old age there appears to

but little difference in the vital powers of the sexes, since this year the balance is slightly against the females, while last year it was very slightly against the males. As remarked in the first report, in middle life females are everywhere subject to greater liability to disease and death than males. But in this State this liability compared with that of males at the same age, is very wonderfully increased, particularly during the period of the development of womanhood. It completely over-balances the excess of male mortality at the extremes of life, producing an absolute excess of female mortality in this State, notwithstanding the excess of male population. There is scarcely another State or country in the world where the male mortality does not preponderate. *What causes are in operation in this State to produce this comparatively large female mortality?*

Season.—The months in which the deaths took place were given in 3,533 instances. The greatest number of deaths occurred during the first quarter, the least during the last quarter. In the previous year the greatest number was found in the last quarter, the least in the first. Combining the two years we see that the greatest mortality took place during the middle six months, including the winter 1857–8, nearly one-third of the deaths having occurred in that quarter of the time. That winter was not, perhaps, particularly unhealthy, but simply more so than the other parts of the two years.

The deaths in 1858 were distributed among the months as follows :

January,	279	940
February,	296	
March,	365	
April,	297	858
May,	302	
June,	259	
July,	281	921
August,	329	
September,	311	
October,	275	814
November,	257	
December,	282	

March appears to have been the most fatal month, and Novem-

ber the least so. In Massachusetts August is usually the most destructive, and June the least so. In England the greatest number of deaths occur in winter, the least in summer.

CAUSES OF DEATH.

This part of the returns can never be what it should be, until by some means physicians can be induced to assist in the work. Every medical man would rejoice to see the statistics, in regard to the causes of death, so accurately made that he could rely upon their truthfulness. Section seven of the statute concerning registration makes it the duty of every physician to certify the cause of every death occurring in his practice. Yet it is evident from the returns that very few medical men have paid any attention to this matter. At best and with full certificates from educated physicians we cannot rely implicitely upon all the facts returned. Our records are perhaps as perfect as those who are not conversant with medical science can make them. Upon inspection of the returns an obvious improvement is perceptible in those of the second year.

Imperfect as they must be acknowledged to be, they are still of very great value, and will become more so from year to year.

The causes of death were given in 3,484 cases. Of these the causes were—

Zymotic in	804	cases, or	23.08	per cent.
Constitutional	973	"	27.95	"
Local	1013	"	29.07	"
Developmental	570	"	16.36	"
Violent	124	"	3.56	"

CLASS I. It will be seen that *Zymotic* diseases prevailed somewhat more fatally than in 1857, the per cent. for that year being only 19.26.

In this class *Scarletina* was the most destructive, carrying off 275 persons, and comprising 7.89 per cent. of the deaths from specified causes. It prevailed the most severely during the first half of

the year. Every county, except Essex, was visited by it. Grand Isle suffered proportionately the most, more than one-third of the deaths from specified causes in that county being from this disease. Sixty-five per cent, 174 cases, were of children under five years of age, and twenty-four per cent. were between five and ten, making 89 per cent. under ten. This year more adults had this disease than during the previous year, only seven per cent. of the cases in 1857 being over ten, while in 1858 eleven per cent. were above that age.

Typhus Fever did not carry off as many during 1858 as during the previous year. One hundred and fifty-four deaths were returned from this cause, including typhoid fever, &c. This is 4.42 per cent. of the deaths from specified causes, against 5.19 per cent. for 1857. As shown last year the deaths occurred more frequently in the Autumn and among those between the ages of fifteen and thirty. More males than females suffered from fevers, the ratio being about four males to three females.

Dysentery prevailed to about the same extent as during the year before. There were 97 deaths reported from this cause, being 2.78 per cent. of the deaths from specified causes. Windham County suffered most, nearly one-third of the deaths from this disease occurring in that County. In Essex and Lamoille Counties no deaths were reported. Two-thirds of the cases were under five years of age. Of the remainder one-half were over sixty years of age. Three-quarters of the deaths occurred in the months of August and September. All the others were in June, July, October and November. In the latter month only one case was reported. Among children the mortality was greatest among boys. At other ages females suffered most.

Cholera Morbus and *Cholera Infantum* were not very destructive. There were 13 cases of the former, and 19 of the latter, the two comprising .91 per cent. of the deaths. During the previous year 20 cases were reported from these diseases, .61 per cent.

Croup was less prevalent than in 1857. Only 54 cases were reported, being 1.55 per cent. against 2.24 per cent. for the year before.

Among diseases of the nervous system *Apoplexy* and *Cephalitis* were most fatal. The former, a disease of the aged, carried off 49 persons, 1.42 per cent. The latter, mainly a disease of childhood, swept away 63 persons, 1.80 per cent.

CLASS IV. *Developmental Diseases*, including those dying in very early infancy, from want of sufficient vital stamina, classed as *infantile*, and the *stillborn*, together with those dying of old age, claimed 570 victims, 16.36 per cent. of the deaths from specified causes.

A less number were reported as dying of old age during the year 1858 than during 1857. This is undoubtedly owing to greater accuracy in the returns. The number was 232, being 6.66 per cent. against 9.49 per cent. of the previous year.

CLASS V. Among the *Violent* causes of death there were a less number of accidents, but a greater number of suicides.

Two cases of murder and one of supposed murder were reported. The two cases of murder were both young men shot down while at work in the field, by a man, now in the State Prison claimed to be insane.

APPENDIX.

CLASSIFICATION OF DISEASES.

The following classification of the Causes of Death has been adopted for the Vermont Registration Reports, in order that they may conform as nearly as possible with those of other countries, thereby securing to them much greater value for the comparison of facts both at home and abroad. The statistical nosology is that recommended by William Farr, Esq., M. D., of England, with the sanction and approval of the most eminent medical men of Europe, and which has been adopted in Massachusetts, and will probably be used by many other States, as well as upon the entire European continent.

CLASSES.

I.—ZYMOTIC DISEASES:—*Zymotici.* (*Zume*, leaven.)

Diseases that are either epidemic, endemic, or contagious; induced by some specific body, by the want of proper nourishment, or by the bad quality of food.

II.—CONSTITUTIONAL DISEASES:—*Cachectici.* (*Kachexia*, bad habit of body.)

Sporadic diseases; affecting several organs in which new morbid products are often deposited; sometimes hereditary.

III.—LOCAL DISEASES:—*Monorganici.* (*Monos*, alone, without others; *Organon*, organ.)

Sporadic diseases in which the functions of particular organs or systems are disturbed or obliterated, with or without *inflammation;* sometimes hereditary.

IV.—DEVELOPMENTAL DISEASES:—*Metamorphici.* (*Metamorphosis*, change of form.)

Special diseases, the incidental result of the formative, reproductive, and nutritive processes.

V.—VIOLENT DISEASES OR DEATHS:—*Thanatici.* (*Thanatoi*, violent deaths.)

Diseases which are the evident and direct results of physical or chemical forces, acting either by the will of the sufferer, of other persons, or accidentally.

ORDERS.

Class I.—Order 1. Miasmatic diseases :—Miasmatici. (*Miasma*, stain, defilement.)
2. Enthetic diseases:—Enthetici. (*Enthetos*, put in; implanted.)
3. Dietic diseases :—Dietici. (*Diaita*, way of life, diet.)
4. Parasitic diseases :—Parasitici. (*Parasitos*, parasite.)

Class II.—Order 1. Diathetic diseases :—Diathetici. (*Diathesis*, condition; diathesis.)
2. Tubercular diseases :—Phthisici. (*Phthisis*, wasting away.)

Class III.—Order 1. Brain diseases:—Cephalici. (*Kephale*, head.)
2. Heart dieseases:—Cardiaci. (*Kardia*, heart,)
3. Lung diseases :—Pneumonici. (*Pneumon*, lung.)
4. Bowel diseases :—Enterici. (*Enteron*, intestine.)
5. Kidney diseases : — Nephritici. (*Nephros*, kidney.)
6. Genetic diseases :—Aidoici. (*Aidoia*, pudenda.)
7. Bone and Muscle disease :—Myostici. (*Mus*, muscle; *Osteon*, bone.)
8. Skin diseases :—Chrotici. (*Chros*, skin.)

Class IV.—Order 1. Developmental diseases of children :—Paidiaci. (*Paidia*, youth.)
2. Developmental diseases of woman :—Gyniaci. (*Gune*, woman.)
3. Developmental diseases of old people :—Geratici. (*Geras*, old age.)
4. Diseases of nutrition :—Atrophici. (*Atrophia*, atrophy.)

Class V.—Order 1. Accident :—Tychici. (*Tuche*, chance.)
2. Battle :—Polemici. (*Polemos*, battle; fight.)
3. Homicide : — Androphonici. (*Aner*, man; *Phoneuo*, I kill.)
4. Suicide :—Autophonici. (*Autos*, self; *Phoneuo*, I kill.)
5. Execution :—Demiotici. (*Demiotes*, executioner.)

NOMENCLATURE OF DISEASES.

In the series of instructions issued to the clerks were several rules to be observed in registering the causes of death. But difficulty seems still to be found in applying them, apparently from want of sufficient familiarity with the *names* of diseases. It is evident that frequently the same disease is recorded under different names in different towns, and even sometimes in the same town. Uniformity is essential to accuracy.

The following alphabetical list of causes of death contains those names which it is desirable should be used, and comprehends all that are ordinarily necessary in filling out the records. When several are given which are synonymous the one in *italics* is considered preferable. The letters appended to each disease show the class to which it belongs in the preceding classification, the figures indicate the order.

In some cases more particularity might be necessary and could easily be given. In such instances it would be well for the persons who keep records to enter more at large the causes of death and any extraordinary circumstances attending them. With the local causes there should be given the special part affected; and with the others there should be also given some positive characteristic by which the disease could be easily classed. No clerk or register should consider any cause of death recorded satisfactorily that he cannot easily and without doubt classify.

Abortion, iv. 2.
Abscess of ———, ii. 1. iii. The location of the abscess should be given, and the disease which lead to its formation.
Accident, v. 1. Specify the kind.
Ague, *Intermittent Fever*, i. 1.
Albumenuria, *Nephria*, Bright's Disease, iii. 5.
Alcoholism, Delirium tremens, Intemperance, i. 3.
Anæmia, ii. 1.
Aneurism of ———, iii. 2. Its location should be given.

Angina Pectoris, iii. 2.
Anus, Imperforate, iv. 1.
Aphthæ, *Thrush*, i. 4.
Apoplexy, iii. 1.
Arteritis, Inflammation of the Arteries, iii. 2.
Ascites, iii. 4.
Asthma, iii. 3.
Atelectasis, iv. 1.
Atheroma of the Arteries, iii. 3.
Atrophy, Debility, Premature old age, iv. 4.
Bed Sore, ii. 1. State whether from ulceration or mortification, also what disease preceded.
Bladder, Disease of, iii. 5. Give the kind of disease, if possible.
Bleeding, *Hæmorrhage* from ———, ii. 1. Sate from what part of the body.
Boil, *Phlegmon*, i. 1. Give its location.
Bone, Disease of, iii. 7. Tell the kind of disease.
Bowels, Disease of, iii. 4. Tell what disease.
Brain, Disease of, iii. 1. Record the nature of the disease.
Brain Fever, *Cephalitis*, Inflammation of the brain, iii. 1.
Bright's Disease, *Nephria*, Albumenuria, iii. 5.
Bronchitis, iii. 3.
Bronchocele, i. 3.
Burns and Scalds, v. 1. Name the place.
Calculus, Gravel, Stone, iii. 5.
Cancer, ii. 1. Give its location.
Caries, iii. 7.
Canker, ii. 1.
Canker rash, *Scarletina*, Scarlet fever, i. 1.
Carbuncle, i. 1.
Casualty, v. 1. Record the kind of casualty.
Cephalitis, iii. 1. May be used to designate any inflammation within the head, even if the differential diagnosis is uncertain.
Chicken-pox, i. 1.
Childbirth, iv. 2.
Chlorosis, iv. 2.
Cholera Morbus, i. 1.
Cholera Infantum, i. 1.
Chorea, iii. 1.
Cirrhosis, iii. 4.
Climacteria, Turn of life, iv. 2. Should not be used when any more specific disease can be ascertained.

Colic, *Ileus*, iii. 4.
Cold, Frost, v. 1.
Concussion of ———, v. 1. State of what part.
Congestion of ———, iii. 1. State of what part.
Consumption, Phthisis, ii. 2.
Constipation, *Ileus*, iii. 4.
Contusion of ———, v. 1. 2. State where and whether accidental, or by design.
Convulsions, iii. 1. When these occur in the course of other diseases, or are excited by teething, the fact should be mentioned.
Cretinism, i. 3.
Croup, i. 1.
Cut, v. 1. 3. 4. Accident, Homicide, or Suicide? also the place of the wound?
Cyanosis, iv. 1.
Cystitis, iii. 5.
Debility, iv. 4. This term should not be used if any specific disease can be ascertained which caused the debility.
Delirium tremens, Alcoholism, Intemperance, i. 3.
Dementia, iii. 1.
Diabetes, iii. 5.
Diarrhœa, i. 1.
Diphtheria, Putrid, or Malignant sore throat, i. 1.
Diuresis, iii. 5.
Dropsy, ii. 1. If of any particular part or organ, or following scarletina or other disease such facts should be stated.
Drowned, v. 1. 3. 4. State whether accidental, homicide, or suicide.
Dysentery, i. 1.
Dyspepsia, iii. 4.
Empyema, iii. 3.
Enteritis, Inflammation of Bowels, iii. 4.
Epilepsy, iii. 1.
Epistaxis, iii. 3.
Ergotism, i. 3.
Erysipelas, i. 1.
Erythema, i. 1.
Exostosis, iii. 7.
Explosion of powder, gas, &c., v. 1.
Fainting, *Syncope*, iii. 2.
Famine Fever, i. 3.
Fever, i. 1. Name the kind. if possible.
Fistula, iii. 4.

Fracture of ———, v. 1. 3. 4. Record the part fractured, also whether accidental, homicide or suicide.
Frost, v. 1.
Gallstones, iii. 4.
Gangrene, Mortification, ii. 1. State of what part.
Gastritis, Inflammation of the Stomach, iii. 4.
Glanders, i. 2.
Gonorrhœa, i. 2.
Gout, ii. 1.
Gravel, Calculus, Stone, iii. 5.
Gunshot, v. 1. 3. 4. Record whether accidental, homicide or suicide.
Hæmatemesis, Vomiting blood, iii. 4.
Hæmaturia, Bloody urine, iii. 5.
Hæmoptysis, Spitting blood, Hæmorrhage from the lungs, iii. 3.
Hæmorrhage, ii. 1. iii. 3. 4. 5. From what part?
Hæmorrhoids, Piles, iii. 4.
Hanged, v. 1. 4. 5. State whether by accident, by suicide, or by the executioner.
Heart Disease, iii. 2. Tell what kind of disease, if possible.
Hepatitis, Inflammation of the liver, iii. 4.
Hernia, iii. 4. Record whether congenital, femoral, inguinal, or umbilical.
Hip Disease, ii. 2. iii. 7. State whether scrofulous or simple inflammation.
Hydrocele, iii. 6.
Hydrocephalus, Dropsy of the brain, ii. 2.
Hydrophobia, i. 2.
Hydrothorax, Dropsy in the chest, iii. 3.
Hysteria, iii. 1.
Ileus, iii. 4.
Infantile, iv. 1. This term is recommended to designate the unknown cause of deaths occurring shortly after birth, and should not be used when any specific disease can be ascertained.
Inflammation of ———, iii. This word should never be used unless the part affected is specified.
Influenza, i. 1.
Insanity, *Mania*, iii. 1.
Intermittent fever, Ague and fever, i. 1.
Intussusception, iii. 4.
Ischuria, iii. 5.
Jaundice, iii. 4. The cause should be given, if possible.
Kidney Disease, iii. 5. Give the kind of disease.

Laryngitis, iii. 3.
Laryngismus, iii. 1.
Leprosy, i. 2.
Lightning, v. 1.
Liver Disease, iii. 4. To be used only when the *natare* of the disease is not known.
Lock-jaw, *Tetanus*, iii. 1.
Lung Disease, iii. 3. To be used only when the *nature* of the disease is not known.
Lung fever, *Pneumonia*, Inflammation of the lungs, iii. 3.
Lupus, ii. 1.
Mania. iii. 1.
Malformation, iv. 1. The kind should be specified.
Malignant Pustule, i. 2.
Marasmus, iv. 4.
Measles, i. 1. State if terminating in pneumonia, or consumption.
Melanosis, ii. 1.
Metria, Puerperal fever, Childbed fever, i. 1.
Mortification, ii. 1. The cause, if known, and the part affected should be mentioned.
Miliaria, i. 1.
Mumps, Parotia, i. 1.
Murdered, v. 3. In what manner?
Necusia, Dissecting wound, i. 2. (Poison from a dead body.)
Nephria, Bright's Disease, Albumenuria, iii. 5.
Nephritis, Inflammation of the Kidneys, iii. 5.
Neuralgia, iii. 1.
Neuroma, iii 1.
Œsophagitis, iii. 4.
Old Age, iv. 3. Should not be used when any specific disease can be ascertained.
Ophthalmitis, Inflammation of the Eye, iii. 1.
Ostitis, Inflammation of bone, iii. 7.
Otitis, Inflammation of the ear, iii. 1.
Ovarian Disease, iii. 6. Tell whether it was dropsy, tumor, abscess, or inflammation.
Pancreatic Disease, iii. 4.
Paralysis, Palsy, iii. 1.
Paramenia, iv. 2. (Includes amenorrhœa, leucorrhœa, and other derangements of the menstrual function.)
Parotia, Mumps, i. 1.
Perforation of ———, iii. Name the part.
Peritonitis, iii. 4. If puerperal it should be registered as Metria.

Pericarditis, Inflammation of the heart, iii. 2.
Pharyngitis, iii. 4.
Phlebitis, Inflammation of the veins, iii. 2.
Piles, *Hæmorrhoids*, iii. 4.
Phlegmon, Boil, iii. 8. Give its location.
Pleurisy, iii. 3.
Pneumonia, Lung fever, Inflammation of the lungs, iii. 3. If this occurs as a sequel of measles, scarletina, whooping cough, or other disease, it should be so registered.
Pneumotherax, iii. 3.
Poison, v. 1. 3. 4. The kind of poison should be stated, and the time intervening before death, also whether, accidental, homicide, or suicide.
Porrigo, i. 4.
Prostate Gland, Disease of, iii. 5.
Purpura, i. 3.
Purulent Ophthalmia, i. 2.
Putrid sore throat, *Diphtheria*, i. 1.
Pyemia, i. 1.
Quinsy, i. 1.
Remittent Fever, i. 1.
Rheumatism, i. 1. Name the part affected.
Rickets, i. 3.
Scabies, i. 4.
Scalds and Burns, v. 1. Name the place.
Scarletina, Scarlet fever, Canker rash, i. 1.
Scrofula, ii. 2. The part affected should be registered.
Scurvy, i. 3.
Skin Disease, iii. 8. Give the kind of disease.
Small Pox, i. 1.
Spina Bifida, iv. 1.
Spine Disease, iii. 7. Name the kind of disease.
Spleen, Disease of, iii. 4.
Stab, v. 1. 3. 4. State the place of the wound, also whether accidental, homicide, or suicide.
Starvation, v. 1. 3. 4. State whether accidental, homicide, or suicide.
Stillborn, iv. 1.
Stomatitis, iii. 4.
Stone, Calculus, Gravel, iii. 5.
Stricture of ———, iii. Name the part.
Suffocation, v. 1. 3. 4. Accident, homicide, or suicide?
Suicide, v. 3. State in what way and by what means, also the cause, if known.

Sunstroke, v. 1.
Surgical Operation, v. 1. State what operation, and the time intervening before death.
Syncope, Fainting, iii. 2.
Synovitis, Inflammation of the joints, iii. 7. State what joints.
Syphilis, i. 2.
Tabes Mesenterica. ii. 2.
Teething, Dentition, iv. 1. State if death occurred by diarrhœa, convulsions, or otherwise.
Tetanus, Lock-jaw, iii. 1.
Thrush, Aphthæ, Ulcers of the mouth, i. 4.
Tumor, iii. The kind and location should always be given.
Turn of life, *Climacteria*, iv. 2.
Typhoid Fever, i. 1.
Typhus Fever, i. 1.
Ulcers of ———, iii. The part affected, and the character of the ulcer should be given; also the cause, when known.
Urinary Disease, iii. 5. State the kind, if possible.
Uterine Disease, iii. 6. The nature of the disease should be given.
Varicocele, Varicose Veins, iii. 6.
Varioloid, i. 1. State how long since the person had been vaccinated, if possible.
White Swelling, ii 2. Record the part affected.
Whitlow, iii. 8.
Worms, i. 4. Tell what kind of worms.
Yellow Fever, i. 1.

LAWS OF THIS STATE RELATING TO THE REGISTRY AND RETURNS OF BIRTHS, MARRIAGES, AND DEATHS.

AN ACT

Relating to the Registry and Returns of Births, Marriages and Deaths.

SEC. 1. The clerks of the several towns in this State shall annually, in the month of June, transmit to the Secretary of the State a certified copy of their record of births, marriages, and deaths, which have occurred in their respective towns during the year next preceding the first day of January. The births shall be numbered and recorded in the order in which they are received by the clerk. The record of births shall state in separate columns the date of the birth, the name of the child, (if it have any,) the sex of the child, the place of birth, name and surname of one or both the parents, residence of the parents, occupation of the father, and the time when the record was made. The marriages shall be numbered and recorded in the order in which they are received by the clerk. The record of marriages shall state in separate columns the date and place of marriage, the names and surnames of groom and bride, the residence of each at time of marriage, the age of each, occupation of the man, and time when the record was made. The deaths shall be numbered and recorded in the order in which they are received by the clerk. The record of deaths shall state in separate columns the date of the death, the name and surname of the deceased, the sex, condition, (whether married or single,) age in years, months and days, the place of death, the disease or apparent cause of death, the occupation if a male over fifteen years of age, the place of birth, the name of the parents, and time when the record was made.

SEC. 2. The clerks in the several school districts in each town shall annually in the month of February ascertain from actual inquiry or otherwise all the births and deaths which have happened

in their respective districts during the year next preceding the first day of said month, together with such facts concerning said births and deaths as are required by the first section of this act, and shall make an accurate return thereof to the clerk of the town in which such school district is situated, on or before the first day of March, and said district clerk or other person or persons authorized to perform his duties and make such returns, shall be entitle to receive from the treasury of such town five cents for each and every birth and death so returned. And every person aforesaid, who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than three dollars for each neglect or refusal.

SEC. 3. Every justice of the peace or minister shall make a record of each marriage solemnized before him, together with all the facts relating to marriages, required by the first section of this act, and such justice or minister shall annually, in the month of February, or from time to time, return a copy of the record for the year next preceding the first day of said month, to the clerk of the town in which the marriage was solemnized, and every person aforesaid, who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than ten dollars for each neglect or refusal.

SEC. 4. The clerk of each town shall be entitled to receive from the treasury of the town five cents for recording each birth, death and marriage, provided said clerk shall comply with the provisions of this act in all respects.

SEC. 5. It shall be the duty of the clerks of the several towns to make such distribution of the blank forms of returns, as shall be designated by the Secretary of State.

SEC. 6. The Secretary of State shall prepare and furnish to the clerks of the several towns in this State, blank forms of suitable quality and size, to be used as books of records, according to the provisions of this act, and also blank forms of returns, as herein before specified, and shall accompany the same with such instructions and explanations as may be necessary and useful.

SEC. 7. Every physician who shall attend any deceased person shall leave with the town clerk a certificate containing the name of the disease or cause, (if known,) of the said death, within fifteen days after the interment of the deceased. Any such medical attendant who shall neglect or refuse to give the certificate required by this section, shall, for such offence, pay a fine of three dollars for the use of the town where such offence shall be committed.

SEC. 8. It shall be the duty of the secretary of state to receive the returns made in pursuance of the first section of this act, and with such assistance as may be voluntarily rendered by any authorized committee appointed by the Vermont medical society for that purpose, prepare therefrom such tabular results as will render them of practical utility, and make a report thereof annually to the legislature, and generally shall do whatever may be required to carry into effect the provisions of this act.

SEC. 9. All acts or sections of acts inconsistent with the provisions of this act are hereby repealed.

Approved November 17, 1856.

AN ACT

In amendment of an act entitled, An act relating to the Registry and Returns of Births. Marriages and Deaths, passed November, 1856.

SEC. 1. Section two of an act entitled "an act relating to the registry and returns of births, marriages and deaths," approved November 17, A. D. 1856, is so amended as to read as follows:

The clerks in the several school districts in each town, shall annually in the month of February, ascertain from actual inquiry or otherwise, all the births and deaths, which have happened in their respective districts during the year next preceding the first day of January, together with such facts concerning said births and deaths, as are required by the first section of this act; and shall make an

accurate return thereof to the clerk of the town in which such district is situated, on or before the first day of March; and the said district clerk or other person or persons authorized to perform his duties and make such returns, shall be entitled to receive from the treasury of such town five cents for each and every birth and death so returned: and every person aforesaid, who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than three dollars for each neglect or refusal.

SEC. 2. Section three of said act is so amended as to read as follows:

Every justice of the peace, or minister, shall make a record of each marriage solemnized before him, together with all the facts relating to marriages required by the first section of this act, and such justice or minister shall annually, in the month of February, or from time to time, return a copy of the record for the year preceding the first day of January to the clerk of the town in which the marriage was solemnized, and every person as aforesaid who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than ten dollars for each neglect or refusal.

Approved, October 30, 1857.

THIRD REPORT

TO

THE LEGISLATURE OF VERMONT,

RELATING TO THE

REGISTRY AND RETURNS

OF

Births, Marraiges, and Deaths,

IN THIS STATE,

FOR THE YEAR ENDING DECEMBER 31, 1859.

PREPARED UNDER THE DIRECTION OF

BENJAMIN W. DEAN,

SECRETARY OF STATE.

MIDDLEBURY:
PRINTED AT THE REGISTER BOOK AND JOB OFFICE.
1860.

STATE OF VERMONT.

SECRETARY OF STATE'S OFFICE.
MONTPELIER, Nov. 13th, A. D., 1860.

To the General Assembly of the State of Vermont:

In compliance with the provisions of the act relating to the Registry and Returns of Births, Marriages and Deaths, I have the honor of submitting the Annual Report on this subject for the year 1859.

The Report has been prepared by Dr. Charles L. Allen, of Castleton, the author of the two previous Reports, under whose superintendence the abstract and accompanying tables have been condensed and arranged.

Respectfully submitted,

BENJ. W. DEAN,

Secretary of State.

IN HOUSE OF REPRESENTATIVES,
November 14, 1860.

On motion of Mr. Ranney, *ordered* to lie, and Clerk directed to procure the printing of fifteen hundred copies thereof for the use of the House.

M. BARBER, *Asst. Clerk.*

CONTENTS.

TABLES.

PAGE.

I. GENERAL ABSTRACT.—Population of 1850, Births, Marriages and Deaths, registered in each Town, distinguishing the sex and parentage of Births, the nativity of Marriages, the sex, aggregate and average ages, and the percentage of deaths, ... 2–17

Recapitulation of general abstract, ... 18—19

II. BIRTHS.—Showing the number of each sex, in the several Counties, during each month, ... 20—21

Supplement.—Plurality Births, by Counties, by months, and by sex, 22

Supplement.—Illegitimate Births, by Counties, by months, and by sex, ... 23

MARRIAGES,—by counties and by months, ... 24

PERSONS MARRIED,—by ages and conjugal conditions, ... 25—27

DEATHS,—by counties, by months, and by sex, ... 28—29

DEATHS ACCORDING TO AGE,—showing the number of each sex, at different ages, in each town and county,—with the population and percentage, ... 30—61

Recapitulation of deaths according to age, ... 62—65

CAUSES OF DEATH,—Alphabetically arranged,—showing the number of each sex, dying at different ages, during the several months, with the various diseases, ... 66—76

CLASSIFICATION OF THE CAUSES OF DEATHS,—by counties, with the totals and percentage, ... 77—84

OCCUPATIONS,—showing the number of those pursuing different avocations, the number of deaths in each, the ratio to the living, and the aggregate and average ages of those dying, ... 85—86

REMARKS.

PAGE.

Aggregate of facts, ... 87
Importance of full and complete registration, ... 88
Number and appearance of returns, ... 87

POPULATION.

Ages of, compared with those of other States, ... 92
Census of 1860, ... 93
Changes of, in different parts of the State, ... 93
Loss by emigration, ... 91
Rate of increase, ... 94

BIRTHS.

Illegitimate, ... 96
Parentage of children born, ... 96
Plurality, ... 96
Ratio of, to population compared with England, ... 95
Ratio of sexes of children compared with other places, ... 95
Season, influence of, upon, ... 95

MARRIAGES.

Ages of persons married, ... 97
Conjugal condition ditto 98
Nativity ditto, ... 97
Returns of, more complete than for 1858, ... 97
Season, influence of upon, ... 98

DEATHS.

Ages, Percentage of deaths and living population at different 99
Average age, ... 99
Female mortality, wonderful preponderance of, ... 100
Nativity of persons dying, ... 100
Number of deaths, and ration to population, ... 99
Oldest persons who died during the year, ... 99
Season, influence of,—table of deaths in the several months, ... 101
Sexes, excess of females, ... 100

PAGE.

AUSES OF DEATH.

Classification, remarks upon, ... 108

Zymotics,

Characteristics of, ... 106

Cholera Morbus. Cholera Infantum, &c., ... 108

Croup, ... 108

Diphtheria, ... 108

Measles, ... 108

Scarletina, ... 107

Typhus Fever, ... 108

Constitutional Diseases,

Cancer, ... 109

Consumption, ... 109

Dropsy. 109

Local Diseases,

Diseases of the Heart, ... 110

Pneumonia. 110

Developmental Diseases,

Infantile, ... 111

Old Age, ... 111

Stillborn, ... 111

Violent Deaths.

.... 111

APPENDIX.

Classification of Diseases, ... 115

Life Tables, ... 113

Statute concerning Registration, ... 117

REGISTRATION

OF

Births, Marriages, and Deaths,

IN

VERMONT,

FOR THE YEAR ENDING DECEMBER 31, 1859.

TABLE I.—BIRTHS,

Returned to the Secretary's Office, for

Counties & Towns.	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
ADDISON.								
Addison,	1,279	11	5	6	..	10	..	1
Bridport,	1,393	21	7	14	..	17	4	..
Bristol,	1,344	32	20	12	..	20	11	1
Cornwall,	1,155	35	11	24	..	20	13	2
Ferrisburgh,	2,075	19	12	7	..	13	5	1
Goshen,	486	13	5	8	..	8	5	..
Granville,	603	9	3	6	..	9	..	..
Hancock,	430	7	1	6	..	4	..	3
Leicester,	596	11	7	4	..	4	7	..
Lincoln,	1,057	12	2	10	..	10	..	2
Middlebury,	3,517	72	39	33	..	42	27	3
Monkton,	1,246	19	7	12	..	14	5	..
New Haven,	1,663	31	13	18	..	17	13	1
Orwell,	1,470	30	16	14	..	24	5	1
Panton,	559	11	8	3	..	7	4	..
Ripton,	567	5	4	1	..	5	..	..
Salisbury,	1,027	17	8	9	..	11	5	1
Shoreham,	1,601	34	22	12	..	17	17	..
Starksboro'	1,400	51	22	28	1	37	10	4
Vergennes,	1,378	33	21	12	..	4	8	21
Waltham,	270	5	4	1	..	1	3	1
Weybridge,	804	6	3	3	..	5	1	..
Whiting,	629	13	3	10	..	8	4	1
Totals,	26,549	497	243	253	1	307	147	43
BENNINGTON.								
Arlington,	1,084	24	13	11	..	14	10	..
Bennington,	3,923	107	49	58	..	71	32	4
Dorset,	1,700	50	26	24	..	25	20	5
Glastenbury	52	3	..	3	..	3	..	..
Landgrove,	337	4	3	1	..	4	..	..

MARRIAGES AND DEATHS.

the year ending December 31, 1859.

MARRIAGES.				DEATHS.							
Whole number.	NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
	A m.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age	
5	5	..	..	8	5	3	..	7	181.09	25.87	.63
8	2	1	5	20	11	9	..	20	679.46	33.97	1.44
9	8	..	1	23	11	12	..	23	745.05	32.39	1.71
4	4	..	..	11	4	7	..	11	431.40	39.22	.95
8	7	1	..	12	5	7	..	12	490 90	40.90	.59
2	2	..	..	3	1	2	..	3	170.51	56.84	.62
5	2	1	2	5	3	2	..	5	248.57	49.71	.83
1	1	..	..	4	4	..	..	4	146.69	36.67	.84
1	..	1	..	10	6	4	..	10	453 37	45.33	1.68
10	7	..	3	17	12	5	..	17	558.06	32.83	1.61
33	22	10	1	43	21	22	..	43	1491.67	34.69	1.22
4	4	..	..	10	5	5	..	10	306.10	30.61	.80
8	5	1	2	14	7	7	..	12	535.63	44 54	.84
11	8	2	1	22	9	13	..	22	932 37	42.38	1.50
4	3	1	..	5	2	3	..	4	143.69	35.92	.71
..	..	..	..	7	3	4	..	7	167.86	23.98	1.23
10	8	..	2	12	9	3	..	11	428.49	38.94	1.17
7	4	..	3	27	13	14	..	26	1133.29	43.59	1.69
12	8	..	4	19	6	13	..	19	471.72	24.82	1.35
17	5	1	11	20	9	11	..	20	526.97	26 34	1.45
..	..	..	..	2	2	..	..	2	131.18	65.59	.74
1	1	..	..	5	2	3	..	5	231.92	46.38	.62
3	3	..	..	6	4	2	..	6	280.95	46.82	.95
163	109	19	35	305	154	151		299	10881.04	36.39	1.11
11	9	2	..	9	4	5	..	9	166.08	18 45	.83
30	18	7	5	61	28	33	..	61	1724.03	28.26	1.55
12	8	3	1	28	17	11	..	27	856.89	31.73	1.59
..	..	..	..	1	..	1	..	1	65.83	65.83	1.92
5	5	..	..	6	1	5	..	6	278.27	46 28	1.78

TABLE I,—Continued.

Counties & Towns	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
Ben'gton—Cont								
Manchester,....	1.782	36	17	19	..	27	6	3
Peru.....	567	4	3	1	..	4	..	..
Pownal,.....	1.742	18	7	11	..	9	8	1
Readsboro'....	857	21	13	8	..	18	3	..
Rupert,.....	1,101	25	17	8	..	21	2	2
Sandgate,.....	850	26	13	13	..	23	2	1
Searsburgh,....	201	4	1	3	..	4	..	..
Shaftsbury.....	1,896	58	29	29	..	38	18	2
Stamford,.....	833	20	12	8	..	14	5	1
Sunderland,....	479	12	5	6	1	6	3	3
Winhall,.....	762	10	6	4	..	10	..	..
Woodford, ...	423	7	2	5	..	7	..	..
Totals,.....	18,589	429	216	212	1	298	109	22
CALEDONIA.								
Barnet,.....	2,531	43	22	21	..	39	4	..
Burke, ...	1.103	24	13	11	..	19	3	2
Danville,.....	2,577	60	32	28	..	50	10	..
Groton,.....	895	29	17	12	..	27	2	..
Hardwick, ...	1,402	24	15	9	..	20	2	2
Kirby, ...	509	12	2	10	..	12	..	..
Lyndon, ...	1.752	29	18	11	..	29	..	..
Newark, ...	434	12	6	6	..	12	..	..
Peacham, ...	1,377	32	14	18	..	29	3	..
Ryegate,.....	1,606	28	13	15	..	28	..	..
Sheffield,.....	797	23	11	12	..	15	7	1
St. Johnsbury..	2,758	98	39	58	1	67	25	6
Sutton, ...	1,001	18	7	11	..	18	..	..
Walden.....	910	22	12	10	..	20	2	..
Waterford,....	1,412	24	10	14	..	20	3	1
Wheelock,.....	855	10	7	3	..	8	2	..
Totals, ...	22,239	488	238	249	1	413	63	12
CHITTENDEN.								
Bolton, ...	602	14	8	6	..	11	3	..
Burlington,....	7,585	144	75	68	1	50	01	3

TABLE I,—Continued.

MARRIAGES.			DEATHS.								
NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Ag'age.	
8	1	10	23	8	14	1	22	541.82	24.63	1.30
1	..	..	5	1	4	..	5	297.04	59.81	.88
6	3	..	13	5	8	..	13	481.61	37.66	.75
5	..	..	20	9	11	..	20	663.00	33.15	2.33
7	..	..	16	9	7	..	16	553.16	34.57	1.45
4	..	..	15	6	9	..	15	690.41	46.03	1.77
1	..	..	3	1	2	..	3	135.84	45.28	1.49
6	..	..	20	10	10	..	20	746.61	37.33	1.05
7	..	..	19	12	7	..	19	207.52	10.93	2.30
1	..	..	3	1	2	..	3	79.44	29.81	.63
5	..	..	16	7	9	..	16	711.75	44.48	2.10
..	..	..	2	1	1	..	2	52.80	26.40	.47
91	16	16	260	120	139	1	258	9752.10	37.79	1.40
9	2	2	28	7	21	..	28	1237.61	44.20	1.11
8	2	..	19	7	12	..	19	674.90	35.52	1.72
13	2	3	36	22	14	..	36	1413.74	39.27	1.39
7	1	..	9	5	4	..	9	223.98	24.89	1.01
4	4	..	12	7	5	..	12	653.67	54.47	.85
3	..	..	2	..	2	..	2	79.32	39.66	.39
9	1	1	17	4	13	..	17	516.50	30.38	.97
2	1	..	2	1	1	..	2	96.43	48.21	.46
4	..	2	17	9	8	..	17	722.71	42.28	1.23
6	..	1	19	9	10	..	19	594.56	31.29	1.12
3	..	2	9	3	6	..	8	308.60	38.58	1.13
18	2	5	32	19	13	..	32	1021.85	31.93	1.16
10	3	..	9	3	6	..	9	610.66	67.85	.90
6	..	..	12	5	7	..	12	537.94	44.83	1.33
4	..	2	12	7	5	..	12	588.97	49.08	.85
4	..	1	11	6	5	..	11	265.06	24,10	1.29
110	18	19	246	114	132	..	245	10245.90	41.81	1,12
4	..	1	3	1	2	..	3	96.35	32.12	1.83
9	12	25	66	2[illegible]	35	3	64	1904.38	29.75	.87

TABLE I,—Continued.

Counties & Towns.	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
Chit'den—Cont.								
Charlotte, ...	1,634	28	14	14	..	13	13	2
Colchester, ...	2,575	94	40	54	..	46	43	5
Essex, ...	2,052	40	28	12	..	23	16	1
Hinesburgh, ...	1,834	38	22	16	..	25	12	1
Huntington, ...	885	14	5	9	..	12	1	1
Jericho, ...	837	32	14	18	..	23	5	4
Milton, ...	2,451	31	16	15	..	17	14	..
Richmond, ...	1,453	35	18	17	..	19	14	4
Shelburne, ...	1,257	25	18	7	..	11	11	3
St. George, ...	127	2	1	1	..	1	1	..
Underhill	1 599	42	22	20	..	16	26	..
Westford, ...	1,458	23	11	11	1	12	7	4
Williston, ...	1,669	29	15	14	..	16	13	..
Totals, ...	29,036	591	307	282	2	293	290	28
ESSEX.								
Averill, ...	7	—	—	—	—	—	—	—
Bloomfield, ...	244	—	—	—	—	—	—	—
Brighton, ...	193	—	—	—	—	—	—	—
Brunswick, ...	119	..	..	..	..	..	..	..
Canaan, ...	471	—	—	—	—	—	—	—
Concord, ...	1,153	33	18	15	..	31	..	2
East Haven, ...	94	—	—	—	—	—	—	—
Granby, ...	127	4	2	2	..	4	..	..
Guildhall, ...	501	—	—	—	—	—	—	—
Lemington, ...	187	9	5	4	..	7	2	..
Lunenburgh, ...	1,123	25	14	11	..	22	2	1
Maidstone, ...	237	3	..	3	..	2	..	1
Victory, ...	168	3	..	3	..	1	..	2
Totals, ...	4,650	77	39	38	..	67	4	6
FRANKLIN.								
Bakersfield, ...	1,522	22	17	5	..	19	1	2
Berkshire, ...	1,955	44	24	20	..	27	13	4
Enosburgh, ...	2,009	38	24	14	..	18	20	..
Fairfax, ...	2,111	33	17	14	2	22	8	3

TABLE I,—Continued.

MARRIAGES.				DEATHS.							
Whole number.	Nativity.			Whole number.	Sex,			Age.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age	
7	5	1	1	11	5	6	..	11	481.68	43.79	67
30	16	11	3	28	16	12	..	28	701.87	25.07	1.08
15	9	3	3	32	18	14	..	32	971.66	30.36	1.56
14	11	2	1	17	5	12	..	17	655.54	38.56	.92
5	3	..	2	11	5	6	..	11	360.74	32.79	1 25
19	8	1	10	15	8	7	..	14	455.30	31.81	1.79
12	7	1	4	19	11	8	..	19	861.40	45.34	.77
6	4	..	2	28	15	12	1	28	905.31	32.33	1.92
11	9	1	1	10	4	5	1	10	246.0[illegible]	24.60	.79
..	..	..	..	..	..	..	..	..	.....	....	..
4	3	1	..	10	5	5	..	10	138.98	13 89	.62
3	1	2	..	16	10	6	..	16	481.89	30.12	1.09
9	4	1	4	22	11	11	..	22	661.97	30 09	1.31
186	93	36	57	28[illegible]	142	141	5	2[illegible]5	8923.09	34.82	.99
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—
..	..	..	..	1	1	..	..	1	69.03	69.03	.83
—	—	—	—	—	—	—	—	—	—	—	—
10	..	..	10	20	11	9	..	20	1001.86	50.09	1.73
—	—	—	—	—	—	—	—	—	—	—	—
..	..	..	..	1	1	..	..	1	14.27	14.27	.78
—	—	—	—	—	—	—	—	—	—	—	—
..	..	..	..	2	2	..	..	2	114.07	57 03	1.07
4	4	..	..	15	6	9	..	15	551.34	36 76	1.33
..	..	..	..	1	1	..	..	1	63.00	63.00	.42
4	2	2	..	1	1	..	..	1	43.83	43.83	.59
18	6	2	10	41	23	18	..	40	1857.40	43.83	.90
6	4	..	2	12	4	8	..	12	491.07	40.92	.78
12	3	6	3	17	6	11	..	15	453.40	30.23	.87
6	3	..	3	15	8	7	..	13	238.62	18.35	.78
10	7	..	3	26	12	14	..	26	1119.43	43.03	1.23

TABLE I,—Continued.

Counties & Towns.	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
Chit'den—Cont.								
Charlotte, ...	1,634	28	14	14	..	13	13	2
Colchester, ...	2,575	94	40	54	..	46	43	5
Essex, ...	2,052	40	28	12	..	23	16	1
Hinesburgh, ...	1,834	38	22	16	..	25	12	1
Huntington, ...	885	14	5	9	..	12	1	1
Jericho, ...	837	32	14	18	..	23	5	4
Milton, ...	2,451	31	16	15	..	17	14	..
Richmond, ...	1,453	35	18	17	..	19	14	4
Shelburne, ...	1,257	25	18	7	..	11	11	3
St. George, ...	127	2	1	1	..	1	1	..
Underhill	1 599	42	22	20	..	16	26	..
Westford, ...	1,458	23	11	11	1	12	7	4
Williston, ...	1,669	29	15	14	..	16	13	..
Totals, ...	29,036	591	307	282	2	293	290	28
ESSEX.								
Averill, ...	7	—	—	—	—	—	—	—
Bloomfield, ...	244	—	—	—	—	—	—	—
Brighton, ...	193	—	—	—	—	—	—	—
Brunswick, ...	119	..	..	..	..	..	..	..
Canaan, ...	471	—	—	—	—	—	—	—
Concord, ...	1,153	33	18	15	..	31	..	2
East Haven, ...	94	—	—	—	—	—	—	—
Granby, ...	127	4	2	2	..	4	..	..
Guildhall, ...	501	—	—	—	—	—	—	—
Lemington, ...	187	9	5	4	..	7	2	..
Lunenburgh, ...	1,123	25	14	11	..	22	2	1
Maidstone, ...	237	3	..	3	..	2	..	1
Victory, ...	168	3	..	3	..	1	..	2
Totals, ...	4,650	77	39	38	..	67	4	6
FRANKLIN.								
Bakersfield, ...	1,522	22	17	5	..	19	1	2
Berkshire, ...	1,955	44	24	20	..	27	13	4
Enosburgh, ...	2,009	38	24	14	..	18	20	..
Fairfax, ...	2,111	33	17	14	2	22	8	3

TABLE I,—Continued.

MARRIAGES.				DEATHS.							
	NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age	
7	5	1	1	11	5	6	..	11	481.68	43.79	67
0	16	11	3	28	16	12	..	28	701.87	25.07	1.08
5	9	3	3	32	18	14	..	32	971.66	30.36	1.56
4	11	2	1	17	5	12	..	17	655.54	38.56	.92
5	3	..	2	11	5	6	..	11	360.74	32.79	1.25
	8	1	10	15	8	7	..	14	455.30	31.81	1.79
	7	1	4	19	11	8	..	19	861.40	45.34	.77
	4	..	2	28	15	12	1	28	905.31	32.33	1.92
	9	1	1	10	4	5	1	10	246.02	24.60	.79
	..	..	..	..	..	..	..	..	.....	....	..
	3	1	..	10	5	5	..	10	138.98	13 89	.62
	1	2	..	16	10	6	..	16	481.89	30.12	1.09
	4	1	4	22	11	11	..	22	661.97	30 09	1.31
	93	36	57	288	142	141	5	285	8923.09	34.82	.99
	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—
	..	..	..	1	1	..	..	1	69.03	69.03	.83
	—	—	—	—	—	—	—	—	—	—	—
	..	..	10	20	11	9	..	20	1001.86	50.09	1.73
	—	—	—	—	—	—	—	—	—	—	—
	..	..	..	1	1	..	..	1	14.27	14.27	.78
	—	—	—	—	—	—	—	—	—	—	—
	..	..	..	2	2	..	..	2	114.07	57 03	1.07
4	4	..	..	15	6	9	..	15	551.34	36 76	1.33
	..	..	..	1	1	..	..	1	63.00	63.00	.42
4	2	2	..	1	1	..	..	1	43.83	43.83	.59
18	6	2	10	41	23	18	..	40	1857.40	43.83	.90
6	4	..	2	12	4	8	..	12	491.07	40.92	.78
12	3	6	3	17	6	11	..	15	453.40	30.23	.87
6	3	..	3	15	8	7	..	13	238.62	18.35	.78
10	7	..	3	26	12	14	..	26	1119.43	43.03	1.23

TABLE I,—Continued

Counties & Towns.	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
Franklin—Con.								
Fairfield, ...	2,591	79	46	29	4	37	36	6
Fletcher,.....	1,084	23	10	12	1	18	5	..
Franklin, ...	1,646	26	16	10	..	15	10	1
Georgia, ...	2,686	50	26	24	..	35	13	2
Highgate, ...	2,653	22	16	5	1	10	10	2
Montgomery, ..	1,001	30	16	14	..	21	9	..
Richford, ...	1,074	28	9	19	..	14	7	7
Sheldon,..... .	1,814	28	15	12	1	13	12	3
St. Albans,....	3,567	82	35	46	1	36	42	4
Swanton, ...	2,824	74	35	39	..	30	40	4
Totals, ...	2,8586	579	306	263	10	315	226	38
GRAND ISLE.								
Alburgh.....	1,568	39	22	17	..	18	21	..
Grand Isle,....	666	21	9	12	..	13	8	..
Isle La Mott,..	476	16	11	5	..	5	8	3
North Hero,...	730	22	11	11	..	13	8	1
South Hero,...	705	18	10	8	..	11	5	2
Totals,.....	4,145	116	63	53	..	60	50	6
LAMOILLE.								
Belvidere,.....	256	6	3	3	..	5	1	..
Cambridge,....	1,849	30	15	13	2	23	6	1
Eden,.....	668	28	12	16	..	23	4	1
Elmore, ...	504	12	3	9	..	10	2	..
Hyde Park,....	1,107	—	—	—	—	—	—	—
Johnson,.....	1,381	31	15	16	..	22	5	4
Morristown,....	1,441	26	16	10	..	22	3	1
Stowe,.....	1,771	32	12	20	..	27	5	..
Waterville, ...	753	7	4	3	..	6	1	..
Wolcott,.....	909	22	14	8	..	21	1	..
Totals, ...	10,872	194	94	98	2	159	28	7
ORANGE.								
Bradford, ...	1,723	21	13	8	..	17	3	1

TABLE I,—Continued.

MARRIAGES.				DEATHS.							
Whole number.	Nativity.			Whole number.	Sex			Age.			Percentage.
	Am.	For.	Unk		M.	F.	Unk	Ages given	Agg'te.	Av'age	
18	8	7	3	33	20	11	2	31	656.88	21.1	1.27
6	6	..	..	10	5	5	..	10	410.47	41 04	.92
10	1	..	9	8	4	4	..	8	334.58	41.82	.48
10	4	3	3	22	10	12	..	22	795.09	36 14	.82
13	2	11	..	10	5	5	..	10	407 02	40.70	.38
5	5	..	..	13	7	6	..	13	448.08	34.46	1.29
21	4	1	16	9	5	4	..	9	227.53	23 2[illegible]	.83
9	3	..	6	21	10	11	..	15	286.39	19.09	1.16
12	8	..	4	34	16	18	..	2[illegible]	986.85	29.91	.94
15	6	6	3	41	12	29	..	41	1326.27	33.32	1.45
153	64	34	55	271	124	145	2	231	8181.63	31.30	.84
2	1	1	..	13	9	4	..	13	325 20	25.06	.83
3	2	1	..	11	3	8	..	11	514.90	46 81	1.65
3	1	..	2	8	3	5	..	8	249.78	31.22	1.63
..	..	..	..	..	..	..	..	..	.....	.....	....
5	5	..	..	5	2	3	..	5	335.3[illegible]	67.07	.71
13	9	2	2	37	17	20	..	37	1425.29	38.5[illegible]	.89
1	1	..	..	4	2	2	..	4	112.21	28.0[illegible]	1.56
15	10	1	4	25	10	15	..	25	968.28	38.7[illegible]	1.55
2	1	1	..	11	7	4	..	11	421 0	37.3[illegible]	1.65
3	3	..	..	5	5	..	..	5	74 00	14 80	.99
19	16	..	3	13	6	7	..	13	380 58	29.27	.81
10	9	..	1	20	7	13	..	19	743.75	39.14	1.38
11	10	..	1	26	14	12	..	26	1039.29	39 8[illegible]	1.46
2	2	..	..	7	6	1	..	6	267.97	44 60	.96
9	6	..	3	10	1	9	..	10	395.22	39 5[illegible]	1.00
72	52	2	12	121	58	63	..	119	4402.31	36.91	1.12
11	3	1	7	20	8	12	..	20	730.18	36.51	1.16

TABLE I,—Continued.

Counties & Towns.	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
Orange—Con								
Braintree,.....	1,228	17	9	8	..	15	1	1
Brookfield, ...	1,672	33	18	14	1	27	1	5
Chelsea,.....	1,958	50	27	23	..	45	5	..
Corinth, ...	1,906	40	29	11	..	37	1	2
Fairlee,.....	575	14	8	6	..	9	2	3
Newbury, ...	2,984	52	28	24	..	43	8	1
Orange, ...	1,007	—	—	—	—	—	—	—
Randolph,.....	2,666	46	25	20	1	42	4	..
Strafford, ...	1,540	29	18	11	..	27	2	..
Thetford,.....	2,016	37	18	19	..	32	..	5
Topsham, ...	1,668	38	24	14	..	34	2	2
Tunbridge,.....	1,786	44	27	16	1	42	..	2
Vershire.	1,071	9	4	5	..	9	..	..
Washington,...	1,348	28	13	15	..	26	2	..
West Fairlee...	696	13	6	7	..	12	..	1
Williamstown, .	1,452	22	11	11	..	22	..	..
Totals,.....	27,296	493	278	212	3	439	31	23
ORLEANS.								
Albany, ...	1,052	26	12	14	..	17	5	4
Barton,.....	987	7	2	3	2	5	2	..
Brownington...	613	13	6	7	..	11	2	..
Charleston, ...	1,004	31	12	19	..	26	5	..
Coventry, ...	867	19	12	7	..	15	4	..
Craftsbury,.....	1,223	27	13	14	..	17	9	1
Derby.	1,750	33	14	19	..	21	10	2
Glover,.	1,137	35	19	16	..	29	6	..
Greensboro' ...	1,008	35	13	22	..	23	12	..
Holland, ...	669	21	10	11	..	10	11	..
Irasburgh.	1,039	25	13	12	..	21	4	..
Jay, ...	371	10	4	6	..	8	2	..
Lowell,.....	637	—	—	—	—	—	—	—
Morgan, ...	486	16	8	8	..	13	3	..
Newport, ...	748	17	10	6	1	13	3	1
Salem, ...	455	17	7	10	..	5	10	2
Troy, ...	1,008	29	15	14	..	20	1	8
Westfield,.....	502	19	8	11	..	12	7	..

TABLE I.—Continued.

MARRIAGES.			DEATHS.								
Nativity.			Whole number.	Sex.			Age.				Percentage.
Am	For.	Unk.		M.	F.	Unk	Ages given	Agg'te.	Ag'age.		
3	..	..	10	6	4	..	10	370.54	37 05		.81
13	1	5	25	10	15	..	25	853 38	34 01		1.49
17	..	..	27	10	17	..	26	1060.75	40 80		1.38
15	..	..	24	11	13	..	24	1216 85	42.37		1 26
2	..	..	10	4	6	..	10	273.20	27.32		1.74
35	..	2	27	14	12	1	27	950.82	35.21		.91
28	..	3	37	10	27	..	37	1650.67	41.91		1.39
8	..	1	27	9	18	..	26	960 85	36.9[illegible]		1.75
16	1	6	38	15	23	..	38	1446 36	38.06		1.88
6	1	..	23	10	13	..	21	812 52	38.69		1 37
13	..	5	35	17	18	..	35	1247 15	35.63		1.96
1	..	2	3	1	2	..	2	109.39	54.69		.23
6	1	2	14	7	7	..	14	593 69	42 41		1 04
..	..	11	10	4	6	..	10	423 48	42.35		1.53
4	..	7	24	7	17	..	24	1048 69	43.69		1.82
170	5	51	354	143	210	1	349	13748.54	39.39		1.30
6	..	1	13	10	3	..	13	533.23	41 02		1.24
3	..	1	6	1	4	1	6	219 89	36.65		.61
6	..	..	2	1	1	..	2	85.12	42 56		32
9	2	9	16	9	7	..	15	477.87	31.85		1.59
3	..	5	8	5	3	..	8	213.61	26 58		.92
5	2	4	12	8	4	..	12	750.19	62.52		.98
10	3	12	21	11	10	..	21	646.10	30.77		1.20
11	1	..	14	9	5	..	14	440.43	31.46		1.23
5	1	1	21	10	11	..	21	887.09	42.24		2.08
2	1	..	5	3	2	..	4	145.42	36 35		.75
7	2	..	7	2	5	..	7	235 0[illegible]	38 15		.61
4	1	..	2	2	..	..	2	123.44	61.72		.54
..	..	2	5	2	3	..	5	90 61	18 12		1.03
7	1	1	4	2	2	..	4	57 63	12 91		.53
..	..	..	4	2	2	..	4	245 00	61 25		.88
4	2	2	13	7	6	..	13	384.85	29 60		1 29
1	..	7	6	3	3	..	6	111.79	18 63		1.19

TABLE I,—Continued.

Counties & Towns.	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For	Unk.
Orleans—Cont.								
Westmore, ...	152	2	..	2	..	..	..	2
Totals, ...	15,707	382	178	201	3	266	96	20
RUTLAND.								
Benson,.....	1,305	27	9	18	..	16	11	..
Brandon,.....	2,835	83	42	41	..	39	42	2
Castleton.....	3,016	84	45	39	..	40	37	7
Clarendon,.....	1,477	31	14	17	..	23	8	..
Chittenden, ...	675	28	18	10	..	24	3	1
Danby, ...	1,535	30	18	12	..	15	11	4
Fairhaven,.....	902	16	6	10	..	5	10	1
Hubbardton, ...	701	19	8	11	..	16	2	1
Ira,.....	400	6	2	4	..	2	3	1
Mendon.....	504	10	5	5	..	7	3	..
Middletown, ...	875	—	—	—	—	—	—	—
Mount Holly,..	1,534	30	17	13	..	23	6	1
Mount Tabor,..	303	7	2	5	..	4	1	2
Pawlet,.....	1,843	22	14	5	3	15	5	2
Pittsfield.....	512	9	4	5	..	8	1	..
Pittsford, ...	2 026	28	10	18	..	21	6	1
Poultney.....	2.3 .9	56	26	30	..	17	32	7
Rutland,.....	3,715	253	131	122	..	85	166	2
Sherburne, ...	578	16	9	7	..	14	2	..
Shrewsbury, ...	1,268	31	11	20	..	25	6	..
Sudbury, ...	794	2	1	1	..	..	2	..
Tinmouth,.....	717	—	—	—	—	—	—	—
Wallingford,...	1,688	51	23	28	..	42	7	2
Wells,.....	804	15	8	7	..	13	1	1
West Haven,...	713	8	4	4	..	8	..	..
Totals, ...	33,059	862	427	432	3	462	365	35
WASHINGTON.								
Barre,.....	1,845	33	13	20	..	32	..	1
Berlin, ...	1,507	29	10	19	..	22	5	2
Cabot,.....	1,356	28	13	15	..	25	1	2
Calais.....	1,410	36	20	15	1	34	..	2

TABLE I.—Continued.

MARRIAGES.			DEATHS.							
NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age	
..	..	2	..	..	..	..	..	.....	....	..
83	16	47	159	87	71	1	159	5647.35	35.51	1.01
3	2	1	18	8	10	..	18	656.13	36.45	1.38
6	2	10	25	12	12	1	25	1054.94	42.20	.88
10	..	3	39	18	21	..	38	947.60	24.94	1.29
4	1	..	14	5	9	..	14	329.40	23.53	.95
..	..	..	15	11	4	..	15	256.26	17.09	2.22
6	3	2	10	5	5	..	10	526.73	52.67	.65
..	1	4	16	11	5	..	16	314.80	19.67	1.12
2	..	..	7	3	4	..	7	259.51	37.07	.99
2	..	1	2	1	1	..	2	100.00	50.00	.50
1	..	2	7	4	3	..	7	244.75	34.95	1.39
2	..	10	21	13	7	1	21	963.83	45.89	1.36
2	..	1	..	..	..	..	..	.....	....	..
..	..	4	8	2	4	2	8	150.22	18.78	.43
1	..	..	9	4	5	..	9	418.83	46.53	1.76
10	..	1	23	9	14	..	23	781.82	33.99	1.13
4	..	1	29	18	11	..	29	834.35	28.77	1.24
21	8	26	108	53	54	1	102	2695.82	26.43	2.91
5	..	..	3	1	2	..	3	122.66	40.88	.51
6	2	5	15	7	8	..	14	498.31	35.59	1.18
4	..	..	1	..	1	..	1	66.40	66.40	.13
9	3	5	16	6	10	..	16	479.97	29.99	.95
3	..	1	9	7	2	..	9	426.45	47.28	1.12
2	..	..	6	2	4	..	6	357.12	58.19	.83
103	22	77	401	200	196	5	393	12485.90	31.77	1.21
17	2	..	34	13	21	..	34	1301.08	38.27	1.84
7	1	..	26	13	13	..	25	894.76	35.79	1.73
8	..	..	22	9	13	..	22	937.85	42.63	1.62
9	..	4	15	5	10	..	15	590.49	39.36	1.07

TABLE I,—Continued

Counties & Towns.	Population in 1850.	Births.						
		Whole number.	Sex.			Parentage.		
			M.	F.	Unk.	Am.	For.	Unk.
Wash'ton-Con.								
Duxbury	895	26	14	12	..	18	6	2
E. Montpelier..	1 447	25	14	11	..	20	4	1
Fayston,.....	684	22	10	12	..	14	7	1
Marshfield,....	1,102	28	16	12	..	24	3	1
Middlesex,.....	1,365	20	10	9	1	18	1	1
Montpelier,....	2,310	55	33	22	..	30	20	5
Moretown, ...	1,335	26	15	11	..	18	7	1
Northfield, ...	2,922	131	69	60	2	48	8	75
Plainfield,.....	808	—	—	—	—	—	—	—
Roxbury, ...	967	26	13	13	..	21	5	..
Waitsfield, ...	1,021	31	18	13	1	20	8	4
Warren.... ..	9 2	20	11	9	..	17	..	3
Waterbury, ...	2,352	54	24	30	..	40	14	..
Woodbury,....	1,070	24	14	10	..	21	3	..
Worcester, ...	702	14	7	7	..	10	..	4
Totals, ...	24,654	629	324	300	5	432	92	105
WINDHAM.								
Athens,.....	359	12	5	7	..	11	1	..
Brattleboro',...	3 816	75	32	43	..	49	23	3
Brookline, ...	285	4	3	1	..	4	..	..
Dover, ...	709	20	7	13	..	18	..	2
Dummerston, ..	1,645	16	11	5	..	13	3	..
Grafton,.....	1,241	18	6	12	..	15	..	3
Guilford, ...	1,349	27	14	13	..	22	5	..
Halifax.... ..	1,133	30	16	14	..	28	..	2
Jamaica, ...	1,606	35	21	14	..	34	1	..
Londonderry...	1,274	31	19	12	..	28	1	2
Marlboro', ...	896	19	10	9	..	19	..	..
Newfane.	1,304	17	9	8	..	15	..	2
Putney, ...	1,425	16	8	8	..	10	6	1
Rockingham, ..	2,837	48	16	26	6	20	18	10
Somerset, ...	321	4	4	..	..	4	..	..
Strattoa,.....	286	17	9	8	..	17	..	..
Townshend	1 354	22	13	9	..	22	..	..
Vernon, ...	821	11	8	3	..	6	1	1
Wardsboro' ...	1,125	18	10	8	..	17	..	1

TABLE I.—Continued.

MARRIAGES.			DEATHS.								
NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age	
1	..	1	14	10	4	..	14	535.99	38.28	1.67
6	..	3	10	6	4	..	10	430.62	43.06	.69
..	..	..	8	3	5	..	8	157.80	19.72	1.17
..	..	..	12	5	7	..	8	404 25	33.69	1.09
4	1	2	7	3	3	1	6	179 69	29.78	.51
..	..	31	30	13	17	..	30	1010.73	33.36	1.29
7	2	..	13	9	4	..	12	345.67	28.81	97
6	..	10	66	32	34	..	65	1435 48	22.08	2 26
4	..	..	10	7	3	..	10	409.71	40.97	1.03
10	5	..	16	7	9	..	16	520.18	32.51	1.57
5	..	2	13	9	4	..	12	559.76	46.65	1.35
7	2	3	29	16	13	..	29	706 81	24 37	1.28
5	..	..	9	2	7	..	8	244.71	30.59	.84
5	..	1	9	6	3	..	9	327.56	36 39	1.28
101	13	57	343	168	174	1	333	10993.14	33.01	1.39
..	..	..	3	2	1	..	3	137.27	45.75	.83
5	..	37	58	30	28	..	58	2387.79	41.17	1.51
..	..	..	4	2	2	..	4	169.54	42.77	1.40
2	..	..	3	..	3	..	3	97.13	32.37	.42
7	..	..	20	7	13	..	20	1006.36	50.31	1.22
2	..	4	14	7	7	..	14	696.89	49.56	1.13
7	1	..	27	14	13	..	26	1217.02	46.81	1.94
2	..	12	21	8	13	..	21	788.92	37.57	1.85
9	..	..	19	6	13	..	19	655.31	34.29	1.18
8	..	1	9	5	4	..	9	304.08	33.78	.78
2	..	..	11	4	7	..	10	197.39	19.73	1.23
4	..	4	18	5	13	..	17	659.39	38.79	1.37
7	..	1	27	16	11	..	27	1315.88	48.74	1.86
24	5	17	34	12	22	..	34	1185.25	34.86	1.19
1	..	..	..	..	..	..	..	.....	....	..
..	..	..	5	4	1	..	5	128.57	25.71	1.75
..	..	12	22	10	10	2	20	909.27	45.46	1.65
35	3	1	6	3	3	..	6	210.83	35.14	.73
8	..	1	15	10	5	..	15	778.22	51.88	1.33

TABLE I.—Continued.

Counties & Towns	Population in 1850.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
Wind'am—Con.								
Westminster....	1,721	30	21	9	..	22	7	1
Whitingham, ..	1,380	38	15	22	1	30	..	8
Wilmington,...	1,372	13	6	6	1	11	..	1
Windham, ...	763	21	13	8	..	17	1	3
Totals, ...	29,062	542	276	258	8	436	67	39
WINDSOR.								
Andover, ...	725	12	7	5	..	12	..	..
Baltimore,.....	124	2	..	2	..	2	..	..
Barnard,.....	1.647	18	8	10	..	13	2	3
Bethel,.....	1.730	33	17	16	..	31	..	2
Bridgewater, ..	1.311	18	10	8	..	16	..	2
Cavendish,.....	1,576	32	21	11	..	23	7	2
Chester,.....	2.001	37	15	22	..	36	1	..
Hartford, ...	2,159	39	21	18	..	32	5	2
Hartland,.....	2.063	35	22	13	..	31	2	2
Ludlow,.....	1,619	31	21	10	..	22	7	2
Norwich, ...	1,978	48	21	27	..	47	1	..
Plymouth, ...	1,226	24	12	12	..	22	2	..
Pomfret,.....	1.546	25	12	13	..	24	..	1
Reading.....	1,171	30	17	13	..	30	..	..
Rochester, ...	1,493	29	13	16	..	27	..	2
Royalton.	1,850	22	14	8	..	17	4	1
Sharon, ...	1,240	23	10	13	..	20	3	..
Springfield,....	2,762	59	34	25	..	53	6	..
Stockbridge,...	1,327	15	8	7	..	15	..	..
Weathersfield, .	1,851	39	23	16	..	29	7	3
Weston,.....	950	27	16	11	..	27	..	..
West Windsor.	1.002	12	7	5	..	12	..	..
Windsor, ...	1,928	20	12	8	..	10	1	9
Woodstock, ...	3.041	36	21	15	..	25	3	8
Totals, ...	38,320	666	362	304	..	576	51	39

TABLE I.—Continued.

MARRIAGES.				DEATHS.							
Whole number.	NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age.	
9	9	..	..	19	9	10	..	19	908 12	47.58	1.10
16	9	..	7	28	11	16	1	27	481.79	17 84	2 03
13	7	1	5	26	13	13	..	26	979 67	37.68	1 89
1	1	..	..	13	6	7	..	13	599.33	45 16	1.70
261	149	10	102	402	184	215	3	396	16034.02	40.49	1.38
4	3	..	1	16	6	10	..	15	683.16	45.54	2.20
..	..	..	..	1	1	..	..	1	27.63	27.63	.81
8	7	..	1	7	4	3	..	7	277.71	39.67	.42
10	6	..	4	18	8	10	..	18	680.72	37.82	1.04
5	3	..	2	13	7	6	..	13	648.51	49 89	.99
12	9	..	3	14	7	7	..	14	559.18	39.94	.89
16	14	..	2	20	8	12	..	20	719.17	35.95	.99
15	5	..	10	30	15	15	..	28	797.54	28.48	1.38
10	8	..	2	29	18	11	..	29	1233.55	42.54	1.41
21	7	..	14	18	9	9	..	18	626.86	34.82	1.11
9	9	..	..	31	16	15	..	31	1191.90	38.45	1.59
8	8	..	..	9	4	5	..	9	321.04	35.67	.73
3	3	..	..	10	2	8	..	10	424.93	42 49	.64
5	5	..	..	9	6	3	..	8	407.86	50.98	.77
20	9	1	10	20	10	10	..	20	668.08	33.40	1 34
12	5	..	7	22	11	11	..	22	1095.80	49 80	1.18
13	13	..	..	25	9	16	..	24	584.00	24.75	2 01
22	20	..	2	31	20	11	..	31	1166.21	37.62	1.12
7	7	..	..	12	3	9	..	12	541.32	45.12	.90
19	14	..	5	25	13	10	2	25	667.16	26.68	1 34
9	8	..	1	21	12	9	..	20	845.74	42.28	2 21
3	3	..	..	23	13	10	..	23	1020 60	44.3	2 29
13	11	1	1	28	15	13	..	28	813.52	29 05	1.42
44	..	..	44	27	12	15	..	27	1449.84	53.70	.88
288	177	2	109	459	229	228	2	453	16452.23	36.32	1.19

TABLE I.—*Recapitulation of Births,*

Counties.	Population in 1850.	Births.						
		Whole number.	Sex.			Parentage.		
			M.	F.	Unk.	Am.	For.	Unk.
Addison,	26,549	497	243	253	1	307	147	43
Bennington,	18,589	429	216	212	1	298	109	22
Caledonia,	23,595	488	238	249	1	413	63	12
Chittenden,	29,036	591	307	282	2	293	270	28
Essex,	4,650	77	39	38	..	67	4	6
Franklin,	28,586	579	306	263	10	315	226	38
Grand Isle,	4,145	116	63	53	..	60	50	6
Lamoille,	10,871	194	94	98	2	159	28	7
Orange,	27,296	493	278	212	3	439	31	23
Orleans,	15,707	382	278	201	3	266	96	20
Rutland,	33,059	862	427	432	3	462	365	35
Washington,	24,654	629	324	300	5	432	92	105
Windham,	29,062	542	276	256	8	436	67	39
Windsor,	38,320	666	362	304	..	576	51	39
Vt. Asylum,	.....	.....	....	....	....	....	....	....
Whole State,	314,120	6545	3351	3155	39	4523	1599	423

Marriages and Deaths, for the year 1859.

MARRIAGES.				DEATHS.							
Whole number.	NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
	Am.	For.	Unk		M.	F.	Unk	Ages given	Agg'te.	Av'age	
163	109	19	35	305	155	150	..	299	10881.04	36 39	1.11
123	91	16	16	260	120	139	1	258	9752.10	37.39	1.40
147	110	18	19	246	114	132	..	245	10245.90	41 81	1.12
136	93	36	51	288	142	141	5	285	8923.09	34.82	.99
18	6	2	10	41	23	18	..	40	1857.40	46.44	.90
153	64	34	55	271	124	145	2	231	8181.63	31.30	.84
13	9	2	2	37	17	20	..	37	1426.29	38 52	.89
72	58	2	12	121	58	63	..	119	4402.31	36.91	1.12
226	170	5	51	354	143	210	1	349	13748.54	39 39	1.30
146	83	16	47	159	87	71	1	157	5627.37	35.51	1.01
202	103	22	77	491	200	196	5	393	12485.90	31.77	1.21
171	101	13	57	343	168	174	1	333	10993.14	33.01	1.39
261	149	10	102	402	184	215	3	396	16034.02	40.49	1.38
288	177	2	109	457	229	228	..	453	16452.23	36.32	1.19
....	...	....	....	38	18	20	..	38	1745 70	45.94	....
216	1323	197	649	3725	1731	1923	21	3633	132775.64	36.55	1 12

TABLE II—BIRTHS—1859.

Exhibiting the number of each Sex born in the several Counties, during eech month of the year.

Months.	Sex.	Whole Number	Addison.	Bennington	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoile.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
January.	M.	228	17	14	12	17	3	23	4	10	16	12	29	27	14	30
	F.	215	22	11	13	19	2	18	3	6	20	8	24	29	22	17
	U.	6	..	..	..	1	..	1	..	..	..	..	..	1	3	..
February.	M.	234	18	19	19	23	2	18	6	9	13	16	25	26	19	21
	F.	220	22	13	30	17	4	16	3	5	12	15	27	21	15	23
	U.	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..
March.	M.	300	28	20	23	21	1	21	3	11	31	17	40	25	35	24
	F.	250	15	19	24	22	3	17	5	5	20	16	27	24	22	31
	U.															
April.	M.	284	17	20	28	29	4	24	5	6	21	12	30	35	17	36
	F.	241	22	18	13	24	3	11	8	12	20	17	32	24	20	17
	U.	2	..	..	1	..	..	..	..	..	..	1	..	..	..	..
May.	M	309	24	16	26	27	3	26	4	8	24	17	41	25	30	38
	F.	265	13	21	20	22	3	25	2	7	15	25	34	27	24	27
	U.	2	..	..	..	..	..	..	..	..	1	1	..	..	..	..
June.	M	286	23	13	22	28	1	25	5	8	22	17	41	27	23	31
	F.	257	26	17	14	24	2	19	2	10	17	16	43	32	18	17
	U.	2	..	..	..	..	..	..	..	..	..	1	..	..	1	..
July.	M.	297	24	26	15	19	9	25	10	5	33	18	36	24	31	22
	F.	294	20	25	29	23	..	29	1	7	23	17	35	33	20	32
	U.	6	..	..	..	..	..	4	..	..	..	..	..	1	1	..
August.	M.	281	21	15	24	22	1	26	4	9	26	16	37	24	25	31
	F.	261	21	20	23	21	5	18	6	7	15	1[illegible]	33	21	21	31
	U.	3	1	1	..	..	..	..	..	..	..	..	..	..	1	..

TABLE II,—Continued.

Months.	Sex.	Whole Number.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland	Washington.	Windham.	Windsor.
Sept.	M	282	23	26	20	23	1	24	4	5	23	12	37	31	18	35
	F.	288	20	16	15	30	4	29	10	8	15	14	53	18	31	25
	U.	3	..	..	..	1	..	..	..	..	..	..	1	..	1	..
Oct.	M.	298	18	19	16	37	5	27	4	8	25	14	47	29	19	30
	F.	306	26	19	24	29	5	31	4	14	17	22	31	27	27	30
	U.	4	..	..	..	..	..	1	..	..	..	..	2	..	1	..
Nov.	M.	278	15	16	19	29	4	33	7	8	22	14	31	28	25	27
	F.	276	24	14	23	32	1	23	2	11	19	16	45	26	18	22
	U.	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..
Dec.	M.	558	15	12	15	29	5	30	6	7	22	13	31	22	18	33
	F.	272	22	19	18	19	6	27	5	6	17	14	48	18	20	31
	U.	7	..	..	..	..	..	4	..	1	2	..	..	..	..	..
Unknown.	M.	16	..	..	..	3	..	3	1	..	..	..	2	1	2	4
	F.	8	..	..	1	..	..	1	2	..	2	1	..	..	..	1
	U.	2	..	..	..	..	..	..	..	..	..	..	..	2	..	..
Aggregate.	M.	3351	243	216	238	307	39	306	63	94	278	178	427	324	276	362
	F.	3155	253	212	249	282	38	263	53	98	212	201	432	300	258	304
	U.	39	1	1	1	2	..	10	..	2	3	3	3	5	8	..
	Totals,	6545	297	429	488	591	77	579	116	194	493	282	862	629	542	666
Parentage.	For. Amer.	4523	307	298	413	293	67	315	60	159	439	266	462	432	436	576
		1599	147	109	63	270	4	226	50	28	31	96	365	92	67	51
	U.	423	43	22	12	28	6	38	6	7	23	20	35	105	39	39

SUPPLEMENT A.—TABLE II.

Births—Exhibiting the number of Plurality cases.

(Included in Tables I and II.)

Months.	Sex.	Whole No.	Addison.	Bennington	Caledonia.	Chittenden.	Essex	Franklin.	Grand Isle	Lamille	Orange.	Orleans	Rutland.	Washington.	Windham	Windsor.
January,	Males,	2	..	..	..	..	1	..	..	..	..	..	..	..	..	1*
	Females,	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..
February,	Males	2	..	..	..	2	..	..	..	..	..	..	..	..	..	..
	Females,	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
March,	Males,	9	..	..	..	..	..	..	..	2	2	2	2	1‖	..	..
	Females,	4	..	..	..	..	..	..	..	..	..	..	2	2	..	..
April,	Males,	5	..	2	..	..	..	..	..	..	..	2	..	1	..	..
	Females,	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..
May,	Males,	8	2	..	..	..	..	..	..	..	..	1	1	..	4	..
	Females,	5	..	..	2	..	..	..	..	..	..	1	2§	..	..	..
June,	Males,	10	2†	..	..	..	..	2	..	..	..	3†	..	3	..	..
	Females,	2	1	..	..	..	..	..	..	..	..	..	..	1	..	..
July,	Males,	9	3	..	..	2	..	2	..	..	..	2	..	..	..	..
	Females,	4	2†	..	2	..	..	..	..	..	..	..	..	..	..	..
August,	Males,	6	2	..	..	..	..	1	..	..	..	1	..	..	2	..
	Females,	2	..	..	..	..	..	1	..	..	..	1	..	..	..	..
September,	Males,	7	..	2	2*	..	..	2	..	..	..	..	..	..	..	1‡
	Females,	4	..	..	..	..	..	..	..	..	..	..	..	..	2	2
October,	Males,	3	..	..	..	..	..	3	..	..	..	..	..	..	..	..
	Females,	3	..	..	..	..	..	1	..	..	2	..	..	..	..	..
November,	Males,	8	..	..	1	..	..	..	..	1	1	..	2	3	..	..
	Females,	9	4	..	2†	..	..	..	..	1	1	..	..	1	..	..
December,	Males,	9	1*	..	..	..	..	2	..	..	..	..	..	..	4	2
	Females,	2	..	..	..	..	..	..	..	..	..	..	2	..	..	..
Totals,		115	17	4	9	4	2	14	..	4	6	13	11	13	12	6

*The mates of these were males, stillborn.

†The mate of one of these was a male, stillborn.

‡The mate of this was a female, stillborn.

§The mate of one of these was not returned, probably stillborn.

‖The mate of this was not returned, probably stillborn.

In addition to these, there were reported in Bennington Co. a pair of stillborn twins, (male and female,) in Jan. And in Franklin Co. a pair of stillborn twins, (females,) in April.

SUPPLEMENT B.—TABLE II.

Exhibiting the number of Illegitimate Births.

(Included in Tables I and II.)

Months.	Sex.	Whole No.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
January, ...	Males,...	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Females, .	3	..	1	..	..	..	1	..	..	..	..	1	..	..	..
February,.....	Males,...	2	..	..	..	..	..	..	..	..	1	..	..	..	1	..
	Females, .	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..
March, ...	Males,...	3	..	..	..	1	..	..	..	..	..	1	..	..	1	..
	Females. .	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..
April, ...	Males,...	4	..	..	..	..	..	1	..	1	..	..	..	1	..	1
	Females, .	4	..	..	..	..	..	..	..	..	..	..	1	..	3	..
May,.....	Males....	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..
	Females, .	3	..	..	..	..	..	..	..	..	1	1	..	..	..	1
June,.....	Males,...	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Females, .	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..
July, ...	Males,...	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Females .	3	..	..	..	2	..	1	..	..	..	..	..	..	..	..
August, ...	Males,...	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..
	Females, .	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..
September, ...	Males,...	6	..	1	..	..	..	1	..	..	1	..	2	1	..	..
	Females, .	2	..	..	..	..	..	..	1	..	..	..	..	..	..	1
October, ...	Males....	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..
	Females, .	2	..	..	..	..	..	..	..	1	..	..	1	..	..	..
November,.....	Males,...	4	..	1	..	1	..	..	..	..	..	..	1	..	..	1
	Females, .	2	..	..	..	..	..	..	..	..	1	..	1	..	..	..
December, ...	Males,...	4	1	..	..	..	..	..	..	..	..	..	2	1	..	..
	Females, .	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Totals, ...	.....	51	2	3	..	6	1	4	1	2	4	3	9	6	6	4

In addition to these, there were reported three illegitimate stillborn children, all females: one in Aug. one in Nov. and one in Dec.

TABLE III—MARRIAGES.

Exhibiting the number contracted in the several Counties, during each month of the year.

Months.	Whole No.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille	Orange.	Orleans.	Rutland	Washington	Windham.	Windsor.
January,...	228	16	13	12	25	1	14	1	7	17	17	20	23	27	35
February,..	172	14	9	10	14	1	18	2	3	24	8	14	12	20	23
March, ...	200	12	10	14	12	3	14	1	7	24	19	11	22	24	27
April,.....	115	8	4	9	7	1	6	2	3	16	7	8	9	19	16
May, ...	163	11	9	16	8	3	15	2	6	29	10	10	7	18	19
June, ...	146	12	11	14	9	1	8	1	4	16	9	12	9	20	20
July, ...	129	9	8	3	17	1	9	..	7	13	5	13	9	13	22
August, ...	120	13	15	5	8	1	4	..	3	11	12	11	9	12	16
September, .	212	22	6	15	25	2	17	2	9	16	16	20	16	27	19
October, ...	225	13	13	13	13	1	18	1	9	27	16	27	17	23	34
Novem'er,..	240	14	15	16	27	1	16	..	9	18	14	24	21	38	27
Decem'er,..	193	19	10	18	14	2	11	1	5	13	12	26	15	19	27
Unknown,..	26	..	..	2	7	..	3	..	..	2	1	6	1	1	3
Totals, ..	2169	163	123	147	186	18	153	13	72	226	146	202	171	261	288

TABLE IV.—PERSONS MARRIED.

Distinguishing by Ages, the number of Persons, of different social conditions, who were married during the year.

(A.) Aggregate.

Ages of Men.	Whole number.	Ages of Women.													
		Under 20	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65	65 to 70	Over 70	Unknown.
Whole number,	2165	611	701	262	78	70	29	16	16	12	11	3	5	351
Under 20....	50	28	17	2	2	..	..	..	..	..	..	..	..	1
20 to 25.....	774	363	345	45	3	15	..	..	..	..	..	..	..	13
25 to 30.....	501	155	228	91	12	2	..	..	..	..	..	..	..	14
30 to 35.....	191	35	65	63	19	6	1	..	..	..	..	..	..	2
35 to 40.....	101	13	23	27	18	18	3	..	..	..	..	..	..	2
40 to 45.....	65	4	14	15	10	14	6	1	..	..	..	..	..	1
45 to 50.....	53	5	2	13	7	15	7	2	1	..	..	..	..	1
50 to 55.....	24	..	1	1	5	3	4	4	3	..	..	..	..	3
55 to 60.....	22	1	1	1	1	3	3	3	5	4	..	..	..	..
60 to 65.....	16	1	..	..	1	2	2	3	1	4	1	..	..	1
65 to 70.....	15	..	..	..	..	1	2	3	4	1	3	1	..	..
Over 70.....	21	1	..	..	..	1	..	..	2	3	7	2	5	..
Unknown,.....	329	5	5	4	..	..	1	..	..	..	..	..	..	314

(B.) First Marriage of both parties.

Whole number,	1302	480	521	139	32	11	2	1	..	..	..	..	..	116
Under 20....	37	21	13	2	1	..	..	..	..	..	..	..	..	..
20 to 25.....	624	312	268	31	3	4	..	..	..	..	..	..	..	8
25 to 30.....	359	121	167	60	7	1	..	..	..	..	..	..	..	3
30 to 35.....	110	16	51	30	11	2	..	..	..	..	..	..	..	..
35 to 40.....	30	4	7	10	6	2	..	..	..	..	..	..	..	1
40 to 45.....	17	1	8	2	3	2	..	..	..	..	..	..	..	1
45 to 50.....	4	2	1	..	1	..	..	..	..	..	..	..	..	..
50 to 55.....	1	..	1	..	..	..	..	..	..	..	..	..	..	..
55 to 60.....	2	..	..	..	..	..	1	1	..	..	..	..	..	..
60 to 65.....	....	..	..	..	..	..	..	..	..	..	..	..	..	..
65 to 70.....	....	..	..	..	..	..	..	..	..	..	..	..	..	..
Over 70.....	....	..	..	..	..	..	..	..	..	..	..	..	..	..
Unknown,....	118	4	5	4	..	1	..	..	..	..	..	..	..	104

TABLE IV.—Continued.

(C.) First of men, but subsequent of women.

Ages of Men.	Whole number.	Ages of Women.												
		Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60	60 to 65.	65 to 70.	Over 70.	Unknown.
Whole number,	46	1	11	10	9	6	1	..	1	..	..	..	..	7
Under 20....	1	..	..	..	1	..	..	..	..	..	..	..	..	..
20 to 25.....	10	..	3	5	..	1	..	..	..	..	..	..	..	1
25 to 30.....	10	..	6	1	2	..	..	..	..	..	..	..	..	1
30 to 35.....	8	1	2	2	3	3	..	..	..	..	..	..	..	..
35 to 40.....	9	..	..	1	3	4	1	..	..	..	..	..	..	..
40 to 45.....	2	..	..	1	..	1	..	..	..	..	..	..	..	..
45 to 50.....	....	..	..	..	..	..	..	..	..	..	..	..	..	..
50 to 55.....	....	..	..	..	..	..	..	..	..	..	..	..	..	..
55 to 60.....	1	..	..	..	..	..	..	..	1	..	..	..	.	..
60 to 65.....	....	..	..	..	:	..	..	..	..	..	..	..	..	..
65 to 70.....	....	..	..	..	..	..	..	..	..	..	..	..	..	..
Over 70.....	....	..	..	..	..	..	..	..	..	..	..	..	..	..
Unknown,....	5	..	..	..	..	..	..	..	..	..	..	..	..	5

(D.) Subsequent of men, but first of women.

Whole number,	221	38	35	44	21	24	12	8	2	4	2	..	..	31
Under 20....	....	..	..	..	..	..	..	..	..	..	..	..	..	..
20 to 25.....	6	4	2	..	..	..	..	..	..	..	..	..	..	..
25 to 30.....	28	11	10	6	..	..	..	..	..	..	..	..	..	1
30 to 35.....	33	8	5	16	3	1	1	..	..	..	..	..	..	..
35 to 40.....	47	8	13	9	7	9	1	..	..	..	..	..	..	..
40 to 45.....	23	3	3	6	3	4	1	..	..	..	..	..	..	2
45 to 50.....	23	2	1	5	3	6		2	..	..	..	..	..	..
50 to 55.....	13	..	..	1	4	2	..	3	1	..	..	..	..	..
55 to 60.....	11	1	1	1	1	1	1	1	1	3	..	..	..	..
60 to 65.....	4	1	..	..	..	1	1	..	..	1	..	..	..	..
65 to 70.....	3	..	..	..	..	..	1	2	..	..	..	..	..	..
Over 70.....	2	..	..	..	..	..	..	..	..	..	2	..	..	..
Unknown,....	28	..	..	..	..	..	..	..	..	..	..	..	..	28

TABLE IV.—Continued.

(E.) Subsequent marriage of both parties.

Ages of Men.	Whole number.	Ages of Women.												
		Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	Over 70.	Unknown.
Whole number.	88	..	3	6	5	17	7	6	12	8	6	3	4	11
Under 20....	....	..	..	..	..	..	..	..	..	..	..	..	..	..
20 to 25.....	....	..	..	..	..	..	..	..	..	..	..	..	..	..
25 to 30.....	....	..	..	..	..	..	..	..	..	..	..	..	..	..
30 to 35.....	3	..	..	..	1	1	..	..	..	..	..	..	..	..
35 to 40.....	7	..	3	1	..	3	..	..	..	..	..	..	..	..
40 to 45.....	8	..	..	1	2	3	1	1	..	..	..	..	..	..
45 to 50.....	14	..	..	4	2	5	2	..	1	..	..	..	..	..
50 to 55.....	5	..	..	..	..	..	2	..	2	..	..	..	..	1
55 to 60.....	7	..	..	..	..	2	..	1	3	1	..	..	..	..
60 to 65.....	9	..	..	..	..	1	1	3	..	3	1	..	..	..
65 to 70.....	11	..	..	..	..	1	1	1	4	1	2	1	..	..
Over 70.....	15	..	..	..	..	1	..	..	2	3	3	2	4	..
Unknown,....	10	..	..	..	..	..	..	..	..	..	..	..	..	10

(F.) Conditions of parties not stated.

Whole number,	509	93	131	63	11	12	7	1	1	..	3	..	1	186
Under 20....	12	7	4	..	..	..	..	..	..	..	..	..	..	1
20 to 25.....	135	50	72	9	..	..	..	..	..	..	..	..	..	4
25 to 30.....	104	23	45	24	3	1	..	..	..	..	..	..	..	9
30 to 35.....	39	10	8	15	1	2	1	..	..	..	..	..	..	2
35 to 40.....	11	1	..	6	2	..	1	..	..	..	..	..	..	1
40 to 45.....	15	..	3	5	2	4	1	..	..	..	..	..	..	..
45 to 50.....	12	1	..	4	1	4	1	..	..	..	..	..	..	1
50 to 55.....	5	..	..	..	1	1	2	1	..	..	..	..	..	..
55 to 60.....	1	..	..	..	..	..	1	..	..	..	..	..	..	..
60 to 65.....	3	..	..	..	1	..	..	..	1	..	..	..	..	1
65 to 70.....	1	..	..	..	..	..	..	..	..	1	..	..	..	..
Over 70.....	4	1	..	..	..	..	..	..	..	..	2	..	1	..
Unknown,....	167	..	..	..	..	..	..	..	..	..	..	..	..	167

TABLE V.—DEATHS.

Exhibiting the number of each Sex in the several Counties, during each month of the year.

Months.	Sex.	Whole Number.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
January	M.	120	8	7	13	14	..	11	..	7	10	..	10	13	11	16
	F.	130	8	5	16	12	..	8	2	1	17	6	15	12	12	16
	U.	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..
February.	M.	132	9	7	14	11	2	3	2	6	12	7	21	15	8	15
	F.	147	8	14	7	8	..	9	2	3	18	10	14	14	18	22
	U.	4	..	..	..	1	..	1	..	..	1	..	1	..	..	..
March.	M.	155	9	12	8	17	1	11	2	1	9	8	20	18	15	24
	F.	157	16	13	16	12	3	10	2	2	14	7	14	13	21	14
	U.															
April.	M.	162	13	8	7	13	2	13	4	6	15	7	17	13	18	26
	F.	157	20	10	6	16	2	10	3	9	16	7	16	9	18	15
	U.	4	..	..	..	1	..	..	..	..	..	1	1	..	1	..
May.	M.	141	15	11	9	12	..	11	..	4	14	9	13	16	11	16
	F.	148	11	8	7	7	3	12	..	5	18	9	14	12	20	22
	U.	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..
June.	M	120	17	3	7	13	3	6	..	2	7	6	11	16	15	14
	F.	138	12	5	9	10	1	6	1	7	18	6	10	15	14	24
	U.															
July.	M.	133	11	8	8	10	1	8	2	6	12	5	17	10	18	17
	F.	141	10	10	6	10	3	14	3	9	11	2	23	10	17	13
	U.	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..
August.	M.	136	12	6	7	11	3	9	1	3	9	10	11	11	18	25
	F.	189	16	19	11	15	2	18	3	3	22	8	18	18	18	18
	U.	3	..	1	..	1	..	..	..	..	..	..	..	1	..	..

TABLE V.—Continued.

Months.	Sex.	Whole No.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Sept.	M.	181	16	14	9	14	2	13	1	5	18	8	24	16	22	19
	F.	179	11	13	13	13	1	12	4	9	22	5	10	20	20	26
	U.	2	..	..	..	..	..	..	..	..	..	..	1	..	1	..
Oct.	M.	148	18	14	6	5	4	12	2	6	12	7	14	16	14	18
	F.	169	14	18	15	11	..	16	..	5	18	5	17	11	22	17
	U.	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..
Nov.	M.	167	14	16	13	10	3	15	2	8	12	12	22	12	12	16
	F.	178	12	15	16	12	1	15	..	5	18	3	22	17	17	25
	U.	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..
Dec.	M.	139	12	14	11	9	2	8	..	4	13	8	14	10	19	15
	F.	157	13	9	5	14	1	15	..	5	17	3	21	21	18	15
	U.	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Unknown.	M.	29	..	..	2	3	..	4	1	..	..	..	6	2	3	8
	F.	13	..	..	5	1	1	..	..	..	..	..	3	2	..	1
	U.	2	..	..	..	..	..	..	..	..	..	..	..	..	..	2
Aggregate.	M.	1763	154	120	114	142	23	124	17	58	143	87	200	168	184	229
	F.	1903	151	139	132	141	18	145	20	63	210	71	196	174	215	228
	U.	21	..	1	..	5	..	2	..	..	1	1	5	1	3	2
	Totals.	3687	305	260	246	288	41	271	37	121	354	159	401	343	402	459
Parentage.	For. Amer.	3117	257	224	212	238	37	194	27	102	324	122	322	292	359	407
		225	27	13	13	39	..	28	6	3	8	16	45	9	11	7
	U.	345	21	23	21	11	4	49	4	16	22	21	34	42	32	45

TABLE VI.—DEATHS,

Exhibiting the number of each Sex, at different ages,

TOWNS.	POPULATION.			Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10	10 to 15.	15 to 20.	20 to 25.	26 to 30.
	Whole number.	SEX.											
ADDISON.													
Addison,	1279	M.	659	2	..	..	..	..	1	..	..	..	..
		F.	620	...	..	..	..	..	..	..	1	..	..
Bridport,	1393	M.	735	...	1	1	..	..	..	1	1	..	1
		F.	658	1	..	..	..	..	..	..	1	3	..
Bristol,	1344	M.	684	4	1	..	1	..	..	..	..	..	..
		F.	660	1	..	..	..	1	..	..	..	2	..
Cornwall,	1155	M.	578	...	..	..	..	..	..	..	..	..	1
		F.	577	1	..	..	..	..	1	..	..	2	..
Ferrisburgh,	2075	M.	1048	...	2	..	..	..	..	..	..	..	..
		F.	1027	1	..	1	..	..	..	..	1	1	..
Goshen,	486	M	261	...	..	1	..	..	..	..	..	..	..
		F.	225	...	..	..	..	..	..	..	..	..	..
Granville,	603	M.	314	...	..	..	..	..	..	..	..	..	..
		F.	289	...	..	..	..	..	1	..	..	..	..
Hancock,	430	M.	236	...	..	1	..	..	..	..	1	..	..
		F.	194	...	..	..	..	..	..	..	..	..	..
Leicester,	595	M.	291	...	2	..	..	..	..	..	..	1	..
		F.	305	...	..	..	..	..	..	1	1	..	..
Lincoln,	1057	M	567	1	1	..	..	1	1	..	1	..	..
		F.	490	2	..	..	..	..	..	..	1	..	..
Middlebury,	3517	M.	1738	4	..	2	1	..	..	1	1	1	1
		F.	1779	...	1	1	2	..	..	1	..	4	2
Monkton,	1246	M.	600	2	..	..	1	..	..	..	..	..	..
		F.	646	...	..	..	..	..	..	..	1	..	2
New Haven,	1663	M.	830	1	..	..	..	..	..	2	..	..	..
		F.	833	1	..	..	..	..	..	..	..	1	..
Orwell,	1470	M.	727	...	1	..	1	1	..	..	1	..	..
		F.	743	2	..	1	..	..	..	1	1	..	..
Panton	559	M	290	1	..	..	..	..	1	..	..	..	..
		F.	269	...	..	..	..	..	..	..	..	..	..
Ripton,	567	M	303	1	..	..	..	..	..	..	..	..	1
		F.	264	1	..	..	..	..	..	..	1	1	..

ACCORDING TO AGE.

in the several Towns and Counties. during the year.

30 to 35.	35 to 40.	40 to 45.	45 to 50	50 to 55.	55 to 60.	60 to 65	65 to 70.	70 to 75	75 to 80	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown.	Total. Males.	Fem.	Unk.	Total.	Percentage.
..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	5	....	....	8	.76
..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	....	3	....	....	.49
..	..	..	1	1	1	1	1	..	..	..	..	..	..	1	11	....	....	20	1.49
..	..	..	1	..	2	..	..	..	..	1	..	..	..	..	....	9	....	....	1.38
..	1	..	..	..	..	1	1	..	..	1	1	..	..	..	11	....	....	23	1.61
1	2	2	1	..	1	..	1	..	..	..	..	..	..	..	....	12	....	....	1.82
..	..	..	..	..	1	..	..	1	..	1	..	..	..	..	4	....	....	11	.70
1	1	..	..	..	..	..	..	1	..	..	..	..	..	..	....	7	....	....	1.21
..	..	..	..	..	..	..	1	..	..	1	..	1	..	..	5	....	....	12	.50
..	1	..	..	..	..	..	1	..	..	..	..	..	1	..	....	7	....	....	.70
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	2	....	....	3	.80
..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	....	1	....	....	.44
..	..	..	..	..	..	..	..	1	1	..	..	1	..	..	3	....	....	5	.95
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	....	2	....	....	.70
..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	4	....	....	4	1.69
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	..	..	..	2	..	..	1	..	..	..	6	....	....	10	2.08
..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	....	4	....	....	1.31
3	..	1	..	..	..	..	..	1	1	..	..	1	..	..	12	....	....	17	2.11
..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	....	5	....	....	1.02
1	..	2	1	..	..	1	1	2	1	1	..	..	..	..	21	....	....	43	1.21
1	..	1	..	1	1	4	..	..	1	1	..	..	..	..	....	22	....	....	1.24
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	5	....	....	10	.83
1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	....	5	....	....	.77
..	..	..	..	..	..	..	..	..	1	2	..	..	..	1	7	....	....	14	.84
1	..	..	..	..	..	1	..	1	1	..	..	..	..	1	....	7	....	....	.84
..	..	..	..	..	..	1	..	..	2	..	2	..	..	..	9	....	....	22	1.24
..	2	1	..	1	..	..	1	..	1	1	1	..	..	..	....	13	....	....	1.75
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	....	5	.70
..	..	..	..	..	1	..	..	..	1	..	..	..	..	1	....	3	....	....	1.11
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	3	....	....	7	.99
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	....	4	....	....	1.51

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole No.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10.	10 to 15.	15 to 20	20 to 25	25 to 30.
Addison—Con.													
Salisbury,	1027	M.	526	1	..	..	..	..	..	1	..	1	..
		F.	501	...	1	..	..	..	..	..	..	..	..
Shoreham,	1601	M.	822	1	..	..	..	..	..	1	..	2	..
		F.	779	2	..	1	..	..	..	1	1	..	..
Starksboro',	1400	M.	725	1	..	..	2	..	1	..	..	..	..
		F.	675	2	1	2	1	..	..	1	1	1	..
Vergennes,	1378	M.	666	2	..	..	..	1	..	1	..	..	1
		F.	712	4	..	..	..	..	..	..	2	2	1
Waltham,	270	M.	141	...	..	..	..	..	..	..	..	..	..
		F.	129	...	..	..	..	..	..	..	..	..	..
Weybridge,	804	M.	399	...	..	..	..	..	1	..	..	..	..
		F.	405	...	..	..	..	..	..	..	1	..	..
Whiting,	629	M.	312	1	..	..	..	..	..	..	..	..	..
		F,	317	...	..	..	..	..	1	..	..	..	..
Aggregate,	.....	M.	13452	22	8	5	6	3	5	7	5	5	5
	.....	F.	13097	18	3	6	3	1	3	5	13	17	5
Totals,	.....	..	26459	40	11	11	9	4	8	12	18	22	10
BENNINGTON.													
Arlington,	1084	M.	535	3	..	..	..	..	..	..	..	..	..
		F.	549	1	..	..	..	..	..	2	..	..	..
Bennington,	3923	M.	1958	7	4	1	1	1	1	..	..	1	3
		F.	1965	7	3	1	2	1	..	..	2	..	1
Dorset,	1700	M.	860	5	1	..	1	..	..	..	..	3	1
		F.	840	3	..	..	..	..	1	..	1	..	1
Glastenbury,	52	M.	25	...	..	..	..	..	..	..	..	..	..
		F.	27	...	..	..	..	..	..	..	..	..	..
Landgrove,	337	M.	173	...	..	..	..	..	1	..	..	..	..
		F.	164	...	..	..	..	..	..	..	1	..	..
Manchester,	1782	M.	895	1	1	..	..	..	1	..	..	..	1
		F.	887	8	1	..	..	1	..	..	..	..	..
		U.		...	..	..	..	..	..	..	..	..	..
Peru...	567	M.	303	...	..	..	..	..	..	..	..	..	..
		F.	264	...	..	..	..	..	..	..	..	..	1
Pownal,	1742	M.	886	...	..	..	..	..	..	..	2	..	..
		F.	856	2	1	..	..	1	..	..	1	..	..
Readsboro, '	857	M.	447	4	..	1	1	..	..	..	1	..	..
		F.	410	1	..	..	..	2	..	..	..	..	1

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
2	..	..	1	..	1	..	1	..	..	..	..	..	..	1	9	....	....	12	1.71
..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	....	3	....	....	.60
..	2	..	..	..	..	2	2	2	..	..	..	..	..	1	13	....	....	27	1.58
1	1	..	..	1	1	..	..	2	1	1	1	..	..	..	....	14	....	....	1.80
..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	6	....	....	19	.82
1	..	..	..	..	1	..	1	..	..	1	..	..	..	..	....	13	....	....	1.92
..	..	..	..	..	..	..	2	1	1	..	..	..	..	..	9	....	....	20	1.35
..	1	..	..	..	..	1	..	..	..	..	..	..	..	..	....	11	....	....	1.55
..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	2	....	....	2	1.42
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	....
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	2	....	....	5	.50
..	..	..	..	..	1	..	..	..	..	..	1	..	..	..	....	3	....	....	.74
..	..	..	..	..	..	..	1	1	..	..	1	..	..	..	4	....	....	6	1.28
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	....	2	....	....	.63
6	4	4	6	1	4	7	11	11	9	8	5	4	..	4	155	....	....	....	1.15
7	8	5	2	4	9	7	5	5	9	6	4	1	1	3	....	150	....	....	1.15
13	12	9	8	5	13	14	16	16	18	14	9	5	1	7	....	....	....	305	1.15
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	....	....	9	.75
..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	....	5	....	....	.91
..	1	1	..	..	1	1	1	1	..	1	1	1	..	..	28	....	....	61	1.43
2	..	1	2	..	..	3	3	1	2	..	..	1	..	1	....	33	....	....	1.68
..	..	..	..	1	..	3	..	..	..	..	1	..	1	..	17	....	....	28	1.99
..	..	1	..	..	..	..	..	2	..	..	..	1	..	1	....	11	....	....	1.31
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	1	....
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	....	1	....	....	3.70
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	6	.59
..	..	1	..	..	..	1	1	..	1	..	..	..	..	..	....	5	....	....	3.05
..	..	..	..	1	..	..	1	1	..	1	..	..	..	..	8	....	....	23	.84
1	..	..	..	..	2	..	..	1	..	..	..	..	..	..	....	14	....	....	1.60
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	1	....	....
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	....	....	5	.33
..	..	1	..	..	..	..	..	1	1	..	..	..	..	..	....	4	....	....	1.51
..	..	..	..	..	1	..	..	..	1	..	..	1	..	..	5	....	....	13	.56
..	1	..	..	..	..	..	..	..	1	..	..	..	1	..	....	8	....	....	.93
..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	9	....	....	20	2.01
1	..	..	2	..	..	..	..	2	..	1	..	..	1	..	....	11	....	....	2.68

TABLE VI.—Continued.

TOWNS.	POPULATION.			Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
	Whole number.	SEX.											
Bennington—Con.													
Rupert,	1101	M.	548	2	..	..	..	1	..	..	..	..	..
		F.	553	3	..	1	..	..	..	..	..	..	1
Sandgate,	850	M	446	2	..	..	..	1	..	..	..	..	..
		F.	404	...	..	..	..	..	..	1	1	1	..
Searsburg,	201	M	107	...	..	..	..	..	..	..	..	..	..
		F.	94	...	..	..	..	..	1	..	..	..	..
Shaftsbury,	1896	M.	991	...	..	..	..	1	..	..	1	..	..
		F.	905	3	1	1	1	..	..	..	..	1	..
Stamford,	833	M.	462	2	..	1	2	1	3	1	1	..	..
		F.	371	1	..	1	1	..	..	2	..	2	..
Sunderland,	479	M.	245	...	1	..	..	..	..	..	..	..	..
		F.	234	...	..	..	..	..	..	..	1	..	..
Woodford	423	M.	226	...	..	..	..	..	..	..	1	..	..
		F.	197	...	..	..	..	..	..	..	..	..	..
Winhall,	762	M.	371	1	1	..	1	..	..	..	..	..	..
		F.	391	1	1	..	..	..	..	..	..	..	1
Aggregate,	.....	M.	9478	27	8	3	6	5	6	1	6	4	5
	.....	F.	9111	30	7	4	4	3	4	5	7	4	6
	.....	U.	.....	...	..	..	..	..	..	..	..	..	..
Totals,	.....	..	18589	57	15	7	10	8	10	6	13	8	11
CALEDONIA.													
Barnet,	2521	M.	1381	1	..	..	..	..	..	1	..	..	1
		F.	1140	2	..	..	..	..	1	..	2	3	3
Burke,	1103	M.	565	1	..	..	..	..	..	..	..	..	2
		F.	538	1	3	..	..	..	1	..	1	..	1
Danville,	2577	M.	1299	2	3	1	1	1	..	1	..	..	..
		F.	1278	1	..	..	..	..	1	..	3	1	2
Groton,	1118	M.	581	2	..	..	..	..	..	..	..	1	2
		F.	537	...	..	..	..	..	1	..	..	..	..
Hardwick	1402	M.	710	...	..	1	..	..	..	..	..	1	..
		F.	692	1	..	..	..	..	..	..	..	..	..
Kirby,	509	M.	279	...	..	..	..	..	..	..	..	..	..
		F.	230	...	..	..	..	..	..	..	..	..	1
Lyndon,	1752	M.	886	1	..	..	..	..	..	..	..	1	..
		F.	866	...	..	..	..	..	1	1	2	2	..

TABLE IV.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage
..	1	..	..	1	1	2	..	..	..	1	..	..	..	..	9	....	....	16	1.64
..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	....	7	....	....	1.27
..	..	..	1	..	..	2	1	..	..	..	..	..	..	..	7	....	....	16	1.57
1	..	..	..	..	..	1	1	1	..	2	..	..	..	..	....	9	....	....	2.22
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	....	....	3	.93
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	....	2	....	....	2.12
..	..	2	..	1	..	2	..	..	..	1	1	1	..	..	10	....	....	20	1.01
..	..	1	..	..	..	..	1	..	..	1	..	..	..	..	....	10	...	....	1.10
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	12	....	....	19	2 59
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	7	....	....	1.89
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	3	.41
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	....	2	....	....	.86
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	2	.44
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	....	....	.51
..	1	..	..	..	1	..	..	..	..	1	..	1	..	..	7	....	....	16	1.89
..	..	1	..	2	..	..	..	1	..	..	1	..	1	..	....	9	....	....	2.30
1	3	3	1	4	4	10	6	2	3	6	3	3	1	..	121	....	....	....	1.28
6	1	7	4	2	3	8	7	9	5	4	1	2	4	2	....	139	....	....	1.52
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	...	....	1	...	.....
7	4	10	5	6	7	18	13	11	8	10	4	5	5	3	....	....	....	261	1.40
..	..	..	..	1	1	..	1	..	..	..	1	..	..	..	7	....	....	28	.51
..	..	..	1	..	1	..	2	..	..	3	3	..	..	..	....	21	....	....	1.84
..	..	..	..	..	..	..	..	2	2	..	..	..	..	..	7	....	....	19	1.24
1	..	1	..	2	..	..	..	..	..	..	..	1	..	..	....	12	....	....	2.28
1	..	2	..	..	..	2	..	2	2	3	1	..	..	..	22	....	....	36	1.70
1	1	..	..	1	..	..	..	..	1	1	..	..	1	..	....	14	....	....	1.10
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	....	....	9	.86
..	1	1	..	1	..	..	..	..	..	..	..	..	..	..	....	4	....	....	.74
..	..	1	..	..	..	..	..	..	2	1	..	..	1	..	7	....	....	12	.98
..	..	1	..	..	..	1	1	..	..	1	..	..	..	..	....	5	....	....	.72
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	2	....
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	....	2	....	....	,87
1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	4	....	....	17	.45
1	3	..	1	1	..	..	..	..	1	..	..	..	..	..	....	13	....	....	1.50

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole No.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10.	10 to 15.	15 to 20	20 to 25	25 to 30.
Caledonia—Con.													
Newark,	434	M.	225	...	..	..	..	..	..	..	..	..	..
		F.	209	...	..	..	..	..	..	..	..	..	..
Peacham,	1377	M.	675	1	..	..	..	..	..	1	..	..	1
		F.	702	1	1	..	..	..	..	..	..	3	..
Ryegate,	1606	M.	943	2	..	..	1	..	..	1	..	1	1
		F.	663	1	1	1	..	..	..	1	..	..	1
St. Johnsbury,	2758	M.	1473	4	..	..	..	..	1	..	3	..	..
		F.	1285	2	1	1	1	..	1	..	..	1	2
Sheffield,	797	M.	484	...	..	..	..	..	..	..	..	..	..
		F.	313	2	..	..	..	..	..	..	..	..	1
Sutton,	1001	M.	517	...	..	..	..	..	..	..	..	..	..
		F.	484	...	..	..	..	..	..	..	..	1	..
Walden,	910	M.	473	...	..	..	..	..	..	..	1	..	..
		F.	437	...	..	..	..	..	..	1	1	..	1
Waterford,	1412	M.	740	...	..	..	..	..	..	..	..	1	1
		F.	672	1	..	..	..	..	..	..	..	1	..
Wheelock,	855	M.	445	...	1	..	..	..	2	..	..	..	1
		F.	410	1	..	1	..	..	..	..	1	1	..
Aggregate,	.....	M.	12350	14	4	2	2	1	3	4	4	5	9
	.....	F.	11245	13	6	3	1	..	6	3	10	13	12
Totals,	.....	..	23595	27	10	5	3	1	9	7	14	18	21
CHITTENDEN.													
Bolton,	602	M.	313	1	..	..	..	..	..	..	..	..	..
		F.	289	1	..	..	..	..	..	..	..	..	..
Burlington,	7585	M.	3732	5	5	..	2	..	..	..	..	2	..
		F.	3853	7	2	2	1	1	2	1	..	3	3
		U.		2	..	..	..	..	..	..	..	..	..
Charlotte,	1634	M.	807	1	1	..	..	..	..	..	1	..	1
		F.	827	...	..	..	..	..	..	..	..	1	..
Colchester,	2575	M.	1272	1	3	..	..	..	3	1	..	1	1
		F.	1303	5	..	1	1	..	1	1	..	..	..
Essex,	2052	M.	1042	4	2	..	1	1	..	2	..	..	1
		F.	1010	1	1	1	1	..	2	..	1	1	1
Hinesburgh,	1834	M.	931	...	..	1	..	..	2	..	..	1	..
		F.	903	...	1	..	..	1	..	1	..	..	1

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85	85 to 90.	90 to 95.	95 & over.	Unknown	Total. Males.	Fem.	Unk.	Total	Percentage
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	2	.44
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	....	1	....	....	.48
1	..	..	..	..	..	..	1	..	..	2	2	..	..	..	9	....	....	17	1.33
..	..	..	1	1	..	..	..	..	..	1	..	..	..	..	....	8	....	....	1.14
..	..	..	..	1	..	..	..	..	1	1	..	..	..	..	9	....	....	19	.95
..	..	1	..	2	..	1	..	..	1	..	..	..	..	..	....	10	....	....	1 51
..	..	1	1	2	1	1	1	1	1	2	..	..	..	..	19	....	....	32	1.30
1	1	1	..	1	..	..	..	..	..	..	..	..	..	..	....	13	....	....	1.01
..	..	..	..	1	..	..	..	2	..	..	..	..	..	..	3	....	....	9	.62
1	..	..	..	1	..	..	..	1	..	..	..	..	..	..	....	6	....	....	1.91
..	1	..	..	..	..	..	..	..	..	..	1	1	..	..	3	....	....	9	.58
..	1	..	..	..	..	..	..	..	1	1	2	..	..	..	....	6	....	....	1.24
1	..	..	..	..	1	1	..	..	..	1	..	..	..	..	5	....	....	12	1.06
1	..	..	..	2	..	..	..	..	..	1	..	..	..	..	....	7	....	....	1.60
..	..	..	1	..	..	1	..	..	1	..	2	..	..	..	7	....	....	12	.95
..	1	1	..	..	..	..	..	..	..	1	..	..	..	..	....	5	....	....	.74
..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	6	....	....	11	1.35
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	....	5	....	....	1.22
4	2	6	2	5	3	5	3	7	9	10	7	2	1	..	114	....	....	....	.92
6	8	6	4	13	2	2	3	1	4	9	5	1	1	..	....	132	....	....	1.17
10	10	12	6	18	5	7	6	8	13	19	12	3	2	..	....	....	....	246	1.04
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	3	.32
..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	....	2	....	....	.70
..	..	..	1	3	1	..	1	4	..	2	..	1	..	..	28	....	....	66	.75
..	3	1	1	..	..	3	1	..	2	2	..	..	..	..	....	35	....	....	.91
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	3	....	.....
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	5	....	....	11	.62
..	1	..	1	..	..	..	..	..	..	1	2	..	..	..	....	6	....	....	.72
..	..	1	..	..	..	2	1	..	1	..	..	1	..	..	16	....	....	28	1.25
..	1	..	1	..	..	..	..	..	..	..	1	..	..	..	....	12	....	....	.92
..	..	..	..	..	1	..	..	3	2	..	1	..	..	..	18	....	....	32	1.72
..	1	..	1	..	..	1	..	..	2	..	..	..	..	..	....	14	....	....	1.38
..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	5	....	....	17	.53
1	1	1	..	..	..	1	1	..	2	1	..	..	..	..	....	12	....	....	1.32

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Chittenden—Con.													
Huntington,	903	M.	456	..	..	1	..	..	..	..	1	..	..
		F.	447	..	..	..	1	1	1	..	..	..	..
Jericho,	1837	M.	926	2	..	..	..	..	1	..	1	..	..
		F.	911	..	..	..	2	..	..	..	..	2	..
Milton,	2451	M.	1295	..	2	..	..	..	..	1	..	..	..
		F.	1156	2	..	1	..	..	..	1	1	..	..
Richmond,	1453	M.	779	2	..	1	..	2	1	1	1	..	1
		F.	674	3	1	..	..	1	..	..	1	..	..
		U.	.....	1	..	..	..	..	..	..	..	..	..
St. George,	127	M.	62	..	..	..	..	..	..	..	..	..	..
		F.	65	..	..	..	..	..	..	..	..	..	..
Shelburne,	1257	M.	642	3	..	..	..	..	..	..	..	..	..
		F.	615	1	..	..	..	..	..	..	..	..	..
		U.	.....	1	..	..	..	..	..	..	..	..	..
Underhill,	1599	M.	818	1	..	..	1	1	..	1	..	..	..
		F.	781	2	1	..	..	..	1	..	..	..	..
Westford,	1458	M	741	2	..	1	..	..	1	1	..	1	..
		F.	717	..	..	1	..	..	..	..	..	1	1
Williston,	1669	M.	853	1	1	..	..	..	3	..	..	..	1
		F	816	2	1	1	..	..	1	..	..	..	2
Aggregate,	.....	M.	14679	23	14	4	4	5	11	7	4	5	5
	.....	F.	14357	24	7	7	6	4	8	4	3	8	8
	.....	U.	.....	4	..	..	..	..	..	..	..	..	..
Totals,	.....	..	29036	51	21	11	10	9	19	11	7	13	13
ESSEX.													
Averill,	7	M.	4	—	—	—	—	—	—	—	—	—	—
		F.	3	—	—	—	—	—	—	—	—	—	—
Bloomfield,	244	M.	125	—	—	—	—	—	—	—	—	—	—
		F.	119	—	—	—	—	—	—	—	—	—	—
Brighton,	193	M.	105	—	—	—	—	—	—	—	—	—	—
		F.	88	—	—	—	—	—	—	—	—	—	—
Brunswick,	119	M.	63	..	..	..	..	..	..	..	..	..	..
		F.	56	..	..	..	..	..	..	..	..	..	..
Canaan,	471	M.	253	—	—	—	—	—	—	—	—	—	—
		F.	218	—	—	—	—	—	—	—	—	—	—
Concord,	1153	M.	594	1	2	..	..	..	1	..	1	..	..
		F.	559	..	..	..	..	..	..	1	..	..	1

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70	70 to 75.	75 to 80	80 to 85.	85 to 90	90 to 95	95 & over.	Unknown	Total. Male.	Fem.	Unk.	Total.	Percentage.
1	1	..	..	..	..	..	..	1	..	..	..	..	..	..	5	....	....	11	1.09
..	1	..	..	..	..	1	..	..	1	..	..	..	..	..	....	6	....	....	1.34
..	..	..	..	..	1	..	1	2	..	..	..	..	..	..	8	....	....	15	.86
..	1	..	..	..	..	..	1	..	..	..	..	..	..	1	....	7	....	....	.77
..	1	..	..	..	1	..	..	..	3	2	1	..	..	..	11	....	....	19	.81
..	..	..	..	..	..	..	1	..	1	1	..	..	..	..	....	8	....	....	.70
..	..	..	..	..	..	..	1	1	3	..	..	..	..	1	15	....	....	28	1.92
..	..	..	1	..	..	..	..	2	1	2	..	..	..	..	....	12	....	....	1.78
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	.....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	4	....	....	10	.62
1	1	..	1	1	..	..	..	..	..	..	..	..	..	..	....	5	....	....	.81
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	.....
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	5	....	....	10	.61
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	5	....	....	.64
..	2	..	..	..	..	..	1	..	..	1	..	..	..	..	10	....	....	16	1.35
..	1	..	..	..	..	1	1	..	..	..	..	..	..	..	....	6	....	....	.82
..	1	1	..	..	..	1	..	1	1	..	..	..	..	..	11	....	....	22	1.29
..	1	..	1	..	..	..	..	..	..	1	1	..	..	..	....	11	....	....	1.34
1	5	2	1	3	4	3	6	13	11	5	3	2	..	1	142	....	....	....	.96
3	12	2	7	1	..	7	5	2	9	8	4	..	1	1	....	141	....	....	.99
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	5	....	.....
4	17	4	8	4	4	10	11	15	20	13	7	2	1	3	....	....	....	288	.99
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	....	....	1	1.60
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	..	1	..	..	..	1	1	..	..	1	2	..	..	..	11	....	....	20	1.85
..	..	..	1	..	..	..	..	2	3	1	..	..	..	..	....	9	....	....	1.61

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Essex—Con.													
Easthaven,	94	M.	47	—	—	—	—	—	—	—	—	—	—
		F.	47	—	—	—	—	—	—	—	—	—	—
Granby,	127	M.	60	..	..	..	..	..	..	1	..	..	..
		F.	67	..	..	..	..	..	..	..	..	..	..
Guildhall,	501	M.	256	—	—	—	—	—	—	—	—	—	—
		F.	245	—	—	—	—	—	—	—	—	—	—
Lemington,	187	M.	90	..	..	..	..	..	..	..	..	..	..
		F.	97	..	..	..	..	..	..	..	..	..	..
Lunenburgh,	1123	M.	582	2	..	..	..	..	..	..	..	1	..
		F.	541	2	..	..	..	..	..	..	1	..	1
Maidstone,	237	M.	122	..	..	..	..	..	..	..	..	..	..
		F.	115	..	..	..	..	..	..	..	..	..	..
Victory,	168	M.	90	..	..	..	..	..	..	..	..	..	..
		F.	78	..	..	..	..	..	..	..	..	..	..
Aggregate	.....	M.	2403	3	2	..	..	..	1	1	1	1	..
	.....	F.	2247	2	..	..	..	..	..	1	1	..	2
Totals,	.....	..	4650	5	2	..	..	..	1	2	2	1	2
FRANKLIN.													
Bakersfield,	1523	M.	769	..	..	..	..	..	..	..	..	..	1
		F.	754	1	..	..	1	..	..	1	1	1	..
Berkshire,	1955	M.	987	1	2	..	..	..	..	..	..	1	..
		F.	968	1	..	1	..	..	..	..	1	1	1
Enosburgh,	2009	M.	1006	3	1	..	1	..	1	..	..	..	1
		F.	1003	1	..	..	..	..	..	..	..	3	..
Fairfax,	2111	M.	1064	1	..	1	..	..	..	..	2	..	..
		F.	1047	2	1	..	..	1	1	..	..	1	1
Fairfield,	2591	M.	1290	7	..	2	..	1	4	1	..	..	1
		F.	1301	2	..	..	1	..	1	..	..	..	..
		U.	.....	..	1	..	..	..	..	..	..	..	..
Fletcher,	1084	M.	552	..	..	1	1	..	..	..	..	..	1
		F.	532	..	..	..	..	..	..	1	1	..	..
Franklin,	1646	M.	818	1	..	..	..	..	..	..	..	1	..
		F.	828	..	..	1	..	..	..	..	..	..	..
Georgia,	2686	M.	1515	1	1	2	..	..	..	1	1	1	..
		F.	1171	1	1	..	..	..	1	..	1	1	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70	70 to 75.	75 to 80.	80 to 85.	85 to 90	90 to 95	95 & over.	Unknown	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	1	1.66
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	2	....	....	2	2.22
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	1	..	..	..	..	1	1	..	..	..	..	..	..	..	6	....	....	15	1.03
1	..	..	..	1	..	1	..	1	..	..	..	1	..	..	....	9	....	....	1.66
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	....	....	1	.82
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	....	....	1	1.11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	2	1	1	..	..	3	3	..	1	1	2	..	..	..	23	....	....	....	1.42
1	..	..	1	1	..	1	..	3	3	1	..	1	..	..	....	18	....	....	1.17
1	2	1	2	1	..	4	3	3	4	2	2	1	..	..	....	....	....	41	1.29
..	..	..	..	..	..	..	..	2	..	..	1	..	..	..	4	....	....	12	.52
1	..	..	..	..	..	1	..	..	..	1	..	..	..	..	....	8	....	....	1.06
..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	6	....	....	17	.61
..	1	..	..	..	..	..	..	1	2	..	..	..	..	2	....	11	....	....	1.13
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	8	....	....	15	.79
..	..	..	..	..	..	1	1	..	..	..	..	..	..	1	....	7	....	....	.70
..	..	1	2	..	..	1	..	1	1	2	..	..	..	..	12	....	....	26	1.13
..	..	..	1	..	..	1	..	1	2	1	..	1	..	..	....	14	....	....	1 33
..	..	1	..	1	..	..	1	..	..	..	..	..	..	1	20	....	....	33	1.55
1	1	..	1	1	..	..	1	..	..	2	..	..	..	..	....	11	....	....	.84
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	2	....	.....
..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	5	....	....	10	.91
..	..	..	..	..	..	2	1	..	..	..	..	..	..	..	....	5	....	....	,94
..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	4	....	....	8	.49
1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	....	4	....	....	.48
..	..	..	..	..	1	..	..	..	..	1	..	..	1	..	10	....	....	22	.66
1	..	1	..	..	2	..	..	1	..	..	1	..	1	..	....	12	.....	.....	1.02

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25	25 to 30.
Franklin—Con.													
Highgate,	2653	M.	1363	1	..	..	..	..	..	..	..	1	..
		F.	1290	...	..	..	..	1	..	..	1	..	1
Montgomery,	1001	M.	503	...	..	1	1	..	..	..	..	1	..
		F.	498	2	..	..	..	..	1	..	..	..	..
Richford,	1074	M.	547	2	1	..	..	..	..	..	..	..	..
		F.	527	1	..	..	..	1	..	..	..	1	..
Sheldon,	1814	M.	904	1	..	..	..	..	2	..	2	..	..
		F.	910	3	1	..	..	2	..	..	..	..	..
St. Albans,	3567	M.	1807	2	3	1	..	1	2	..	1	..	..
		F.	1760	2	1	1	..	1	..	..	..	2	2
Swanton,	2824	M.	1493	4	..	1	..	1	1	..	..	..	..
		F.	1331	6	2	..	1	1	1	..	..	..	1
Aggregate,	.....	M.	14641	24	8	9	3	3	10	2	6	5	4
	.....	F.	13945	22	6	3	3	7	5	2	5	10	6
	.....	U.	.....	...	1	..	..	..	..	..	..	..	..
Totals,	.....	..	28586	46	15	12	6	10	15	4	11	15	10
GRAND ISLE.													
Alburgh,	1568	M.	827	4	..	1	..	..	..	..	..	..	1
		F.	741	...	..	..	..	..	1	..	..	1	..
Grand Isle,	666	M.	343	...	..	..	..	..	..	..	..	..	..
		F.	323	1	..	..	..	..	..	1	1	1	..
Isle La Motte,	476	M.	246	1	..	..	..	..	1	..	..	..	..
		F.	230	1	..	..	..	..	1	..	..	..	..
North Hero,	730	M.	395	...	..	..	..	..	..	..	..	..	..
		F.	335	...	..	..	..	..	..	..	..	..	..
South Hero,	705	M.	365	...	..	..	..	..	..	..	..	..	..
		F.	340	...	..	..	..	..	..	..	..	..	..
Aggregate	.....	M.	2176	5	..	1	..	..	1	..	..	..	1
	.....	F.	1969	2	..	..	..	..	2	1	1	2	..
Totals,	.....	..	4145	7	..	1	..	..	3	1	1	2	1
LAMOILLE.													
Belvidere,	256	M.	138	1	..	..	..	..	..	..	..	..	..
		F.	118	...	..	..	..	..	..	..	..	..	1

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	..	..	..	..	1	..	2	..	..	..	..	..	..	5	....	....	10	.37
..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	....	5	....	....	.39
1	1	..	..	..	1	..	..	..	..	1	..	..	..	..	7	....	....	13	1 39
..	1	..	..	..	..	..	..	..	1	..	1	..	..	..	....	6	....	....	1.20
..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	5	....	....	9	.91
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	....	4	....	....	.76
..	..	1	..	1	..	..	..	..	..	..	..	..	..	3	10	....	....	21	1.11
..	..	..	..	1	..	..	..	..	1	..	..	..	..	3	....	11	....	....	1.21
..	1	..	..	1	..	1	..	1	..	..	1	1	..	..	16	....	....	34	.89
1	..	1	..	2	3	..	..	..	1	..	..	..	..	1	....	18	....	....	1.02
..	1	1	..	..	..	..	1	..	1	..	1	..	..	..	12	....	....	41	.80
1	5	..	..	..	4	..	..	2	2	2	1	..	..	..	....	29	....	....	2.18
1	3	6	2	3	3	3	2	7	5	4	4	1	1	5	124	....	....	....	.84
6	8	3	2	5	9	6	3	5	9	7	4	1	1	7	....	145	....	....	1.04
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	2	....	.....
7	11	9	4	8	12	9	5	12	14	11	8	2	2	13	....	....	....	271	.94
..	..	1	..	..	1	..	..	..	..	1	..	..	..	..	9	....	....	13	1.09
2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	4	....	....	.54
..	1	1	..	..	..	..	..	..	1	..	..	..	..	..	3	....	....	11	.89
..	..	..	..	..	..	..	1	..	1	2	..	..	..	..	....	8	....	....	2 48
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	3	....	....	8	1 22
..	..	1	..	1	..	..	..	1	..	..	..	..	..	..	....	5	....	....	2.18
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	2	....	....	5	.59
..	..	..	..	..	..	1	..	..	..	..	2	..	..	..	....	3	....	....	.89
1	1	2	..	..	1	..	1	1	1	1	..	..	..	..	17	....	....	....	.78
2	..	1	..	1	..	1	1	1	1	2	2	..	..	..	....	20	....	....	1.02
3	1	3	..	1	1	1	2	2	2	3	2	..	..	..	....	....	....	37	.90
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	2	....	....	4	1 45
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	....	2	....	....	1 69

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Lamoille—Con.													
Cambridge,	1849	M.	942	...	..	..	1	..	..	..	2	1	..
		F.	907	2	..	..	..	..	2	1	1	1	..
Elen,	668	M.	342	1	..	..	..	..	1	..	1	1	..
		F.	326	...	1	..	..	..	..	..	..	..	..
Elmore,	504	M.	270	2	1	..	..	..	..	..	..	..	..
		F.	234	...	..	..	..	..	..	..	..	..	..
Hyde Park,	1107	M.	601	—	—	—	—	—	—	—	—	—	—
		F.	506	—	—	—	—	—	—	—	—	—	—
Johnson,	1381	M.	704	2	1	..	..	..	1	..	..	1	..
		F.	677	2	..	..	..	..	..	..	..	..	..
Morristown,	1441	M.	753	1	..	..	..	..	..	..	1	..	..
		F.	688	...	..	1	1	..	3	..	1	..	1
Stowe,	1771	M.	893	1	2	..	..	..	..	2	..	1	2
		F.	878	1	1	..	..	..	1	..	..	1	2
Waterville,	753	M.	362	1	..	..	..	..	..	..	1	..	..
		F.	391	...	..	..	..	..	..	..	..	..	..
Wolcot,	909	M.	460	...	..	..	..	..	..	..	..	..	..
		F.	449	1	..	..	..	..	..	..	1	1	2
Aggregate,	.....	M.	5585	9	4	..	1	..	2	2	5	4	2
	.....	F.	5287	6	2	1	1	..	6	1	3	3	6
Totals,	.....	..	10872	15	6	1	2	..	8	3	8	7	8
ORANGE.													
Bradford,	1723	M.	855	...	..	1	1	..	..	..	..	..	..
		F.	868	...	..	..	..	..	2	1	..	2	3
Braintree,	1228	M.	626	...	..	..	..	..	..	1	1	..	1
		F.	602	...	..	..	1	..	..	..	..	1	..
Brookfield,	1672	M.	841	...	3	1	..	..	..	..	..	..	..
		F.	831	1	..	1	1	..	2	..	1	1	1
Chelsea,	1958	M.	978	2	..	..	..	..	..	..	..	1	..
		F.	980	2	..	..	1	1	1	1	2	..	1
Corinth,	1906	M.	931	...	..	..	..	..	..	..	..	..	1
		F.	975	...	..	..	1	..	..	2	2	1	
Fairlee,	575	M.	285	2	..	..	..	..	..	..	..	1	
		F.	290	...	..	..	..	..	..	1	1	..	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65	65 to 70.	70 to 75.	75 to 80.	80 to 85	85 to 90	90 to 95	95 & over.	Unknown	Total. Males	Total. Fem.	Total. Unk.	Total. Total	Percentage
..	..	..	..	..	2	1	..	..	2	1	..	..	..	..	10	....	....	25	1.06
1	..	..	1	1	4	1	..	..	..	..	..	..	..	..	....	15	....	....	1 65
1	..	..	..	1	..	1	..	..	..	..	..	..	..	..	7	....	....	11	2 05
..	..	..	..	..	1	1	..	..	..	..	..	..	1	..	....	4	....	....	1.22
1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	5	....	....	5	1.85
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	6	....	....	13	.85
..	1	1	..	..	1	..	..	1	1	..	..	..	..	..	....	7	....	....	1.03
1	..	..	..	..	1	..	1	..	2	..	..	..	..	..	7	....	....	20	.93
..	..	..	1	..	..	1	..	1	2	..	..	..	..	1	....	13	....	....	1 88
..	..	..	..	..	1	2	..	..	1	1	1	..	..	..	14	....	....	26	1.51
..	..	..	1	1	..	..	..	1	..	1	2	..	..	..	....	12	....	....	1.36
..	..	..	..	2	..	..	1	..	..	..	..	..	..	1	6	....	....	7	1.66
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	....	1	....	....	.26
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	....	....	10	.22
1	..	..	1	..	..	1	..	..	..	..	1	..	..	..	....	9	....	....	2.00
3	..	1	1	3	4	5	2	..	6	2	1	..	..	1	58	....	....	....	1 04
2	1	2	4	2	6	4	..	3	4	1	3	..	1	1	....	63	....	....	1.20
5	1	3	5	5	10	9	2	3	10	3	4	..	1	2	....	....	....	121	1.12
..	..	1	2	1	..	..	1	..	..	1	..	..	..	..	8	....	....	20	.93
1	..	..	..	..	..	1	2	..	..	..	..	..	..	..	....	12	....	....	1.38
..	..	1	..	1	..	..	..	..	..	..	1	..	..	..	6	....	....	10	.96
..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	....	4	....	....	.66
1	..	..	..	1	..	1	..	1	1	1	..	..	..	..	10	....	....	25	1.20
..	1	..	1	2	1	..	1	1	..	..	..	..	..	..	....	15	....	....	1.80
..	..	..	..	1	..	1	1	..	4	..	..	..	..	..	10	....	....	27	1 02
1	..	1	..	..	..	..	2	1	..	1	1	..	..	1	....	17	....	....	1.07
1	1	..	..	..	..	3	..	3	..	1	1	..	..	..	11	....	....	24	1.17
..	1	..	..	1	..	2	..	..	1	1	1	..	..	..	....	13	....	....	1.33
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	....	....	10	1.41
2	..	..	..	..	1	..	..	..	1	..	..	..	..	..	....	6	....	....	2.05

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Orange—Con.													
Newbury, ...	2984	M.	1501	4	..	..	..	..	..	..	1	1	1
		F.	1483	1	..	..	..	..	1	1	3	..	1
		U.	.....	1	..	..	..	..	..	..	..	..	..
Orange, ...	1007	M.	508	—	—	—	—	—	—	—	—	—	—
		F.	499	—	—	—	—	—	—	—	—	—	—
Randolph, ...	2666	M.	1327	1	..	..	1	..	..	..	..	..	..
		F.	1339	1	1	1	2	1	2	..	2	..	2
Strafford, ...	1540	M.	744	1	..	..	..	..	2	1	1	1	..
		F.	796	1	1	..	..	..	1	..	3	1	..
Thetford, ...	2016	M	1027	4	..	1	..	..	..	..	1	1	1
		F.	980	5	..	..	..	..	3	..	1	2	1
Topsham, ...	1668	M.	819	1	2	..	..	1	..	1	..	..	..
		F.	849	1	1	..	1	..	..	..	..	..	1
Tunbridge, ...	1786	M.	868	1	1	..	..	..	3	3	..	1	..
		F.	918	2	..	..	..	1	1	4	3	..	..
Vershire, ...	1071	M.	552	...	..	..	..	..	..	..	..	..	..
		F.	519	...	..	..	..	..	..	1	..	..	..
Washington, ...	1348	M.	693	1	..	..	..	..	..	..	1	..	..
		F.	655	1	1	..	..	..	..	..	1	..	..
West Fairlee, ...	696	M.	336	...	..	..	..	..	2	..	..	..	..
		F.	360	1	..	..	..	..	1	..	..	..	1
Williamstown, ...	1452	M.	733	...	..	1	..	..	1	..	..	1	..
		F.	719	1	..	..	2	..	1	1	..	3	1
Aggregate, ...	.....	M	13654	17	6	4	2	1	8	6	5	7	5
	.....	F.	13642	17	4	2	9	3	16	12	18	11	12
	.....	U.	.....	1	..	..	..	..	..	..	..	..	..
Totals, ...	.....	..	27296	35	10	6	11	4	24	18	23	18	17
ORLEANS.													
Albany, ...	1052	M.	535	2	..	..	..	..	..	..	2	2	..
		F.	517	...	..	..	..	..	..	..	..	..	..
Barton, ...	987	M	501	...	..	..	..	..	..	..	..	..	..
		F.	486	1	..	..	..	..	..	..	..	..	..
		U	.....	1	..	..	..	..	..	..	..	..	..
Brownington, ...	613	M	313	...	..	..	..	..	..	..	..	..	1
		F.	300	...	..	..	..	..	..	..	..	..	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75	75 to 80.	80 to 85.	85 to 90	90 to 95.	95 & over	Unknown.	Total. Males.	Total. Fem.	Total. Unk	Total. Total	Percentage
..	..	..	1	1	1	..	2	..	..	..	2	..	..	..	14	....	....	27	.93
..	..	..	..	1	1	1	1	1	..	..	..	..	..	..	....	12	....	....	.81
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	.....
..	..	1	..	..	1	1	2	1	1	1	..	..	..	..	10	....	....	37	.75
1	1	..	2	..	1	1	..	4	2	..	2	1	..	..	....	27	....	....	2.02
..	..	1	1	..	..	1	..	..	..	..	..	..	..	..	9	....	....	27	1.21
1	..	2	..	1	..	1	..	1	..	3	..	1	..	1	....	18	....	....	2.26
..	..	1	1	..	..	2	..	1	1	1	..	..	..	..	15	....	....	38	1.46
..	1	..	..	..	..	1	2	1	1	1	3	1	..	..	....	23	....	....	2 32
..	..	..	..	1	1	..	..	1	..	..	1	..	..	1	10	....	....	23	1.22
1	1	..	..	..	1	..	1	2	2	..	..	..	..	1	....	13	....	....	1.53
..	1	..	..	..	..	2	1	1	1	1	1	..	..	..	17	....	....	35	1.96
..	..	..	..	..	..	1	3	1	1	..	..	..	1	..	....	18	....	....	1.96
..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	....	....	3	.19
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	2	....	....	.39
1	..	1	..	..	..	..	..	..	1	1	1	..	..	..	7	....	....	14	1.01
..	..	..	..	..	..	..	1	..	2	..	1	..	..	..	....	7	....	....	1.07
..	..	..	..	..	..	..	..	..	..	1	..	1	..	..	4	....	....	10	1.90
..	1	..	..	..	..	..	1	..	..	..	..	1	..	..	....	6	....	....	1.69
..	..	..	..	..	..	..	..	1	1	..	2	..	..	..	7	....	....	24	.95
..	..	..	..	..	1	2	1	..	2	..	2	..	..	..	....	17	....	....	2.36
3	2	6	5	6	3	11	7	9	10	8	9	2	..	1	143	....	....	....	1.05
7	7	3	3	5	6	10	14	13	12	6	11	4	1	4	....	210	....	....	1.54
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	.....
10	9	9	8	11	9	21	21	22	22	14	20	6	1	5	....	....	....	354	1.30
..	..	..	..	..	1	1	..	2	..	..	..	..	..	..	10	....	....	13	1.87
1	..	..	..	..	1	..	..	1	..	..	..	..	..	..	....	3	....	....	.58
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	....	....	6	.20
1	..	..	..	..	1	..	..	1	..	..	..	..	..	..	....	4	....	....	,82
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	.....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	2	.32
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	....	1	....	....	.33

TABLE VI.—Continued.

TOWNS.	POPULATION.			Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10.	10 to 15.	15 to 20	20 to 25	25 to 30.
	Whole No.	SEX.											
Orleans—Con.													
Charleston,	1008	M.	513	1	..	1	..	..	..	1	..	1	..
		F.	495	...	1	..	..	..	..	..	3	1	..
Coventry,	867	M.	449	1	..	..	..	..	..	..	..	1	1
		F.	418	...	..	..	1	..	..	..	..	..	2
Craftsbury,	1223	M.	626	...	..	..	..	..	..	..	..	..	..
		F.	597	...	..	..	..	..	..	..	..	1	1
Derby,	1750	M.	874	1	3	..	..	..	1	1	1	..	..
		F.	876	1	1	..	1	..	1	..	1	1	..
Glover,	1137	M.	585	1	2	..	..	..	1	1	..	2	..
		F.	552	1	..	..	..	..	..	..	..	..	..
Greensboro,	1008	M.	505	4	1	..	1	..	..	..	..	..	1
		F.	503	1	..	..	..	..	..	..	..	1	..
Holland,	669	M.	341	1	..	..	..	..	..	..	..	..	..
		F.	328	1	..	..	..	..	..	..	..	..	..
Irasburgh,	1034	M.	531	1	..	..	..	..	..	..	..	..	..
		F.	503	...	..	..	..	..	..	..	2	..	1
Jay,	371	M.	200	...	..	..	..	..	..	..	..	..	..
		F.	171	...	..	..	..	..	..	..	..	..	..
Lowell,	637	M.	331	—	—	—	—	—	—	—	—	—	—
		F.	306	—	—	—	—	—	—	—	—	—	—
Morgan,	486	M.	246	...	..	..	..	..	..	..	..	..	1
		F.	240	...	..	..	1	1	..	..	..	1	..
Newport,	748	M.	378	1	..	1	..	..	..	..	..	..	..
		F.	370	...	..	..	..	..	..	..	1	..	1
Salem,	455	M.	232	...	..	..	..	..	..	..	..	1	..
		F	223	...	..	..	..	..	..	..	..	..	..
Troy.	1008	M.	522	3	..	..	..	..	..	..	..	..	1
		F.	486	2	..	..	..	..	..	..	..	1	..
Westfield,	502	M.	248	...	1	..	..	..	1	..	..	1	..
		F.	254	2	..	..	..	..	..	..	..	..	..
Westmore,	152	M	76	...	..	..	..	..	..	..	..	..	..
		F.	76	...	..	..	..	..	..	..	..	..	..
Aggregate,	.....	M.	8006	16	7	2	1	..	3	3	3	8	5
	.....	F.	7701	9	2	..	3	1	1	..	7	6	5
	.....	U.	.....	...	1	..	..	..	..	..	..	..	..
Totals,	.....	..	15707	25	10	2	4	1	4	3	10	14	10

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75	75 to 80.	80 to 85.	85 to 90	90 to 95.	95 & over	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total	Percentage.
..	..	2	..	1	..	1	..	..	..	..	..	..	1	..	9	....	....	16	1.75
1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	....	7	....	....	1.41
1	..	..	..	..	..	..	..	..	1	..	..	..	..	..	5	....	....	8	1.11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	3	....	.71
..	..	..	..	1	1	..	2	..	2	1	1	..	..	..	8	....	....	12	1.26
..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	....	4	....	....	.67
..	..	..	1	..	..	..	..	2	..	1	..	..	..	..	11	....	....	21	1.26
1	..	..	..	..	..	..	..	..	1	..	2	..	..	..	....	10	....	....	1.14
..	..	..	..	1	..	..	..	..	1	..	..	..	..	..	9	....	....	14	1.54
1	..	..	..	..	..	1	1	..	..	..	1	..	..	..	....	5	....	....	.91
..	..	..	..	..	..	..	1	..	..	..	1	1	..	..	10	....	....	21	1.98
1	..	..	1	..	2	..	..	3	..	1	1	..	..	..	....	11	....	....	2 18
..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	3	....	....	5	.90
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	....	2	....	....	.61
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	2	....	....	7	.38
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	....	5	....	....	.99
..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	2	....	....	2	1.00
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	....	5	.81
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	3	....	....	1.25
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	....	4	.53
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	....	....	1.54
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	2	....	....	4	.90
..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	....	2	....	....	.90
..	..	..	..	..	1	..	1	1	..	..	..	..	..	..	7	....	....	....	1.34
1	..	..	1	1	..	..	..	..	..	..	..	..	..	..	....	6	....	....	1.24
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	....	....	6	1.21
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	...	3	....	....	1.19
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
2	..	3	2	3	3	3	4	5	5	4	2	1	1	1	87	....	....	....	1.20
7	1	1	2	1	4	4	3	5	2	2	5	..	..	..	...	71	....	....	.96
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	.....
9	1	4	4	4	7	7	7	10	7	6	7	1	1	1	....	....	....	159	1.05

TABLE VI.—Continued.

TOWNS.	POPULATION.			Under 1.	1 to 2	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25	25 to 30.
	Whole number	SEX.											
RUTLAND.													
Benson,	1305	M	654	1	..	..	1	..	..	1	1	..	1
		F.	651	3	..	..	..	..	..	..	..	..	..
Brandon,	2835	M.	1455	...	..	1	..	..	1	2	1	..	..
		F.	1380	2	..	..	..	..	..	..	..	2	..
		U.	.....	1	..	..	..	..	..	..	..	..	..
Castleton,	3016	M.	1607	6	1	..	1	1	..	..	2	1	..
		F.	1409	7	..	1	..	..	..	1	..	2	..
Chittenden,	675	M.	356	6	2	1	..	..	..	..	..	2	..
		F.	319	...	..	..	..	..	1	..	..	..	..
Clarendon,	1477	M.	774	2	1	..	..	..	..	..	..	..	..
		F.	703	3	..	..	..	..	1	1	..	..	..
Danby,	1535	M.	771	1	..	1	..	..	..	..	..	..	..
		F.	764	...	..	..	..	..	..	..	..	..	..
Fairhaven,	902	M.	473	2	..	2	1	..	1	..	..	..	..
		F.	429	1	1	..	1	..	1	1	..	..	..
Hubbardton,	701	M.	357	...	1	..	..	..	..	..	..	..	..
		F.	344	1	..	..	..	..	..	..	1	..	..
Ira,	400	M.	212	...	..	..	..	..	..	..	..	1	..
		F.	188	...	..	..	..	..	..	..	..	..	..
Mendon,	504	M.	263	1	..	..	1	..	..	..	..	..	..
		F.	241	...	1	..	..	..	1	..	..	..	..
Middletown,	875	M.	445	—	—	—	—	—	—	—	—	—	—
		F.	430	—	—	—	—	—	—	—	—	—	—
Mt. Holly,	1534	M.	792	1	1	..	..	..	1	..	..	1	1
		F.	742	...	..	1	..	..	..	..	..	..	2
		U.	.....	...	..	..	..	..	..	..	..	..	..
Mt. Tabor,	308	M.	167	...	..	..	..	..	..	..	..	..	..
		F.	141	...	..	..	..	..	..	..	..	..	..
Pawlet,	1843	M.	928	1	..	1	..	..	..	..	..	..	..
		F.	915	...	1	..	..	..	..	..	1	..	..
		U.	.....	1	..	1	..	..	..	..	..	..	..
Pittsfield,	512	M.	244	...	..	..	..	..	..	..	..	..	..
		F.	268	...	1	..	..	..	..	..	1	..	..
Pittsford,	2026	M.	1046	2	1	..	..	..	..	..	..	..	1
		F.	980	2	1	2	..	..	1	1	..	..	1
Poultney,	2329	M.	1187	3	1	..	..	..	..	1	2	4	..
		F.	1142	1	..	..	1	..	..	..	..	3	2
Rutland,	3715	M.	1967	12	3	..	1	1	4	..	2	2	1
		F.	1748	14	5	4	1	..	2	4	1	..	6
		U.	.....	...	..	..	..	..	..	..	..	..	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70	70 to 75.	75 to 80	80 to 85.	85 to 90	90 to 95.	95 & over.	Unknown	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	..	..	1	..	..	..	1	..	1	..	..	..	..	8	....	....	18	1.21
2	1	..	..	1	1	..	..	..	..	..	2	..	..	..	....	10	....	....	1.53
..	1	..	..	..	..	1	..	1	2	1	1	..	..	..	12	....	....	25	.82
1	1	..	..	1	..	3	..	1	..	..	1	..	..	..	....	12	....	....	.87
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	.....
..	1	1	1	1	..	..	..	..	1	1	..	..	..	..	18	....	....	39	1.12
1	1	1	2	1	..	..	2	..	..	1	..	..	..	1	....	21	....	....	1.56
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	....	....	15	3 09
..	1	..	..	..	..	..	..	..	1	1	..	..	..	..	....	4	....	....	1.25
1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	5	....	....	14	.65
1	1	..	..	..	..	..	..	..	1	1	..	..	..	..	....	9	....	....	1.28
..	..	1	1	..	..	..	..	..	..	..	..	..	1	..	5	....	....	10	.65
..	..	..	..	1	1	1	..	..	..	1	..	1	..	..	....	5	....	....	.65
..	2	..	..	..	1	..	..	1	1	..	..	..	..	..	11	....	....	16	2.32
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	5	....	....	1.17
..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	3	....	....	7	.84
..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	....	4	....	....	1.17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	2	.47
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	....	1	....	....	.53
..	..	..	..	..	..	1	..	..	..	..	1	..	..	..	4	....	....	7	1.52
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	....	3	....	....	1.25
..	..	..	1	..	1	1	..	2	1	..	2	..	..	..	13	....	....	21	1,64
..	..	..	..	..	1	..	..	2	..	1	..	..	..	..	....	7	....	....	.94
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	1	....	.....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	....	8	.21
..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	....	4	....	....	.44
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	2	....	.....
..	1	..	..	1	..	..	1	..	..	1	..	..	..	..	4	....	...	9	1.64
1	..	..	..	..	1	..	..	1	..	..	..	..	..	..	....	5	....	....	1.87
..	..	..	..	..	..	3	..	..	1	..	1	..	..	..	9	....	....	23	.86
1	..	1	..	1	..	..	1	1	1	..	..	..	..	..	....	14	....	....	1.43
..	1	3	..	..	..	1	1	..	..	..	..	1	..	..	18	....	....	29	1 52
..	1	2	..	..	..	1	..	..	..	..	..	..	..	..	....	11	....	....	.96
1	2	5	2	3	1	..	1	3	2	..	2	..	1	4	53	....	....	108	2.69
2	1	2	1	1	2	..	..	1	3	1	..	2	..	1	....	5	...	....	3.09
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	1	....	.....

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole No.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10.	10 to 15.	15 to 20	20 to 25	25 to 35.
Rutland—Con.													
Shelburne, ...	578	M.	296	...	..	1	..	..	..	..	..	..	..
		F.	282	...	..	..	..	..	..	..	..	..	..
Shrewsbury, ...	1268	M.	639	1	1	..	..	..	..	..	1	..	1
		F.	629	1	..	..	..	..	..	1	..	..	1
Sulbury, ...	794	M.	399	...	..	..	..	..	..	..	..	..	..
		F.	395	...	..	..	..	..	..	..	..	..	..
Tinmouth.	717	M.	366	—	—	—	—	—	—	—	—	—	—
		F.	351	—	—	—	—	—	—	—	—	—	—
Wallingford	1688	M.	855	1	..	..	1	..	..	..	..	1	1
		F.	833	4	..	..	1	..	..	..	1	..	1
Wells, ...	804	M	397	1	..	..	..	..	..	..	..	..	..
		F.	407	...	1	..	..	..	..	1	..	..	..
West Haven, ...	718	M.	374	...	..	..	..	..	..	..	..	..	..
		F.	344	...	..	..	..	..	..	1	..	..	1
Aggregate, ...	.....	M	17024	41	12	7	6	2	7	4	9	12	6
	.....	F.	16035	39	11	8	4	..	7	11	5	7	14
	.....	U	.....	2	..	1	..	..	..	..	..	..	..
Totals, ...	.....	..	33059	82	23	16	10	2	7	15	14	19	20
WASHINGTON.													
Barre, ...	1845	M.	938	...	..	..	..	..	1	2	..	1	1
		F.	907	5	..	..	..	..	..	..	1	1	3
Berlin, ...	1507	M.	760	1	1	..	..	..	2	..	..	1	..
		F.	747	2	1	..	1	..	..	1	1	..	..
Cabot, ...	1356	M.	689	...	..	1	..	..	1	1	1	2	..
		F.	667	...	2	..	..	..	..	1	1	1	..
Calais, ...	1410	M.	701	1	..	..	..	..	..	..	..	..	1
		F.	709	1	..	..	..	..	1	..	..	..	2
Duxbury, ...	845	M.	444	3	..	..	..	..	..	..	..	1	..
		F.	401	...	..	..	..	..	..	..	1	1	1
East Montpelier, ..	1447	M.	748	1	..	..	..	..	..	..	..	..	1
		F.	699	1	..	..	..	..	..	..	..	..	..
Fayston, ...	684	M.	363	1	..	..	..	..	..	1	..	..	..
		F.	321	...	1	3	..	..	..	..	..	..	..
Marshfield, ...	1102	M.	567	1	..	..	..	..	1	..	..	..	1
		F	535	1	..	1	..	..	..	..	2	..	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	3	.34
..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	....	2	....	....	.71
..	..	..	..	..	..	..	..	2	..	1	..	..	..	..	7	....	....	15	1.10
3	..	..	..	..	..	..	..	..	..	1	..	..	..	1	....	8	....	....	1.27
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	1	.....
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	....	1	....	....	.26
..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	6	....	....	16	.70
..	..	..	..	..	1	..	..	1	1	..	..	..	..	..	....	10	....	....	1 20
..	..	..	..	1	1	1	..	1	1	..	..	1	..	..	7	....	....	9	1.76
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	2	....	....	.49
..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	2	....	....	6	.54
..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	....	4	....	...	1.16
2	8	10	5	8	4	8	5	12	10	6	7	3	4	4	200	....	....	....	1.23
12	8	6	3	6	9	5	7	7	10	8	3	3	..	3	....	196	....	....	1 28
..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	....	5	....	.....
14	16	16	8	14	13	13	12	19	20	14	10	6	2	9	....	....	....	401	1.27
1	..	..	2	..	..	2	..	1	1	1	..	..	..	..	13	....	....	34	1.38
..	1	..	..	1	..	..	2	..	..	4	..	..	..	..	....	21	....	....	2 21
..	..	..	..	2	1	..	1	1	2	..	..	1	..	..	13	....	....	26	1.71
1	1	1	..	2	1	..	..	..	..	..	..	..	..	1	....	13	....	....	1.75
..	..	..	..	1	..	..	..	1	..	1	..	..	..	..	9	....	....	22	1.31
..	1	..	..	..	1	1	..	..	1	1	1	1	1	..	....	13	....	....	1.95
..	1	..	..	..	..	1	1	..	..	..	..	..	..	..	5	....	....	15	.71
1	..	..	2	..	..	1	1	..	1	..	..	..	..	..	....	10	....	....	1.41
..	2	..	..	..	..	..	1	1	1	..	..	1	..	..	10	....	....	14	2.25
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	....	4	....	....	1.00
..	..	..	..	..	..	1	..	1	1	..	..	1	..	..	6	....	....	10	.80
..	..	1	..	1	..	..	..	..	..	..	..	..	..	1	....	4	....	....	.57
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	3	....	....	8	.83
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	....	5	....	....	1.56
..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	5	....	....	12	.88
..	..	..	..	..	1	..	..	1	1	..	..	..	..	..	....	7	....	....	1 31

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3	3 to 4	4 to 5	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Washington—Con.													
Middlesex.....	1365	M.	673	...	..	1	..	..	1	..	..	..	..
		F.	692	...	..	..	..	..	..	..	..	1	..
		U.	.....	1	..	..	..	..	..	..	..	..	..
Montpelier,.....	2310	M	1119	4	..	2	..	..	..	..	..	..	1
		F.	1191	4	..	1	..	..	1	1	..	..	..
Moretown,.....	1335	M.	65	...	2	..	2	..	..	..	1	..	..
		F.	678	1	..	1	..	..	..	1	..	..	..
Northfield, ...	2922	M	1488	16	1	..	2	1	4	1	..	..	..
		F.	1434	5	1	1	1	2	1	2	4	1	..
Plainfield,.....	808	M.	393	—	—	—	—	—	—	—	—	—	—
		F.	415	—	—	—	—	—	—	—	—	—	—
Roxbury, ...	967	M.	536	...	2	..	1	..	..	..	1	..	..
		F.	431	...	..	..	..	..	..	..	..	..	..
Waitsfield, ...	1021	M.	513	2	..	..	..	..	1	..	..	..	..
		F.	508	...	..	..	1	..	..	..	..	2	2
Warren, ...	962	M	501	...	..	..	2	..	2	..	..	..	..
		F.	461	...	..	..	..	1	..	..	..	..	..
Waterbury,.....	2352	M.	1172	7	1	1	..	1	2	1	..	..	..
		F.	1180	...	..	1	..	1	2	..	1	..	..
Woodbury,.....	1070	M.	542	...	..	..	..	..	..	..	..	1	..
		F.	528	...	1	..	..	..	..	1	1	1	..
Worcester, ...	702	M	352	...	1	..	..	..	1	..	1	..	..
		F.	350	...	..	..	..	..	..	..	1	..	..
Aggregate, ...	.....	M.	12467	37	8	5	7	2	16	6	4	6	5
	.....	F.	12187	20	6	8	3	4	5	7	16	8	8
	.....	U.	.....	1	..	..	..	..	..	..	..	..	..
Totals,.....	.....	..	24654	58	14	13	10	6	21	13	20	14	13
WINDHAM.													
Athens,.....	359	M	186	...	..	..	..	..	..	..	..	..	..
		F.	173	1	..	..	..	..	..	..	..	..	..
Brattleboro',.....	3816	M.	1855	3	1	1	..	..	..	2	3	1	2
		F.	1961	3	2	..	1	1	..	..	1	..	2
Brookline,.....	285	M.	138	...	..	..	..	..	..	..	1	..	..
		F.	147	1	..	..	..	..	..	..	..	..	..
Dover, ...	709	M	362	...	..	..	..	..	..	..	..	..	..
		F.	347	1	..	..	..	..	..	..	..	..	..

TABLE VI.—Continued.

80 to 85.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85	85 to 90	90 to 95	95 & over.	Unknown	Total. Males	Fem.	Unk.	To'al	Percentage
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	3	....	....	7	.44
..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	....	3	....	....	.43
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	.....
1	..	1	..	..	..	2	..	..	..	2	..	..	..	..	13	....	....	30	1.16
1	..	1	1	1	1	1	1	1	2	..	..	..	..	..	....	17	....	....	1.43
..	..	..	..	..	..	..	..	2	1	..	1	..	..	..	9	....	....	13	1.37
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	4	....	....	.60
3	1	..	..	..	..	1	..	1	1	..	..	..	..	..	32	....	....	66	2.15
1	2	1	..	2	2	..	2	2	..	1	1	1	..	1	....	34	....	....	2.38
..	..	..	..	..	2	..	..	1	..	..	..	..	..	..	7	....	....	.10	1.31
..	..	..	1	..	..	..	..	1	1	..	..	..	..	..	....	3	....	....	.70
..	..	1	..	1	1	..	1	..	..	..	..	..	..	..	7	....	....	16	1 36
..	..	..	..	1	..	..	..	3	..	..	..	..	..	..	....	9	....	....	1.77
..	..	..	..	..	..	..	1	..	1	1	2	..	..	..	9	....	....	13	1.79
..	..	..	..	..	..	..	2	..	..	..	..	..	..	1	....	4	....	....	.87
..	..	..	..	..	..	..	..	..	1	2	..	..	..	..	16	....	....	29	1.28
2	..	2	1	1	..	1	..	..	..	1	..	..	..	..	....	13	....	....	1.10
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	2	....	....	9	.37
..	..	..	..	..	1	1	..	..	..	..	..	..	..	1	....	7	....	....	1.32
..	1	1	..	..	..	..	..	..	..	..	1	..	..	..	6	....	....	9	1.70
..	..	1	..	..	..	..	..	..	1	..	..	..	..	..	....	3	....	....	.86
5	5	4	2	5	4	7	6	9	10	7	4	3	..	1	168	....	....	....	1.39
6	5	7	5	9	7	6	9	9	7	8	2	2	1	6	....	174	....	....	1.47
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	.....
11	10	11	7	14	11	13	15	18	17	15	6	5	1	7	....	....	....	343	1.43
..	..	..	..	1	..	..	..	..	..	1	..	..	..	..	2	....	....	3	1 08
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	1	....	....	.58
1	..	..	2	2	1	3	..	4	1	2	1	..	..	..	30	....	....	58	1 63
1	2	1	..	3	1	2	1	3	..	2	..	2	..	..	....	28	....	....	1.42
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	2	....	....	4	1.45
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	....	2	....	....	1.36
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	3	.....
1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	3	....	....	....	.86

TABLE VI.—Continued.

TOWNS.	POPULATION.			Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10	10 to 15.	15 to 20.	20 to 25.	25 to 30.
	Whole number.	SEX.											
Windham—Con.													
Dummerston, ...	1645	M.	900	...	..	..	..	..	..	..	1	..	..
		F.	745	...	1	..	..	..	..	1	1	2	..
Grafton, ...	1241	M.	613	...	..	1	..	..	1	..	..	..	1
		F.	628	...	..	..	..	..	..	1	..	..	1
Guilford,.....	1389	M.	701	2	..	..	..	..	..	..	..	..	2
		F.	688	1	..	..	..	..	..	2	..	1	1
Halifax, ...	1133	M.	580	1	..	..	..	1	1	1	..	..	..
		F.	553	...	..	..	1	2	1	1	1	..	1
Jamaica,.....	1607	M.	826	1	..	..	..	..	..	..	1	1	..
		F.	780	2	2	..	..	..	..	..	1	1	1
Londonderry, ...	1274	M.	640	1	..	..	..	..	..	..	1	..	1
		F.	634	...	2	..	..	..	..	..	..	..	..
Marlboro,.....	896	M.	467	1	1	..	..	..	1	..	..	1	..
		F.	429	1	..	..	..	..	..	..	..	1	3
Newfane, ...	1304	M.	661	...	2	..	1	..	..	..	..	..	..
		F.	6[illegible]3	1	..	..	..	..	1	..	3	1	1
Putney,.....	1425	M.	735	1	..	..	..	..	..	1	2	1	..
		F.	690	...	..	..	..	..	..	..	..	3	1
Rockingham, ...	2837	M.	1490	...	2	1	..	..	..	..	..	..	1
		F.	1347	3	1	1	1	..	1	..	2	2	1
Somerset, ...	321	M.	164	...	..	..	..	..	..	..	..	..	..
		F.	157	...	..	..	..	..	..	..	..	..	..
Stratton,.....	286	M.	151	1	..	..	1	..	1	..	..	..	..
		F.	135	...	..	..	..	..	..	..	..	..	..
Townshend,.....	1354	M.	643	2	..	..	..	..	..	1	..	2	..
		F.	711	...	1	..	..	..	..	..	..	1	..
		U.	.....	2	..	..	..	..	..	..	..	..	..
Vernon, ...	821	M.	436	...	1	..	..	..	..	..	..	..	..
		F.	385	...	..	..	..	..	1	..	..	..	1
Wardsboro', ...	1125	M.	560	1	..	..	..	..	..	1	1	..	..
		F.	565	...	1	..	..	..	..	..	..	..	..
Westminster, ...	1721	M.	923	1	..	..	..	..	..	1	..	1	..
		F.	798	2	..	..	..	..	..	..	2	..	..
Whitingham.	1380	M.	702	3	2	1	..	1	1	1	..	..	..
		F.	678	3	1	1	1	..	..	1	1	1	..
		U.	.....	1	..	..	..	..	..	..	..	..	..
Wilmington,.....	1372	M.	709	2	1	..	..	..	..	1	1	..	1
		F.	663	1	1	1	2	..	..	1	..	..	..

TABLE VI.—Continued.

40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total	Percentage.
..	..	..	..	1	3	..	2	..	..	..	..	..	7	....	....	20	.77
2	..	1	..	1	1	1	2	..	..	..	..	..	....	13	....	....	1.74
..	..	1	..	..	..	..	..	1	1	..	..	.	7	....	....	14	1.14
..	..	..	2	..	1	..	..	..	1	1	..	..	....	7	....	....	1.11
1	..	1	1	2	2	1	..	..	..	1	..	1	14	....	....	....	2 00
..	1	..	2	2	1	1	..	1	..	..	..	..	....	13	....	....	1.89
..	..	..	1	..	..	1	..	1	1	..	..	..	8	...	....	21	1.40
..	..	1	1	1	1	2	..	..	..	..	..	..	....	13	....	....	2 35
..	..	1	..	..	..	..	..	1	..	..	..	..	6	....	....	19	.72
..	..	..	..	1	..	..	1	1	1	..	..	..	....	13	....	....	1.66
..	..	..	..	1	..	1	..	..	..	..	..	..	5	....	....	9	.60
..	..	1	..	1	..	..	..	..	..	..	..	..	....	4	....	....	.63
..	..	..	..	..	..	..	..	..	..	..	..	..	4	....	....	11	.86
..	..	..	..	1	..	..	..	..	..	..	..	1	....	7	....	....	1.64
..	..	..	..	1	1	..	..	..	..	..	..	..	5	....	....	18	.75
..	..	..	..	..	..	..	1	3	1	..	..	1	....	13	....	....	2.02
1	..	1	1	1	..	3	1	..	2	1	..	..	16	....	....	27	2.17
..	..	..	..	1	2	..	..	1	..	..	..	..	....	11	....	....	1.60
1	..	..	1	..	..	..	3	1	..	..	..	1	12	....	....	34	.80
..	1	1	..	1	..	..	3	..	1	1	..	..	....	22	....	....	1.63
..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
..	..	..	1	..	..	..	..	..	..	..	..	..	4	....	....	5	2.65
..	..	..	1	..	..	..	..	..	..	..	..	..	....	1	....	....	.80
..	1	..	..	2	..	1	..	..	..	..	..	..	10	....	....	22	1.55
..	..	..	1	3	1	1	1	..	..	1	..	..	....	10	....	....	1.40
..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	2	....	.....
1	..	1	..	..	..	..	..	..	..	..	..	..	3	....	....	6	.68
..	..	..	..	..	..	..	1	..	..	..	..	..	....	3	....	....	.80
1	..	1	1	1	..	2	..	1	..	..	..	..	10	....	....	15	1.70
..	..	..	..	1	1	..	..	1	..	1	..	..	....	5	....	....	.88
1	..	..	..	..	..	1	..	2	2	..	..	..	9	....	....	19	.97
1	1	1	..	..	..	1	1	..	1	..	..	..	....	10	....	....	1.25
..	..	..	..	..	2	..	..	..	..	..	..	..	11	....	....	28	1.56
2	2	1	..	..	..	..	..	..	..	..	..	1	....	16	....	....	2.36
..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	.....
..	..	..	..	1	3	1	..	1	..	..	..	..	13	....	....	26	1.83
1	..	1	..	..	1	1	1	..	..	1	..	..	....	13	....	....	1.96

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Windham—Con.													
Windham,	763	M.	396	3	..	..	..	..	..	..	..	..	..
		F.	367	..	..	..	..	..	..	..	2	..	..
Aggregate,	.....	M	14828	23	10	4	2	2	5	9	11	7	8
	.....	F.	14224	20	12	3	6	3	4	7	14	13	13
	.....	U.	.....	3	..	..	..	..	..	..	..	..	..
Totals,	.....	..	29052	46	22	7	8	5	9	16	25	20	21
WINDSOR.													
Andover,	725	M.	369	1	..	..	1	..	..	..	..	..	1
		F.	356	1	..	..	..	1	..	..	..	1	..
Baltimore,	124	M.	67	..	..	..	..	..	..	..	..	..	1
		F.	57	..	..	..	..	..	..	..	..	..	..
Barnard,	1647	M	826	..	..	..	..	..	..	..	..	1	..
		F.	821	1	..	..	..	..	..	..	..	1	..
Bethel,	1730	M	880	2	..	..	..	..	..	..	1	..	..
		F.	850	1	..	..	1	..	2	..	1	..	..
Bridgewater,	1311	M	676	..	..	..	..	..	..	..	..	..	..
		F.	635	1	..	..	..	..	..	..	1	1	..
Cavendish,	1576	M	769	1	..	..	..	..	..	..	..	1	..
		F.	807	1	1	..	..	..	..	1	..	2	..
Chester,	2001	M	1042	1	1	..	..	..	..	..	..	..	..
		F.	959	2	..	1	..	..	..	1	2	1	..
Hartford,	2159	M.	1083	4	1	..	..	1	2	..	1	..	..
		F.	1076	2	..	..	1	..	3	..	..	2	..
Hartland,	2063	M.	1043	..	..	..	2	..	1	..	1	1	1
		F.	1020	1	..	..	1	..	2	1	..	..	1
Ludlow,	1619	M.	811	3	..	..	..	..	..	..	1	1	..
		F.	808	1	..	..	..	..	..	..	..	3	..
Norwich,	1978	M.	993	2	1	2	1	..	1	1	..	1	..
		F.	985	1	..	..	..	..	2	1	1	..	2
Plymouth,	1226	M	650	1	..	..	1	..	..	..	..	1	..
		F.	576	1	..	..	..	..	..	..	..	..	1
Pomfret,	1546	M.	798	..	..	..	..	..	..	..	..	..	..
		F.	748	1	..	..	..	..	..	..	1	..	2
Reading,	1171	M.	578	1	..	..	..	..	..	..	..	..	1
		F.	593	..	..	..	..	..	..	..	1	..	..
Rochester,	1493	M.	753	1	2	1	..	..	2	..	..	..	..
		F.	740	..	1	1	..	..	..	..	1	1	1

TABLE VI.—Continued.

35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70	70 to 75.	75 to 80.	80 to 85	85 to 90	90 to 95.	95 & over.	Unknown	Total. Males	Total. Fem.	Total. Unk.	Total. Total	Percentage
..	..	..	..	..	..	..	1	2	..	..	..	..	..	6	....	....	13	1.51
2	..	..	..	..	..	..	..	1	..	1	1	..	..	....	7	....	....	1.91
4	6	3	9	7	13	11	17	9	11	7	2	..	2	184	....	....	....	1.24
9	7	5	10	8	15	11	10	13	9	6	8	..	3	....	215	....	....	1.57
..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	3	....	.....
13	13	8	19	15	28	22	27	22	20	13	10	..	5	....	....	....	402	1.38
..	2	..	..	..	..	..	..	..	..	..	..	..	1	6	....	....	16	1.62
..	..	..	..	..	1	..	2	2	..	1	1	..	..	....	10	....	....	2.81
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	1	1.50
..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
1	..	..	..	..	..	..	1	..	..	1	..	..	..	4	....	....	7	.48
1	..	..	..	..	..	..	..	..	..	..	..	..	..	....	3	....	....	.36
1	..	1	..	..	..	..	1	1	1	..	..	..	..	8	....	....	18	.91
1	..	1	..	..	1	..	1	1	..	..	..	..	..	....	10	....	....	1.17
..	..	2	1	1	..	..	..	..	1	..	..	..	..	7	....	....	13	1.03
..	..	..	..	..	..	..	..	1	1	1	..	..	..	....	6	....	....	.94
..	..	1	..	1	..	..	..	2	..	..	..	1	..	7	....	....	14	.91
..	..	..	1	..	1	..	..	..	..	..	..	..	..	....	7	....	....	.86
1	2	..	..	1	..	1	..	1	..	..	..	..	..	8	....	....	20	.77
1	..	..	1	..	..	1	1	..	1	..	..	..	..	....	12	....	....	1.25
..	..	..	1	..	..	..	1	..	1	..	1	..	1	15	....	....	30	1.39
1	1	..	1	..	..	1	..	..	1	1	..	..	1	....	15	....	....	1.39
1	1	..	..	1	..	1	2	2	1	2	..	..	..	18	....	....	29	1.72
2	..	..	..	1	..	..	..	2	..	..	..	..	..	....	11	....	....	1.08
..	2	..	..	1	..	..	..	..	1	..	..	..	..	9	....	....	18	1.11
1	..	..	..	..	..	1	1	1	..	..	..	..	1	....	9	....	....	1.11
..	1	..	..	..	..	1	2	2	..	..	1	..	..	16	....	....	31	1.51
2	..	..	..	..	..	1	..	3	..	1	1	..	..	....	15	....	....	1.51
..	..	..	..	..	..	..	..	1	..	..	..	..	..	4	....	....	9	.61
..	..	..	2	..	..	..	..	..	..	1	..	..	..	....	5	....	....	.87
..	1	..	1	..	..	..	..	..	..	..	..	..	..	2	....	....	10	.25
..	1	..	..	..	..	..	2	1	..	..	..	..	..	....	8	....	....	1.07
..	..	..	..	..	..	..	1	1	..	1	..	..	1	6	....	....	9	1.04
1	..	..	..	..	..	..	..	..	..	1	..	..	..	....	3	....	....	.51
..	1	..	..	..	..	..	..	..	1	1	..	1	..	10	....	....	20	1.33
..	1	1	..	..	..	1	..	1	..	..	..	..	..	....	10	....	....	1.35

TABLE VI.—Continued.

TOWNS.	POPULATION.			Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
	Whole number.	SEX.											
Windsor—Con.													
Royalton,	1850	M.	930	1	..	..	..	..	..	..	..	..	1
		F.	920	1	1	..	..	..	..	1	1	..	1
Sharon,	1240	M.	625	1	..	1	1	..	1	2	..	..	..
		F.	615	1	1	2	..	1	1	2	2	..	1
Springfield,	2762	M.	1351	5	..	..	..	..	1	2	..	2	1
		F.	1411	2	..	..	..	..	..	..	1	..	1
Stockbridge,	1327	M.	682	1	..	..	..	1	..	..	..	..	..
		F.	645	...	..	..	1	..	..	..	..	..	2
Weathersfield,	1851	M.	890	4	..	1	1	..	1	..	..	1	..
		F.	961	3	..	..	1	..	..	1	1	..	..
		U.		2	..	..	..	..	..	..	..	..	..
Weston,	950	M.	483	1	1	1	..	..	2	..	..	..	..
		F.	467	...	..	..	1	..	..	1	..	..	..
West Windsor,	1002	M.	488	1	1	1	2	..	1	..	..	..	..
		F.	514	...	1	..	..	..	..	1	1	2	..
Windsor,	1928	M.	1012	1	1	1	..	1	1	..	1	..	..
		F.	916	1	1	..	..	1	2	1	1	..	1
Woodstock,	3041	M.	1511	...	..	1	..	..	..	..	..	1	1
		F.	1530	...	..	..	..	1	1	1	1	1	..
Aggregate,	.....	M.	19310	32	8	9	9	3	13	5	5	10	7
	.....	F.	19010	22	6	4	6	4	13	12	16	15	13
	.....	U.	.....	2	..	..	..	..	..	..	..	..	..
Totals,	.....	..	38320	56	14	13	15	7	26	17	21	25	20

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70	70 to 75.	75 to 80.	80 to 85.	85 to 90	90 to 95	95 & over.	Unknown	Total. Males.	Fem.	Unk.	Total.	Percentage.
..	..	..	2	..	1	1	1	1	2	..	1	..	..	..	11	....	....	22	1.18
..	1	..	..	..	..	..	1	2	..	1	1	..	..	..	....	11	....	....	1.19
..	1	..	..	..	1	..	..	..	..	..	..	..	..	1	9	....	....	25	1.44
..	1	..	..	..	..	1	..	1	1	..	..	1	..	..	....	16	....	....	2.60
1	1	1	..	1	..	..	1	..	4	..	..	..	..	..	20	....	....	31	1.48
..	1	..	1	1	..	..	..	1	1	1	..	1	..	..	....	11	....	....	.78
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	3	....	....	12	.44
..	..	1	1	..	..	..	..	1	2	1	..	..	..	..	....	9	....	....	1.40
..	1	..	..	..	..	1	..	..	1	1	1	..	..	..	13	....	....	25	1.46
..	..	1	1	..	..	..	1	..	..	..	..	1	..	..	....	10	....	....	1.04
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	2	....	.....
..	..	..	1	2	..	1	..	..	2	..	..	..	..	1	12	....	....	21	1.48
..	..	1	..	1	1	1	1	1	..	1	..	..	..	..	....	9	....	....	1.92
..	..	..	..	..	2	..	1	1	..	..	2	..	1	..	13	....	....	23	2.68
..	..	..	..	..	..	..	..	2	1	1	1	..	..	..	....	10	....	....	1.94
..	2	..	1	..	1	2	1	2	..	..	..	..	..	..	15	....	....	28	1.48
1	1	2	1	..	..	..	..	..	..	..	..	..	..	..	....	13	....	....	1.41
1	1	..	..	..	1	..	1	2	..	..	1	1	1	..	12	....	....	27	.80
..	1	..	1	..	1	..	..	1	3	1	1	1	..	..	....	15	....	....	.98
6	10	11	8	6	11	5	8	14	19	8	10	3	4	4	229	....	....	....	1.19
3	15	8	7	7	3	5	8	16	20	9	9	6	..	1	....	228	....	....	1.20
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	2	....	.....
9	25	19	15	13	14	10	16	30	39	17	19	9	4	5	....	....	....	459	1.19

TABLE VI.—RECAPITULATION.

COUNTIES.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Addison.....	26459	M.	13452	22	8	5	6	3	5	7	5	5	5
		F.	13097	18	3	6	3	1	3	5	13	17	5
		U.		...	..	..	..	..	..	..	..	..	..
Bennington, ...	18589	M.	9478	27	8	3	6	5	6	1	6	4	5
		F.	9111	30	7	4	4	3	4	5	7	4	6
		U.		...	..	..	..	..	..	..	..	..	..
Caledonia,.....	23595	M	12350	14	4	2	2	1	3	4	4	5	9
		F.	11245	13	6	3	1	..	6	3	10	13	12
		U.		...	..	..	..	..	..	..	..	..	..
Chittenden,	29036	M.	14679	23	14	4	4	5	11	7	4	5	5
		F.	14357	24	7	7	6	4	8	4	3	8	8
		U.		4	..	..	..	..	..	..	..	..	..
Essex,.....	4650	M	2403	3	2	..	..	..	1	1	1	1	..
		F.	2247	2	..	..	..	..	..	1	1	..	2
		U.		...	..	..	..	..	..	..	..	..	..
Franklin, ...	28586	M.	14641	24	8	9	3	3	10	2	6	5	4
		F.	13945	22	6	3	3	7	5	2	5	10	6
		U.		...	1	..	..	..	..	..	..	..	..
Grand Isle,.....	4145	M.	2176	5	..	1	..	..	1	..	..	..	1
		F.	1969	2	..	..	..	..	2	1	1	2	..
		U.		...	..	..	..	..	..	..	..	..	..
Lamoille, ...	10872	M.	5585	9	4	..	1	..	2	2	5	4	2
		F.	5287	6	2	1	1	..	6	1	3	3	6
		U.		...	..	..	..	..	..	..	..	..	..
Orange, ...	27296	M.	13354	17	6	4	2	1	8	6	5	7	5
		F.	13672	17	4	2	9	3	16	12	18	11	12
		U.		1	..	..	..	..	..	..	..	..	..
Orleans,.....	15707	M.	8006	16	7	2	1	..	3	3	3	8	5
		F.	7701	9	2	..	3	1	1	..	7	6	5
		U.		...	1	..	..	..	..	..	..	..	..
Butland,.....	33059	M.	17024	41	12	7	6	2	7	4	9	12	6
		F.	16035	39	11	8	4	..	7	11	5	7	14
		U.		2	..	1	..	..	..	..	..	..	..
Washington,.....	24654	M.	12407	37	8	5	7	2	16	6	4	6	5
		F.	12187	20	6	8	3	4	5	7	16	8	8
		U.		1	..	..	..	..	..	..	..	..	..
Windham, ...	29062	M.	14838	23	10	4	2	2	5	9	11	7	8
		F.	14224	20	12	3	6	3	4	7	14	13	13
		U.		3	..	..	..	..	..	..	..	..	..

Table VI.—RECAPITULATION.

30 to 35.	35 to 40.	40 to 45.	45 to 50	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
6	4	4	6	1	4	7	11	11	9	8	5	4	..	4	155	....	....	305	1.15
7	8	5	2	4	9	7	5	5	6	9	4	1	1	3	....	150	....	....	1.15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
1	3	3	1	4	4	10	6	2	3	6	3	3	1	..	120	....	....	260	1.28
6	1	7	4	2	3	8	7	9	5	4	1	2	4	2	....	139	....	....	1.52
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	1	....	.....
4	2	6	2	5	3	5	3	7	9	10	7	2	1	..	114	....	....	246	.92
6	8	6	4	13	2	2	3	1	4	9	5	1	1	..	....	132	....	....	1.17
.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
1	5	2	1	3	4	3	6	13	11	5	3	2	..	1	142	....	....	288	.96
3	12	2	7	1	..	7	5	2	9	8	4	..	1	1	....	141	....	....	.99
.	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	5	....	.....
..	2	1	1	..	..	3	3	..	1	1	2	..	..	..	23	....	....	41	1.42
1	..	..	1	1	..	1	..	3	3	1	..	1	..	..	....	18	....	....	1.17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
1	3	6	2	3	3	3	2	7	5	4	4	1	1	5	124	....	....	271	.84
6	8	3	2	5	9	6	3	5	9	7	4	1	1	7	....	145	....	....	1.04
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	....	....	2	....	.....
1	1	2	..	..	1	..	1	1	1	1	..	..	..	..	17	....	....	37	.78
2	..	1	..	1	..	1	1	1	1	2	2	..	..	..	....	20	....	....	1.02
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
3	..	1	1	3	4	5	2	..	6	2	1	..	..	1	58	....	....	121	1.04
2	1	2	4	2	6	4	..	3	4	1	3	1	1	1	....	63	....	....	1.20
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	....	....	.....
3	2	6	5	6	3	11	7	9	10	8	9	2	..	1	143	....	....	354	1.05
7	7	3	3	5	6	10	14	13	12	6	11	4	1	4	....	210	....	....	1.54
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	...	.....
2	..	3	2	3	3	3	4	5	5	4	2	1	1	1	87	....	....	159	1.20
7	1	1	2	1	4	4	3	5	2	2	5	..	..	..	....	71	....	....	.96
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	.....
2	8	10	5	8	4	8	5	12	10	6	7	3	2	4	200	....	....	401	1.23
12	8	6	3	6	9	5	7	7	10	8	3	3	..	3	....	196	...	....	1.28
..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	....	....	5	....	.....
5	5	4	2	5	4	7	6	9	10	7	4	3	..	1	168	....	....	343	1.39
6	5	7	5	9	7	6	9	9	7	8	2	2	1	6	....	174	....	....	1.47
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	.....
2	4	6	3	9	7	13	11	17	9	11	7	2	..	2	184	....	....	402	1.24
6	9	7	5	10	8	15	11	10	13	9	6	8	..	3	....	215	....	....	1.51
.	..	..	..	....	..	..	..	..	....	..	..	..	..	..	....	....	3	....	.....

TABLE VI.—RECAPITULATION—Continued.

COUNTIES.	POPULATION.			Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 36.
	Whole No.		SEX.											
Windsor,.	38320	M.	19310	32	8	9	9	3	13	5	5	10	7	6
		F.	19010	22	6	4	6	4	13	12	16	15	13	3
		U.		2	...	...	..	..	...	...	...	...	...	...
Vt. Asylum		M.		...	...	...	..	..	...	...	...	...	3	1
		F.		...	...	...	..	..	...	...	...	...	1	2
Aggregate	.....	M.	160033	293	99	55	49	27	91	57	68	79	70	38
	.....	F.	154087	244	72	49	49	30	80	71	119	117	111	76
	.....	U.	.....	13	2	1	..	..	...	...	...	...	...	...
Totals ...	.....	..	314120	550	173	105	98	57	171	128	187	196	181	114

TABLE VI.—RECAPITULATION—Continued.

35 to 40.	40 to 45.	45 to 50	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
10	11	8	6	11	5	8	14	19	8	10	3	4	4	229	....	..	459	1.19
15	8	7	7	3	5	8	16	20	4	5	6	..	1	....	228	..	....	1.20
...	...	..	...	...	...	...	...	...	...	...	..	..	..	....	....	2	....	....
2	3	3	4	...	1	...	1	...	...	...	..	..	..	18	....	..	38	....
3	4	4	1	3	...	1	1	...	...	...	..	..	..	....	20	..	....	....
51	68	42	60	55	84	75	108	108	81	64	20	10	24	1781	....	..	....	1.13
86	62	53	68	69	81	77	50	108	80	59	30	11	31	....	19[illegible]3	..	....	1.27
...	...	..	...	...	...	...	...	...	...	...	..	..	6	...	..	2	....	....
137	130	95	128	124	165	152	198	216	161	123	56	21	60	....	....	..	3725	1.21

9

TABLE VII.—CAUSES OF DEATH.

Exhibiting the nvmber of deaths from different causes, (arranged alphabetically,) at various ages of each Sex, during the several months of the year.

Sex.	Months.													Causes of Death.	Whole No.				Ages.										
	January	February.	March	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown	Under 5.	5 to 10.	10 to 15	15 to 20.	20 to 30	30 to 40.	40 to 50.	50 to 60	60 to 70	70 to 80.	Over 80.	Unknown
Male...	1	1	..	..	..	..	1	..	..	..	..	1	..	Abscess, ...	7	4	...	..	..	..	..	..	...	..	2	1	1	..	...	..
Females.	..	1	..	..	..	..	..	..	..	1	1	..	..	"	...	...	3	..	1	..	1	..	1	..	..	..	..	..	...	..
Female.	..	..	..	..	..	..	1	..	..	..	..	..	..	" of Brain, .	1	...	1	..	..	..	..	1	...	..	..	..	..	..	...	..
Male...	..	..	..	..	..	..	..	..	1	..	..	..	..	" Iliac.....	1	1	...	..	..	..	..	..	1	..	..	..	..	..	...	..
Male...	..	..	..	..	..	..	1	..	..	..	..	..	..	" of Kidney,	1	1	...	..	..	..	..	..	1	..	..	..	..	..	...	..
Female.	..	..	..	..	..	..	1	..	..	..	..	..	..	" Lumbar, ..	1	...	1	..	..	..	..	..	1	..	..	..	..	..	...	..
Male...	..	..	1	..	..	..	..	..	..	..	..	..	..	" of Lung,..	1	1	...	..	..	..	..	..	...	..	..	..	1	..	...	..
Males ..	..	..	..	2	1	..	..	..	..	2	..	..	..	Alcohol, ...	5	5	...	..	..	..	..	..	...	..	1	2	2	..	...	..
Male...	..	..	..	..	..	1	..	..	..	..	..	..	..	Angina pectoris....	1	1	...	..	..	..	..	..	...	..	..	..	1	..	...	..
Males ..	1	2	4	3	2	3	3	2	1	..	3	3	..	Apoplexy,.....	47	27	...	..	..	..	..	..	...	..	1	4	5	10	7	..
Females	1	2	1	1	..	2	..	1	4	1	3	4	..	"	...	...	20	..	..	..	..	..	...	2	2	4	4	7	1	..
Females	..	..	..	..	..	..	1	..	..	..	1	..	..	Ascites,.....	2	...	2	..	..	..	..	..	...	..	..	..	1	..	1	..
Male...	..	..	..	..	1	..	..	..	..	..	..	..	..	Asthma,.....	1	1	...	..	..	..	..	..	...	..	..	..	1	..	...	..
Males..	1	..	..	1	..	2	..	..	..	..	..	..	..	Atrophy.	4	4	...	..	4	..	..	..	...	..	..	..	..	..	...	..
Male...	..	..	..	..	1	..	..	..	..	..	..	..	..	Battle. Wound in..	1	1	...	..	..	..	..	..	...	..	..	1	..	..	...	..
Female.	..	..	1	..	..	..	..	..	..	..	..	..	..	Bedrid len.....	1	...	1	..	..	..	..	..	...	..	..	1	..	..	...	..
Male...	..	..	..	..	..	..	..	1	..	..	..	..	..	Bitten by a man, ..	1	1	...	..	..	..	..	..	...	..	..	1	..	..	...	..

Male...	..	..	..	..	..	..	..	1	..	..	..	..	..	Black Vomit, ...	2	1	...	..	..	..	..	..	1	..	..	..	..	..	..	..
Female.	..	..	1	..	..	..	..	..	..	..	..	..	..	" "	...	...	1	..	..	..	..	..	..	..	..	..	1	..	..	..
Males ..	..	..	..	..	..	1	1	1	2	..	1	..	..	Bowels, Disease of.	9	6	...	..	4	..	..	..	..	2	..	..	..	..	..	..
Females.	..	..	..	..	..	..	1	1	..	1	..	..	..	" " .	...	...	3	..	..	..	1	..	..	..	..	1	1	..	..	..
Males ..	1	1	1	3	3	5	2	3	5	2	2	4	1	Brain, " .	39	33	...	..	15	4	..	..	3	2	1	3	3	2	..	..
Females.	..	..	1	..	1	4	2	4	1	1	2	..	..	" " .	...	...	16	..	6	1	2	1	2	2	..	1	..	1	..	..
Males ..	..	1	..	..	..	..	..	..	..	..	1	..	..	Bronchitis, ...	5	2	...	..	1	..	..	..	..	..	1	..	..	..	..	..
Females.	..	..	1	1	..	..	..	..	..	..	..	1	..	"	...	...	3	..	1	..	1	..	..	..	..	..	..	..	1	..
Males ..	1	1	..	1	1	..	1	1	1	..	3	..	..	Burns and Scalds, ..	25	10	...	..	9	..	..	..	..	..	1	..	..	..	..	..
Females.	2	1	..	..	1	..	3	1	2	3	..	1	1	" ...	...	...	15	..	7	1	1	4	..	..	..	..	..	2	..	..
Female .	..	..	..	..	..	1	..	..	..	..	..	..	..	Calculi Biliary, ...	1	...	1	..	..	..	..	..	..	..	..	..	1	..	..	..
Male...	..	..	..	..	..	..	..	..	1	..	..	..	..	" Urinary, ..	1	1	...	..	..	..	..	..	..	..	..	1	..	..	..	..
Males ..	..	2	1	1	..	..	1	3	..	1	2	..	..	Cancer, ...	33	11	...	..	..	..	..	..	..	..	..	..	..	..	..	..
Females	1	1	2	4	1	2	1	2	1	4	2	..	..	"	...	...	21	..	..	..	..	..	..	..	..	..	..	..	..	..
Unkno'n	..	..	..	..	..	..	..	1	..	..	..	..	..	"	...	...	...	..	..	..	..	..	..	..	..	..	..	..	..	..
Female.	..	..	..	..	..	..	1	..	..	..	..	..	..	" of the Antrum,	1	...	1	1	..	..	..	..	..	..	..	1	..	..	..	..
Females.	2	..	1	1	..	..	1	1	2	1	..	1	..	" of the Breast, .	10	...	10	..	..	..	..	..	..	3	3	1	1	2	..	..
Males. .	1	..	..	1	1	..	1	..	1	1	1	..	1	" of the Face, ..	8	8	...	..	..	..	..	..	1	..	..	..	1	4	2	..
Male...	..	..	..	..	..	..	1	..	..	..	..	..	..	" of the Foot, ..	1	1	...	..	..	..	..	..	..	..	..	..	..	..	1	..
Male...	..	..	..	..	1	..	..	..	..	..	..	..	..	" of the Mouth, .	1	1	...	..	..	..	..	..	..	..	..	..	1	..	..	..
Males...	1	..	..	1	1	..	..	..	3	5	1	..	..	" of the Stomach,	24	12	...	..	..	..	..	..	..	..	2	5	4	1	..	..
Females.	2	1	..	..	..	..	1	2	2	2	..	2	..	" "	...	...	12	..	..	..	..	..	..	2	..	..	6	4	..	..
Male...	..	..	..	..	..	..	..	..	1	..	..	..	..	" of the Thigh, .	1	1	...	..	..	..	..	..	..	..	..	..	1	..	..	..
Males..	..	1	..	..	..	..	1	..	..	..	1	..	..	" of the Throat, .	3	3	...	..	..	..	..	..	..	..	..	..	3	..	..	..
Female.	..	1	..	1	1	1	1	..	..	..	..	..	..	" of the Uterus, .	5	...	5	..	..	..	..	..	1	..	1	2	1	..	..	..
Males..	..	..	..	..	..	..	..	..	..	..	1	1	..	Canker, ...	5	2	...	..	2	..	..	..	..	..	..	..	..	..	..	..
Females.	..	..	..	..	..	1	..	..	1	1	..	..	..	"	...	...	3	..	1	1	..	..	..	..	..	..	..	1	..	..
Males..	3	1	2	2	4	..	1	2	4	..	3	..	..	Casualty, ...	27	22	...	..	2	..	2	3	2	2	2	4	2	3	..	..
Females.	..	1	1	1	..	..	2	..	..	..	..	..	..	"	...	...	5	..	1	..	..	..	1	..	1	..	1	..	1	..

TABLE VII.—Continued.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January	February.	March.	April.	May	June.	July	August.	September.	October.	November	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60	60 to 70.	70 to 80.	Over 80.	Unknown.
Female.	..	..	..	..	..	..	..	..	..	..	..	1	..	Catarrh,	1	...	1	..	1	..	..	..	...	..	..	..	..	..	...	..
Males ..	2	3	3	5	..	5	1	1	1	2	5	1	1	Cephalitis,	42	30	...	..	15	2	4	2	...	2	3	1	..	1	...	..
Females,	2	..	3	..	2	..	1	3	..	..	..	1	..	"	...	...	12	..	6	2	1	..	2	1	..	..	..	..	...	..
Females.	2	3	3	1	3	5	3	2	2	3	4	3	..	Childbirth,	34	...	34	..	..	..	..	3	13	14	3	..	..	..	...	1
Female.	..	..	..	..	..	..	..	..	1	..	..	..	..	Chlorosis,	1	...	1	..	..	..	1	..	...	..	..	..	..	..	...	..
Male...	..	..	..	..	..	..	..	..	..	..	1	..	..	Choked,	1	1	...	..	1	..	..	..	...	..	..	..	..	..	...	..
Males..	..	..	..	1	..	..	..	3	3	..	1	..	..	Cholera,	17	8	...	..	3	..	..	..	...	..	1	1	1	2	...	..
Females.	..	..	3	..	..	..	..	5	..	1	..	..	..	"	...	...	9	..	5	..	..	..	...	..	..	1	..	1	2	..
Males..	..	..	..	..	..	..	1	5	5	1	..	..	..	Cholera Infantum,	27	12	..		12	..	..	..	...	..	..	..	..	..	...	..
Females.	..	..	..	..	1	..	2	4	5	2	..	1	..	" "	...	...	15	..	15	..	..	..	...	..	..	..	..	..	...	..
Male,..	1	..	..	..	..	..	..	..	..	..	..	..	..	Chorea,	2	1	...	..	..	..	..	..	...	..	..	..	..	..	...	1
Female.	..	1	..	..	..	..	..	..	..	..	..	..	..	"	...	...	1	..	..	1	..	..	...	..	..	..	..	..	...	..
Males..	..	..	1	..	..	..	..	..	1	..	..	..	..	Congestion,	2	2	...	..	2	..	..	..	...	..	..	..	..	..	...	..
Males..	21	18	16	23	22	27	26	18	25	20	23	21	4	Consumption,	734	264	...	..	17	5	1	21	66	32	27	24	32	31	6	1
Females.	30	44	43	48	42	36	40	38	39	37	35	37	1	"	...	...	470	..	30	4	14	57	108	68	49	39	45	35	13	8
Female.	..	..	1	..	..	..	..	..	..	..	..	..	..	Contusion,	1	...	1	..	1	..	..	..	...	..	..	..	..	..	...	..
Males..	2	..	1	..	2	1	5	2	..	1	2	3	..	Convulsions,	37	19	...	..	19	..	..	..	...	..	..	..	..	..	...	..
Females.	2	2	..	1	1	1	1	1	2	2	1	3	..	"	...	...	17	..	17	..	..	..	...	..	..	..	..	..	...	..
Unknown	..	..	..	1	..	..	..	..	..	..	..	..	..	"	...	...	...	1	1	..	..	..	...	..	..	..	..	..	...	..
Males..	..	..	..	..	..	..	..	1	1	..	..	..	..	Cramp in Stomach,	2	2	...	..	..	..	..	..	1	1	..	..	..	..	...	..

Males..	4	3	3	1	2	2	..	1	3	2	3	3	1	Croup,	64	28	..	..	23	2	1	..	..	..	1	..	..	..	..	1
Females.	1	3	3	2	1	2	1	5	3	3	5	7	..	"	..	..	36	..	33	3	..	..	..	..	..	..	..	..	..	..
Males..	..	..	1	..	..	..	1	1	..	..	1	..	..	Cut Throat,	4	4	..	..	..	..	..	..	1	..	1	..	1	1	..	..
Males..	..	..	..	1	1	..	..	..	1	..	..	..	..	Cystitis,	4	3	..	..	..	..	..	..	..	..	..	..	..	2	1	..
Female.	..	..	1	..	..	..	..	..	..	..	..	..	..	"	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..
Males..	1	..	..	1	..	1	..	..	..	..	..	1	..	Debility,	13	4	..	..	2	..	..	..	..	..	1	..	..	..	1	..
Females.	2	1	..	1	1	2	..	1	..	..	..	1	..	"	..	..	9	..	1	1	..	..	..	..	..	..	3	4	..	..
Male...	..	..	..	1	..	..	..	2	..	..	2	..	..	Delirium Tremens,	5	5	..	..	..	..	..	..	..	1	2	1	1	..	..	..
Males..	..	..	1	..	..	..	1	1	..	..	..	..	..	Diabetes,	7	3	..	..	..	..	..	..	..	1	..	..	..	1	1	..
Females.	..	1	..	..	..	..	2	..	..	..	..	1	..	"	..	..	4	..	..	..	1	1	..	..	1	1	..	..	..	..
Males..	..	..	..	1	..	..	1	..	2	2	1	..	..	Diarrhœa,	13	7	..	..	3	..	..	..	..	..	..	1	2	..	1	..
Females	..	..	1	..	..	..	1	2	1	..	1	..	..	"	..	..	6	..	3	..	..	..	..	..	..	1	..	1	1	..
Males..	1	4	2	3	..	2	2	..	4	5	1	2	..	Diphtheria,	60	25	..	..	5	5	7	1	3	..	..	1	1	1	1	..
Females.	1	2	4	1	3	..	1	4	4	4	5	6	..	"	..	..	35	..	11	11	4	3	3	..	2	..	..	..	..	1
Males..	..	1	2	3	2	5	3	3	3	7	3	1	..	Dropsy,	91	34	..	..	1	..	..	..	1	..	3	4	11	9	5	..
Females	2	4	4	6	4	4	5	6	6	6	8	2	1	"	..	..	57	..	1	1	1	1	8	6	3	10	7	10	9	..
Males..	1	..	1	1	3	7	2	5	..	..	..	1	..	Drowned,	23	21	..	..	5	3	5	2	4	1	1	..	..	..	..	..
Females.	..	..	..	..	..	1	..	..	1	..	..	..	..	"	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..
Males..	1	..	2	1	1	1	3	11	15	3	2	..	..	Dysentery,	79	40	..	..	29	1	..	1	..	1	..	2	1	4	1	..
Females	..	..	..	..	..	1	3	18	12	3	..	2	..	"	..	..	39	..	20	..	..	1	1	1	1	1	4	6	3	1
Malee..	..	1	3	..	..	..	..	..	1	..	1	..	..	Dyspepsia,	11	6	..	..	..	..	..	..	..	..	1	2	1	2	..	..
Females.	..	..	..	1	..	..	..	2	..	1	..	1	..	"	..	..	5	..	..	..	..	..	..	1	..	1	3	..	..	..
Male...	..	1	..	..	..	..	..	1	..	..	..	..	..	Empyema,	1	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..
Males..	2	4	4	1	3	1	5	3	3	4	2	5	..	Enteritis,	67	37	..	..	11	1	3	8	7	2	..	1	2	..	2	..
Females	2	2	3	3	3	2	1	4	6	1	1	3	..	"	..	..	30	..	9	2	3	2	5	3	1	2	..	2	1	..
Males..	..	2	1	..	3	..	..	..	2	3	3	1	..	Epilepsy,	24	15	..	..	3	..	..	2	2	1	2	1	2	..	2	..
Females.	1	..	..	..	..	1	..	2	3	..	1	1	..	"	..	..	9	..	1	..	..	..	2	..	1	..	2	3	..	..
Males..	..	1	..	4	1	1	..	3	..	1	4	..	..	Erysipelas,	40	15	..	..	2	..	1	1	..	1	2	1	4	2	1	..
Females.	..	..	2	4	2	5	..	1	3	..	4	4	..	"	..	..	25	..	7	..	2	..	4	2	1	1	1	6	1	..

TABLE VII.—Continued.

Sex.	Months.												Causes of Death.	Whole No.				Ages.											
	January.	February.	March	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70	70 to 80	Over 80.	Unknown
Males..	2	..	..	..	..	..	..	..	..	2	..	..	..	Fever, Billious,...	6	4	...	..	..	..	..	..	1	1	..	1	..	1	...	..
Females.	..	1	..	..	..	1	..	..	..	..	..	..	..	" " ...	...	...	2	..	..	..	1	..	...	..	..	..	..	1	...	..
Females	1	..	..	1	..	..	..	2	..	1	..	..	..	" Intermittent,.	5	...	5	..	2	..	..	..	1	..	1	..	..	1	...	..
Males..	7	2	4	6	2	4	2	9	25	18	19	14	1	" Typhoid,....	214	113	...	..	9	6	8	13	25	14	9	3	11	8	4	3
Females.	6	6	1	2	4	6	4	12	21	16	12	11	..	" "	...	...	101	..	5	9	13	19	19	12	4	10	3	4	3	..
Males..	1	..	1	1	..	..	1	..	1	4	2	2	..	" Typhus,.....	23	13	...	..	1	..	2	..	3	1	1	3	2	..	...	..
Females.	1	..	..	..	1	1	1	..	1	2	3	..	..	" "	...	...	10	..	..	..	2	2	2	..	2	1	..	1	...	..
Males..	..	..	1	..	1	..	..	..	..	..	..	..	..	Fistula,.....	2	2	...	..	..	..	..	..	...	..	..	..	1	1	...	..
Males ..	..	..	1	..	..	2	2	1	1	..	1	1	..	Fits,.....	12	9	...	..	1	..	..	..	2	..	1	..	1	2	...	2
Females.	..	..	..	1	1	..	..	..	..	1	..	..	..	"	...	...	3	..	..	..	..	1	1	1	..	..	..	..	...	..
Males..	..	..	..	..	..	..	..	..	1	1	..	..	..	Fracture of the Hip.	3	2	...	..	..	..	..	..	...	..	..	..	..	..	2	..
Female.	..	..	..	..	..	..	..	..	..	..	1	..	..	" " "	...	...	1	..	..	..	..	..	...	..	..	..	..	1	...	..
Males..	1	..	..	1	..	..	2	..	..	..	1	..	..	" " Skull.	5	5	...	..	..	3	..	..	...	..	1	..	..	1	...	..
Males..	1	..	1	1	1	..	..	..	2	1	..	..	..	Gastritis, ...	19	7	...	..	..	4	..	..	...	..	..	1	2	..	...	..
Females.	..	3	1	1	1	..	2	..	1	..	..	3	..	"	...	...	12	..	1	1	1	..	...	1	1	1	3	2	1	..
Males..	..	2	..	2	..	..	1	..	..	2	1	..	1	Gravel,.....	9	9	...	..	..	..	..	..	...	1	..	..	2	3	3	..
Males..	..	..	..	1	..	..	2	..	..	..	..	..	..	Gun-Shot,.....	3	3	...	..	..	..	..	..	1	1	1	..	..	..	...	..
Males..	..	..	..	3	2	1	3	1	..	..	..	1	..	Hanging, ...	12	11	...	..	..	..	..	..	...	..	2	4	3	1	1	..
Female.	..	..	..	..	..	1	..	..	..	..	..	..	..	"	...	...	1	..	..	..	..	..	...	..	..	1	..	..	...	..
Males..	5	9	4	7	6	8	4	2	6	8	6	9	..	Heart, Disease of..	132	75	...	..	4	..	3	2	2	3	4	10	11	25	9	1

Females.	5	5	5	1	8	4	..	8	4	8	8	1	..	" " ..	..	..	57	..	2	1	3	2	6	7	5	10	10	8	3	..
Males..	..	..	..	..	1	1	..	..	..	..	..	..	..	Hemoptysis, ...	5	2	..	..	1	..	..	..	..	..	1	..	..	..	..	..
Females	..	..	1	..	1	..	..	..	..	.	1	..	..	"	..	..	3	..	1	..	..	..	..	1	..	..	1	..	..	..
Male...	..	..	..	..	..	..	..	1	..	..	..	..	..	Hemorrhage, ...	3	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..
Females	..	..	..	..	..	..	..	..	1	1	..	..	..	"	..	..	2	..	1	..	..	1	..	..	..	..	..	..	..	..
Male...	..	..	..	..	..	1	..	..	..	..	..	..	..	" of the Bowels.	2	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..
Female.	..	..	..	1	..	..	..	..	..	..	..	..	..	" " " .	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..
Males..	..	..	..	..	..	..	..	1	..	1	..	..	..	" " Liver,..	2	2	..	..	..	..	..	..	..	1	..	..	..	1	..	..
Males..	1	..	..	..	..	..	..	..	..	1	..	..	..	" " Stomach.	2	2	..	..	..	..	..	..	..	1	1	..	..	..	..	..
Females.	..	1	..	..	..	..	..	..	1	..	..	1	..	" " Uterus,.	3	..	3	..	..	..	..	..	2	1	..	..	..	..	..	..
Male...	..	..	..	..	..	1	..	..	..	..	..	..	..	Hemorrhoids,.....	4	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Females	..	1	..	..	..	1	..	..	..	..	1	..	..	"	..	..	3	..	..	..	..	..	..	..	1	..	1	1	..	..
Male...	1	..	..	..	..	..	..	..	..	..	..	..	..	Hepatitis, ...	2	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..
Female.	..	..	..	1	..	..	..	..	..	..	..	..	..	"	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..
Males..	1	..	..	..	..	..	..	..	..	..	2	1	..	Hernia,.....	9	4	..	..	..	..	..	..	..	..	..	2	1	1	..	..
Females	..	..	..	1	1	..	2	..	1	..	..	..	..	"	..	..	5	..	..	..	..	..	..	..	..	1	3	1	..	..
Males ..	..	..	1	..	..	..	..	..	..	1	..	..	..	Hip, Disease of....	2	2	..	..	..	..	..	..	1	..	..	..	..	..	1	..
Male ...	..	1	..	..	..	..	..	..	..	..	..	..	..	Homicide,.....	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1
Males ..	3	1	1	4	3	4	..	1	4	2	2	3	..	Hydrocephalus, ...	51	28	..	..	25	1	..	1	..	..	..	..	1	..	..	..
Females.	1	1	1	3	1	3	4	2	1	1	3	1	..	"	..	..	23	..	16	2	..	1	1	1	..	..	1	1	..	..
Males ..	..	1	1	1	1	1	1	..	..	..	..	..	..	Hydrothorax,.....	15	6	..	..	..	1	..	..	..	..	..	..	1	3	1	..
Fem .les.	1	..	..	..	2	..	..	1	1	..	1	3	..	"	..	..	9	..	..	..	..	..	..	..	..	..	1	7	1	..
Female .	..	..	..	..	1	..	..	..	..	..	..	..	..	Hysteritis, ...	1	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..
Male...	..	..	..	..	..	..	..	..	1	..	..	..	..	Ileus, ...	1	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..
Males ..	5	8	4	6	5	3	4	4	8	8	3	6	2	Infantile,.....	127	66	..	..	66	..	..	..	..	..	..	..	..	..	..	..
Females.	6	..	..	2	4	8	6	6	4	5	6	7	..	"	..	..	53	..	53	..	..	..	..	..	..	..	..	..	..	..
Unkno'n	..	1	..	3	1	..	1	..	..	..	..	..	2	"	..	..	..	8	8	..	..	..	..	..	..	..	..	..	..	..
Males ..	..	..	..	..	..	1	..	..	1	..	..	1	..	Inflammation,.....	4	3	..	..	2	..	..	..	..	1	..	..	..	..	..	..
Female .	..	..	..	..	..	..	..	..	1	..	..	..	..	"	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..

TABLE VII.—Continued.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March	April	May.	June.	July.	August.	September	October.	November	December.	Unknown.		Totals	Males.	Females	Unknown.	Under 5	5 to 10.	10 to 15	15 to 20	20 to 30	30 to 40.	40 to 50.	50 to 60.	60 to 70	70 to 80.	Over 80	Unknown.
Male...	..	..	1	..	..	..	..	..	..	..	..	..	..	Influenza, ...	4	1	...	..	..	..	..	..	..	..	..	..	..	1	...	..
Females.	1	..	1	1	..	..	..	..	..	..	..	..	..	"	...	...	3	..	1	..	1	..	...	..	..	..	..	1	...	..
Males ..	..	..	..	..	..	1	..	..	..	..	1	..	..	Insanity,.....	4	2	...	..	..	1	..	..	...	..	..	..	..	..	1	..
Females	..	..	..	..	1	..	..	..	..	..	1	..	..	"	...	...	2	..	..	..	..	..	...	..	2	..	..	..	...	..
Males ..	..	1	1	..	1	..	..	1	..	..	..	..	..	Intemperance,.....	5	4	...	..	..	..	..	..	...	1	3	..	..	..	...	..
Female .	..	..	..	..	..	..	..	..	..	..	..	1	..	"	...	...	1	..	..	..	..	..	...	..	1	..	..	..	...	..
Males..	1	..	1	1	1	..	..	..	..	1	..	..	..	Jaundice,.....	11	5	...	..	..	..	..	..	1	..	..	..	2	2	...	..
Females	1	..	..	..	1	..	1	..	..	1	1	..	1	"	...	...	6	..	1	..	..	..	1	..	1	1	1	..	...	1
Males ..	1	1	2	2	2	..	1	2	2	2	..	..	..	Kidneys, Disease of.	15	15	...	..	..	..	..	..	...	..	1	:	3	9	2	..
Male...	..	..	1	..	..	..	..	..	..	..	..	..	..	Knee, Disease of,..	1	1	...	..	..	..	..	..	...	1	..	..	..	..	...	..
Males ..	..	..	..	..	..	1	..	1	..	..	..	..	..	Lightning,.....	2	2	...	..	..	..	..	..	...	1	1	..	..	..	...	..
Males ..	1	1	1	2	1	1	..	2	..	4	1	1	..	Liver, Disease of,..	27	15	...	..	4	..	..	..	1	1	2	2	1	3	1	..
Females.	..	..	..	..	1	..	1	1	..	3	4	2	..	" " ...	...	...	12	..	1	..	..	..	...	..	..	2	3	5	1	..
Males ..	..	3	4	4	5	..	2	3	2	..	2	4	..	Lungs, Disease of,..	67	29	...	..	7	1	..	2	2	1	1	3	3	2	5	2
Females.	4	5	5	2	2	2	1	2	1	3	7	3	..	" " ...	...	...	37	..	7	3	2	1	5	2	2	5	3	5	2	..
Unkno'n.	..	1	..	..	..	..	..	..	..	..	..	..	..	" " ...	:	..	...	1	1	..	..	..	...	..	..	..	..	..	...	..
Females.	..	..	..	..	..	..	..	1	..	..	..	1	..	Malformation, ...	2	...	2	..	1	..	..	1	...	..	..	..	..	..	...	..
Males ..	..	..	..	1	..	..	..	1	..	1	..	..	..	Marasmus, ...	7	3	...	..	1	..	..	..	...	1	..	1	..	..	...	..
Females	..	..	..	1	..	..	..	1	..	1	..	1	..	"	..	...	4	..	1	..	..	..	...	1	1	1	..	..	...	..
Males ..	2	1	1	2	2	1	..	..	..	1	..	..	..	Measles, ...	29	10	...	..	4	..	..	1	3	..	..	..	..	1	...	1

Females.	1	2	2	1	3	2	3	3	..	1	..	2	..	"	...	...	19	..	13	..	..	1	1	1	1	1	..	..	...	1
Females.	1	1	..	..	2	..	2	..	1	1	1	..	..	Metria, ...	9	9	...	..	..	..	..	..	3	2	1	1	..	..	...	2
Male ...	..	..	..	..	..	..	..	1	..	..	..	..	..	Miasma, ...	2	1	...	..	1	..	..	..	...	..	..	..	..	..	...	..
Female .	..	..	..	..	..	..	1	..	..	..	..	..	..	"	...	...	1	..	..	..	..	..	...	..	..	..	..	..	1	..
Males ..	..	..	..	..	..	..	..	2	2	1	1	..	..	Mortification, ...	11	6	...	..	..	..	..	..	...	..	1	..	1	4	...	..
Females.	..	1	1	..	..	..	..	..	..	1	1	1	..	"	...	...	5	..	..	..	..	..	...	..	..	1	..	..	4	..
Females.	..	..	..	..	1	..	..	..	..	..	..	..	..	Myelitis, ...	1	...	1	..	..	..	..	..	...	..	..	..	..	1	...	..
Males ..	..	..	..	1	1	..	..	..	..	1	..	..	..	Necrosis, ...	3	3	...	..	..	1	..	..	...	1	..	1	..	..	...	..
Males ..	..	1	..	..	..	..	..	1	..	1	..	..	..	Nephria, ...	4	3	...	..	..	..	..	..	...	..	..	1	1	1	...	..
Female .	..	..	1	..	..	..	..	..	..	..	..	..	..	"	...	...	1	..	..	..	..	..	...	..	..	1	..	..	...	..
Males ..	..	..	1	1	..	..	..	..	..	..	1	1	..	Nephritis, ...	5	4	...	..	..	..	..	1	...	..	1	..	..	1	1	..
Female .	..	..	..	..	..	..	..	..	..	..	1	..	..	"	...	...	1	..	..	..	..	..	...	..	..	..	..	..	1	..
Males ...	..	..	1	1	..	..	..	..	..	..	..	1	..	Neuralgia, ...	5	3	...	..	..	..	..	..	...	..	..	..	1	2	...	..
Females.	..	1	..	..	..	..	..	1	..	..	..	..	..	"	...	...	2	..	..	..	..	..	...	..	..	..	1	1	...	..
Males ..	7	2	10	7	8	4	8	5	11	9	16	10	1	Old age	215	99	...	..	..	..	..	..	...	..	..	..	..	14	85	..
Females.	10	9	10	12	9	8	7	9	14	10	10	8	..	"	...	...	116	..	..	..	..	..	...	..	..	..	1	21	93	1
Female .	2	..	..	..	..	..	..	1	..	..	..	..	..	Ovary, Disease of, .	3	...	3	..	..	..	..	..	...	..	..	1	2	..	...	..
Male ...	..	..	1	..	..	..	..	..	..	..	..	..	..	Osteosarcoma, ...	1	1	...	..	..	..	..	1	...	..	..	..	..	..	...	..
Female .	..	..	..	..	..	..	..	..	..	..	1	..	..	Otitis, ...	1	...	1	..	..	..	..	..	...	..	..	..	..	..	1	..
Males ..	4	5	1	3	4	2	1	3	3	5	2	4	..	Paralysis, ...	79	37	...	..	..	..	..	..	...	..	..	3	4	19	11	..
Females.	2	4	2	4	1	2	4	4	3	2	7	6	1	"	...	...	42	..	..	..	1	..	...	..	3	5	10	12	11	..
Females.	..	1	..	..	..	..	..	..	..	..	..	1	..	Paramenia, ...	2	...	2	..	..	..	..	2	...	..	..	..	..	..	...	..
Male ...	..	..	1	..	..	..	..	..	..	..	..	..	..	Parotia, ...	1	1	...	..	..	..	..	1	...	..	..	..	..	..	...	..
Male ...	..	..	..	..	..	..	..	1	..	..	..	..	..	Pericarditis, ...	1	1	...	..	1	..	..	..	...	..	..	..	..	..	...	..
Males ..	..	1	..	..	..	..	..	..	2	..	..	..	..	Peritonitis, ...	8	3	...	..	..	..	..	..	1	1	..	..	..	..	1	..
Females.	1	1	1	..	1	1	..	..	..	..	..	..	..	"	...	...	5	..	1	..	1	..	2	1	..	..	..	..	...	..
Males ..	..	..	..	..	..	..	1	..	..	..	1	1	..	Pleurisy, ...	9	3	...	..	..	..	..	..	...	..	..	..	1	..	2	..
Females.	..	1	..	..	2	1	1	1	..	..	..	..	..	"	...	...	6	..	..	..	..	..	1	1	..	1	1	..	2	..
Males ..	7	8	14	10	8	1	9	2	2	6	6	4	1	Pneumonia, ...	161	78	...	..	34	1	1	1	3	1	8	5	6	12	6	:

TABLE VII.—Continued.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March.	April.	May	June.	July	August.	September.	October.	November	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60	60 to 70.	70 to 80	Over 80.	Unknown.
Females.	7	8	8	11	11	4	2	2	2	10	9	4	2	Pneumonia,	...	...	80	..	18	4	3	2	5	6	6	3	10	14	6	3
Unkno'n.	1	1	..	..	..	..	..	..	..	..	..	1	..	"	...	...	...	3	2	..	..	..	...	..	..	..	..	..	...	1
Males ..	..	1	..	..	..	1	1	..	..	..	..	..	..	Poison,	6	3	...	..	..	..	..	..	...	..	1	..	..	2	...	..
Females.	..	..	..	..	1	1	1	..	..	..	..	..	..	"	...	...	3	..	..	1	..	..	1	1	..	..	..	..	...	..
Male ...	..	..	..	..	..	..	..	..	..	..	..	1	..	Prostate gland, Dis.	1	1	...	..	..	..	..	..	...	..	..	..	..	..	1	..
Male ...	..	..	..	..	..	..	..	..	..	..	..	1	..	Purpura,	1	1	...	..	1	..	..	..	...	..	..	..	..	..	...	..
Males ..	..	..	..	1	..	..	1	..	..	..	..	1	..	Quinsy,	5	3	...	..	2	1	..	..	...	..	..	..	..	..	...	..
Females.	..	..	..	..	..	1	1	..	..	..	..	..	..	"	...	...	2	..	..	..	..	..	...	..	1	..	..	..	1	..
Male...	..	..	..	..	..	..	..	..	..	..	1	..	..	Rail Road Accidents	1	1	...	..	..	..	..	..	1	..	..	..	..	..	...	..
Males...	..	..	1	1	1	..	..	..	..	..	1	1	..	Rheumatism,	12	5	...	..	..	..	..	..	1	..	..	1	1	2	...	..
Females.	..	1	3	1	..	..	1	..	..	..	..	..	1	"	...	...	7	..	1	..	..	..	...	1	..	2	1	..	2	..
Males..	13	21	24	23	11	8	9	8	3	3	12	12	2	Scarletina,	263	149	...	..	88	42	12	2	2	1	1	..	..	..	...	1
Females.	13	13	15	16	11	11	6	5	7	3	8	5	..	"	...	...	113	..	71	27	8	2	...	1	..	1	1	..	...	2
Unkno'n	..	..	..	..	..	..	..	..	..	1	..	..	..	"	...	...	...	1	..	..	..	..	...	..	..	..	..	..	...	1
Male...	..	..	..	1	..	..	..	..	..	..	..	..	..	Scorbutus,	1	1	...	..	..	..	..	..	...	..	1	..	..	..	...	..
Males ..	1	1	1	..	1	..	1	2	2	1	1	2	1	Scrofula,	33	14	...	..	6	1	1	..	...	1	1	..	..	3	...	1
Females	..	1	2	3	..	1	..	4	3	1	3	1	..	"	...	...	19	..	2	..	..	1	1	1	2	3	2	5	2	..
Males ..	..	1	..	..	..	..	..	..	1	..	..	1	..	Small Pox,	5	3	...	..	1	..	..	..	1	..	1	..	..	..	...	..
Females.	..	..	..	..	..	..	..	1	..	..	..	1	..	"	...	...	2	..	..	..	..	..	...	..	1	1	..	..	...	..
M[illegible]	..	..	..	..	..	..	..	..	..	..	..	1	..	Spasm of the Glottis	1	1	...	..	1	..	..	..	...	..	..	..	..	..	...	..

Males..	..	1	..	..	..	..	..	..	..	1	2	..	..	Spine, Disease of..	8	4	..	..	..	..	..	..	1	1	..	..	2	..	..	..
Females.	2	..	..	..	1	..	..	..	1	..	..	..	..	" " ..	..	..	4	..	..	1	1	..	..	1	1	..	..	..	..	..
Males..	2	11	9	5	7	2	5	4	9	8	11	7	..	Still Born,.....	167	80	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Females.	5	2	4	11	4	3	5	9	4	5	4	8	..	"	..	..	64	..	..	..	..	..	..	..	..	..	..	..	..	..
Unkno'n	2	2	2	3	2	1	2	2	1	..	1	5	..	"	..	..	..	23	..	..	..	..	..	..	..	..	..	..	..	..
Male...	:	..	..	1	..	..	..	..	..	..	..	..	..	Stomach, Disease of	6	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Females.	..	..	..	..	1	1	1	..	..	1	..	1	..	" "	..	..	5	..	..	1	..	..	..	1	..	2	..	..	1	..
Male...	..	..	..	..	..	..	..	..	..	..	..	1	..	Strangulated, ...	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Female.	..	1	..	..	..	..	..	..	..	..	..	..	..	"	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Male...	..	1	..	..	..	..	..	..	1	..	..	..	..	Stricture of the Bo'ls	2	2	..	..	..	..	1	..	..	..	..	..	..	1	..	..
Males..	..	1	4	..	1	1	..	..	..	..	1	..	..	Sudden, ...	11	8	..	..	1	..	..	..	1	..	..	3	2	..	1	..
Females	..	..	..	..	..	1	1	..	..	1	..	..	..	"	..	..	3	..	..	..	..	..	2	1	..	..	..	..	..	..
Males..	1	..	..	..	..	..	..	..	..	..	..	1	..	Suffocation,.....	2	2	..	..	2	..	..	..	..	..	..	..	..	..	..	..
Males..	1	1	1	..	1	1	..	..	1	..	1	1	..	Suicide, ...	11	8	..	..	..	..	..	1	..	4	2	1	..	..	..	..
Females.	..	..	..	..	1	..	..	2	..	..	..	..	..	"	..	..	3	..	..	..	..	..	1	1	..	1	..	..	..	..
Female.	..	..	..	..	..	1	..	..	..	..	..	..	..	Sunstroke.	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Female	..	..	..	..	..	..	..	..	..	..	1	..	..	Surgical Operation.	1	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..
Male...	..	..	..	..	..	..	..	..	..	..	1	..	..	Tabes Mesenterica,.	2	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..
Female.	..	..	..	..	..	..	..	1	..	..	..	..	..	" .	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Males..	..	..	..	..	..	..	..	1	..	1	..	..	..	Teething, ...	3	2	..	..	2	..	..	..	..	..	..	..	..	..	..	..
Female .	..	..	..	..	..	..	1	..	..	..	..	..	..	"	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Female.	..	..	..	..	..	..	..	..	..	1	..	..	..	Tetanus,.....	1	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..
Male...	..	..	..	..	..	..	1	..	..	..	..	..	..	Throat Disease,...	2	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Female.	..	..	..	..	..	..	..	1	..	..	..	..	..	" ...	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..
Male...	..	..	..	..	..	..	1	..	..	..	..	..	..	Tumor,.....	5	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Females.	..	1	1	1	..	..	..	..	1	..	..	..	..	"	..	..	4	..	..	..	..	..	1	..	1	1	1	..	..	..
Males..	..	..	..	..	1	..	1	..	..	1	..	..	..	" in the Bowels.	5	4	..	..	2	..	..	..	1	..	..	1	..	..	..	..
Female.	..	..	..	..	..	1	..	..	..	..	..	..	..	" " "	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..
Females.	..	..	..	..	..	..	..	1	..	1	..	..	..	" " Side,..	2	..	2	..	..	..	..	..	1	1	..	..	..	..	..	..

TABLE VII.—Continued.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70	70 to 80	Over 80.	Unknown
Males..	1	..	..	..	1	..	..	..	..	..	..	..	..	Ulcers of the Bowels	4	2	...	..	..	..	..	1	...	..	..	..	..	1	...	..
Females.	..	..	..	..	..	..	..	1	..	..	..	1	..	" " "	...	...	2	..	..	..	1	..	...	..	..	..	..	1	...	..
Male...	..	..	..	..	..	..	..	1	..	..	..	..	..	" " Leg,...	1	1	...	..	..	..	..	1	...	..	..	..	..	..	...	..
Males..	..	..	..	..	..	1	..	..	1	..	..	1	..	" " Throat,	3	3	...	..	1	..	..	..	1	..	1	..	..	..	...	..
Males..	..	..	..	..	..	..	1	..	..	1	..	..	..	" " Stomach,	3	2	...	..	..	..	..	..	...	..	..	1	..	..	1	..
Female.	..	..	..	..	..	..	..	..	1	..	..	..	..	" " "	...	...	1	..	..	..	..	1	...	..	..	..	..	..	...	..
Males..	3	7	15	7	9	5	7	4	12	4	4	5	4	Unknown,.....	185	86	...	..	37	1	1	2	3	1	1	4	8	10	6	12
Females.	6	5	11	12	7	5	8	10	4	14	7	4	1	"	...	...	94	..	27	3	3	4	9	3	2	6	9	12	4	12
Unkno'n	..	1	..	..	.	..	..	2	1	..	..	..	1	"	...	...	...	5	2	..	..	..	1	..	..	..	..	..	...	2
Female.	..	..	..	..	..	..	..	..	..	..	..	1	..	Uræmia.....	1	...	1	..	..	..	..	..	1	..	..	..	..	..	...	..
Male...	..	..	..	..	..	..	..	..	..	..	..	1	..	Urinary Org., Dis.of	2	1	...	..	..	..	..	..	...	..	..	..	..	1	...	..
Female.	..	..	..	..	..	..	..	..	..	..	..	1	..	" " "	...	...	1	..	..	..	..	..	...	1	..	..	..	..	...	..
Female.	1	..	..	..	..	..	..	..	..	..	..	..	..	Vomiting,.....	1	...	1	..	..	..	..	..	1	..	..	..	..	..	...	..
Male...	..	..	..	..	..	..	..	1	..	..	..	..	..	Want of Care,....	2	1	...	..	..	1	..	..	...	..	..	..	..	..	...	..
Unkno'n	..	..	..	..	..	..	..	1	..	..	..	..	..	" "	...	...	...	1	1	..	..	..	...	..	..	..	..	..	...	..
Males..	1	1	..	1	5	4	3	2	4	2	..	1	..	Whooping Cough,..	57	24	...	..	24	..	..	..	...	..	..	..	..	..	...	..
Females.	1	..	5	4	4	2	4	1	4	3	2	2	1	" .	...	...	33	..	29	3	1	..	...	..	..	..	..	..	...	..
Males..	..	..	..	..	1	..	..	..	1	..	1	1	..	Worms.	5	4	...	..	4	..	..	..	...	..	..	..	..	..	...	..
Female.	..	..	..	..	1	..	..	..	..	..	..	..	..	"	...	...	1	..	1	..	..	..	...	..	..	..	..	..	...	..

Exhibiting the number of Deaths from each Cause, in the several Counties, statistically classified, together with the percentages.

Causes of Death.	Addison.	Bennington	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.	Totals.	Percentage.
All Causes,	326	276	262	299	42	284	38	126	361	166	419	355	457	482	3893	.....
Specified Causes,	304	260	247	279	39	254	35	120	347	154	406	347	432	462	3686	100.00
Classes.																
I. ZYMOTIC,	63	68	48	89	4	61	5	26	99	44	129	90	118	116	960	26.06
II. CONSTITUTIONAL,	88	63	85	73	14	55	11	39	109	50	100	89	132	119	1027	27.86
III. LOCAL,	91	74	63	66	14	77	6	34	82	33	100	110	113	130	993	26.94
IV. DEVELOPMENTAL,	45	45	47	44	6	47	9	15	50	23	66	47	58	73	575	15.59
V. VIOLENT,	17	10	4	7	1	14	4	6	7	4	11	11	11	24	131	3.55
Orders.																
I.—1. Miasmatic,	60	68	48	88	4	60	4	26	95	42	126	87	116	112	936	25.40
2. Enthetic,	...	...	...	...	...	1	...	...	...	...	...	...	...	...	....	.02
3. Dietic,	1	...	...	1	...	1	1	...	3	1	2	3	2	4	19	.52
4. Parasitic,	2	...	...	...	...	...	...	...	1	1	1	...	...	...	5	.13
II.—1. Diathetic,	22	12	21	16	2	6	1	5	18	11	21	22	24	26	207	5.61
2. Tubercular,	66	51	64	57	12	49	10	34	91	39	79	67	108	93	820	22.24

TABLE VIII.—Continued.

CAUSES OF DEATH.	Addison.	Bennington	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.	Totals.	Percentage.
III.—1. OF THE NERVOUS SYSTEM,	31	16	11	26	3	30	...	10	28	7	32	33	41	39	307	8.32
2. OF THE ORGANS OF CIRCULATION,	20	9	12	8	4	8	...	6	8	3	11	8	14	23	134	3.63
3. OF THE RESPIRATORY ORGANS,	21	27	15	14	6	22	2	4	23	9	29	33	32	33	270	7.32
4. OF THE DIGESTIVE ORGANS,	14	17	13	14	...	11	4	12	20	9	21	27	15	24	201	5.45
5. OF THE URINARY ORGANS,	3	2	6	1	...	2	...	2	1	4	3	8	11	6	49	1.35
6. OF THE ORGANS OF GENERATION,	1	2	1	...	...	1	...	...	1	1	...	...	...	2	9	.24
7. OF THE ORGANS OF LOCOMOTION,	1	...	4	1	1	2	...	...	1	...	2	1	...	2	15	.40
8. OF THE INTEGUMENTARY SYSTEM,	...	1	1	2	...	1	...	...	...	...	2	...	...	1	8	.21
IV.—1. DISEASES OF CHILDREN,	29	22	25	22	2	24	5	8	15	10	40	31	29	37	299	8.11
2. " WOMEN,	7	5	2	1	...	3	1	1	2	...	6	1	4	4	37	1.00
3. " OLD PEOPLE,	9	17	19	21	4	20	3	4	32	13	18	12	18	25	215	5.83
4. " NUTRITION,	...	1	1	...	...	...	...	2	1	...	2	3	7	7	24	.65
V.—1. ACCIDENT,	16	9	3	7	1	13	4	4	4	2	9	10	6	15	103	2.79
3. HOMICIDE,	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	.02
4. SUICIDE,	1	1	1	...	...	1	...	2	3	2	2	...	5	9	27	.73
Sudden Death,	...	1	1	2	...	...	...	...	3	...	...	...	4	...	11	.29
Not Specified,	22	15	14	18	3	30	3	6	11	12	13	8	21	20	196	5.31

I.—1. Miasmatic.																
Cholera Morbus,	..	..	..	3	..	2	..	1	1	3	3	1	2	1	17	.46
Cholera Infantum,	..	3	4	2	..	5	..	..	1	..	..	3	5	4	27	.73
Croup	2	6	..	2	..	7	..	2	7	1	16	10	3	8	64	1.73
Diarrhœa,	1	4	..	1	..	2	1	..	..	..	1	2	..	1	13	.35
Diphtheria,	9	1	..	6	..	..	1	2	27	..	9	2	3	..	60	1.63
Dysentery,	4	7	1	5	..	5	1	..	6	6	5	4	22	13	79	2.14
Erysipelas,	4	1	7	5	1	2	..	3	..	2	6	2	2	5	40	1.08
Fever, Intermittent	2	1	1	1	..	..	..	..	..	..	2	3	1	1	12	.32
" Remittent,	..	..	..	..	..	1	..	..	..	..	..	1	..	..	2	.05
" Typhoid,	17	10	2	9	2	9	1	9	26	6	24	22	31	28	214	1.80
" Typhus,	2	..	..	1	..	1	..	2	3	..	5	3	3	3	23	.61
Influenza	..	..	..	..	..	..	..	..	..	1	..	1	2	..	4	.11
Measles,	5	6	..	3	..	1	..	..	1	..	13	..	..	..	29	.78
Metria,	..	..	..	1	..	1	..	..	..	..	4	1	1	1	9	.24
Parotia, (Mumps,)	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	.02
Quinsy,	..	..	..	..	..	1	..	..	..	..	..	..	1	3	5	.13
Rheumatism,	2	1	..	..	..	2	..	1	1	1	1	..	2	1	12	.32
Scarletina,	7	21	11	46	1	19	..	1	22	15	20	29	31	40	263	7.13
Small Pox,	..	..	..	..	..	..	..	..	..	..	..	..	2	3	5	.13
Whooping Cough,	5	7	4	3	..	2	..	5	..	7	17	3	4	..	57	1.55
I.—2. Enthetic.																
Bitten by another Man,	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	.02
I.—3. Dietic.																
Intemperance,	1	..	..	1	..	1	..	..	3	1	2	2	2	2	15	.41
Privation,	..	..	..	..	..	..	..	..	..	..	..	1	..	1	2	.05
Purpura,	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	.02
Scorbutus	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	.02

TABLE VIII.—CAUSES OF DEATH.

CAUSES OF DEATH.	Addison.	Bennington	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.	Totals.	Percentage
I.—4. PARASITIC.																
Worms,	2	..	..	..	..	..	..	..	1	1	1	..	..	..	5	.13
II.—1, DIATHETIC.																
Abscess Iliac Lumbar,	..	...	...	1	..	...	..	..	1	..	..	..	..	.	2	.05
Cancer,	11	6	7	10	1	3	..	3	7	5	10	9	6	9	87	2.08
Cnaker,	..	..	..	..	..	1	..	..	..	..	1	..	1	2	5	.13
Dropsy,	6	6	11	4	1	2	1	2	9	5	8	11	11	14	91	2.47
Hemorrhage,	..	..	..	..	..	..	..	..	..	1	1	1	..	..	3	.08
Mortification	3	..	2	..	..	..	..	..	..	..	1	1	4	..	11	.29
Tumor,	2	..	1	1	..	..	..	..	1	..	..	..	2	1	8	.21
II.—2. TUBERCULAR.																
Hydrocephalus,	4	4	5	3	..	3	..	1	7	3	3	6	3	9	51	1.38
Phthisis, (Consumption,)	58	47	59	51	12	43	10	33	76	36	72	55	102	80	734	19.37
Scrofula,	4	..	..	3	..	3	..	..	7	..	3	6	3	4	33	.89
Tabes Mesenterica,	..	..	..	..	..	..	..	..	1	..	1	..	..	..	2	.05
III.—1. NERVOUS SYSTEM.																
Apoplexy,	2	4	1	7	..	5	..	..	5	..	5	8	8	2	47	1.27
Cephalitis,	2	1	5	4	..	7	..	3	2	3	3	4	4	4	42	1.14
Chorea,	..	..	..	..	..	2	..	..	..	..	..	..	..	..	2	.05
Convulsions,	8	3	..	5	1	4	..	2	3	2	8	8	3	5	52	1.41
Epilepsy,	4	..	..	1	1	1	..	..	1	..	2	1	10	3	24	.65

Neuralgia	..	1	..	1	..	..	..	2	..	..	..	..	1	..	5	.13
Otitis	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	.02
Paralysis	4	5	3	2	..	9	..	3	11	2	10	6	9	15	79	2.14
Tetanus	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	.02
Brain, Diseases of, &c.	11	2	1	6	1	2	..	..	6	..	4	5	4	8	50	1.36
III.—2. Organs of Circulation.																
Heart, Diseases of, &c.	20	9	12	8	4	8	..	6	8	3	11	8	14	23	134	3.63
III.—3. Organs of Respiration.																
Asthma	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	.02
Bronchitis	1	3	..	..	..	..	..	1	..	..	..	1	..	..	6	.16
Hemoptysis	..	..	1	1	..	1	..	..	..	..	..	..	2	..	5	.13
Hydrothorax	1	1	..	2	..	..	..	..	4	2	1	1	1	2	15	.41
Pleurisy	1	1	..	3	..	..	..	..	1	..	1	2	1	..	10	.27
Pneumonia	14	15	12	6	1	14	1	3	9	5	19	20	20	22	161	4.37
Throat, Diseases of	1	..	..	..	1	..	..	..	..	..	..	..	3	..	5	.13
Lungs, Diseases of, &c.	3	7	2	2	4	7	1	..	9	2	8	9	5	8	67	1.82
III.—4. Organs of Digestion.																
Ascites	..	..	..	1	..	..	..	..	..	..	..	..	1	..	2	.05
Dyspepsia	2	..	1	..	..	2	..	..	1	..	..	2	2	1	11	.29
Enteritis	1	7	5	6	..	2	2	5	7	3	10	9	3	7	67	1.87
Fistula	..	..	..	..	..	1	..	..	..	1	..	..	..	..	2	.05
Gastritis	1	2	2	..	..	..	..	1	4	..	3	1	1	4	19	.51
Hepatitis	..	1	..	..	..	..	..	..	..	..	..	1	..	..	2	.05
Hemorrhoids	..	..	1	1	..	..	..	1	..	..	..	..	1	..	4	.11
Hernia	1	1	..	1	..	1	..	..	1	..	1	..	3	..	9	.24

TABLE VIII.—CAUSES OF DEATH.

CAUSES OF DEATH.	Addison.	Bennington	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.	Totals.	Percentage
Ileus	..	..	..	..	..	..	..	..	..	..	2	..	..	1	3	.08
Jaundice	3	1	..	1	..	..	2	1	..	..	..	2	..	1	11	.29
Liver, Disease of	2	3	1	2	..	3	..	4	4	3	3	3	..	2	30	.81
Peritonitis	1	..	1	1	..	..	..	..	..	1	..	2	1	1	8	.21
Stomach, Diseases of, &c.	3	2	2	1	..	2	..	..	3	1	2	7	3	7	35	.89
III.—5. URINARY ORGANS.																
Calculus, (Gravel,)	1	..	2	..	..	..	..	..	..	1	1	3	2	..	10	.27
Cystitis	..	1	1	..	..	..	..	..	..	..	..	1	1	..	4	.11
Diabetes	..	1	1	..	..	..	..	..	..	2	1	1	1	..	7	.19
Nephria	..	..	..	1	..	..	..	1	..	..	..	.	2	..	4	.11
Nephritis	..	..	1	..	..	..	..	..	..	..	..	1	..	3	5	.13
Uræmia	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	.02
Kidneys, Diseases of, &c.	2	..	1	..	..	1	..	1	1	1	1	2	5	3	18	.49
III.—6. GENERATIVE ORGANS.																
Ovarian Dropsy	1	..	1	..	..	..	..	..	..	1	..	..	..	1	4	.11
Prostate Gland, Disease of	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	.02
Uterus, Disease of	..	1	..	..	..	1	..	..	1	..	..	..	..	1	4	.11
III.—7. LOCOMOTIVE ORGANS.																
Necrosis	..	..	..	..	..	1	..	..	..	..	1	1	..	..	3	.08
Spine, Disease of	1	..	3	..	1	1	..	..	1	..	1	..	..	1	9	.24
Joints, Diseases of, &c.	..	..	1	1	..	..	..	..	..	..	..	..	..	1	3	.08

Abscess,	..	1	1	2	..	1	..	..	..	..	1	..	..	1	7	.19
Ulcers,	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	.02
IV.—1. Diseases of Children.																
Infantile,	8	6	8	11	1	11	4	3	7	3	22	19	11	13	127	3.44
Malformation,	..	..	..	..	..	..	..	..	..	..	..	..	1	1	2	.05
Stillborn,	21	15	16	11	1	13	1	5	7	7	18	12	17	23	167	4.53
Teething	..	1	1	..	..	..	..	..	1	..	..	..	..	..	3	.08
IV.—2 Diseases of Women.																
Childbirth,	7	5	2	1	..	2	..	1	2	..	6	1	4	3	34	.91
Paramenia,	..	..	..	..	..	1	1	..	..	..	..	..	..	1	3	.08
IV.—3. Diseases of Old People.																
Old Age,	9	17	19	21	4	20	3	4	32	13	18	12	18	25	215	1.82
IV.—4, Diseases of Nutrition.																
Debility,	..	..	1	..	..	..	..	2	1	..	2	3	3	5	17	.46
Marasmus,	..	1	..	..	..	..	..	..	..	..	..	..	4	2	7	.19
V.—1. Accidents.																
Burns and Scalds	6	2	1	..	..	2	..	..	2	2	2	4	2	2	25	.67
Drowned,	6	..	1	3	1	4	1	1	1	..	2	1	1	1	23	.61
Fractures,	1	..	..	..	..	..	1	..	..	..	1	..	1	4	8	.21
Gunshot,	..	..	..	..	..	..	..	..	..	..	1	..	..	2	3	.08
Lightning,	1	..	..	1	..	..	..	..	..	..	..	..	..	..	2	.05
Poisoning,	..	1	..	..	..	3	..	..	..	..	..	..	..	1	5	.13
Rail Road Accident,	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	.02
Strangulation,	1	..	1	..	..	..	..	..	..	..	..	..	..	..	2	.05

TABLE VIII.—Continued.

CAUSES OF DEATH.	Addison.	Bennington	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.	Totals.	Percentage
Suffocation,	1	..	..	..	..	1	..	..	..	..	..	..	..	..	2	.05
Sunstroke,	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	.02
Surgical Operation,	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	.02
Otherwise,	..	6	..	3	..	3	2	3	1	..	2	5	2	3	30	.81
V.—3. HOMICIDE.																
Stab,	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	.02
V.—4. SUICIDE.																
Cut Throat,	..	..	1	..	..	1	..	..	1	..	1	..	..	..	4	.11
Drowning,	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	.02
Hanging,	..	1	..	..	..	..	..	1	2	1	1	..	4	2	12	.32
Poison	1	..	..	..	..	..	..	..	..	..	..	..	1	3	5	.13
Otherwise,	..	..	..	..	..	..	..	1	..	..	..	..	..	4	5	.13

TABLE IX.—OCCUPATIONS.

Exhibiting the number of persons, pursuing different avocations, living in the State, according to the Census of 1850, *also the number of deaths occurring among each class, together with the ratio of the same to the living, and the aggregate and average ages.*

OCCUPATIONS.	Living.	Deaths.	Ratio to Living	AGES. Given.	Aggregate	Average.
Agents,	41	2	1 in 20	2	50	25.00
Apothecaries,	19	2	1 " 10	2	67	33.50
Blacksmiths,	1546	17	1 " 91	16	892	55.75
Boatmen,	46	2	1 " 23	2	88	44.00
Bookbinders,	22	1	1 " 22	1	64	64.00
Carpenters,	2360	27	1 " 88	27	1565	57.96
Clergymen,	619	8	1 " 77	8	413	51.62
Clerks,	936	11	1 " 85	11	300	27.27
Clothiers,	124	2	1 " 62	2	139	69.50
Coopers,	281	5	1 " 57	5	300	60.00
Farmers,	48512	618	1 " 78	572	35959	62.88
Gunsmiths,	22	1	1 " 22	1	55	55.00
Harness Makers,	327	7	1 " 46	7	343	49.00
Hatters,	51	1	1 " 57	1	81	81.00
Horse-Dealers,	12	1	1 " 12	1	37	37.00
Inn Keepers,	408	5	1 " 82	5	234	46.80
Laborers,	21993	67	1 " 328	61	3076	50.42
Lawyers,	491	6	1 " 82	6	284	47.53
Machinists,	213	4	1 " 53	4	211	52.75
Manufacturers, (not specified,)	478	4	1 " 119	4	248	62.00
Masons,	508	6	1 " 84	6	374	62.33
Mechanics, (not specified,)	633	15	1 " 42	15	769	51.26
Merchants,	1282	21	1 " 61	21	989	47.09
Millers,	348	8	1 " 43	8	501	62.62
Millwrights,	140	2	1 " 70	2	104	52.00
Moulders,	147	3	1 " 49	3	158	52.66
Officers, State and U. S.,	29	1	1 " 29	1	48	48.00
Painters,	419	6	1 " 70	6	225	37.50
Paper Makers,	88	4	1 " 22	4	271	65.25
Peddlers,	354	5	1 " 71	5	204	40.80
Physicians,	663	11	1 " 60	11	636	57.82
Potters,	52	1	1 " 52	1	43	43.00
Printers,	138	3	1 " 46	3	136	45.33
Railroad Men,	163	4	1 " 41	3	87	29.00

TABLE IX.—Continued.

Occupations.	Living.	Deaths.	Ratio to Living.	Ages. Given.	Ages. Aggregate.	Ages. Average.
Sawyers,	178	6	1 in 29	6	333	55.50
Shoemakers,	1676	18	1 " 93	18	1156	64.22
Speculators,	14	3	1 " 5	2	76	38.00
Spinners,	31	1	1 " 31	1	51	51.00
Stone and Marble Cutters,	265	2	1 " 132	2	79	39.50
Students,	1016	9	1 " 113	9	195	21.66
Tailors,	381	6	1 " 64	6	330	55.00
Tanners and Curriers,	273	1	1 " 273	1	67	67.00
Teachers,	150	4	1 " 38	4	163	41.25
Teamsters,	205	5	1 " 41	5	259	51.80
Tinsmiths,	168	1	1 " 168	1	51	51.00
Wheelwrights,	580	4	1 " 145	4	191	47.75
Wooden Ware Manufacturers,	18	2	1 " 9	2	144	72.00
Other Occupations	127	15	1 " 9	15	639	42.60

REMARKS.

THE foregoing tables show that there were 6545 children born alive in this State, during the year 1859: that 4338 persons, (2169 couples) were married: and that 3725 persons died. In addition to these 167 children are reported as having been stillborn. Thus it will be seen that, in the aggregate, facts are returned in regard to 14775 persons. These facts, relating to nativity, parentage, sex, condition, age, season, &c., are all embodied in the tables.

No change has been made in the arrangement and character of this report, since uniformity is so desirable that unless the improvement is real and of considerable importance, it is better to continue the accustomed forms, even if the appearance of sameness renders them less attractive.

The general appearance of the returns indicates an increase of interest in the subject of registration on the part of the town clerks, These, with few exceptions, endeavor to carry out the requirements of the law faithfully. In very many of the towns, however, one or more of the district clerks failed to make any returns, in this manner rendering of less value the returns that were made by others.

In all statistics accuracy and completeness are absolutely essential. Unless facts be correctly reported, *no* reliable inferences can be drawn. Unless *all* the facts are included few only are the trustworthy conclusions. From extensive, accurate and complete statistics determinate laws are discovered regulating the occurrence of events apparently purely accidental. Much more then may we be sure that the three important events of our existance,—birth, marriage and death,—are subject to fixed laws. It is scarcely possible

to overestimate the advantages of a knowledge of these laws. The object of these reports is to assist in elucidating them, and in determining the variations caused by the particular circumstances surrounding us. Dr. W. L. Sutton, in the Seventh Registration Report of Kentucky, has very clearly and forcibly shown the importance and beneficial influence upon the people, in a physical, moral and pecuniary aspect, of full registration. "If a man buys an acre of land he must have a deed recorded in the County Clerk's office, and a certificate of such record in the office of the appellate court: but if he marries a wife, a record of the fact may or may not be made: if made at all it is only in the County office, which may at any time be destroyed by fire. Are the rights and reputation of a man's widow of less value than an acre of land? I have been informed that our reports have served to convict two men of bigamy." *7th Reg. Rep. Ky. p.* 119.

Many a person, in this State even, has to regret his inability to prove his descent, which, had proper records been kept, would have been easy and certain, and which, if proved, might entitle him to inherit property he cannot otherwise obtain. By the law of this State a copy of the record of each birth, marriage and death is to be preserved in the town clerk's office, and also in the office of the Secretary of State, thus insuring safety against any casualty.

But the keeping of the records as a means of reference is not the only benefit arising from registration. When full records shall be made, that is when *all* the births, marriages and deaths, shall be recorded, very many important laws respecting the history and movements, as well as the present condition of the population will be brought to light. We shall discover the particular causes which favor or oppose our physical, social and moral improvement. We shall find out and may to a greater or less extent remove the sources of disease and death among us. Every one, however, who turns his attention to these topics, will see the necessity of complete and accurate records for the accomplishment of so desirable an object. From imperfect data only erroneous speculations and assertions can be made. When the records are perfect deductions may be drawn

with as much certainty as the calculations of eclipses, or the results of an algebraic problem.

Any caution, in regard to the use of the tables and abstracts contained in this report, may be entirely uncalled for by those who are conversant with such matters. But for others it may be neccessary to state that these abstracts show the facts *as reported*, and however incongruous some of them may be, owing to the carelessness or ignorance of those who make the primary returns, they are intended to be faithfully prepared, and true abstracts of the material furnished. The clerks who prepare them cannot go beyond the records placed in their hands, but are required strictly to follow the official returns received at the Secretary's office. It is exceedingly important, therefore, that those whose duty it is to collect the facts should inform themselves in regard to the details of the work required of them, and that they should be diligent and careful in performing it. Full instructions are given in the pamphlet which has been distributed in the several towns.

Imperfect, however, as the returns must be acknowledged to be each year shows a decided advancement, and we may hope ere long to see that perfection attained that will render these reports of incalculable value.

It is very much to be regretted that the members of the medical profession should so generally neglect the duties imposed upon them by the Registration Law. Although the statute expressly requires the attending physician to furnish the town clerk with a certificate of the cause of death in every case attended by him, yet it is undoubtedly very rare that any such certificate is given. This neglect is due in some measure to the indifference of the profession upon this subject. Some physicians refuse to perform this duty, claiming that it is neither just nor constitutional to demand of a medical man professional services without remuneration. The government expects to pay lawyers, architects, or mechanics for their labor, but compels physicians, under penalty, to work for nothing. (*See Sec. 7 of the Act of* 1856.) It is true that, under municipal law, the State has a right to call upon its citizens for such assistance as may be necessary to its safety and welfare, but in a ru-

ral region, like Vermont, rigid municipal laws are not readily borne or easily enforced. If any privileges, honors, or endowments were bestowed by the State upon the medical profession, there would be more propriety in requiring its members to perform labor gratuitously for the public. If the good of the community demands this gratuitous labor, it would seem proper that it should be shared by the whole community, who are as much benefitted by it as the medical profession. Let the town clerks be furnished, by the State, with blank certificates of the cause of death. Let every person, upon whom devolves the duty of procuring the interment of a dead body, be required to obtain one of these blanks and carry it to the attending physician to be filled out. Then let this certificate be deposited with the town clerk before a permission of burial be granted. The labor, in this way, will be divided, and no physician will refuse to perform his part. Until some plan be adopted which shall be effectual in obtaining the co-operation of the medical profession, the tables of causes of deaths must be very defective.

POPULATION.

If the population of our State varied only by the additions and deductions made by the births and deaths, computations would be exceedingly simple. The excess of births over deaths would give the exact yearly increase. This excess has been quite uniform in this State for the three years covered by these statistics, being for 1857—2900; for 1858—2896; for 1859—2820, the average being 2872, which should bring the population from 314,120 (the number in 1850,) to over 340,000, for 1860.

But our variation of population is not governed by so simple a rule. We gain and lose by immigration and emigration, and the census shows that our loss far exceeds our gain. Not only have people removed from our State enough to balance those who have come in, but nearly enough also to equal the excess of births over deaths. The increase of population from the excess of births over deaths, would be, for the ten years from 1850 to 1860, over 25,000, yet the census of 1860 shows an increase of less than 2000. Hence, we must lose by emigration at least 2500 inhabitants every year. Did the loss consist simply in numbers, it would be of comparatively little consequence to us, since notwithstanding it our numbers are kept good, and even are slightly increased. But those who leave us are from the productive part of community, being mainly between the ages of fifteen and fifty years. So that while we have the same number in the aggregate, the proportions of the young and helpless, and of the aged and infirm, are largely increased. Thus it is seen that our State is constantly loseing the best portion of its population, the middle aged. Of these even it is undoudtedly the fact that the most robust and enterprising are among those who go from us, leaving the more feeble and less active at home.

Such a state of facts would seem to demand some consideration, that means may be devised to induce our middle aged and and active to remain at home.

The following table, taken from the Seventeenth Registration Report of Massachusetts, will enable us to compare our State, in respect to the ages of the population, with several other communities named. The figures show the numbers living at the stated ages, in every 100 persons of the total population in the several communities.

LOCALITIES,.....	France.	Massachusetts	Rhode Island.	England	Vermont	South Carolina	Ken ky
DATE OF CENSUS....	1858.	1855.	1850.	1851.	1850.	1850.	1850.
Under 15.....	30.2	31.7	32.8	35.5	35 7	43.4	45.2
15 to 20.....	9.0	10.4	10.4	9.9	10.9	11.0	11 2
20 to 30.....	16.4	20.8	20.7	17 5	17.0	17.3	17.6
30 to 40.....	13.9	14 6	14.3	13.1	12.4	11.2	11.0
40 to 50.....	11.4	9.9	9.5	9.8	9,9	7.7	7.1
50 to 60.....	9.0	6.4	6 1	6.9	6.7	5.0	4.2
60 to 70.....	6.3	3.8	3.8	4.5	4.3	2.7	2.3
70 to 80.....	3.1	1.8	1.8	2.2	2.3	1.2	1.0
Over 80.....	.7	.6	.6	.6	.8	.5	.4

Much useful and interesting information may be obtained from the above table. The numbers uuder South Carolina and Kentucky relate only to the white population. Arranging them according to the really productive part of the population, from twenty ty fifty—they would stand,

Mass.	Rhode Island.	France.	England.	Vermont.	S. Carolina.	Kentucky.
45	45	42	41	39	36	36

It will be seen that Vermont stands, in point of productive population, considerably below the other two New England States, but somewhat above the two Southern States. It is probable, from the facts hinted at above, that the census of 1860 will show a diminution of this part of our population, with a relative increase of the unproductive portion.

The statistics of the 8th census, for 1860, have not yet been collated and published, but an abstract of the population of the several counties has been obtained, and is given below. This, although taken since the time covered by the foregoing tables, is use-

ful in showing that the error in using the census of 1850 in these tables, as well as in those of the two previous years, is not as great as was supposed, since the aggregate of the population of the State has varied but little.

POPULATION OF VERMONT ACCORDING TO THE 8TH CENSUS, 1860.

Counties.	Population.	Gain since 1850.	Loss since 1850.
Addison,	24014		2535
Bennington,	19443	854	
Caledonia,	21681		232
Chittenden,	28178		840
Essex,	5789	1139	
Franklin,	27237		1279
Grand Isle,	4419	264	
Lamoille,	12317	1678	
Orange,	25941		1355
Orleans,	18948	3244	
Rutland,	35995	2896	
Washington,	27611	1600	
Windham,	27003		2059
Windsor,	37251		1069
Total,	315827		

The above table shows considerable change in the population of the different counties. One half of them have lost, while the other half have gained in population. The greatest relative gain has been in Essex county, being nearly twenty-five per cent. upon the population of 1850. The greatest absolute gain, and the second relatively, has been in Orleans county, being 3244, or about twenty per cent. The greatest absolute as well as relative loss has been in Addison county, being 2535, or nearly ten per cent. of the population of 1850.

There has been a slight aggregate gain in the whole State, amounting to only 1707. The following table shows the actual population of this State at the several periods of enumeration, together with the increase and the percentages of increase:

	Population.	Increase.	Percentum Increase.
1790	85,416		
1800	154,465	69 049	80.76
1810	217,713	63,248	40.96
1820	235,764	18,051	8.24
1830	280,652	44,888	19.03
1840	291,948	11,296	4.02
1850	314,120	22,172	7.59
1860	315,827	1,707	.54

The rate of increase is seen to be rapidly dwindling away. What the increase, from 1850 to 1860, has been in the whole United States has not yet been determined. The ratio of increase up to 1850 has been very uniform, being about thirty-three per cent. for each decade. Should the rate of increase be found to have been about the same during the last ten years, the State of Vermont will contain less than the hundredth part of the population of the United States, instead of a thirty-third part, which was the fact fifty years ago.

BIRTHS.

The registered number of births, as given in the general abstract, page 18, for the year 1859, amounted to 6545, exclusive of 167 stillborn. To these ought to be added sixty-three births in the towns of Hydepark and Orange, the returns from which were received too late to be incorporated in the tables. These would make the whole number 6608, an increase of 131 over the year 1858. This number exhibits one birth in 48 of the population. In England, during the year 1858, there occurred one birth to 30 living persons; in Massachusetts, during the same year, there was one birth to 35 persons. Upon the supposition that three-quarters only of the births were registered, there would be one birth to 38 of the population, which is probably not far from the truth. Grand Isle County gave one birth in 37, Rutland County one in 40 persons; Essex County, the returns being the most incomplete, gave only one birth in 75, Lamoille one in 63 persons. The other Counties ranged between the two extremes given.

Sex.—Of the children born in this State, during the year 1859, there were reported to be 3351 boys, 3155 girls, there being 196 more boys than girls, and giving in each 100 children born, 51.51 males, and 48.49 females. For every 1000 girls there were 1062 boys born. The average for the United States, as mentioned last year, is 1066 boys to 1000 girls. During the three years for which the records have been kept, in this State, 9927 boys, and 9367 girls were born, or at the rate of 1060 boys to 1000 girls.

Orleans gave an excess of 23 females born during the year. Addison, Caledonia, Lamoille and Rutland, also gave each a small excess of females. All the other counties gave an excess of males, the greatest being in Orange County, where there were 66 more boys than girls born.

Season.—Table II, page 20, gives the births by months, from

which it will be seen that October is the must fruitful month and January the least so. The same was the case in 1857, but in 1858 December was the most and February the least fruitful. The aggregate for three years shows October the most prolific and January the least so. In Massachusetts and Rhode Island the largest number of births occurs in August; in Kentucky in December; in South Carolina in September.

There were during the

First Quarter,	1454	births.
Second "	1646	"
Third "	1715	"
Fourth "	1700	"

During the warmer months, from the first of April to the first of October, there were 3361 births. During the colder months 3154.

In the Winter,	there were	.....1441.
Spring,	"	.....1653.
Summer.	"	1685,
Autumn,	"	.....1736.

Plurality Births.—Of the women bearing living children, one in 103 bore twins. Of the whole number of child-bearing women one in 100 bore twins. No case was reported of more than two children at a birth. The sexes of those born alive, were 78 males and 37 females. Including those stillborn, they were 87 males, 41 females, and two sex not reported. The greatest number of plurality births occurred in November.

Illegitimate Births.—One illegitimate child is reported for every 121 of the whole number of births. There were 26 males and 28 females, including the stillborn.

Parentage.—There were 4523 children who had American fathers, and 1599 who had foreign fathers. One child was born among 62 Americans, and one among 21 foreigners. Should the census of 1860 show that the foreign population has increased while the native has diminished the disproportion will not be as great.

MARRIAGES.

The whole number of marriages reported for the year 1859, was 2169, being 146 less than the number returned for 1858. Why there should be a less number does not seem evident, since even in 1858 they were probably not all returned. Of those recorded, however, the details are much more complete. The social condition of the parties was stated in 76 per cent. of the cases against 69 per cent. of the previous year. The ages of the persons married were stated in 84 per cent. of the cases, against 78 per cent. of 1858.

The returns gave the nativity of 1520 men who were married, 1323 being American born, and 197 of foreign birth. Supposing the ratio between the native and foreign population to be about the same as in 1850, there was one marriage among 212 Americans and one among every 172 Foreigners. Should the census show an increase of foreign population, as is probable, the disproportion would be less. The whole number of marriages reported, shows one to have taken place among 145 persons.

The number of marriages of foreigners returned for 1859, was one more than for 1858, while the number reported among Americans was 59 less than during the year before. The nativity being given in a greater proportionate number of cases, it is very likely the fact that a less number of weddings actually took place during this year than during the previous one, and that the diminution occurred mainly or entirely among native citizens.

From Table IV, page 25, its appears that 2.30 per cent. of the men and 28.17 per cent. of the women marry before they are 20 years of age. "In Massachusetts, Rhode Island and Kentucky, from 1.62 to 3.59 per cent. of the males marry under 20 years, whilst South Carolina gives 6.64 per cent. Of the females marrying under 20 years, England shows but 12.06, Massachusetts 22.50 and Rhode Island 24.09 per cent., whilst in Kentucky 42.03, and in South Carolina 43.29 per cent. enter the connubial state in their

teens." *5th Reg. Rep., South Carolina.* In South Carolina more than one-half of the men, and nearly four-fifths of the women marry under 25 years of age. In Vermont about two-fifths of the men and a little more than one-half of the females marry under that age.

The greatest number of marriages took place in November, the least in April. The average for the three years shows that the most weddings occur in December the fewest in August. In Massachusetts the greatest number is found in November and the least in March. In England, South Carolina and Kentucky the maximum is in December, the minimum in June.

Excluding 509 cases in which the social position of the parties was not returned, 79 per cent. of the remainder were the first marriage of both parties; 3 per cent. were the first of men but subsequent of women; 13 per cent. were subsequent of men but first of women; and 5 per cent. were the subsequent marriage of both parties.

DEATHS.

The whole number of deaths reported for the year 1859, is 3919, including 27 in the towns of Hydepark, and Orange not in the foregoing tables, and 167 stillborn. This is 191 more than the number returned for 1858, and gives one death among 80 persons. If two-thirds of the actual number of deaths were recorded, the mortality would be one in 60 persons.

Age.—Excluding the stillborn and 60 persons whose ages were not reported, there were 3665 deaths of those whose ages were given. More than one-seventh were under one, and more than one-quarter were under three years of age.

The percentage of deaths at different ages to all the deaths, and of the living at those ages, to the whole population, were as follows:

Ages.	Per cent. of deaths. 1859.	Per cent. of deaths. 3 years, 1857-9.	Per cent. of Living.
Under 1	15 00	14.77	2 1
Between 1 and 5	11.81	12.12	9.9
" 5 " 15	8.16	7.53	23.7
" 15 " 50	28.38	28.14	50.3
" 50 " 70	15.52	15.20	10.9
Over 70	21.13	22.24	3.1

Average Age.—From the obvious omission in recording the deaths of children, the average age is evidently much too great.—As given it is 36.55 years, being nearly the same as for the year 1858, which was 36.57. The range in the different counties is not as great, being from 31.30 to 46.44, while in 1858 it was from 18.89 to 45.60.

Deaths at Advanced Ages.—Twenty-one persons are registered as having died at the age of 95 and over. The oldest persons were:

Town	Name	Age.	Died.	Born.
Winhall,	Huldah Howe,	99 yrs. 6 ms. 23 ds,	Dec.	Massachusetts.
Rochester,	Jonathan Mosher,	100 "	Nov.	"
Readsboro,	Louis Cady,	100 " 2 " 29 "	Mar.	
W. Windsor,	Jeroham Rawin,	100 " 8 " 27 "	June.	
Georgia,	Joseph Barrell,	107 "	Oct.	Canada.

Sex.—Twenty-one deaths were returned without reporting the sex. Of the remainder, 1781 were males, and 1923 were females. The same astonishing fact meets us this year as in the two preceding, viz: an excess of female mortality, a fact seldom or never found to exist anywhere else in the world. The deaths were one in 89 among the males, and one in 80 among females. In England, where the ages of the population are so nearly like our own, "if 100 females die out of a given number of females in a given time, out of an equal number of males 107 males die in the same time." In this State if 100 females die out of a certain number of females in a given time, out of the same number of males only 88 males die in the same time, taking the ratio as given by the returns for 1859. It may be observed that the ratio of the sexes at birth, in England and America, range from 104 to 109 boys to each 100 girls, and in this Vermont shows the same, the ratio being, as shown on page 95, 106 boys to 100 girls.

In the counties of Essex and Orleans, as may be seen by referring to page 62, the percentages of deaths are greater for males than for females. In Addison County it is the same for each sex. In all the other counties the percentages of the females are the greatest.

Nativity.—The deaths of those who were reported to be of American birth, were 3117, of those of foreign birth 225, or one in every 90 of the former, and only one in 151 of the latter. This difference may be accounted for mainly by the fact that the children of foreigners are classed as Americans, and it will be recollected that more than one quarter of all the deaths were of children under three years of age. In Rhode Island the parentage as well as the nativity of persons dying is required. In the Fourth Registeration Report of that State, Dr. C. W. Parsons who prepared the report, says, "the most important division among the classes of our inhabitants, in all social, educational, and sanatary relations, is that which depends upon their origin. The line between the American and the foreign class ought properly to be determined by the par-

entage instead of the nativity. So large a number of the young children in our more compact towns are the offsprings of foreigners, belonging, in a practical point of view, to that class, but yet born in this country,—that all statistical comparisons founded on nativity, are completely at fault." *Op. cit. page* 45. In the city of Providence "the parentage was registered in every instance of death. The average age of those of American parentage, was 26.90; that of persons of foreign parentage was 15.76. Among the children under five years of age, the ratio of mortality was, among the American class, one in 14.7, among the foreign, one in 10.9. The general ratios were, in the American class, one in 51.6, in the for eign class, one in 37. In 1000 inhabitants of American parentage, there were in the year 19.38 deaths; in 1000 of foreign parentage, there were 27.03 deaths." *Op. cit. page* 47. "In Fall River, less than a fifth of the deaths were of foreigners, defining them by the nativity; while one half of the deaths in that town were foreign, if we class them by parentage. Every one of the natives of the United States, whose parents were Irish, who died in that town, was a child. Most. if not all of them, were probably living in Irish families, under the circumstances and influences belonging to to the class of which their parents were members. The facts for that town are a fair specimen of the facts elsewhere, except that the proportion of foreign families is larger than in most other places, and the effect of this large alien element is more obvious."—*5th Reg. Rep., R. I., page* 77.

Season.—It is undoubtedly true that season has a very decided influence upon mortality. Hippocrates, more than two thousand years ago noticed this, and called autumn the most fatal of the seasons, which appears to be the fact in our State. Of course the influence of the seasons varies in different regions, especially in different latitudes. There is also a difference in different years in the same regions, depending upon the meteorological character of the season. The following table gives the number of deaths that occurred in each month during the year 1859, and the aggregate for three years and the percentages of each:

	1859.				1857-8-9.	
Months.	Whole No.	Males.	Females.	Per cent.	Whole No.	Per cent.
January,.....	251	120	130	6.89	752	7.10
February,.....	283	132	147	7.77	795	7.51
March,.....	312	155	157	8.57	965	7.12
April	323	162	157	8.87	887	8.38
May,.....	290	141	148	7.96	871	8.22
June,.....	258	120	138	7.08	741	7.00
July,.....	275	133	141	7.55	840	7.93
August,.....	328	136	189	9.00	936	8.84
September,.....	362	181	179	9.94	999	9.44
October,.....	318	148	169	8.73	955	9.02
November,.....	346	167	178	9.49	965	9.11
December,.....	297	139	157	8.15	882	8.33
	3643	1734	1890	100.00	10588	100.00

It will be seen that September has been the most destructive to life, not only during the year 1859, but also during the three years ending with 1859. January seems to have been the least fatal during the year, but the average of the three years makes June the least, while January stands second. In Massachusette, Rhode Island, Kentucky and South Carolina, August furnishes death with the greatest number of victims, while September stands second. In Vermont March and November stand side by side second to September, while August, the most fatal months in the States mentioned, stands the fifth in our list.

The following will show the number of deaths occurring in each quarter out of every one hundred registered during the year, in Vermont and other places during the periods specified:

Quarters.	Vermont.		Mass.	R. Island	Kentucky	S. Carlina
	1859.	3 years, 1857-9.	5 years 1853-7.	6 years 1853-8.	7 years. 1852-8.	3 years. 1856-8.
First,.....	23.23	23.72	23.02	23.89	17.90	17.46
Second,.....	23.91	23.60	21.88	21.64	19.95	22.41
Third,.....	26.49	26.21	30.64	30.55	35.11	35.77
Fourth,.....	26.37	26.47	24.46	23.92	27.02	24.36

There appears a remarkable uniformity in the deaths in this State during the different quarters. In the two Southern States, the deaths during the third quarter, including July, August and

September, were double those of the first quarter. The force of mortality in this State seems to press heavily at two periods, the maximum in September, the next heaviest in March, the minimum occurring in June, and the next lightest pressure in January. The steady cold of the winter, December, January and February, destroys less than the heat of summer, June, July and August, and very many less than the variable weather of spring and autumn.

CAUSES OF DEATH.

In Table VII., page 66, are given the causes of deaths, arranged alphabetically, and showing the number of deaths that occurred in each month from the different causes, distinguishing also the sexes and ages. The names of the causes of death are the same as those given in former reports. In this table occur a few names given as they were returned, but which in table VIII are included among the unknown, such as congestion, inflammation, &c., from which it might perhaps be inferred that the diseases belong to the class of "Local causes," but give no information as to what part of the body was effected.

The system of classification used in the former reports, has been retained in this, notwithstanding the severe, but in the main, just criticism of Dr. W. L. Sutton, in the 7th Reg. Rep. of Kentucky, for 1858. The strictures of Dr. Sutton have reference mainly to the divisions of the classes into orders and the arrangement of specific causes in these orders. His remarks in regard to the "Statistical Nosology," and the variations of it from the more full classification, can have no application to the Vermont reports, since it was practically discarded in the first report, although printed in the appendix, and has been wholly ignored in the second and present reports.

As remarked by Dr. Sutton, "a proper arrangement of mortal diseases into classes, for statistical purposes, is a matter of very great difficulty; and of no less importance. It is one, too, upon

which it is very difficult to get men to agree; and as in other matters, all that can be expected is, that a classification be so tolerably acceptable that a large proportion of those best qualified to judge, may be so far satisfied as to agree to its adoption. At present there are two classifications in use in the United States. One is used in Massachusetts and Vermont, and the other in Rhode Island, Connecticut, South Carolina, Kentucky, and perhaps in some other States. As it is probable that one ot these will finally be generally adopted, it is proper to examine into the merits of each, and of the objections to it, that one may act understandingly in adopting one or the other." *Op. cit., p.* 135.

From the time that Asclepiades, of Bithynia, first made the distinction between acute and chronic diseases, a hundred years before the commencement of the Christian era, attempts have been made to classify diseases. Nearly or quite all of the systems of classification have been either artificial and arbitrary, or of a strictly physiological or pathological character, adapted only to be used by the medical profession. But in this age, the enlightened statesman, who is seeking the good of his country, the philanthropic hygi nist, who labors for the welfare of mankind, requires something more. They demand of the statistician that his classification shall be in reality a *principle of order*, not a mere trick of numerical notation, but an arrangement according to types or essential characters. For their use, diseases must be grouped together in accordance with such *natural relationships* as will exhibit the character and force of the causes which have a tendency to produce them.

In answer to this demand of the age, Mr. Farr, in the First Registration Report of England, twenty-two or three years ago, published a classification, crude, imperfect and accompanied by some fanciful ideas, but evidently containing the rudiments of the truth as it exists in nature. Discarding his conjectures as to the existence of specific bodies, such a variolin, cholerin, &c., which enter the human system to produce small-pox, cholera, &c., the medical world have almost by acclamation recognised the first class which he proposed, namely, the Zymotics, as having such essential characteristics in nature as to entitle it to be considered a distinct

type. This class is found in both systems alluded to above, and is essentially the same in both. Different statisticians include or exclude certain specific diseases, but the variation is not greater than exists among scientific men in regard to the limits of classes in nattural history. As a matter of real science, the classification adopted by the American Medical Association, goes no farther. All the remainding diseases might form four other classes, viz: Sporadic Diseases, Old Age, External Causes and Stillborn. In accordance with the principles of classification in all branches of Science, these should be the *classes*. The classes II to X should be *orders* in the Sporadic Class. There is certainly no science in constructing into a class, and numbering it among others, those cases of death in which the cause was not specified. It may, in some respects, be a matter of convenience, but more frequently a source of misconception. Hence, there should be five classes, only one of which would be subdivided into orders. As the classification is used it is very simple, it is true, but it is not scientific. Diseases are not grouped together in accordance with important essential characters. Simplicity and permanancy are very desirably, but not as much so as scientific accuracy. If anything valuable is to be learned from the facts collected, it is only by arranging them in accordance with their essential relationships. The more numerous the essential points of resemblance, the more intimate the relationship, the more certain are we that the classification is true to nature, and the more safely can we rely upon any deductions we make.

In the system of classification adopted in these reports, the first class is essentially the same as in the other, and by the general voice of the profession is acknowledged to be scientific, being composed of individual diseases resembling each other in constant and important features. In the other classes also the characteristics are so clear and distinct that each forms a *type* peculiar to itself and capable of being recognized.* This constitutes it science.—It is not claimed that it is so far perfected that all diseases can readily and certainly be referred to their proper classes. For many years it was not certain whether the sponge was animal or vegetable.

*See the definitions of the classes in the appendix. Every intelligent physician, after reading them, forms a distinct conception of the type of each class.

yet no one will contend that the distinction between animals and vegetables is not real and founded in nature.

In regard to the various orders it must be acknowledged that the scientific accuracy of them is not as apparant, yet, since the points of resemblance do not require to be as numerous or universal, they are mainly so well defined as to furnish each a type which appears to exist in nature.

Of the individual species in the orders, (and classes even,) the arrangement would depend so much upon the peculiar characteristics which each disease may have exhibited at different times and to different observers that it is scarcely to be expected that all will agree. As to a majority, however, of the diseases there is little room to dispute.

It may be well to notice that the third class, "Local Diseases," is not really a scientific class, it is merely residual, including all those causes of death which cannot be classed elsewhere, according to the principles upon which this classification rests. Hence its orders are arbitrary divisions.

CLASS I. *Zymotics.*—This class, as before remarked, is admitted by all to be characterized by such distinctive features as to leave no doubt in regard to its essential nature. It has a real *type*, in the sense in which this word is understood by philosophic naturalists, that is, every individual member of this class, *in certain important particulars*, resembles every other member of the class. Every one is a *disease*, owning for its origin, or first cause, circumstances, or substances, external to the person diseased. Every one has its periods of incubation, access, increase, acme and decline. Any difference of opinion in regard to the limits of this class, can arise only as to whether any given disease does or does not possess these essential features. In this way the later classification of Mr. Farr, which we have adopted, includes a few more diseases than were included in the earlier and less perfect classification of the same man, which has been adopted by the States before mentioned. Hence the percentage of deaths from zymotics, is a little greater than it would be by the other system.

By comparing the deaths in this class during the year 1859, with

those of the year preceding we find an increase, being 960 against 804 for the year 1858. Since zymotics indicate the real salubrity of the year we may infer that 1859 was less healthy than 1858. But this has not been universal in the different parts of the State. Grand Isle County seems to have enjoyed a much greater freedom from these diseases, the deaths being less than one quarter the number for the previous year. Lamoille County also had a less number of deaths from zymotics. All the other counties reported larger numbers in 1859 than in 1858, the greatest excess being in Chittenden County. The following table gives the number of deaths from zymotics in each county for each of the three years reported:

Counties.	1857.	1858.	1859.	Totals.
Addison,	38	45	63	146
Bennington,	49	51	68	168
Caledonia,	43	46	48	137
Chittenden,	42	53	89	184
Essex	10	2	4	16
Franklin,	51	58	61	170
Grand Isle,	4	23	5	32
Lamoille,	21	33	26	80
Orange,	38	79	99	216
Orleans,	46	32	44	122
Rutland,	82	121	129	332
Washington	60	83	90	233
Windham,	44	94	118	258
Windsor,	93	84	116	293
	627	804	960	2391

Scarletina, although not quite as prevalent as during the year 1858, caused more deaths than any other disease of this class. The ratios of the deaths occurring in the several months, and at the different ages, were very nearly the same as in 1858. As to sex, there was a curious difference. In 1858 only about 47 per cent. were males, while in 1859 the males comprised nearly 57 per cent. of the deaths from this cause. In the aggregate for the three years, however, the deaths of the sexes were nearly equal. These facts are shown by the following table:

	1857,	1858.	1859.	Totals.
Males,	50	129	149	328
Females,	73	145	113	331

Not a single death was returned as caused by this disease in Grand Isle County, while in 1858 more than one-third of the deaths in that county were attributed to it. In Addison and Rutland Counties but a little more than one-third as many deaths were reported to have occured from this cause as during 1858, while in Bennington and Chittenden, lying on each side of those two counties, more than twice as many were returned as during the previous year.

Measles seems to have increased, the deaths for 1859 being about equal to the number for both of the preceding years. It prevailed mainly, however, during the first half of the year, during which more than two-thirds of the deaths occurred. Nearly one-half of the cases were returned from Rutland County.

Fevers, including intermittent, remittent, typhoid and typhus, prevailed more extensively than last year, 251 deaths being returned from these causes against 161 in 1858. Every county gave a greater number. Addison County returned three times as many and Windham County four times as many as during the year previous,

The diseases of warm weather, *cholera morbus*, *cholera infantum*, *diarrhœa* and *dysentery*, seem not to have been as fatal, since only 136 deaths were attributed to these causes, against 153 during the season of 1858.

Croup carried off rather more than during the year before, but not as many as in 1857. This is essentially a disease of early infancy, 88 per cent. of the deaths, during the three years, were children under five years of age. Sex has not much influence, the deaths of each being nearly equal. Nearly one-half of the deaths occurred during the last three months of the year, and a large share of the remainder during the first three, including the six coldest months, showing the powerful influence of season.

Diphtheria, with which are classed those cases returned "putrid sore throat" and "malignant sore throat," was the cause of 71 deaths, including those returned from Hydepark and Orange not tabulated, being more than five times as many as during the year before. No cases were reported in the counties of Caledonia, Essex, Franklin, Orleans, or Windsor, only one in Bennington Coun-

ty, and one in Grand Isle. Orange County suffered severely. This is mainly a disease of childhood, though not, like croup, of infancy. About one quarter of the deaths were of children under five, one quarter were between five and ten years of age, and near all others were under thirty, adult life and old age being less susceptible to the disease.

CLASS II. *Constitutional Diseases.*—This class seems to possess such important characteristics as to entitle it to a distinct seperate existence. In fact, in the old classification, it was allowed a confused indefinite sort of existence under the title of "Diseases of general or uncertain seat." It is composed of those diseases, which, not being zymotic, seemingly little influenced by season or locality, and occurring sporadically at any time and in any place, affect more or less perfectly the whole system, producing a general cachexia, or vitiated condition of the body. Being thus. as it were, inherent in the constitution of the individuals composing a community they are subject to change only as the community changes, and are hence quite constant in such a population as Vermont. Thus we see that about one in 300 of the living population die each year from those diseases. In 1857 there were 1041, in 1858 there were 973, and in 1859 there were 1027 deaths from these causes.

This class gives a very good indication of the constitutianal vigor, or vital stamina of any people. In a robust, hardy race the ratio of deaths in this class will be smaller than in a race possessing less vigorous constitutions. Before making comparisons, however, which can be of any value, it is necessary that the statistics should be more full and complete than those of this State are as yet.

Hydrocephalus and *Scrofula* among the young, *Consumption* among adults, and *Dropsy* and *Cancer* among the aged are the principal diseases of this class. By referring to these diseases in tables VII and VIII, it will be seen that they are distributed among the ages, sexes. months and counties very much as they were during the two preceding years.

CLASS III. *Local Diseases.*—This being a residual class, has no definite type. But the members of the class agree in that they are sporadic diseases affecting particular organs or systems. The

subdivisions are not etiological but physiological, and correspond nearly to the classes in the older classification which bear the same names. Hence their propriety cannot be disputed.

Pneumonia, concerning which there is some doubt whether it ought not to be placed in the first class, among zymotics, is the most important and fatal of this class. Age exhibits a very decided influence over this disease. About one-third of the deaths occur among children under five years of age, the greater part of the remainder take place at advanced ages. In infancy and old age the powers of life are not sufficient to withstand the disease. Under five years of age the vitality of boys is less than that of girls, and we find a greater number die of pneumonia. From the ages of five to fifty the vital force of males is greater than that of females and fewer die of this disease. Above fifty the sexes possess a nearly equal amount of vital stamina, and the number of deaths are nearly equal. Season has an influence, the variable weather of spring claiming the greatest number of victims. It is next most prevalent in auautumn and least so in summer.

Diseases of the Heart occurred at all seasons, mainly among the aged, males suffering most. Two-thirds of the deaths were of persons over fifty years of age. About four males die to three females.

CLASS IV. *Developmental Diseases.*—The essential character of this class is grasped with difficulty since it is in part negative. In the process of formation or development some error or fault exists,—something is not as it should be,—the result is imperfection, premature or still-birth or malformation. Although the term "still-born" expresses a fact and not a direct cause of death, yet to avoid circumlocution it is proper to usé the term, since it leaves us at once to infer a cause, and one which has a direct connection and relationship with the causes producing malformation, &c. Incidental to and directly connected with the fœtus, which is in process of formation, is the mother forming or bearing it, hence death of the mother has an intimate relation with errors of development, and connected with these are other disorders of the reproductive functions. Faults of formation or development acting

through the nutrition of adults are referable to similar causes, so also the completion of the process of development as in death from old age.

The numbers in this class are very much as they were during the two preceding years. Those for children are larger, because they have been more faithfully returned. Those for old people are less because undoubtedly more effort has been made to distinguish the real causes of deaths, not carelessly calling a case *old age* simply because the person was aged.

CLASS V. *Violent Deaths.*—No dispute has arisen in regard to this class. In the former classsfication it was named *External Causes.* But the present name seems preferable, since it is designed to include *poisons*, &c , which act internally in fact.

In regard to the case of homicide it was remarked upon the return that the individual was stabbed and partially recovered, when from some imprudence or exposure he relapsed and died. The person committing the deed is in State Prison.

APPENDIX.

In the Sixteenth Reg. Rep. of Massachusetts, Dr. Josiah Curtis gives some of the "weightier reasons for desiring correct information concerning the comparative mortality of our communities. The governing powers and enlightened statesmen are enabled better to discharge their high and responsible duties to the people by a correct knoweledge of the physical powers, possessions and resources of the inhabitants. The judiciary are enabled to dispense more equal justice in the settlement of life annuities, pensions, entailments and the rights of the widow's dower, by a correct knoweldge of the laws which govern the probabilities of living within a given jurisdiction. Those connected with the great boon of Life Insurance, either as members of a legalized organization or as policy-holders, in which so large an amount of capital is invested by our citizens of every class, are to be benefitted by a correct knowledge of the relation which the laws of mortality impose between the insurer and the insured. The Christian philanthropist and sanatarian will be enabled to give more difiniteness and efficiency to their labors, by a correct knowledge of where, and to what purpose, the laws which prevail over life and death, teach them to direct their efforts."

Life Tables, which can only be constructed by such knowledge as these statistics attempt to obtain, furnish "that scientific and practical information, which is of great importance, and which is presented by no other source. The life table was first invented early in the last century, by Halley, the illustrious astronomer. In the latter part of the last century, Mr. Milne constructed the celebrated Carlisle Table, which was the first correct representation of the vitality of any portion of the English population. The Mass-

achusetts Life Table was constructed by E. B. Elliott, Esq., a mathematician and 'Consulting actuary,' by profession, and who is at present the largest known contributor to State and National Life Tables." *Op. cit.* It was only after the registration law had been in force fourteen years that the statistics were considered sufficiently accurate to warrant the construction of the Massachusetts Life Table, and even then the calculations had to be restricted to one half of the towns in the State which presented the most perfect returns.

We give below several Life Tables, so placed as to admit of convenient comparison, hoping that those engaged in collecting statistics in our State may see the importance of so perfecting their returns that at no distant period a Life Table may be constructed for our State.

Life Tables. Average Future Duration (or Expectation) of Life in certain Communities compared.

Ages.	Massachusetts. (*Elliott.*)	England and Wales. (*Farr.*)			Sweden & Finland. (*Milne,*)	Prussia. (*Elliott.*)	Carlisle. (*Milne.*)
	1855. Persons.	1841. Males.	1841. Females.	1838–44. Males.	1801–05. Persons.	1839–41. Persons.	1779–87. Persons.
0	39.8	40.2	42.2	40.4	39.4	36.7	38.7
5	50.2	49.6	50.4	50.2	50.0	47.1	51.3
10	47.1	47.1	47.8	47.5	47.6	44.8	48.8
15	43.0	43.4	44.1	43.6	43.8	41.2	45.0
20	39.9	39.9	40.8	40.0	40.0	37.5	41.5
25	36.9	36.5	37.5	36.6	36.3	34.0	37.9
30	34.0	33.1	34.2	33.2	32.7	30.6	34.3
35	31.0	29.8	31.0	29.8	29.1	27.1	31.0
40	27.9	26.6	27.7	26.5	25.5	23.8	27.6
45	24.6	23.3	24.4	23.1	22.1	20.4	24.5
50	21.3	20.0	21.1	19.9	18.7	17.1	21.1
55	18.1	16.7	17.6	16.7	15.6	14.0	17.6
60	15.0	13.6	14.4	13.6	12.6	11.2	14.3
65	12.1	10.9	11.5	10.9	9.9	9.0	11.8
70	9.4	8.0	9.0	8.6	7.5	7.4	9.2
75	6.8	6.6	6.9	6.6	5.7	6.0	7.0
80	5.0	4.9	5.2	5.0	4.2	4.8	5.5
85	3.7	3.7	3.8	3.7	3.2	3.8	4.1
90	2.9	2.7	2.8	2.8	2.4	3.0	3.3
95	2.3	2.0	2.1	2.1	1.7		3.5

CLASSIFICATION OF DISEASES.

The following classification of the Causes of Death has been adopted for the Vermont Registration Reports, in order that they may conform as nearly as possible with those of other countries thereby securing to them much greater value for the comparison of facts both at home and abroad. It is that recommended by William Farr, Esq., M. D., of England, with the sanction and approval of the most eminent medical men of Europe, and adopted in Massachusetts, and will probably be used by many other States, as well as upon the European continent.

CLASSES.

I.—ZYMOTIC DISEASES:—*Zymotici.* (*Zume*, leaven.)
Diseases that are either epidemic, endemic, or contagious; induced by some specific body, by want of proper nourishment, or by the bad quality of food.

II.—CONSTITUTIONAL DISEASES:—*Cachetici.* (*Kachexia*, bad habit of body.)
Sporadic diseases; affecting several organs in which new morbid products are often deposited; sometimes hereditary.

III.—LOCAL DISEASES:—*Monorganici.* (*Monos*, alone, without others; *Organon*, organ.)
Sparodic diseases in which the functions of particular organs or systems are disturbed or obliterated, with or without *inflammation;* sometimes hereditary.

IV.—DEVELOPMENTAL DISEASES:—*Metamorphici.* (*Metamorphosis*, change of form.)
Special diseases, the incidental result of the formative, reproductive, and nutritive processes.

V.—VIOLENT DISEASES OR DEATHS:—*Thanatici.* (*Thanatoi*, violent deaths.)
Diseases which are the evident aud direct results of physicul or chemical forces, acting either by the will of the sufferer, of other persons, or accidentally.

ORDERS.

Class I.—Order 1. Miasmatic diseases :—Miasmatici. (*Miasma*, stain, defilement.)
2. Enthetic diseases:—Enthetici. (*Enthetos*, put in; implanted.)
3. Dietic diseases :—Dietici. (*Diaita*, way of life; diet.)
4. Parasitic diseases :—Parasitici. (*Parasitos*, parasite.)

Cllass II.—Order 1. Diathetic diseases :—Diathetici. (*Diathesis*, condition; diathesis)
2. Tubercular diseases:—Phthisici. (*Phthisis*, wasting away.)

Class III.—Order 1. Brain diseases —Cephalici. (*Kephale*, head.)
2. Heart diseases :—Cardiaci. (*Kardia*, heart.)
3. Lung diseases :—Pneumonici. (*Pneumon*, lung.)
4. Bowel diseases :—Enterici. (*Enteron*, intestine.)
5. Kidney diseases : — Nephritici. (*Nephros*, kidney.)
6. Gennetic diseases :—Aidoici. (*Aidoia*, pudenda.)
7. Bone and Muscle diseases :—Myostici. (*Mus*, muscle; *Osteon*.)
8. Skin diseases :—Chrotici. (*Chros*, skin.)

Class IV.—Order 1. Developmental diseases of children :—Paidiaci. (*Paidia*, youth.)
2. Developmental diseases of women :—Gyniaci. (*Gune*, woman.)
3. Developmental diseases of old people :—Geratici. (*Geras*, old age.)
4. Diseases of nutrition :—Atrophici. (*Atrophia*, atrophy.)

Class V.—Order 1. Accident :—Tychici. (*Tuche*, chance.)
2. Battle :—Polemici. (*Polemos*, battle; fight.)
3. Homicide : — Androphonici. (*Aner*, man; *Phoneuo*, I kill.)
4. Suicide :—Autophonici. (*Autos*, self; *Phoneuo*, I kill.)
5. Execution :—Demiotici. (*Demiotes*, executioner.)

LAW OF THIS STATE RELATING TO THE REGISTRY AND RETURNS OF BIRTHS, MARRIAGES AND DEATHS.

AN ACT

Relating to the Registry and Returns of Births, Marriages and Deaths.

SEC. 1. The clerks of the several towns of this State shall annually, in the month of June, transmit to the Secretary of the State a certified copy of their record of births, marriages and deaths, which have occurred in their respective towns during the year next preceding the first day of January. The births shall be numbered and recorded in the order in which they are received by the clerk. The record of births shall state in separate columns the date of the birth, the name of the child, (if it have any,) the sex of the child, the place of birth, name and surname of one or both the parents, residence of the parents, occupation of the father, and the time when the record was made. The marriages shall be numbered and recorded in the order in which they are received by the clerk. The record of marriages shall state in separate columns the date and place of marriage, the name and surname of the groom and bride, the residence of each at the time of marriage, the age of each, occupation of the man, and time when the record was made. The deaths shall be numbered and recorded in the order in which they are received by the clerk. The record of deaths shall state in separate columns the date of the death, the name and surname of the deceased, the sex, condition, (whether married or single,) age in years, months and days, the place of death, the disease or apparent cause of death, the occupation if a male over fifteen years of age, the place of birth, the name of the parents, and the time when the record was made.

SEC. 2. The clerks in the several school districts in each town

shall annually in the month of February ascertain from actual inquiry or otherwise all the births and deaths which have happened in their respective districts during the year next preceding the first day of January, together with such facts concerning said births and deaths as are required by the first section of this act, and shall make an accurate return thereof to the clerk of the town in which such school district is situated, on or before the first day of March, and said district clerk or other person or persons authorized to perform his duties and make such returns, shall be entitled to receive from the treasury of such town five cents for each and every birth and death so returned. And every person aforesaid, who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than three dollrrs for each neglect or refusal.

SEC. 3. Every justice of the peace or minister shall make a record of each marriage solemnized before him, together with all the facts relating to marriages, required by the first section of this act, and such justice or minister shall annually, in the month of February, or from time to time, return a copy of the record for the year next preceding the first day of Jannary, to the clerk of the town in which the marriage was solemnized, and every person aforesaid, who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than ten dollars for each neglect or refusal.

SEC. 4. The clerk of each town shall be entitled to receive from the treasury of the town five cents for recording each birth, death and marriage, provided the clerk shall comply with the provisions of this act in all respects.

SEC. 5. It shall be the duty of the clerks of the several towns to make such distribution of the blank forms of returns, as shall be designated by the Secretary of State.

SEC. 6. The Secretary of State shall prepare and furnish to the clerks of the several towns in this State, blank forms of suitable quality and size, to be used as books of records, according to the provisions of this act, and also blank forms of returns, as herein

before specified, and shall accompany the same with such instructions and explanations as may be necessary and useful.

SEC. 7. Every physician who shall attend any deceased person shall leave with the town clerk a certificate containing the name of the disease or cause, (if known,) of the said death, within fifteen days after the interment of the deceased. Any such medical attendant who shall neglect or refuse to give the certificate required by this section, shall, for such offence, pay a fine of three dollars for the use of the town where such offence shall be committed.

SEC. 8. It shall be the duty of the Secretary of State to receive the returns made in pursuance of the first section of this act, and with such assistance as may be voluntarily rendered by any authorized committee appointed by the Vermont Medical Society for that purpose, prepare therefrom such tabular results as will render them of practical utility, and make a report thereof annually to the Legislature, and generally shall do whatever may be required to carry into effect the provisions of this act.

SEC. 9. All act or sections of acts inconsistent with the the provisions of this act are hereby repealed.

Approvod November 17, 1856.

FOURTH REPORT

TO

THE LEGISLATURE OF VERMONT,

RELATING TO THE

REGISTRY AND RETURNS

OF

Births, Marriages, and Deaths,

IN THIS STATE,

FOR THE YEAR ENDING DECEMBER 31, 1860.

PREPARED UNDER THE DIRECTION OF
GEORGE W. BAILEY, Jr.,
SECRETARY OF STATE.

MIDDLEBURY:
PRINTED AT THE REGISTER OFFICE.
1861.

STATE OF VERMONT.

SECRETARY OF STATE'S OFFICE,
MONTPELIER, NOV. 19th, A. D. 1861.

To the General Assembly of the State of Vermont:

In compliance with the provisions of the act relating to the Registry and Returns of Births, Marriages and Deaths, I have the honor of submitting the Annual Report on this subject for the year 1860.

The Report has been prepared by Dr. Charles L. Allen, of Castleton, the author of the three previous Reports, under whose supervision the abstract and accompanying tables have been condensed and arranged.

Respectfully submitted,

GEO. W. BAILEY, JR.,

Secretary of State.

CONTENTS.

TABLES.

PAGE.

GENERAL ABSTRACT.—Population of 1860—Births, Marriages and Deaths, registered in each Town, distinguishing the sex and parentage of Births, the nativity of Marriages, the sex, aggregate and average ages, and the percentages of deaths, ... 2—17

Recapitulation of general abstract, ... 18—19

BIRTHS.—Showing the number of each sex, in the several Counties, during each month, ... 20—21

Supplement.—Plurality Births, by Counties, by months, and by sex, 22

Supplement.—Illegitimate Births, by Counties, by months, and by sex, 23

MARRIAGES,—by counties and by months, ... 24

PERSONS MARRIED,—by ages and by conjugal conditions, ... 25—27

DEATHS,—by counties, by months and by sex, ... 28—29

DEATHS ACCORDING TO AGE, — showing the number of each sex, at different ages, in each town and county,—with the population and percentage, ... 30—61

Recapitulation of deaths according to age, ... 62—65

CAUSES OF DEATH,—Alphabetically arranged,—showing the number of each sex, dying at different ages, during the several months, with the various diseases, ... 66—76

CLASSIFICATION OF THE CAUSES OF DEATH,—by counties, with the totals and percentage, ... 77—84

OCCUPATIONS,—showing the number of those pursuing different avocations, the number of deaths in each, the ratio to the living, and the aggregate and average ages of those dying, ... 85—86

REMARKS.

PAGE.

Aggregate of facts, ... 87
Benefits of Registration, ... 87
General adoption of systems of registration in the countries of Europe and in several of the United States, ... 88
Form and classification unaltered, ... 88

POPULATION,

Population of Vermont according to the Eighth Census, 1860, ... 89
Slight aggregate *increase* of population, ... 89
Actual *change* of population considerable, ... 89
Tables showing the relative gain and loss of seme of the more important towns, during the last decade, ... 90
Increase of the aged, and diminution of the young, ... 91
Emigration, the cause of unfavorable change in our population, ... 92

BIRTHS,

Birth-rate for 1860, and mean birth-rate for four preceding years, ... 93
Sex,—excess of males, ... 93
Season,—number and percentages of births in each month for the year 1860, and aggregates of the same for the four preceding years, ... 94
Plurality, ... 94
Illegitimate, ... 95
Stillborn, ... 95—96
Percentage, ... 96

MARRIAGES,

Improvement in the returns, as regards particulars, ... 97
Conjugal relations of the married, ... 97
Nativity " " 97
Ages of persons married, ... 97
Season, influence of, upon, ... 97

DIVORCES,

Number of bills of divorces granted, ... 98
Causes Alleged, ... 98

DEATHS,

Returns more complete than in previous years, ... 99
Death-rate for the year, ... 99
Death-rate, mean annual in England, ... 99
Daily average mortality in the State, ... 99
Ages, percentages of deaths, and of living population, ... 99
Average age, ... 99
Deaths at advanced ages, ... 99
Sex, excess of female mortality, ... 100

PAGE.
Nativity of persons dying, ... 101
Season, influence of, table of deaths in the several months, ... 101
Localities, nativity of different sections 103

AUSES OF DEATH,
Classification, remarks upon, ... 103
Fatality, of some of the principal diseases, ... 103
Zymotics,
Proportion of deaths from this class of diseases, ... 104
Typhoid and typhus fever, ... 104
Diptheria, ... 105
Scarlatina, ... 106
Croup, ... 106
Cholera Morbus, Cholera Infantum, &c., ... 107
Erysipelas, ... 107
Whooping Cough, ... 107
Measles, ... 107
Constitutional Diseases,
Proportion of deaths from this class of diseases, ... 107
Dropsy, ... 107
Cancer, ... 108
Consumption, ... 108
Scrofula, ... 108
Hydrocephalus, ... 108
Local Diseases,
Apoplexy, ... 108
Paralysis, ... 108
Epilepsy, ... 108
Diseases of the heart, ... 108
Pneumonia, ... 108
Bronchitis, ... 109
Enteritis, and other diseases of the digestive organs, ... 109
Developemental Diseases,
Proportion of deaths from this class of diseases, ... 109
Old age, deaths from, ... 109
Violent Deaths,
Proportion of Deaths, of this class of causes, ... 109
Burns and scalds, ... 109
Fractures, ... 109
Gun shot, ... 109
Poisoning, ... 109
Homicide, ... 109
Suicides, ... 110

APPENDIX,
Classification of Diseases, ... 113
Saatute concerning Registration, ... 115

REGISTRATION

OF

Births, Marriages, and Deaths,

IN

VERMONT,

FOR THE YEAR ENDING DECEMBER 31, 1860.

TABLE I.—BIRTHS,

Returned to the Secretary's Office, for

Counties & Towns.	Population in 1860.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
ADDISON.								
Addison,	1,000	17	6	11	..	10	6	1
Bridport,	1,298	29	13	16	..	16	13	..
Bristol	1,355	16	5	11	..	9	4	3
Cornwall,	977	20	11	9	..	13	6	1
Ferrisburgh,	1,738	24	12	12	..	18	4	2
Goshen,	394	11	7	4	..	7	4	..
Granville,	720	17	8	9	..	10	4	3
Hancock,	448	14	6	8	..	13	1	..
Leicester,	737	19	13	6	..	7	10	2
Lincoln,	1,070	31	14	17	..	27	4	..
Middlebury,	2,879	60	33	27	..	34	22	4
Monkton,	1,123	27	17	10	..	21	4	2
New Haven,	1,419	14	4	10	..	10	4	..
Orwell,	1,341	28	12	16	..	16	12	..
Panton;	511	8	6	2	..	4	4	..
Ripton,	570	14	6	8	..	11	1	2
Salisbury,	853	25	12	13	..	23	2	..
Shoreham,	1,382	23	11	12	..	13	8	2
Starksboro,	1,437	34	20	14	..	27	7	..
Vergennes,	1,286	—	—	—	—	—	—	—
Waltham,	263	5	2	3	..	3	2	..
Weybridge,	667	9	1	8	..	5	4	..
Whiting,	542	12	3	9	..	6	3	3
Totals,	24,010	457	222	235	....	303	129	25
BENNINGTON.								
Arlington,	1146	19	10	9	..	11	5	3
Bennington,	4,389	122	57	65	..	85	36	1
Dorset,	2,090	57	31	26	..	28	28	1
Glastenbury,	47	1	1	..	..	1	..	..
Landgrove,	320	8	3	5	..	7	..	1

MARRIAGES AND DEATHS.

ear ending December 31, 1860.

MARRIAGES.			DEATHS.							
NATIVITY.			whole number.	SEX.			AGE.			Percentage.
Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age.	
1	..	3	9	3	6	..	9	342.99	38.11	.89
6	2	2	14	7	7	..	14	613.66	43.83	1,08
2	1	..	16	8	8	..	14	510.20	36.44	1.18
5	..	..	11	6	5	..	11	512.66	46.60	1.13
8	1	1	7	4	3	..	7	182.08	26.01	5.40
3	..	..	6	4	2	..	6	366.66	56.11	.53
1	..	4	8	3	5	..	8	126.70	15.84	1.11
..	..	..	4	2	2	..	4	20.65	5.15	.90
1	4	..	10	7	3	..	10	431.85	43.18	1.36
3	1	2	19	13	6	..	19	549.55	28.92	1.77
17	10	2	51	26	25	..	48	1494.63	31.14	1.77
10	2	..	15	6	9	..	15	490.52	32.70	1.25
4	2	1	9	4	5	..	9	180.12	20.01	.63
7	2	..	15	6	9	..	15	576,89	38.46	1.12
3	..	1	5	4	1	..	5	186.81	37.35	.98
2	1	..	5	2	3	..	5	222.68	44.53	.88
5	..	1	6	2	4	..	6	191.54	31.92	.70
2	1	6	25	9	16	..	25	1069.42	42.77	1.81
12	..	..	11	4	7	..	10	346.10	34.61	.77
—	—	—	—	—	—	—	—	—	—	—
..	..	..	3	1	2	..	3	50.82	16.94	1.14
2	..	..	12	10	2	..	12	760.31	55 86	1.80
5	..	..	6	4	2	..	6	221.41	36.90	1.11
99	27	23	267	135	132	....	261	9358.25	35.58	1.17
1	1	..	20	10	10	..	20	489.51	24.47	1.74
36	12	6	76	36	40	..	75	2468.08	32 91	1.73
7	8	3	14	9	5	..	14	222.00	15.85	.70
..	..	..	..	..	..	..	..	.....	.....	...
2	..	..	4	..	4	..	4	86.22	21.55	1.25

TABLE I,—Continued.

Counties & Towns	Population in 1860.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
Ben'gton—Cont.								
Manchester.. .	1,688	40	19	21	..	30	8	2
Peru,.....	543	2	..	2	..	1	1	..
Pownal,..... ..	1,731	27	13	14	..	15	11	1
Readsboro'.....	930	14	6	8	..	14	..	..
Rupert,.....	1.103	28	13	15	..	27	..	1
Sandgate,..	805	17	9	8	..	12	3	2
Searsburgh.....	262	—	—	—	—	—	—	—
Shaftsbury.....	1,936	51	28	23	..	36	12	3
Stamford,.....	759	14	6	8	..	12	2	..
Sunderland,.. .	567	9	5	4	..	3	..	6
Winhall,.....	741	27	16	11	..	24	2	1
Woodford,....	379	9	7	2	..	8	..	1
Totals,.....	19,436	445	224	221	....	314	108	23
CALEDONIA.								
Barnet,.....	1,994	44	23	21	..	36	8	..
Burke,..... ...	1,138	23	8	15	..	17	5	1
Danville,.	2,544	53	27	26	..	46	4	3
Groton.....	939	25	14	11	..	23	..	2
Hardwick, ...	1,369	24	11	13	..	22	1	1
Kirby	473	11	3	8	..	11	..	..
Lyndon,.....	1,695	38	20	18	..	30	8	..
Newark,.....	567	13	7	6	..	11	2	..
Peacham,..	1.247	30	15	15	..	28	1	1
Ryegate.....	1,098	24	14	10	..	16	8	..
Sheffield,.....	836	27	11	16	..	22	5	..
St. Johnsbury,.	3,469	70	38	32	..	40	22	2
Sutton,.....	987	19	10	9	..	17	1	1
Walden,..... ..	1,099	30	12	18	..	28	1	1
Waterford,....	1,171	17	9	8	..	15	2	..
Wheelock, ...	842	20	9	11	..	18	1	1
Totals.....	21,708	468	231	237	....	386	69	13
CHITTENDEN.								
Bolton.....	645	3	3	..	..	2	1	..
Burlington,....	7 723	164	81	81	2	65	95	4

TABLE I,—Continued.

MARRIAGES.				DEATHS.							
Whole number.	Nativity.			Whole number.	Sex.			Age.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age	
9	9	..	..	29	14	15	..	29	825.26	28.45	1.72
2	2	..	..	3	2	1	..	3	195.95	65.32	.55
10	10	..	..	14	4	10	..	13	367.43	28.25	.88
1	1	..	..	13	7	6	..	11	460.17	41.83	1.40
5	4	..	1	9	6	3	..	9	493.57	54.84	.82
5	5	..	..	5	3	2	..	5	94.91	18.98	.62
4	3	1	..	34	16	18	..	33	1108.06	33.57	1.71
11	7	..	4	11	4	7	..	10	349.27	34.93	1.45
3	3	..	..	4	2	2	..	3	247.05	82.35	.71
5	4	..	1	12	6	6	..	11	467.35	41.58	1.62
2	2	..	..	4	1	3	..	3	129.91	43.30	1.06
134	96	22	16	252	120	132		243	7994.74	32.90	1.29
8	7	1	..	16	9	7	..	16	286.49	17.90	.80
3	3	..	..	18	8	10	..	17	559.83	32.93	1.58
17	16	1	..	28	14	14	..	28	1137.32	42.04	1.10
7	7	..	..	6	3	3	..	6	254.90	42.32	.66
25	..	..	25	17	9	8	..	17	866.42	56.97	1.21
1	1	..	..	3	..	3	..	3	190.42	63.47	.63
24	17	1	6	20	9	11	..	20	492.92	24.64	1.18
5	3	1	1	4	3	1	..	4	268.47	67.12	.71
19	18	1	..	12	6	6	..	12	332.49	27.71	.96
4	4	..	..	14	6	8	..	14	552.21	39.44	1.27
4	3	..	1	9	3	6	..	9	444.53	49.39	1.07
31	19	4	8	35	15	20	..	33	1281.88	38.84	1.04
9	9	..	..	14	8	6	..	14	721.41	51.53	1.42
7	5	..	2	14	6	8	..	14	493.36	35.24	1.27
7	4	..	3	16	8	8	..	16	727.48	45.47	1.28
9	9	..	..	12	4	8	..	12	622.42	51.87	1.44
180	125	9	46	238	111	127		235	8079.55	34.37	1.10
3	1	1	1	5	1	4	..	5	143.68	28.73	.73
6	3	2	1	88	49	39	..	87	2080.12	22.76	1.14

TABLE I.—Continued.

Counties & Towns	Population in 1860.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am,	For	Unk.
Chil'den—Cont.								
Charlotte,.....	1,589	26	13	13	..	15	8	3
Colchester.	3,041	60	25	35	..	26	31	3
Essex,.....	1,906	39	22	17	..	23	14	2
Hinesburgh, ...	1,702	41	17	24	..	28	13	..
Huntington,....	862	15	9	6	..	10	5	..
Jericho,.....	1,669	31	12	19	..	26	5	..
Milton,.....	1,963	61	28	33	..	27	12	22
Richmond,.....	1,400	22	9	13	..	12	9	1
Shelburne, ...	1 178	33	21	12	..	22	11	..
St. George,....	121	4	2	2	..	3	1	..
Underhill,.....	1 637	50	30	20	..	20	30	..
Westford, ...	1,231	22	17	5	..	19	..	3
Williston, ...	1,479	28	14	14	..	17	11	..
Totals,.....	28,171	599	303	294	2	315	246	38
ESSEX.								
Averill,.	12	—	—	—	—	—	—	—
Bloomfield,....	320	—	—	—	—	—	—	—
Brighton, ...	945	—	—	—	—	—	—	—
Brunswick,....	212	5	3	2	..	5	..	—
Canaan,.....	408	—	—	—	—	—	—	—
Concord,.... .	1,291	40	27	13	..	39	..	1
East Haven,...	136	—	—	—	—	—	—	—
Ferdinand.....	34	—	—	—	—	—	—	—
Granby	132	2	1	1	..	1	—	1
Guildhall.....	552	—	—	—	—	—	—	—
Lemington,....	207	5	1	4	..	4	1	..
Lunenburgh,...	1,034	17	8	9	..	14	..	3
Maidstone, ...	259	6	5	1	..	6	..	..
Norton,.....	32	—	—	—	—	—	—	—
Victory,.....	212	2	1	1	..	2	..	..
Totals, ...	5,786	77	46	31	..	71	1	5
FRANKLIN.								
Bakersfield, ...	1,451	34	19	15	..	27	5	2
Berkshire,.....	1.890	35	19	16	..	10	25	..
Enosburgh,....	2.066	28	13	15	..	7	20	1
Fairfax, ...	1,988	34	16	18	..	24	7	3

TABLE I,—Continued.

MARRIAGES.			DEATHS.							
NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
Am.	For.	Unk.		M	F.	Unk.	Ages given.	Agg'te.	Av'age	
4	2	..	25	15	10	..	24	662.29	27.59	1.61
8	10	1	23	14	9	..	23	797.86	34.67	.75
8	2	..	25	11	14	..	25	1066.98	42.68	1.28
3	1	1	19	11	8	..	19	660.35	34.75	1.11
2	..	..	3	1	2	..	3	93.02	31.01	.35
9	..	3	18	7	11	..	18	1047.79	58.21	1.10
11	2	..	14	5	9	..	9	255.74	28.41	.71
8	2	..	16	7	9	..	15	634.52	42.30	1.15
2	..	..	12	8	4	..	12	324.84	27.07	1.02
..	..	..	2	..	2	..	1	2.80	2.80	1.66
8	..	..	11	4	7	..	11	220.17	20.01	.67
5	..	..	21	10	9	2	13	522.42	40.18	1.70
4	..	..	19	12	7	..	19	583.24	30.69	1.29
75	22	7	301	155	144	2	284	10001.82	35.22	1.07
—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—
..	..	..	..	..	..	..	..	..	..	..
—	—	—	—	—	—	—	—	—	—	—
..	..	8	17	9	8	..	17	586.71	34.51	1.31
—	—	—	—	—	—	—	—	—	—	—
..	..	..	1	..	1	..	1	53.49	53.49	.76
—	—	—	—	—	—	—	—	—	—	—
1	..	..	1	1	..	..	1	70.27	70.27	.48
5	1	..	8	3	5	..	8	391.01	48.87	.77
1	..	..	1	1	..	..	..	..	..	.39
..	1	..	3	..	3	..	3	66.43	22.14	1.40
7	2	8	31	14	17		30	1167.71	38.92	.54
6	1	7	18	7	11	..	16	356.35	22.27	1.24
3	3	11	17	8	9	..	17	665.97	39.17	.89
..	..	..	16	8	8	..	16	643.51	40.22	.77
10	..	1	21	9	12	..	21	906.93	43.18	1.05

TABLE I.—Continued.

Counties & Towns.	Population in 1860.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
Franklin—Co.								
Fairfield.....	2,497	58	24	29	..	23	27	3
Fletcher,.....	916	25	10	15	..	22	2	1
Franklin, ...	1,781	21	14	7	..	10	11	..
Georgia, ...	1,547	38	12	26	..	25	9	4
Highgate, ...	2,526	48	27	21	..	30	10	8
Montgomery, ..	1,262	31	18	13	..	20	8	3
Richford,.....	1,338	13	9	4	..	9	4	..
Sheldon, ...	1,655	29	14	15	..	13	9	7
St. Albans,....	3,637	83	43	40	..	47	36	..
Swanton,.....	2,678	90	55	35	..	38	51	1
Totals, ...	27,231	562	293	269	....	305	224	33
GRAND ISLE.								
Alburgh,.....	1,793	53	33	19	1	30	23	..
Grand Isle,....	708	9	5	4	:	5	3	1
Isle La Mott,..	564	9	7	2	..	6	3	..
North Hero, ...	594	13	7	6	..	7	6	..
South Hero, ...	613	4	2	2	..	4	..	..
Totals, ...	4,276	88	54	33	1	52	35	1
LAMOILLE,								
Belvidere,.....	366	10	5	5	..	8	2	..
Cambridge,....	1,784	24	12	12	..	22	2	..
Eden, ...	919	28	19	9	..	24	3	1
Elmore, ...	602	7	3	4	..	6	1	..
Hyde Park, ...	1,409	32	15	17	..	29	1	2
Johnson, ...	1,526	38	15	23	..	34	4	..
Morristown, ...	1,751	36	18	18	..	27	1	8
Stowe, ...	2,046	31	13	18	..	29	2	..
Waterville,....	747	25	12	13	..	17	4	4
Wolcott,.....	1,161	27	13	14	..	25	2	..
Totals, ...	12,311	258	125	133	....	221	22	15
ORANGE.								
Bradford, ...	1,689	28	13	15	..	22	2	4

TABLE I.—Continued.

MARRIAGES.				DEATHS.							
Whole number.	NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age	
18	8	9	1	33	19	14	..	33	1118,86	33,91	1,32
6	6	..	..	16	8	8	..	16	452,19	28,26	1,75
8	..	..	8	8	2	6	..	8	214,17	26,77	,45
5	3	..	2	19	9	10	..	19	656,96	34,57	1,23
26	10	13	3	31	18	13	..	29	828,04	28,55	1,23
3	2	..	1	9	6	3	..	9	225,79	25,09	,71
22	9	2	11	6	4	2	..	6	203,67	33,94	,45
16	12	1	3	23	9	14	..	23	486,02	22,09	1,39
12	6	..	6	36	13	23	..	36	900,32	25,01	,99
37	17	11	9	38	18	18	2	38	1056,25	27,79	1,41
195	92	40	63	291	138	151	2	287	8714,43	30,40	1,06
7	4	1	2	14	6	8	..	14	287,84	20,56	,74
22	1	1	..	9	4	5	..	8	243,96	30,47	1,20
..	..	..	..	3	1	2	..	3	78,86	26,29	,53
1	1	..	..	7	3	4	..	7	274,64	39,23	1,18
..	..	..	..	3	1	2	..	3	179,00	59,66	,48
10	6	2	2	36	15	21	..	35	1064,30	30,41	,81
1	1	..	..	2	..	2	..	2	11,21	5,60	,54
6	5	..	1	10	4	6	..	10	316,18	31,61	,60
3	3	..	..	13	6	7	..	12	290,48	24,21	1,41
4	4	..	..	6	3	3	..	6	199,36	33,23	,99
8	5	1	2	15	6	9	..	15	525,47	35,03	1,10
15	13	..	2	18	10	7	1	18	647,15	35,95	1,17
8	7	..	1	24	11	13	..	23	1243,75	54,07	1,37
8	8	..	..	15	5	9	1	14	551,44	39,39	,72
8	..	..	8	10	5	5	..	10	479,86	47,98	1,34
9	8	..	1	22	12	10	..	22	953,52	43,34	1,89
70	54	1	15	135	62	71	2	132	5218,42	39,53	1,08
30	29	..	1	28	8	20	..	27	1125,54	41,69	1,65

TABLE I.—Continued.

Counties & Towns	Population in 1860.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
Orange—Co.								
Braintree,	1,228	23	14	9	..	21	2	..
Brookfield,	1,521	30	17	13	..	25	3	2
Chelsea,	1,757	39	20	19	..	37	1	1
Corinth,	1,627	20	6	14	..	17	2	1
Fairlee,	549	7	3	4	..	7	..	..
Newbury,	2,549	74	47	27	..	61	11	2
Orange,	936	23	11	12	..	20	..	3
Randolph,	2,502	40	18	22	..	30	7	3
Strafford,	1,506	34	15	19	..	25	8	1
Thetford	1,876	42	24	18	..	40	1	6
Topsham,	1,662	32	12	20	..	26	4	2
Tunbridge,	1,546	31	15	16	..	30	1	..
Vershire,	1,454	12	3	9	..	8	4	..
Washington,	1,249	26	13	13	..	21	5	..
West Fairlee,	830	10	6	4	..	4	..	6
Williamstown,	1,382	26	10	16	..	24	2	..
Totals,	25,455	497	247	250	..	418	53	26
ORLEANS.								
Albany,	1,224	17	8	9	..	13	2	2
Barton,	1,590	7	5	2	..	6	1	..
Brownington	757	16	8	8	..	13	3	..
Charleston,	1,160	26	15	11	..	22	3	1
Coventry,	914	32	16	16	..	18	14	..
Craftsbury,	1.413	20	14	2	4	12	4	4
Derby,	1,910	39	18	21	..	21	14	4
Glover,	1,244	27	12	15	..	20	7	..
Greensboro',	1,065	24	12	12	..	16	8	..
Holland,	748	18	11	7	..	10	8	..
Irasburgh,	1,131	40	23	17	..	29	10	1
Jay,	474	18	9	9	..	12	6	..
Lowell,	815	17	6	11	..	16	..	1
Morgan,	548	11	7	4	..	9	2	..
Newport,	1,190	14	3	11	..	10	2	2
Salem,	603	—	—	—	—	—	—	—
Troy,	1,248	7	5	2	..	5	1	1
Westfield,	618	18	10	8	..	11	7	..

TABLE I,—Continued.

MARRIAGES.				DEATHS.							
Whole number.	NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age	
7	6	..	1	9	4	5	..	9	227,83	25,31	.73
9	8	..	1	15	3	11	1	14	561,52	40,11	.92
16	15	1	..	31	14	17	..	30	1308,71	43,62	1.20
9	9	..	..	24	8	16	..	24	1351,02	61,41	1.47
2	2	..	..	6	2	4	..	6	252,39	42,05	1.10
21	18	2	1	30	13	17	..	30	992,28	33,07	1.14
3	1	..	2	12	3	9	..	11	283,53	25,77	1.28
19	15	3	1	29	12	17	..	27	1095,79	40,58	1.16
13	12	..	1	21	10	11	..	21	782,52	37,26	1.39
21	17	1	3	43	24	19	..	43	1975,14	45 93	2.32
14	11	..	3	26	9	17	..	26	1050,38	40,39	1.57
14	9	..	5	27	14	13	..	27	1378,14	51,04	1.75
7	5	1	1	11	7	4	..	11	552,40	50,04	.80
8	6	..	2	14	7	7	..	14	388,77	27,77	1.12
14	3	..	11	24	9	15	..	20	933,03	46,65	2.90
11	8	..	3	27	16	11	..	27	1228,86	45,51	1.96
218	174	8	36	377	163	213	1	367	15487,85	42,20	1.45
16	11	..	5	11	4	7	..	11	504,51	45,86	.90
13	6	2	5	3	1	2	..	3	82,76	27,58	.20
8	4	..	4	6	3	3	..	6	288,67	48,11	.81
10	4	..	6	22	12	10	..	22	505,27	22,96	1.90
4	1	..	3	15	5	10	..	15	444,42	29,63	1.63
17	8	3	6	13	7	6	..	13	437,73	33,67	.92
26	13	5	8	22	11	10	1	22	923,17	41,96	1.15
15	9	2	4	17	8	9	..	17	681,97	40,11	1.37
6	4	2	..	14	7	7	..	14	778,06	55 57	1.31
6	3	3	..	11	8	3	..	11	374,03	34,00	1.47
7	7	..	..	11	8	3	..	11	336,51	30,59	.97
2	1	1	..	3	3	..	..	3	80,88	26,96	.63
3	2	..	1	20	12	8	..	19	600,41	31,60	2.45
5	3	1	1	6	2	4	..	6	292,29	48,70	1.09
3	2	1	..	3	1	2	..	3	159,33	53,11	.26
10	9	1	..	8	6	2	..	8	223,41	27,92	.64
3	2	1	..	9	5	4	..	9	260,52	28,94	1.45

TABLE I,—Continued.

Counties & Towns	Population in 1860.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE,		
			M.	F.	Unk.	Am.	For.	Unk.
Orleans — Co.								
Westmore, ...	324	7	3	4	..	..	..	7
Totals, ...	18,981	358	185	169	4	243	92	23
RUTLAND.								
Benson, ...	1,256	27	15	12	..	17	9	1
Brandon, ...	3,077	59	29	30	..	28	28	3
Castleton, ...	2,852	75	34	41	..	30	37	8
Chittenden,....	763	17	11	6	..	16	..	1
Clarendon, ...	1,236	33	13	20	..	23	7	3
Danby, ...	1,419	47	23	24	..	35	6	6
Fairhaven, ...	1,378	23	13	10	..	12	11	..
Hubbardton,...	606	14	6	8	..	12	2	..
Ira,.....	422	3	1	2	..	2	1	..
Mendon.	633	11	7	4	..	8	3	..
Middletown, ..	711	19	5	14	..	15	1	3
Mount Holly,..	1,522	35	13	22	..	29	5	1
Mount Tabor,..	359	7	3	4	..	7	..	..
Pawlet, ...	1,539	17	6	11	..	12	4	1
Pittsfield, ...	493	14	6	8	..	14	..	..
Pittsford, ...	1,839	58	36	22	..	35	21	2
Poultney, ...	2,278	50	24	26	..	31	18	1
Rutland,.....	7,577	215	95	120	..	70	142	3
Sherburne, ...	525	14	10	4	..	14	..	..
Shrewsbury, ..	1,175	29	15	14	..	20	8	1
Sudbury, ...	696	10	5	5	..	4	3	3
Tinmouth,.....	620	—	—	—	—	—	—	—
Wallingford,...	1,748	48	26	22	..	36	12	..
Wells, ...	642	10	4	6	..	8	..	2
West Haven,..	580	11	6	5	..	7	4	..
Totals, ...	35,946	846	406	440		485	322	39
WASHINGTON.								
Barre,.....	1,839	27	15	12	..	26	..	1
Berlin.....	1,545	42	23	19	..	29	9	4
Cabot, ...	1,318	29	16	11	2	26	..	3
Calais, ...	1,409	34	19	15	..	32	..	2

TABLE I,—Continued.

MARRIAGES.				DEATHS.							
Whole number.	NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk.	Ages given.	Agg'te.	Av'age	
3	1	..	2	3	..	3	..	3	99.00	33.00	.92
157	90	22	45	197	103	93	1	196	7072.94	36.08	1.04
7	3	3	1	20	7	13	..	20	814.01	40.70	1.54
15	6	2	7	37	19	17	1	34	1217.27	35.80	1.20
24	18	3	3	43	17	26	..	41	1256.85	30.65	1.51
1	..	..	1	5	1	4	..	4	128.91	32.23	.66
8	6	..	2	21	11	10	..	21	645.54	32.17	1.70
12	11	1	..	14	9	5	..	14	464.18	33.15	.99
2	2	..	..	14	5	9	..	14	346.79	24.05	1.01
4	3	..	1	26	10	10	..	20	632.55	31.63	3.30
5	4	..	1	2	..	2	..	2	85.00	42.50	.47
1	..	1	..	5	2	3	..	5	258.58	51.71	.80
3	3	..	..	7	5	2	..	6	229.94	38.32	.99
7	3	..	4	17	10	7	..	17	462.40	27.20	1.12
2	2	..	..	3	1	2	..	3	146.05	48.68	.84
7	..	..	7	6	3	3	..	6	294.99	46.16	.40
2	2	..	..	7	3	4	..	7	320.91	45.84	1.42
19	17	2	..	28	17	11	..	28	1456.47	52.02	1.52
18	15	2	1	27	16	11	..	25	994.35	39.79	1.18
22	15	2	5	104	58	46	..	100	2426.18	24.26	1.31
6	5	..	1	7	3	4	..	7	392.65	56.09	1.33
12	10	1	1	16	7	9	..	16	505.71	31.61	1.36
17	17	..	..	7	1	6	..	7	484.10	63.15	1.01
11	8	2	1	30	11	19	..	30	755.87	25.19	1.71
4	3	..	1	12	3	9	..	12	440.66	36.72	1.87
4	3	..	1	6	4	2	..	6	240.62	40.10	1.03
213	156	19	38	458	223	234	1	445	15001.08	33.70	1.27
21	20	..	1	38	23	15	..	38	1325.20	34.84	2.06
12	8	2	2	24	14	9	1	23	1081.91	47.04	1.55
14	10	2	2	33	17	12	4	31	1493.52	45.26	2.43
14	14	..	..	23	13	10	..	23	961.11	41.78	1.63

TABLE I.—Continued.

Counties & Towns.	Population in 1860.	BIRTHS.						
		Whole number.	Sex.			Parentage.		
			M.	F.	Unk.	Am.	For.	Unk.
Wash'ton.—Co.								
Duxbury, ...	1.000	25	16	9	..	11	11	3
E. Montpelier..	1.328	17	9	8	..	16	1	..
Fayston, ...	800	21	8	13	..	12	9	..
Marshfield, ...	1.160	31	12	19	..	25	4	2
Middlesex, ...	1.254	19	12	7	..	12	6	1
Montpelier, ...	2,411	54	26	28	..	33	21	..
Moretown, ...	1.310	33	21	12	..	18	15	..
Northfield, ...	4.329	131	70	61	..	75	52	4
Plainfield, ...	822	18	11	7	..	17	1	..
Roxbury, ...	1,060	26	13	13	..	18	5	3
Waitsfield, ...	1,005	26	15	11	..	24	2	..
Warren, ...	1 041	23	11	12	..	20	..	3
Waterbury, ...	2,198	29	14	15	..	27	1	1
Woodbury, ...	999	21	9	12	..	18	1	2
Worcester, ...	684	10	4	6	..	7	..	3
Totals, ...	27,612	616	324	290	2	446	138	32
WINDHAM.								
Athens, ...	382	4	2	2	..	3	1	..
Brattleboro', ...	3.855	74	38	36	..	16	..	58
Brookline, ...	243	9	7	2	..	8	..	1
Dover, ...	650	9	5	4	..	9	..	..
Dummerston, ..	1,021	15	9	6	..	12	..	3
Grafton, ...	1,154	24	17	7	..	21	1	2
Guilford, ...	1,291	26	17	9	..	24	2	..
Halifax, ...	1.126	30	14	16	..	29	1	..
Jamaica, ...	1,541	31	21	10	..	30	..	1
Londonderry. ..	1,367	22	12	10	..	21	1	..
Marlboro', ...	741	21	13	8	..	21	..	..
Newfane, ...	1.192	18	8	10	..	15	1	2
Putney, ...	1.163	19	7	12	..	12	3	4
Rockingham, ..	2.904	55	24	31	..	19	6	30
Somerset, ...	105	4	3	1	..	4	..	..
Stratton, ...	366	13	5	8	..	13	..	..
Townshend, ...	1.376	25	15	10	..	17	1	7
Vernon, ...	726	18	4	14	..	11	5	2
Wardsboro', ..	1.004	19	11	8	..	19	..	..

TABLE I.—Continued.

MARRIAGES.				DEATHS.							
Whole number.	NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk	Ages given	Agg'te.	Av'age.	
..	..	..	..	6	4	2	..	6	108.67	18.11	.60
6	6	..	..	23	13	10	..	23	937.89	40.73	1.72
6	6	..	..	12	6	6	..	11	283.41	25.76	1.50
..	..	..	..	15	5	10	..	15	780.19	52.01	1.29
13	9	..	4	12	7	5	..	11	596.89	46.08	.96
34	2	..	32	24	16	8	..	24	359.63	14.98	.99
5	3	2	..	16	6	10	..	16	398.23	24.89	1.18
27	20	1	6	66	36	29	1	65	1512.85	23.27	1.51
2	1	..	1	13	5	8	..	13	398.37	30.64	1.52
5	3	..	2	19	6	13	..	19	383.88	20.20	1.51
9	8	..	1	16	8	8	..	16	509.20	31.82	1.59
6	4	..	2	26	11	15	..	26	652.71	26.02	2.48
14	12	2	..	16	6	10	..	15	422.80	28.19	.72
7	7	..	..	9	2	7	..	9	647.49	71.94	.90
9	9	..	..	11	4	7	..	11	340 37	30 94	1.60
204	142	9	53	402	202	194	6	395	13104.32	33.18	1.46
2	1	..	1	6	4	2	..	6	431.44	71.90	1.57
64	2	..	62	55	25	30	..	55	1965.07	35.73	1.42
5	5	..	..	5	4	1	..	5	170.99	34.19	2.06
5	5	..	..	8	3	5	..	8	550.89	68.83	1.21
11	10	..	1	10	5	5	..	10	533.95	53.39	.97
2	2	..	..	8	4	4	..	8	305.93	38.24	.68
18	14	..	4	26	12	14	..	25	854.25	34 17	2.01
13	5	..	8	27	13	14	..	27	1175.91	43.55	2.39
6	2	..	4	15	9	6	..	15	614.21	40.95	.91
..	..	..	..	13	7	6	..	13	588.07	45 23	,94
4	4	..	..	17	8	9	..	17	609.67	35.86	2.30
8	7	..	1	22	13	9	..	22	1110 09	50.45	1.84
3	3	..	..	19	10	9	..	19	820.45	43.18	1.63
26	16	5	5	21	12	9	..	21	800.66	38.13	.72
..	..	..	..	..	..	..	..	..	.....	.....	....
..	..	..	..	5	4	1	..	5	139.90	27.98	1.37
10	1	..	9	18	8	10	..	16	869.24	51.13	1.16
13	7	1	5	14	9	5	..	13	574.24	44.17	1.79
7	6	..	1	10	7	3	..	10	456.10	45.61	.99

TABLE I,—Continued.

Counties & Towns.	Population in 1860.	BIRTHS.						
		Whole number.	SEX.			PARENTAGE.		
			M.	F.	Unk.	Am.	For.	Unk.
Wind'am—Co.								
Westminster, ..	1,300	31	19	12	..	27	3	1
Whitingham, ..	1.372	22	11	10	1	18	2	2
Wilmington, ..	1,424	28	16	12	..	26	2	..
Windham, ...	680	11	4	7	..	11	..	..
Totals, ...	26.982	528	282	245	1	386	29	113
WINDSOR.								
Andover, ...	670	14	8	6	..	14	..	..
Baltimore, ...	116	2	2	..	..	2	..	..
Barnard,.....	1,487	4	1	3	..	4	..	..
Bethel, ...	1.804	31	18	13	..	28	2	1
Bridgewater, ..	1.292	10	1	9	..	10	..	..
Cavendish, ...	1.509	24	13	11	..	20	4	..
Chester, ...	2.126	52	23	29	..	43	8	1
Hartford, ...	2.396	32	13	19	..	26	5	1
Hartland, ...	1.748	29	8	21	..	27	2	..
Ludlow, ...	1.568	39	18	21	..	35	3	1
Norwich, ...	1.759	36	21	15	..	35	1	..
Plymouth, ...	1.252	23	8	15	..	19	4	..
Pomfret,.....	1.376	19	10	9	..	19	..	..
Reading, ...	1.159	15	10	5	..	13	1	1
Rochester, ...	1.507	42	21	21	..	38	..	4
Royalton, ...	1,739	29	13	16	..	24	5	..
Sharon,.....	1.111	20	9	11	..	19	1	..
Springfield,....	2.958	53	23	30	..	50	3	..
Stockbridge, ..	1.264	31	17	14	..	30	1	..
Weathersfield, .	1.765	20	7	13	..	17	3	..
Weston, ...	932	19	7	12	..	18	..	1
West Windsor,.	924	15	9	6	..	14	..	1
Windsor, ...	1.669	21	10	11	..	8	1	12
Woodstock, ...	3.062	72	43	29	..	38	2	32
Totals, ...	37.193	652	313	339	..	551	46	55

TABLE I.—Continued.

MARRIAGES.				DEATHS.							
Whole number.	NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk	Ages given	Agg'te.	Av'age.	
7	7	..	..	18	10	8	..	18	762.39	47.65	1.38
21	9	..	12	14	6	8	..	14	441.51	31.53	1.01
20	17	..	3	31	18	13	..	28	1039.56	37.13	1.96
4	3	..	1	9	7	2	..	9	255.51	28.39	1.32
249	126	6	117	371	198	173	..	364	15070.02	41.40	1.37
1	1	..	..	6	2	4	..	6	233.51	38.92	.89
1	1	..	..	5	5	..	..	5	240.52	48.10	4.31
10	8	..	2	6	4	2	..	6	240.97	40.16	.40
7	4	..	3	29	11	18	..	29	1121.10	38.66	1.61
4	4	..	..	16	11	5	..	16	623.08	38.94	1.24
20	16	..	4	18	12	6	..	17	693.38	40.78	1.12
19	19	..	..	34	12	22	..	34	1386.86	40.79	1.55
14	7	1	6	19	9	10	..	16	722.67	38.03	.67
9	9	..	..	29	11	18	..	28	1208.06	43.14	1.03
10	6	..	4	35	14	21	..	35	1543.83	44.11	2.23
11	6	..	5	23	12	11	..	23	1219.15	53.01	1.31
10	10	..	..	11	3	8	..	11	205.75	18.71	.88
3	3	..	..	8	4	4	..	8	197.16	24.64	.58
2	2	..	..	14	9	5	..	13	448.55	34.50	1.11
20	16	..	4	32	11	21	..	32	1208.86	37.77	2.12
10	4	..	6	25	12	13	..	25	1210.21	48.41	1.40
6	6	..	..	25	13	12	:	20	439.32	21.96	1.79
28	25	..	3	27	12	15	..	26	1068.07	41.08	.87
11	6	..	5	10	4	6	..	10	357.05	35.70	.98
17	17	..	..	14	6	8	..	14	604.76	43.19	.85
16	13	..	3	13	5	8	..	13	501.92	38.61	1.39
2	2	..	..	19	9	10	..	19	978.72	51.51	2.05
9	2	..	7	32	10	21	1	32	1440.52	45.01	1.91
39	..	..	39	55	25	30	..	54	1929.24	35.04	1.76
279	187	1	91	505	226	278	1	492	19823.26	40.29	1.33

TABLE I.—*Recapitulation of Births,*

Counties.	Population in 1860.	Births.						
		Whole number.	Sex.			Parentage.		
			M.	F.	Unk.	Am.	For.	Unk.
Addison.....	24,010	457	222	235	..	303	129	25
Bennington....	19,436	445	224	221	..	314	108	23
Caledonia	21,708	468	231	237	..	386	69	13
Chittenden.....	28,171	599	303	294	2	315	246	38
Essex	5,786	77	46	31	..	71	1	5
Franklin.....	27,231	562	293	269	..	305	224	33
Grand Isle....	4,276	88	54	33	1	52	35	1
Lamoille.....	12,311	258	125	133	..	221	22	15
Orange.....	25,455	497	247	250	..	418	53	26
Orleans	18,981	358	185	169	4	243	92	23
Rutland.....	35,946	846	406	440	..	485	322	39
Washington....	27,612	616	324	290	2	446	138	32
Windham	26,982	528	282	245	1	386	29	113
Windsor.....	37,193	652	313	339	..	551	46	55
Vt. Asylum ...	..	..	..	..	..	..	..	..
Whole State...	315,098	6451	3255	3186	10	4496	1514	441

Marriages and Deaths, for the Year 1860.

MARRIAGES.				DEATHS.							
Whole number.	NATIVITY.			Whole number.	SEX.			AGE.			Percentage.
	Am.	For.	Unk.		M.	F.	Unk.	Ages given	Agg'te.	Av'age	
149	99	27	23	267	135	132	..	261	9358.25	35.85	1.17
134	96	22	16	252	120	132	..	243	7994.74	32.90	1.29
180	125	9	46	238	111	127	..	235	8079.55	34.37	1.10
104	75	22	7	301	155	144	2	284	10001.82	35.22	1.07
17	7	2	8	31	14	17	..	30	1167.71	38,92	.54
195	92	40	63	291	138	151	2	287	8714.93	30.40	1.06
10	6	2	2	36	15	21	..	35	1064.30	40.41	.81
70	54	1	15	135	62	71	2	132	5218.42	39.53	1-08
218	174	8	36	377	163	213	1	367	15487.85	42.20	1.45
157	90	22	45	197	103	93	1	196	7072.94	36.08	1.04
213	156	19	38	458	223	234	1	445	15001.08	33.70	1.27
204	142	9	53	402	202	194	6	395	13104.32	33.18	1.46
249	126	6	117	371	198	173	..	364	15070.02	41.40	1.37
279	187	1	91	505	226	278	1	492	19823.26	40.29	1.33
..	..	..	..	36	24	12	..	36	1651,00	45,85	..
2179	1429	190	560	3897	1889	1992	16	3802	134750.19	35,44	1.22

TABLE II—BIRTHS—1860.

Exhibiting the number of each Sex born in the several Counties, during each month of the year.

Months.	Sex.	Whole No.	Addison.	Bennington	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.
Jan.	M.	205	7	17	17	12	3	25	1	8	15	9	23	23	23	22
	F.	225	18	21	17	15	—	20	1	14	22	10	19	19	18	31
	U	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Feb.	M.	225	12	15	17	18	5	21	4	4	20	17	23	21	23	25
	F.	245	11	16	16	22	2	22	3	16	20	15	35	31	17	19
	U	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
March.	M.	283	24	19	17	34	1	22	9	14	17	19	27	29	26	30
	F.	281	19	22	19	23	8	21	6	11	21	19	33	18	24	37
	U	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
April.	M.	286	18	23	21	23	4	22	2	6	24	20	36	36	23	28
	F.	263	18	17	17	27	3	27	2	9	21	15	32	25	18	32
	U	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
May.	M.	257	11	22	17	25	7	27	4	8	23	17	38	22	17	19
	F.	243	17	16	26	20	2	20	3	10	15	12	33	19	21	29
	U	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..
June.	M.	253	21	7	17	19	4	24	7	10	22	12	33	26	17	34
	F.	259	18	12	23	32	2	20	2	5	31	10	35	20	24	25
	U	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..
July.	M.	267	18	13	18	21	5	23	3	11	21	15	36	29	28	26
	F.	288	29	19	21	24	2	23	3	8	18	16	42	24	24	35
	U	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
August.	M.	305	25	19	18	36	5	24	8	17	25	15	31	25	29	28
	F.	291	24	16	16	29	1	21	1	19	29	11	46	29	15	34
	U		..	..	..	..	..	..	..	..	..	..	..	..	..	..

TABLE II.—Continued.

Months	Sex.	Whole No.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Sept.	M.	297	26	32	22	30	5	27	5	19	19	12	39	18	18	25
	F.	285	26	19	23	33	3	19	3	14	15	14	35	34	17	30
	U.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Oct.	M.	278	20	20	21	26	—	27	4	7	19	16	36	29	27	26
	F.	269	13	21	20	28	4	21	2	10	18	15	43	27	27	20
	U.	3	..	..	..	1	..	..	..	..	..	..	..	1	1	..
Nov.	M.	279	23	23	18	31	—	21	5	10	22	14	32	26	27	27
	F.	238	20	24	15	19	1	24	1	7	17	13	43	18	15	21
	U.	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..
Dec.	M.	287	17	13	26	25	7	30	1	11	18	19	46	30	23	21
	F.	270	21	17	22	15	3	31	6	10	23	13	41	23	22	23
	U.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Unk.	M.	33	..	1	2	3	..	..	1	..	2	5	6	10	1	2
	F.	29	1	1	2	7	..	..	..	..	..	6	3	3	3	3
	U.	4	..	..	..	..	..	..	..	..	..	4	..	..	..	..
Aggregate.	M.	3255	222	224	231	303	46	293	54	125	247	185	406	324	282	313
	F.	3186	235	221	237	294	31	269	33	133	250	169	440	290	245	339
	U.	10	..	..	..	2	..	..	1	..	..	4	..	2	1	..
	Totals.	6451	457	445	468	599	77	562	88	258	497	358	846	616	528	652
Parentage.	Am.	4131	270	288	349	287	71	263	44	195	403	213	442	411	372	523
	For.	1211	94	96	51	186	1	170	31	13	35	62	298	115	24	35
	Am fa and Fo mo	207	19	6	23	21	—	32	6	14	9	21	26	17	4	9
	For fa and Am m	290	24	13	17	59	—	52	5	7	14	29	28	24	8	10
	Unk.	612	50	42	28	46	5	45	2	29	36	33	52	49	120	75

SUPPLEMENT A.—TABLE II.

Births—Exhibiting the number of Plurality cases.

(Included in Tables I and II.)

Months.	Sex.	Whole No.	Addison.	Bennington.	Caledonia.	Chittenden	Essex.	Franklin.	Grand Isle.	Lamoille	Orange	Orleans.	Rutland	Washington	Windham	Windsor.
January,	Males,	3	..	..	..	..	2	..	..	..	..	..	1	..	..	..
	Females,	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..
February,	Males,	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Females,	7	*1	..	2	..	..	..	..	2	..	2	..	..	..	..
March,	Males,	9	2	..	..	..	..	2	2	2	..	..	..	..	..	1
	Females,	9	..	†1	..	..	§1	..	..	..	..	..	2	..	2	3
April,	Males,	11	..	†1	2	1	..	3	..	..	1	..	..	..	2	1
	Females,	8	..	..	..	1	..	3	..	..	1	..	..	..	2	1
May,	Males,	4	..	..	1	..	..	..	..	..	..	..	1	..	1	1
	Females,	8	..	..	3	..	..	..	..	..	2	..	1	..	1	1
June,	Males,	11	3	..	..	1	..	2	..	..	..	..	3	2	..	..
	Females,	6	1	..	..	1	..	..	..	..	..	..	‡2	2	..	..
July,	Males,	9	..	..	2	..	..	..	..	..	..	..	4	3	..	..
	Females,	7	..	..	..	..	..	2	..	..	2	..	2	1	..	..
August,	Males,	7	..	..	..	..	..	..	..	2	..	..	1	..	2	2
	Females,	3	..	..	..	2	..	..	..	..	..	..	1	..	..	..
September,	Males,	4	..	..	..	2	..	..	2	..	..	..	..	..	..	..
	Females,	6	..	2	..	..	..	..	..	..	..	..	..	2	..	2
October,	Males,	4	2	..	..	..	..	..	..	..	..	..	..	..	2	..
	Females,	10	..	2	..	..	..	..	..	..	..	..	4	..	4	..
November,	Males,	4	..	*1	..	..	..	..	..	..	..	..	2	..	1	..
	Females,	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..
December,	Males,	7	..	1	..	..	..	1	..	..	..	..	2	1	2	..
	Females,	5	..	1	..	2	..	1	..	..	..	..	..	1	..	..
Totals.		144	9	9	10	10	3	14	4	6	6	2	27	12	20	12

*The mates of these were stillborn males.

†The mates of these were not reported, probably stillborn.

‡The mate of one of these not reported, probably stillborn.

§The mate of this was stillborn, sex not given.

In addition to these there were reported in Caledonia Co. a pair of stillborn twins, (sex not given,) in May. In Rutland Co. a pair of stillborn twins. (sex not given,) in Nov. In Washington Co. a pair of stillborn twins, (a male and a female,) in April. In Windham Co. a pair of stillborn twins, (sex not given,) in Nov., and a pair (females) in Dec.

SUPPLEMENT B.—TABLE II.

Exhibiting the number of Illegitimate Births.

(Included in Tables I and II.)

Months.	Sex.	Whole No.	Addison	Bennington	Caledonia	Chittenden	Essex	Franklin	Grand Isle	Lamoille	Orange	Orleans	Rutland	Washington	Windham	Windsor.
January,	Males	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..
	Females	3	..	..	..	..	..	2	..	..	..	..	..	..	1	..
February,	Males	3	..	1	..	..	..	..	..	..	..	..	1	..	1	..
	Females	3	..	..	..	..	..	1	..	..	..	..	1	1	..	..
March,	Males	6	1	..	1	2	..	1	1	..	..	..	..	..	..	..
	Females	3	..	1	..	..	..	..	..	..	..	..	..	..	..	2
April,	Males	2	..	..	1	..	..	..	1	..	..	..	..	..	..	..
	Females	5	2	..	..	..	..	1	1	..	1	..	..	..	..	..
May;	Males	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..
	Females	3	1	..	..	..	..	..	..	..	..	..	1	..	1	..
June,	Males	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Females	2	..	..	..	..	..	..	1	..	..	..	1	..	..	..
July,	Males	2	..	..	..	1	..	..	..	..	1	..	..	..	..	..
	Females	4	..	1	1	..	..	..	1	..	..	1	..	..	..	..
August,	Males	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
	Females	4	..	..	..	1	..	1	..	..	1	..	..	..	..	1
September,	Males	2	..	..	..	1	..	1	..	..	..	..	..	..	..	..
	Females	4	..	..	..	1	..	..	..	..	2	..	..	..	..	1
October,	Males	4	..	..	..	..	..	1	..	..	2	..	1	..	..	..
	Females	2	..	..	..	..	..	..	..	1	..	1	..	..	..	..
November,	Males	2	..	..	..	1	..	1	..	..	..	..	..	..	..	..
	Females	2	..	..	..	..	..	..	..	..	..	1	..	1	..	..
December,	Males	2	..	..	..	..	..	1	..	..	..	..	..	1	..	..
	Females	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..
Unknown,	Unk.	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..
Totals,		62	4	4	3	7	..	11	5	1	7	3	5	4	4	4

In addition to these, there were reported, one stillborn female in Bennington Co. in July, and a male stillborn in Windsor Co. in Nov.

TABLE III.—MARRIAGES.

Exhibiting the number contracted in the several Counties, during each month of the year.

Months.	Whole No.	Addison.	Bennington	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.
January, ..	204	13	11	22	7	1	24	2	8	25	13	14	18	25	21
February ..	168	12	12	11	10	..	21	1	11	15	12	15	16	19	13
March, ...	225	11	7	16	16	1	20	..	4	21	16	21	29	26	37
April, ...	157	7	10	9	4	2	16	1	6	16	18	20	13	18	17
May, ...	148	6	5	12	4	1	17	1	3	22	7	19	12	20	19
June, ...	112	5	10	12	3	1	11	..	4	13	9	5	10	14	15
July, ...	124	6	3	8	10	1	12	..	8	13	3	15	20	9	16
August, ...	126	12	5	11	5	2	11	..	5	6	10	14	11	15	19
September. .	212	19	15	23	11	3	21	1	6	20	15	22	15	22	19
October, ..	209	19	20	16	4	2	15	..	6	21	14	17	14	28	33
November, .	247	18	17	21	11	..	15	2	3	23	19	21	26	28	43
December, .	208	18	16	15	15	3	12	2	6	21	20	26	18	23	23
Unknown,..	29	3	3	4	4	..	..	..	..	2	1	4	2	2	4
Totals, ..	2179	149	134	180	104	17	195	10	70	218	157	213	204	249	279

TABLE IV.—PERSONS MARRIED.

Distinguishing by Ages, the number of Persons, of different social conditions, who were married during the year.

(A.) Aggregate.

Ages of Men.	Whole number.	Ages of Women.												
		Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	Over 70.	Unknown.
Whole number.	2179	609	709	273	97	53	38	29	13	15	6	7	1	329
Under 20....	42	33	8	..	1	..	..	..	..	..	..	..	..	..
20 to 25.....	754	366	326	45	5	2	..	..	..	..	..	..	..	10
25 to 30.....	548	161	250	108	14	4	3	..	..	..	..	..	..	8
30 to 35.....	176	27	71	55	15	5	1	..	..	..	..	..	..	2
35 to 40.....	107	11	32	31	14	14	2	..	..	..	..	..	..	3
40 to 45.....	76	3	11	17	25	13	5	2	..	..	..	..	..	..
45 to 50.....	45	1	6	8	8	4	6	7	3	..	..	..	..	2
50 to 55.....	35	..	..	2	11	2	6	9	3	..	1	1	..	..
55 to 60.....	36	..	2	3	2	5	10	5	3	2	2	..	..	2
60 to 65.....	19	..	..	1	..	3	4	4	1	5	..	..	..	1
65 to 70.....	14	..	..	1	1	..	1	2	2	3	1	3	..	..
Over 70.....	12	..	..	..	..	..	..	..	1	5	2	3	1	..
Unknown	315	7	3	2	1	1	..	..	..	..	..	..	..	301

(B.) First marriage of both parties.

Whole number.	1335	494	517	144	28	6	3	1	..	..	.....			142
Under 20....	37	28	8	..	1	..	..	..	..	..	.....			..
20 to 25.....	609	316	257	28	2	..	..	..	..	..	.....			6
25 to 30.....	396	122	188	71	5	2	1	..	..	..	.....			7
30 to 35.....	100	18	45	29	7	1	..	..	..	..	.....			..
35 to 40.....	37	4	16	11	6	..	..	..	..	..	.....			..
40 to 45.....	11	1	1	2	3	3	1	..	..	..	.....			..
45 to 50.....	3	..	..	1	2	..	..	..	..	..	.....			..
50 to 55.....	3	..	..	..	2	..	..	1	..	..	.....			..
55 to 60.....	1	..	1	..	..	..	..	..	..	..	.....			..
60 to 65.....	1	..	..	..	..	..	1	..	..	..	.....			..
65 to 70.....	..	..	..	..	..	..	..	..	..	..	.....			..
Over 70	..	..	..	..	..	..	..	..	..	..	.....			..
Unknown,....	137	5	1	2	..	..	..	..	..	..	.....			129

TABLE IV.—Continued.

(C,) First of men, but subsequent of women.

Ages of Men.	Whole number	Ages of Women.												
		Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	Over 70.	Unknown.
Whole number	62	1	6	20	11	7	6	..	2	..	..	..	..	9
Under 20....	..	..	..	..	..	..	..	..	..	..	..	..	..	..
20 to 25	11	1	3	5	..	2	..	..	..	..	..	..	..	..
25 to 30	21	..	2	10	6	1	2	..	..	..	..	..	..	..
30 to 35	7	..	..	3	2	1	1	..	..	..	..	..	..	..
35 to 40	6	..	..	2	1	3	..	..	..	..	..	..	..	..
40 to 45	2	..	..	..	1	..	1	..	..	..	..	..	..	..
45 to 50	2	..	..	..	..	..	1	..	1	..	..	..	..	..
50 to 55	1	..	..	..	1	..	..	..	..	..	..	..	..	..
55 to 60	1	..	..	..	..	..	1	..	..	..	..	..	..	..
60 to 65	..	..	..	..	..	..	..	..	..	..	..	..	..	..
65 to 70	1	..	..	..	..	..	..	..	1	..	..	..	..	..
Over 70	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Unknown,....	10	..	1	..	..	..	..	..	..	..	..	..	..	9

(D.) Subsequent of men, but first of women.

Whole number.	239	30	53	50	30	21	13	14	1	2	..	2	..	23
Under 20....	..	..	..	..	..	..	..	..	..	..	..	..	..	..
20 to 25	7	6	1	..	..	..	..	..	..	..	..	..	..	..
25 to 30	38	11	18	8	1	..	..	..	..	..	..	..	..	..
30 to 35	36	6	12	12	4	2	..	..	..	..	..	..	..	..
35 to 40	37	3	12	11	4	4	2	..	..	..	..	..	..	1
40 to 45	39	2	5	10	13	7	1	1	..	..	..	..	..	..
45 to 50	22	1	4	6	3	4	1	2	..	..	..	..	..	1
50 to 55	10	..	..	1	3	..	2	3	1	..	..	..	..	..
55 to 60	17	..	1	1	2	2	6	3	..	1	..	..	..	1
60 to 65	5	..	..	1	..	1	..	3	..	..	..	..	..	..
65 to 70	4	..	..	..	..	..	1	2	..	..	..	1	..	..
Over 70.....	2	..	..	..	..	..	..	..	..	1	..	1	..	..
Unknown,....	22	1	..	..	..	1	..	..	..	..	..	..	..	20

TABLE IV.—Continued.

(E.) Subsequent marriage of both parties.

Ages of Men.	Whole number.	Ages of Women.												
		Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 44.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	Over 70.	Unknown.
Whole number.	101	1	2	9	12	13	11	9	7	11	6	3	1	16
Under 20....	..	..	..	..	..	..	..	..	..	..	..	..	..	..
20 to 25.....	..	..	..	..	..	..	..	..	..	..	..	..	..	..
25 to 30.....	2	..	..	1	1	..	..	..	..	..	..	..	..	..
30 to 35.....	3	..	1	..	1	1	..	..	..	..	..	..	..	..
35 to 40.....	11	1	1	4	1	4	..	..	..	..	..	..	..	..
40 to 45.....	11	..	..	2	4	2	2	1	..	..	..	..	..	..
45 to 50.....	8	..	..	..	1	..	3	3	1	..	..	..	..	..
50 to 55.....	13	..	..	..	4	1	3	2	1	..	1	1	..	..
55 to 60.....	13	..	..	2	..	3	1	2	2	..	2	..	..	1
60 to 65.....	11	..	..	..	..	2	2	1	1	5	..	..	..	..
65 to 70.....	6	..	..	..	..	..	..	..	1	3	1	1	..	..
Over 70.....	8	..	..	..	..	..	..	..	1	3	2	1	1	..
Unknown, ...	15	..	..	..	..	..	..	..	..	..	..	..	..	15

(F.) Conditions of parties not stated.

Whole number.	442	83	131	50	16	6	5	5	3	2	..	2	..	139
Under 20....	5	5	..	..	..	..	..	..	..	..	..	..	..	..
20 to 25	127	43	65	12	3	..	..	..	..	..	..	..	..	4
25 to 30	91	28	42	18	1	1	..	..	..	..	..	..	..	1
30 to 35	30	3	13	11	1	..	..	..	..	..	..	..	..	2
35 to 40	16	3	3	3	2	3	..	..	..	..	..	..	..	2
40 to 45	13	..	5	3	4	1	..	..	..	..	..	..	..	..
45 to 50	10	..	2	1	2	..	1	2	1	..	..	..	..	1
50 to 55	8	..	..	1	1	1	1	3	1	..	..	..	..	..
55 to 60	4	..	..	..	..	..	2	..	1	1	..	..	..	..
60 to 65	2	..	..	..	..	..	1	..	..	..	..	..	..	1
65 to 70	3	..	..	1	1	..	..	..	..	..	..	1	..	..
Over 70.....	2	..	..	..	..	..	..	..	..	1	..	1	..	..
Unknown, ...	131	1	1	..	1	..	..	..	..	..	..	..	..	128

TABLE V.—DEATHS.

Exhibiting the number of each Sex in the several Counties, during each month of the year.

Months.	Sex.	Whole No.	Addison.	Bennington	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.
Jan.	M.	146	15	10	6	6	3	15	1	5	17	8	11	19	15	14
	F.	145	6	11	8	11	3	8	3	6	21	7	19	13	15	14
	U	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..
Feb.	M.	151	16	6	11	14	1	7	1	5	12	11	14	7	27	19
	F.	153	10	11	10	9	2	17	2	6	17	8	12	9	12	28
	U	2	..	..	..	1	..	..	..	..	..	..	..	..	..	1
March.	M.	196	15	8	10	19	1	12	2	5	14	9	22	24	26	29
	F.	199	17	17	17	12	1	17	..	3	16	12	18	17	22	30
	U.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
April.	M.	121	12	13	6	5	1	9	2	8	11	6	9	12	11	16
	F.	178	17	7	12	14	1	14	2	5	19	13	17	18	21	18
	U.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
May.	M.	137	7	13	9	3	..	10	2	2	13	5	19	19	21	21
	F.	153	12	14	14	11	1	12	1	4	15	8	13	20	9	19
	U.	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
June.	M.	142	7	10	10	5	4	18	2	6	17	10	17	15	12	9
	F.	132	5	7	11	9	..	13	3	3	14	3	18	15	10	19
	U	3	..	..	..	..	..	1	..	..	..	..	..	2	..	..
July.	M.	149	7	5	7	20	..	10	..	5	9	11	17	19	20	19
	F.	144	10	11	10	10	..	8	1	6	15	7	16	14	16	20
	U	2	..	..	..	..	..	..	..	..	1	..	..	1	..	..
August.	M.	192	9	7	11	28	1	18	4	4	19	7	29	22	17	16
	F.	188	12	11	7	14	4	13	3	9	20	6	25	19	14	31
	U	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..

TABLE V.—Continued.

Months	Sex.	Whole No.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Sept.	M.	179	10	15	10	16	..	9	..	7	15	6	24	22	19	29
	F.	175	10	8	10	19	1	13	..	10	18	5	29	12	13	27
	U.	3	..	..	..	..	..	..	..	1	..	..	1	1	..	..
Oct.	M.	141	15	17	6	10	..	7	..	5	12	7	22	10	11	19
	F.	177	14	12	9	6	..	14	..	7	26	4	24	17	10	34
	U.	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..
Nov.	M.	132	9	6	7	13	1	12	..	6	10	12	16	13	17	10
	F.	141	11	9	7	11	2	10	4	6	12	7	13	18	17	14
	U.		..	..	..	..	..	..	..	..	..	..	..	..	..	..
Dec.	M.	165	13	7	18	12	2	11	1	4	15	9	18	20	10	25
	F.	166	7	10	12	10	2	8	2	5	16	9	28	20	13	24
	U.	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..
Unk.	M.	16	..	3	..	4	..	..	..	..	1	2	5	..	1	..
	F.	27	1	2	..	8	..	4	..	1	4	4	2	..	1	..
	U.	2	..	..	..	1	..	..	..	..	..	1	..	..	..	..
Aggregate.	M.	1865	135	120	111	155	14	138	15	62	163	103	223	202	198	226
	F.	1980	132	132	127	144	17	151	21	71	213	93	234	194	173	278
	U.	16	..	..	..	2	..	2	..	2	1	1	1	6	..	1
	Tots.	3861	267	252	238	301	31	291	36	135	377	197	458	402	371	505
Nativity.	Am.	3232	241	226	202	237	22	244	30	116	324	157	352	354	314	413
	For.	175	11	13	10	26	..	20	2	2	13	16	32	19	4	7
	Unk.	454	15	13	26	38	9	27	4	17	40	24	74	29	52	85

TABLE VI.—DEATHS,

Exhibiting the number of each Sex, at different ages,

TOWNS.	POPULATION. Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
ADDISON.													
Addison,	1000	M.	512	2	1	..	..	..	..	..	..	..	..
		F.	488	..	..	..	..	..	..	..	..	..	1
Bridport,	1298	M.	618	..	..	..	..	..	1	..	1	..	..
		F.	680	..	..	..	..	..	..	2	1	..	..
Bristol	1355	M.	660	1	..	..	..	..	1	..	..	1	..
		F.	695	1	..	..	1	..	..	..	..	..	..
Cornwall,	977	M.	484	..	..	..	..	1	..	..	..	..	..
		F.	493	..	1	..	..	..	..	..	..	1	1
Ferrisburgh,	1738	M.	869	2	..	..	..	..	1	..	..	..	..
		F.	869	..	..	..	..	..	..	..	..	..	1
Goshen,	894	M.	208	1	..	..	..	..	..	..	..	..	..
		F.	186	..	..	..	..	..	..	..	..	..	..
Granville,	720	M.	384	..	..	..	..	..	2	1	..	..	..
		F.	336	..	..	1	1	..	1	..	..	..	1
Hancock,	448	M.	235	..	..	..	..	..	2	..	..	..	..
		F.	213	1	..	..	..	..	1	..	..	..	..
Leicester,	737	M.	282	2	..	..	..	..	..	..	..	..	1
		F.	355	..	..	1	..	..	..	..	..	..	..
Lincoln,	1070	M.	546	1	..	..	..	..	1	1	4	1	..
		F.	524	1	..	..	..	..	1	2	..	..	..
Middlebury,	2879	M.	1366	3	4	..	1	..	3	2	..	..	2
		F.	1513	1	1	1	3	..	..	2	..	2	3
Monkton,	1123	M.	568	2	..	..	..	..	2	1	..	..	..
		F.	555	2	..	..	..	..	..	..	1	1	..
New Haven,	1419	M.	712	2	..	1	..	..	..	..	..	..	..
		F.	707	..	1	1	..	1	..	..	..	..	..
Orwell,	1341	M.	692	1	1	..	..	..	..	..	..	1	..
		F.	649	1	..	..	1	..	..	..	1	1	..
Panton;	511	M.	257	2	..	..	..	..	..	..	..	..	1
		F.	254	..	..	..	..	..	..	..	..	..	..
Ripton,	570	M.	303	..	..	..	..	..	..	..	..	1	..
		F.	267	..	..	..	..	..	..	..	1	..	..

ACCORDING TO AGE.

in the several Towns and Counties during the year.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	Total. Males	Fem.	Unk.	Total.	Percentage.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	9	.58
..	2	..	..	..	..	..	..	1	..	1	1	..	..	..	..	6	..	..	1.23
..	..	1	..	1	1	..	..	..	1	..	1	..	..	..	7	..	..	14	1.13
..	..	1	..	1	..	1	1	..	..	..	..	..	..	..	..	7	..	..	1.03
..	2	..	..	..	..	..	2	..	..	..	..	..	..	1	8	..	..	16	1.21
1	..	1	..	..	..	2	1	..	..	..	..	..	..	1	..	8	..	..	1.15
..	..	..	..	..	2	2	..	..	1	..	..	..	..	..	6	..	..	11	1.23
..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	5	..	..	1.01
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	4	..	..	7	.46
..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	3	..	..	.34
..	..	..	..	..	..	..	..	..	2	1	..	..	..	..	4	..	..	6	1.91
1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	2	..	..	1.08
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	8	.78
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	5	..	..	1.48
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	4	.85
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	.93
..	..	..	..	1	..	..	..	1	..	..	2	..	..	..	7	..	..	10	2.44
1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	3	..	..	.84
..	..	..	1	..	1	2	..	1	..	..	..	..	..	..	13	..	..	19	2.38
1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	6	..	..	1.85
1	..	..	..	2	2	1	..	..	3	1	..	..	..	1	26	..	..	51	1.90
..	1	1	..	2	2	1	..	..	3	..	..	..	..	2	..	25	..	..	1.71
..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	6	..	..	15	1.05
..	..	..	..	1	..	2	..	1	..	..	1	..	..	..	..	9	..	..	1.62
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	4	..	..	9	.56
..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	5	..	..	.71
..	..	..	..	..	..	..	2	..	1	..	..	..	..	..	6	..	..	15	.82
..	..	2	..	1	..	1	..	..	..	..	..	1	..	..	..	9	..	..	1.37
..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	4	..	..	5	1.55
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	.39
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	2	..	..	5	.66
..	..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	3	..	..	1.12

TABLE VI.—Continued.

TOWNS.	POPULATION, Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20	20 to 25	25 to 30
Salisbury,	853	M.	438	..	..	..	1	..	..	..	..	..	1
		F.	415	..	..	1	..	..	..	..	..	..	..
Shoreham,	1382	M.	694	2	..	..	..	..	2	..	..	1	..
		F.	688	1	1	..	2	..	..	..	..	..	1
Starksboro,	1437	M.	733	..	..	1	..	..	..	1	..	..	..
		F.	704	..	..	..	1	1	..	1	..	..	..
Vergennes,	1286	M.	592	..	..	..	..	..	..	..	..	..	..
		F.	694	..	..	..	..	..	..	..	..	..	..
Waltham,	263	M.	134	1	..	..	..	..	..	..	..	..	..
		F.	129	..	..	..	..	..	..	..	..	1	1
Weybridge,	667	M.	329	..	..	..	..	..	..	..	..	1	..
		F.	338	1	..	..	..	..	..	..	..	..	..
Whiting,	542	M.	268	..	..	..	..	1	..	..	1	..	..
		F.	274	..	..	..	..	..	..	..	1	..	..
Aggregate,	.....	M.	11984	22	6	2	2	2	15	6	6	6	5
	.....	F.	12026	9	4	5	9	2	3	7	5	6	9
Totals,	.....	..	24010	31	10	7	11	4	18	13	11	12	14
BENNINGTON.													
Arlington,	1146	M.	550	..	1	3	..	..	2	..	..	..	..
		F.	596	1	2	1	..	..	3	..	..	..	1
Bennington,	4389	M.	2102	5	3	1	1	3	2	1	1	..	..
		F.	2287	6	1	1	2	..	2	2	3	2	2
Dorset,	2090	M.	1092	4	..	..	1	1	1	1	..	..	..
		F.	998	3	..	..	..	..	..	..	..	..	..
Glastenbury	47	M.	28	..	..	..	..	..	..	..	..	..	..
		F.	19	..	..	..	..	..	..	..	..	..	..
Landgrove,	320	M.	175	..	..	..	..	..	..	..	..	..	..
		F.	145	2	..	..	..	..	1	..	..	..	..
Manchester	1688	M.	818	5	1	..	..	..	1	..	..	1	..
		F.	870	..	2	1	..	..	..	1	2	1	1
Peru,	543	M.	294	..	..	..	..	..	..	..	..	..	..
		F.	249	..	..	..	..	..	..	..	..	..	..
Pownal,	1731	M.	889	1	1	..	..	..	..	..	..	..	..
		F.	842	4	..	..	..	..	..	..	..	..	..
Readsboro'	930	M.	487	..	..	1	..	1	..	..	..	..	..
		F.	443	1	1	..	..	..	..	..	..	..	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	6	.45
..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	4	..	..	.96
..	1	..	..	..	..	..	..	1	..	..	1	1	..	..	9	..	..	25	1.29
1	..	1	..	..	..	1	2	5	..	..	1	..	..	..	..	16	..	..	2.32
..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	4	..	..	11	.54
..	..	..	..	..	2	..	..	..	..	1	..	..	..	1	..	7	..	..	.99
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	3	.74
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1.55
..	2	..	..	..	..	3	1	..	1	..	2	..	..	..	10	..	..	12	3.04
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	2	..	..	.58
..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	4	..	..	6	1.45
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	2	..	..	.72
1	5	1	3	5	7	8	7	4	9	2	8	1	..	2	135	..	..	..	1.12
5	3	9	1	7	1	13	7	9	4	3	3	1	..	4	..	132	..	..	1.09
6	8	10	4	12	11	21	14	13	13	5	11	2	..	6	..	..	..	267	1.11
..	..	..	..	..	1	..	1	1	..	1	..	..	..	..	10	..	..	20	1.81
..	..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	10	..	..	1.67
2	1	..	..	3	2	5	4	..	..	1	..	..	..	1	36	..	..	76	1.70
1	2	1	2	2	1	..	2	3	2	2	1	..	..	..	..	40	..	..	1.74
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	9	..	..	14	.82
..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	5	..	..	.50
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	4	..	..	2.06
..	1	..	1	1	..	..	1	..	1	1	..	..	..	..	14	..	..	29	1.71
1	..	..	1	1	1	1	1	..	..	1	..	..	..	..	..	15	..	..	1.92
..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	2	..	..	3	.68
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	.40
1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	4	..	..	14	.45
..	2	1	..	..	..	1	..	..	..	1	..	..	..	1	..	10	..	..	1.17
..	1	..	..	..	1	..	..	..	..	1	..	..	..	2	7	..	..	13	1.43
..	1	..	..	..	..	..	..	..	2	..	1	..	..	..	..	6	..	..	1.33

TABLE VI.—Continued.

TOWNS.	Population. Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Bennington—Con.													
Rupert,	1103	M.	564	1	..	1	..	..	..	..	..	..	..
		F.	539	..	..	..	..	..	..	..	..	..	..
Sandgate,	805	M.	417	..	..	2	..	..	..	..	..	..	..
		F.	388	..	2	..	..	..	..	..	..	..	..
Searsburgh,	262	M.	140	..	..	..	..	..	..	..	..	..	..
		F.	122	..	..	..	..	..	..	..	..	..	..
Shaftsbury	1936	M.	1001	1	1	3	..	..	1	1	..	..	..
		F.	935	3	1	1	..	1	..	..	3	..	1
Stamford,	759	M.	414	..	1	..	..	..	1	..	..	..	..
		F.	445	..	..	..	..	..	2	..	1	1	..
Sunderland,	567	M.	284	..	..	..	..	..	..	..	..	..	..
		F.	283	..	..	..	..	..	..	..	..	..	..
Woodford,	379	M.	201	2	..	..	..	..	..	..	1	..	..
		F.	178	..	..	..	..	..	..	..	..	2	..
Winhall,	741	M.	389	..	..	..	..	..	..	..	..	..	..
		F.	352	..	..	..	..	..	..	..	1	..	..
Aggregate	.....	M.	9845	19	8	11	2	5	8	3	2	1	..
	.....	F.	9541	20	9	4	2	1	8	3	10	6	5
Totals,	.....	..	19436	39	17	15	4	6	16	6	12	7	5
CALEDONIA.													
Barnet,	1994	M.	986	3	..	..	..	..	..	1	..	3	..
		F.	1008	3	1	..	..	..	..	..	..	1	..
Burke,	1138	M.	560	1	..	1	..	..	..	..	1	..	1
		F.	578	1	1	..	1	..	..	..	1	2	2
Danville,	2544	M.	1232	2	1	..	..	..	1	..	..	2	1
		F.	1312	1	..	..	..	..	..	..	3	1	3
Groton,	939	M.	478	..	..	1	..	..	1	..	..	..	..
		F.	461	..	..	..	..	..	..	..	..	..	..
Hardwick,	1369	M.	674	..	..	..	..	..	1	..	1	..	1
		F.	695	..	..	..	..	..	1	..	2	..	1
Kirby,	473	M.	234	..	..	..	..	..	..	..	..	..	..
		F.	239	..	..	..	..	..	..	..	..	..	..
Lyndon,	1695	M.	868	..	1	..	..	..	..	..	..	1	2
		F.	827	2	..	..	1	..	..	..	..	2	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	..	..	..	..	1	..	..	2	1	..	..	..	..	6	..	..	9	1.06
..	..	..	1	..	..	1	..	..	..	1	..	..	..	..	..	3	..	..	.55
..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	3	..	..	5	.72
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	.51
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	1	..	..	2	2	1	1	1	1	..	..	..	16	..	..	34	1.58
1	..	1	1	..	..	..	1	..	1	1	1	..	..	1	..	18	..	..	1.91
..	..	..	..	..	1	..	..	..	..	1	..	..	..	..	4	..	..	11	.94
..	..	..	..	..	..	..	..	2	..	..	..	..	..	1	..	7	..	..	2.02
..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	2	..	..	4	.70
..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	2	..	..	.70
..	..	1	..	..	..	1	..	..	..	..	..	..	..	1	6	..	..	12	2.98
..	..	..	..	..	1	..	..	1	2	..	..	..	..	..	..	6	..	..	3.39
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	4	.26
..	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..	3	..	..	.85
3	3	1	2	4	6	9	9	2	5	8	3	..	..	6	120	..	..	..	1.22
4	5	5	5	3	4	3	5	8	8	6	4	1	..	3	..	132	..	..	1.38
7	8	6	7	7	10	12	14	10	13	14	7	1	..	9	..	..	..	252	1.29
..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	9	..	..	16	.91
..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	7	..	..	.69
..	..	..	..	..	1	..	..	1	..	2	..	..	..	..	8	..	..	18	1.43
..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	..	10	..	..	1.73
..	..	..	..	..	1	..	1	1	1	2	1	..	..	..	14	..	..	28	1.12
..	..	..	1	1	..	1	..	..	1	1	1	..	..	..	..	14	..	..	1.06
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	3	..	..	6	.63
..	..	..	..	..	1	1	1	..	..	..	..	..	..	..	..	3	..	..	.65
..	..	..	..	..	..	1	2	..	2	..	1	..	..	..	9	..	..	17	1.33
1	..	..	..	1	..	..	..	..	..	..	..	..	2	..	..	8	..	..	1.15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
..	..	..	..	..	1	1	1	..	..	..	..	..	..	..	..	3	..	..	1.25
..	1	1	..	..	1	1	..	1	..	..	..	..	..	..	9	..	..	20	1.03
..	..	..	..	1	..	2	2	..	..	1	..	..	..	..	..	11	..	..	1.33

TABLE VI.—Continued.

TOWNS.	POPULATION, Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20	20 to 25	25 to 30
Caledonia—Con.													
Newark,	567	M.	304	..	..	..	..	..	..	..	..	..	..
		F.	263	..	..	..	..	..	..	..	..	..	..
Peacham,	1247	M.	597	4	..	..	..	..	..	..	..	..	..
		F.	650	2	..	..	..	..	..	..	1	..	..
Ryegate	1098	M.	553	..	..	..	..	..	..	1	2	1	..
		F.	545	2	1	..	..	..	..	..	..	..	..
St. Johnsbury,	3469	M.	1705	3	1	..	..	..	..	..	1	1	..
		F.	1764	3	2	..	..	..	3	..	1	..	1
Sheffield,	836	M.	420	..	..	..	..	..	1	..	..	1	..
		F.	416	..	..	..	..	..	1	..	..	..	..
Sutton,	987	M.	525	..	..	..	..	..	..	..	..	..	1
		F.	462	1	..	..	..	..	..	1	1	..	..
Walden,	1099	M.	576	..	..	..	..	1	..	..	..	2	..
		F.	523	1	..	..	..	..	1	..	1	1	1
Waterford,	1171	M.	592	..	..	..	..	..	1	1	1	..	..
		F.	579	1	..	..	1	..	..	1	..	1	..
Wheelock,	832	M.	439	..	..	..	..	..	..	..	..	..	..
		F.	393	1	..	..	..	..	1	..	1	1	..
Aggregate	.....	M.	10878	13	3	2	..	1	5	3	6	11	6
	.....	F.	10830	18	5	..	3	..	7	2	11	9	8
Totals	.....	..	21708	31	8	2	3	1	12	5	17	20	14
CHITTENDEN.													
Bolton,	645	M.	322	1	..	..	..	..	..	..	..	..	..
		F.	323	..	1	..	..	..	1	..	..	..	..
Burlington,	7723	M.	3789	11	6	4	..	2	5	2	3	2	1
		F.	3934	4	5	4	2	..	1	5	2	..	..
Charlotte,	1589	M.	777	..	2	1	1	1	3	..	1	..	..
		F.	812	1	..	1	1	..	2	1	..	..	..
Colchester,	3041	M.	1526	1	1	..	..	1	..	1	1	..	..
		F.	1515	1	..	..	2	..	1	..	2	..	..
Essex,	1906	M.	929	..	2	..	..	..	..	..	..	..	..
		F.	977	..	..	..	1	..	2	..	..	4	1
Hinesburgh,	1702	M.	874	3	1	..	1	..	..	..	..	..	..
		F.	828	1	..	1	..	..	1	1	..	1	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 44	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95	95 & over.	Unknown.	Total Males.	Total Fem.	Total Unk.	Total Total.	Percent'e.
..	..	..	..	1	..	..	..	1	1	..	..	..	..	..	3	..	..	4	.98
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	.38
..	..	..	..	1	..	..	1	..	..	..	..	..	..	..	6	..	..	12	1.91
..	..	..	1	..	..	1	..	..	..	..	1	..	..	..	..	6	..	..	.92
..	..	..	..	..	..	..	..	..	..	2	..	..	..	..	6	..	..	14	1.08
..	..	2	..	..	..	1	..	..	..	..	2	..	..	..	..	8	..	..	1.42
..	1	..	..	..	1	1	..	4	..	1	1	..	..	..	15	..	..	35	.88
..	..	1	..	..	1	..	1	3	..	..	2	..	..	2	..	20	..	..	1.13
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	3	..	..	9	.71
..	..	..	1	..	1	1	..	..	1	..	1	..	..	..	..	6	..	..	1.44
1	1	..	..	..	..	2	1	..	..	1	..	1	..	..	8	..	..	14	1.52
..	..	..	..	1	..	..	..	1	..	..	.	1	..	..	..	6	..	..	1.28
1	..	..	..	..	..	..	..	1	1	.	..	..	..	..	6	..	..	14	1.04
..	1	..	..	..	..	..	1	1	..	.	..	..	..	..	..	8	..	..	1.53
..	..	..	1	..	..	2	..	..	1	..	1	..	..	..	8	..	..	16	1.38
..	..	..	..	..	..	..	..	..	3	1	..	..	..	..	..	8	..	..	1.35
..	..	1	..	..	1	..	..	1	..	1	..	..	..	..	4	..	..	12	.91
..	..	..	..	..	..	..	..	1	..	2	1	..	..	..	..	8	..	..	2.38
2	3	3	2	2	6	7	5	10	7	9	4	1	..	..	111	..	..	..	1.02
1	1	3	4	5	4	9	6	6	5	5	8	2	2	3	..	127	..	..	1.17
3	4	6	6	7	10	16	11	16	12	14	12	3	2	3	..	..	..	238	1.09
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	5	.31
..	..	..	..	..	..	1	..	1	..	..	..	..	..	..	..	4	..	..	1.23
2	1	1	..	2	..	3	2	..	2	..	..	..	..	..	49	..	..	88	1.29
3	..	..	..	1	1	4	..	1	1	..	2	3	..	..	..	39	..	..	.99
..	..	..	1	..	..	..	2	..	1	..	1	..	..	1	15	..	..	25	1.93
..	..	..	..	2	1	..	..	1	..	..	..	..	..	..	..	10	..	..	1.46
..	1	..	..	1	3	1	..	1	..	..	..	2	..	..	14	..	..	23	.91
1	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	9	..	..	.58
1	1	..	..	..	..	..	3	1	1	1	1	..	..	..	11	..	..	25	1.18
2	..	..	..	..	..	1	2	1	..	..	..	..	..	..	..	14	..	..	1.43
..	1	..	..	..	1	2	..	..	1	..	1	..	..	..	11	..	..	19	1.25
..	..	..	..	..	..	..	..	1	2	..	..	..	..	..	..	8	..	..	.96

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1	1 to 2	2 to 3	3 to 4	4 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
Chittenden—Con.													
Huntington,.....	862	M.	437	..	..	..	1	..	..	..	..	..	..
		F.	425	..	..	..	..	..	..	..	1	..	..
Jericho,.....	1669	M.	827	..	..	..	..	..	1	..	..	..	1
		F.	842	..	..	..	..	..	..	..	..	..	1
Milton,.....	1963	M.	973	..	..	1	..	..	..	..	..	..	..
		F.	990	2	..	..	..	..	..	1	1	1	..
Richmond,.....	1400	M.	696	..	1	..	..	..	..	1	1	..	..
		F.	704	1	..	1	..	1	..	..	..	1	..
St. George,.....	121	M.	61	..	..	..	..	..	..	..	..	..	..
		F.	60	1	..	..	..	..	..	..	..	..	..
Shelburne, ...	1178	M.	617	1	2	..	..	..	..	..	1	3	..
		F.	561	..	..	..	1	..	..	..	..	1	..
Underhill,.....	1637	M.	821	2	1	..	..	..	..	..	..	..	..
		F.	816	1	1	..	..	..	1	..	..	1	2
Westford, ...	1231	M.	618	1	..	..	..	..	..	..	1	1	1
		F.	613	..	..	..	..	..	..	..	2	..	..
		U.	561	1	..	..	..	..	..	..	..	..	..
Williston,.....	1479	M.	726	3	1	1	..	..	..	..	1	1	..
		F.	753	2	..	..	..	..	..	1	..	1	..
Aggregate.....		M.	14002	23	17	7	3	4	9	4	9	7	3
		F.	14169	14	7	7	7	1	9	9	8	10	4
		U.	....	1	..	..	..	..	..	..	..	..	..
Totals,.....	.....	..	.28171	38	34	14	10	5	18	13	17	17	7
ESSEX.													
Averill,.....	12	M.	5	—	—	—	—	—	—	—	—	—	—
		F.	7	—	—	—	—	—	—	—	—	—	—
Bloomfield,.....	320	M.	180	—	—	—	—	—	—	—	—	—	—
		F.	140	—	—	—	—	—	—	—	—	—	—
Brighton, ...	945	M.	490	—	—	—	—	—	—	—	—	—	—
		F.	455	—	—	—	—	—	—	—	—	—	—
Brunswick,.....	212	M.	123	—	—	—	—	—	—	—	—	—	—
		F.	89	—	—	—	—	—	—	—	—	—	—
Canaan,.....	408	M.	236	—	—	—	—	—	—	—	—	—	—
		F.	172	—	—	—	—	—	—	—	—	—	—
Concord,..... ...	1291	M.	687	1	1	..	..	..	..	..	..	2	1
		F.	601	1	1	..	1	..	..	..	1	2	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	3	.23
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	2	..	..	.47
1	..	..	1	..	..	..	1	..	1	1	..	..	..	..	7	..	..	18	.84
1	..	..	..	1	..	1	2	1	2	..	2	..	..	..	..	11	..	..	1.30
..	..	..	..	..	..	..	..	..	..	1	..	..	..	3	5	..	..	14	.50
1	..	..	..	..	..	..	..	..	..	..	1	..	..	2	..	9	..	..	.91
..	..	..	..	..	..	..	..	..	1	1	1	..	..	1	7	..	..	16	1.00
1	1	..	..	..	..	..	..	1	..	1	..	..	1	..	..	9	..	..	1.29
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	2	..	..	3.33
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	8	..	..	12	1.29
..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	4	..	..	.71
..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	4	..	..	11	.48
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	7	..	..	.85
..	..	..	..	1	..	..	..	..	..	..	1	..	..	4	10	..	..	21	1.61
..	..	..	1	..	..	..	1	1	..	..	1	..	..	3	..	9	..	..	1.46
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	..	..
..	..	..	..	..	1	..	1	1	1	1	..	..	..	..	12	..	..	19	1.65
..	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	7	..	..	.92
4	4	1	2	4	5	6	9	4	9	5	5	2	..	9	155	..	..	..	1.10
9	3	1	1	4	2	9	7	9	6	1	6	3	1	6	..	144	..	..	1.01
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	..	..
13	7	2	3	8	7	15	16	13	15	6	11	5	1	16	..	..	..	301	1.06
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
..	..	..	..	..	1	..	..	2	..	1	..	..	..	..	9	..	..	17	1.31
..	..	..	..	..	..	..	..	..	1	..	1	..	..	..	..	8	..	..	1.33

TABLE VI.—Continued.

TOWNS.	Population. Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Essex—Con.													
East Haven,.....	136	M.	75	..	..	..	..	..	..	..	..	..	..
		F.	61	..	..	..	..	..	..	..	..	..	..
Ferdinand.....	34	M.	29	—	—	—	—	—	—	—	—	—	—
		F.	5	—	—	—	—	—	—	—	—	—	—
Granby,.....	132	M.	66	—	—	—	—	—	—	—	—	—	—
		F.	66	—	—	—	—	—	—	—	—	—	—
Guildhall,.....	525	M.	281	—	—	—	—	—	—	—	—	—	—
		F.	271	—	—	—	—	—	—	—	—	—	—
Lemington,.....	207	M.	99	—	—	—	—	—	—	—	—	—	—
		F.	108	—	—	—	—	—	—	—	—	—	—
Lunenburgh,.....	1034	M.	534	..	..	..	..	..	..	..	..	..	..
		F.	500	1	..	..	..	..	..	..	1	..	1
Maidstone, ...	259	M.	145	1	..	..	..	..	..	..	..	..	..
		F.	114	..	..	..	..	..	..	..	..	..	..
Norton,.....	32	M.	25	—	—	—	—	—	—	—	—	—	—
		F.	7	—	—	—	—	—	—	—	—	—	—
Victory,.....	212	M.	110	..	..	..	..	..	..	..	..	..	..
		F.	99	1	..	..	..	..	..	..	..	..	..
Aggregate.....		M.	3088	2	1	..	..	..	..	..	..	2	1
		F.	2698	3	1	..	1	..	..	..	2	2	1
Totals, ...	.....	..	..5786	5	2	..	1	..	..	..	2	4	2
FRANKLIN.													
Bakersfield, ...	1451	M.	745	1	..	..	1	..	1	..	..	..	..
		F.	706	1	3	2	..	..	1	..	..	1	..
Berkshire,.....	1890	M.	955	1	2	..	..	..	..	..	..	1	1
		F.	935	..	..	..	..	..	2	..	2	..	..
Enosburgh,.....	2066	M.	1022	1	1	..	..	..	..	..	1	..	..
		F.	1044	..	..	..	..	..	..	..	..	3	..
Fairfax, ...	1988	M.	962	1	..	..	..	..	..	..	..	..	1
		F.	1026	1	..	1	..	..	1	1	1	..	1
Fairfield.....	2497	M.	1235	2	..	..	1	..	2	1	1	..	1
		F.	1262	1	2	..	1	1	1	..	..	2	..
Fletcher,.....	916	M.	452	1	1	1	..	..	..	2	..	2	..
		F.	464	2	..	..	..	..	..	..	..	..	2

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	Total. Males	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1.51
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	1	1.01
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	1	1	..	..	..	..	1	..	..	3	..	..	8	56
..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	5	..	..	1.00
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	.68
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	3.03
..	..	..	..	..	1	1	1	3	..	1	..	1	..	..	14	..	..	..	.45
2	..	1	..	1	..	..	..	..	1	1	1	..	..	..	..	17	..	..	.63
2	..	1	..	1	1	1	1	3	1	2	1	1	..	..	..	..	..	31	.53
..	..	..	..	..	..	..	1	..	1	..	..	..	..	2	7	..	..	18	.94
..	1	..	..	..	..	1	..	1	..	..	..	..	..	..	..	11	..	..	1.55
..	..	..	..	..	1	..	1	..	1	..	..	..	..	..	8	..	..	17	.83
..	..	..	..	..	..	1	2	..	..	1	1	..	..	..	..	9	..	..	.95
..	1	..	..	..	1	..	..	..	2	..	1	..	..	..	8	..	..	16	.78
1	..	1	..	..	2	..	1	..	..	..	..	..	..	..	..	8	..	..	.76
..	..	..	..	1	..	2	1	2	1	..	..	..	..	..	9	..	..	21	.93
1	..	..	1	2	..	..	..	1	..	1	..	..	..	..	..	12	..	..	1.17
1	1	2	3	..	..	..	1	..	..	..	1	1	1	..	19	..	..	33	1.54
1	..	..	2	1	..	..	..	..	1	1	..	..	..	..	..	14	..	..	1.11
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	8	..	..	16	1.77
..	..	..	..	..	1	1	..	1	1	..	..	..	..	..	..	8	..	..	1.72

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Franklin—COL													
Franklin, ...	1781	M.	904	..	..	..	..	..	..	..	..	..	..
		F.	877	1	..	..	2	..	..	..	1	..	1
Georgia, ...	1547	M.	770	..	..	..	..	..	1	1	1	2	..
		F.	777	2	..	..	1	..	1	..	..	..	1
Highgate, ...	2526	M.	1282	6	1	..	1	2	..	..	..	1	..
		F.	1244	..	1	1	..	..	..	..	1	3	2
Montgomery, ...	1262	M.	645	..	..	..	..	1	..	..	1	..	2
		F.	617	1	..	1	1	..	..	..	..	..	..
Richford,.....	1338	M.	672	1	1	..	..	..	..	..	..	..	..
		F.	666	..	..	..	..	..	..	..	..	..	..
Sheldon, ...	1655	M.	854	..	..	..	..	..	..	..	..	..	..
		F.	801	..	..	1	1	..	3	..	1	..	..
St. Albans,.....	3637	M.	1827	3	..	..	..	1	1	1	1	..	1
		F.	1810	5	3	..	2	1	..	..	2	1	2
Swanton,.....	2678	M.	1362	6	..	2	..	..	1	..	..	..	1
		F.	1316	5	1	..	..	..	1	..	2	1	1
		U.		2	..	..	..	..	..	..	..	..	..
Aggregate	.....	M.	13686	23	6	3	3	4	6	5	5	6	7
		F.	13545	19	10	6	8	2	10	1	10	11	10
		U.		2	..	..	..	..	..	..	..	..	..
Totals, ...	.....	..	27231	44	16	9	11	6	16	6	15	17	17
GRAND ISLE.													
Alburgh,.....	1793	M.	908	4	1	..	..	..	..	..	1	..	..
		F.	885	2	1	..	..	..	..	..	..	1	..
Grand Isle,.....	708	M.	352	1	1	..	..	..	..	..	..	..	..
		F.	356	..	1	1	..	..	..	..	..	..	1
Isle La Mott,....	564	M.	296	1	..	..	..	..	..	..	..	..	..
		F.	268	..	..	..	..	..	..	..	..	..	1
North Hero, ...	594	M.	302	..	..	..	..	..	..	2	..	..	..
		F.	292	1	..	..	..	..	..	..	..	1	..
South Hero, ...	617	M.	320	..	..	..	..	..	..	..	..	..	..
		F.	297	..	..	..	..	..	..	..	..	..	1
Aggregate.....	.....	M.	2178	6	2	..	..	..	..	2	1	..	..
		F.	2098	3	2	1	..	..	..	..	..	2	3
Totals, ...	.....		4276	9	4	1	..	..	..	2	1	2	3

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	2	..	..	8	.22
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	6	..	..	.68
..	..	..	..	1	..	.	..	2	..	..	..	1	..	..	9	..	..	19	1.17
2	1	..	..	..	..	..	1	..	..	1	..	..	..	..	..	10	..	..	1.28
..	..	1	..	..	..	2	1	3	..	..	..	..	..	..	18	..	..	31	1.40
..	..	..	1	..	..	..	2	..	..	..	..	..	..	2	..	13	..	..	1.04
..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	6	..	..	9	.93
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	.48
..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	4	..	..	6	.59
..	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	2	..	..	.30
2	1	..	..	1	1	1	1	1	1	..	..	..	..	..	9	..	..	23	1.05
..	2	..	..	..	1	..	..	2	..	..	..	2	..	1	..	14	..	..	1.74
..	..	..	..	..	..	2	2	1	..	..	..	..	..	..	13	..	..	36	.71
1	..	3	..	..	..	..	2	1	..	..	..	..	..	..	..	23	..	..	1.27
..	1	1	1	1	..	..	..	..	..	1	2	1	..	..	18	..	..	38	1.32
..	1	1	1	1	1	..	..	..	1	1	..	..	..	..	..	18	..	..	1.32
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..
3	6	4	5	4	4	7	9	9	8	1	4	3	1	2	138	..	..	..	1.01
6	6	5	5	5	5	3	8	6	4	5	1	2	..	3	..	151	..	..	1.11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..
9	12	9	10	9	9	10	17	15	12	6	5	5	1	5	..	..	..	191	1.06
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..	..	14	.66
..	1	..	..	..	..	2	..	..	1	..	..	..	..	..	..	8	..	..	.90
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	4	..	..	9	1.10
..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	5	..	..	1.40
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	3	.34
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	2	..	..	.74
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	3	..	..	7	.99
..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	4	..	..	1.36
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	1	..	..	3	.31
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	2	..	..	.67
..	..	..	..	..	1	1	1	1	..	..	..	..	..	..	15	..	..	..	.68
..	1	..	..	1	..	2	..	1	1	2	1	..	..	1	..	21	..	..	1.00
..	1	..	..	1	1	3	1	2	1	2	1	..	..	1	..	..	..	36	.84

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1	1 to 2	2 to 3	3 to 4	4 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
LAMOILLE.													
Belvidere,	366	M.	191	..	..	..	..	..	..	..	..	..	..
		F.	175	1	..	..	..	..	..	1	..	..	..
Cambridge,	1784	M.	892	2	..	..	..	..	..	1	..	..	..
		F.	892	1	1	..	..	..	..	..	..	..	..
Eden,	919	M.	483	..	..	..	..	..	..	..	2	2	..
		F.	436	1	1	..	..	..	1	..	2	..	1
Elmore,	602	M.	306	..	1	..	..	..	..	..	..	..	..
		F.	296	..	1	..	..	..	..	..	..	..	1
Hyde Park,	1409	M.	720	1	..	..	..	..	..	..	..	..	..
		F.	689	1	..	..	..	..	..	..	1	4	1
Johnson,	1525	M.	772	..	..	..	..	1	2	..	..	1	1
		F.	754	1	1	..	1	..	..	..	1	..	..
		U.	..	1	..	..	..	..	..	..	..	..	..
Morristown,	1751	M.	877	..	..	1	..	..	..	..	..	..	1
		F.	874	2	..	..	..	..	..	..	..	1	2
Stowe,	2046	M.	1010	2	1	..	..	..	..	..	..	..	..
		F.	1036	..	..	..	..	..	..	..	..	2	1
		U.	..	1	..	..	..	..	..	..	..	..	..
Waterville,	747	M.	348	1	..	..	..	..	..	..	..	2	..
		F.	399	..	..	..	..	..	..	..	2	..	..
Wolcott,	1161	M.	602	1	..	..	..	..	..	1	1	..	1
		F.	559	1	2	..	..	..	..	..	2	..	..
Aggregate	..	..	6201	7	2	1	..	1	2	2	3	5	3
			6110	8	6	..	1	..	1	1	8	7	6
				2	..	..	..	..	..	..	..	..	..
Totals,	..	..	12311	17	8	1	1	1	3	3	11	12	9
ORANGE.													
Bradford,	1689	M.	816	2	..	..	..	..	..	..	..	2	1
		F.	873	3	1	..	..	..	1	..	..	..	1
Braintree,	1228	M.	629	1	..	1	..	..	..	..	..	..	..
		F.	599	1	..	1	1	..	..	..	..	1	..
Brookfield,	1521	M.	751	..	..	..	..	..	..	..	..	1	..
		F.	770	2	1	..	..	..	..	..	..	..	..
		U.	..	1	..	..	..	..	..	..	..	..	..
Chelsea,	1757	M.	842	1	..	..	..	..	1	..	1	..	..
		F.	915	2	1	..	..	..	..	2	..	2	2

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50	50 to 55.	55 to 60.	60 to 65	65 to 70	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	* Total. Males.	Fem.	Unk.	Total.	Percentage.
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	1.14
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	4	..	..	10	.45
..	1	..	..	1	..	..	1	..	1	..	..	..	..	..	..	6	..	..	.67
..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	6	..	..	13	1.22
..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	7	..	..	1.60
..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	3	..	..	6	.98
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	3	..	..	1.01
..	..	..	1	..	1	1	..	1	1	..	..	..	..	..	6	..	..	15	.83
1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	9	..	..	1.60
..	..	1	..	..	..	..	2	1	..	..	1	..	..	..	10	..	..	18	1.29
..	..	..	..	..	..	..	1	1	1	..	..	..	..	..	..	7	..	..	.92
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
..	..	..	..	..	1	..	..	4	2	1	..	1	..	..	11	..	..	24	1.25
..	..	1	1	..	..	1	1	1	1	..	..	1	..	1	..	13	..	..	1.48
..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	5	..	..	15	.49
1	1	..	1	..	..	1	1	..	..	..	..	1	..	..	..	9	..	..	.87
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	5	..	..	10	1.43
..	..	..	..	..	..	..	1	1	..	1	..	..	..	..	..	5	..	..	1.25
1	..	1	..	1	..	1	2	..	1	..	1	..	..	..	12	..	..	22	1.97
..	..	..	..	1	..	..	1	1	1	1	..	..	..	..	..	10	..	..	1.78
1	..	2	2	1	3	2	6	6	5	1	4	2	..	1	62	..	..	..	.99
2	2	2	3	3	..	2	6	4	4	2	..	2	..	1	..	71	..	..	1.14
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..
3	2	4	5	4	3	4	12	10	9	3	4	4	—	2	..	..	..	135	1.09
1	..	..	..	1	..	..	1	..	..	..	..	..	..	..	8	..	..	28	.98
..	1	..	1	2	1	..	3	..	2	2	..	1	..	1	..	20	..	..	2.28
..	1	..	..	..	..	..	..	..	..	..	1	..	..	..	4	..	..	9	.63
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	5	..	..	.83
..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	3	..	..	15	.39
..	2	2	..	1	..	..	..	1	..	2	..	..	..	..	..	11	..	..	1.42
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
1	..	2	1	..	1	1	..	..	2	2	..	..	..	1	14	..	..	31	1.65
..	1	..	1	..	1	..	..	1	2	..	1	1	..	..	..	17	..	..	1.85

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Orange—Con.													
Corinth, ...	1627	M.	824	..	..	..	..	..	..	..	..	..	..
		F.	803	1	1	..	..	..	..	..	..	1	3
Fairlee,.....	549	M.	282	..	..	..	..	..	..	..	..	..	..
		F.	267	..	..	..	..	..	..	1	..	1	..
Newbury, ...	2549	M.	1221	3	..	..	..	..	1	..	1	1	1
		F.	1328	3	..	2	..	..	3	..	1	..	..
Orange, ...	936	M.	488	..	..	1	..	..	..	..	..	..	..
		F.	448	3	..	..	..	..	..	1	..	2	..
Randolph,.....	2502	M.	1255	3	..	..	..	1	..	..	..	1	1
		F.	1247	1	1	1	..	..	..	..	1	2	..
Strafford, ...	1506	M.	768	2	..	..	..	..	..	..	..	1	..
		F.	738	3	1	..	..	..	..	..	..	1	2
Thetford.....	1876	M.	935	4	..	1	1	1	..	..	1	..	..
		F.	941	3	..	..	..	..	1	1	1	1	..
Topsham, ...	1662	M.	833	2	..	1	..	..	..	..	1	1	1
		F.	829	..	1	..	..	..	..	..	4	1	1
Tunbridge, ...	1546	M.	814	..	..	1	1	..	..	..	1	..	2
		F.	732	..	1	..	1	..	..	..	1	..	2
Vershire, ...	1454	M.	565	..	..	..	..	..	..	..	1	..	1
		F.	489	..	..	..	..	..	..	..	..	1	..
Washington,.	1249	M.	634	..	1	..	..	..	..	..	2	1	..
		F.	615	1	..	..	1	..	1	2	1	..	..
West Fairlee,....	830	M.	425	..	1	..	..	..	..	..	2	1	1
		F.	405	..	..	1	..	..	..	1	1	..	1
Williamstown, ...	1382	M.	689	1	..	..	..	1	1	2	1	2	1
		F.	693	1	..	..	..	..	1	..	..	..	..
Aggregate.....	.....	M.	12766	19	2	5	2	3	3	2	11	11	9
		F.	12689	24	8	5	3	..	7	8	10	13	12
		U.		1	..	..	..	..	..	..	..	..	..
Totals, ...	.....		25455	44	10	10	5	3	10	10	21	24	21
ORLEANS.													
Albany, ...	1224	M.	627	..	..	..	..	..	..	..	2	1	..
		F.	597	..	..	..	..	..	..	..	1	..	..
Barton,.....	1590	M.	818	..	1	..	..	..	..	..	..	..	..
		F.	772	..	..	..	..	..	..	..	..	..	1

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 44	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95	95 & over.	Unknown.	Total Males.	Total Fem.	Total Unk.	Total Total.	Percent'e
..	..	2	..	1	..	1	..	..	1	..	2	..	1	..	8	..	..	24	.97
..	..	..	1	1	3	..	1	..	1	..	2	..	1	..	..	16	..	..	1.99
..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	2	..	..	6	.71
1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	4	..	..	1.49
1	..	1	..	..	1	2	..	1	..	..	..	..	..	..	13	..	..	30	1.06
..	..	1	..	1	1	..	1	1	..	2	1	..	..	..	..	17	..	..	1.27
..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	3	..	..	12	.61
..	..	1	..	..	..	..	1	..	..	..	..	..	..	1	..	9	..	..	2.01
..	..	..	..	1	1	..	..	1	3	..	..	..	..	..	12	..	..	29	.95
1	..	1	1	1	..	1	1	..	..	2	..	1	..	2	..	17	..	..	1.36
1	1	..	2	..	..	1	..	..	1	1	..	..	..	..	10	..	..	21	1.30
..	..	..	..	..	1	..	..	2	..	..	1	..	..	..	..	11	..	..	1.49
2	..	1	..	1	..	1	3	..	4	1	3	..	..	..	24	..	..	43	2.56
..	..	1	..	1	2	1	1	1	2	2	1	..	..	..	..	19	..	..	2.02
..	..	..	..	..	1	..	..	..	..	1	1	..	..	..	9	..	..	26	1.08
..	..	1	..	..	2	..	2	2	1	1	1	..	..	..	..	17	..	..	2.05
..	..	..	..	..	2	..	..	5	..	1	1	..	..	..	14	..	..	27	1.72
..	..	..	1	1	..	2	..	..	..	1	2	1	..	..	..	13	..	..	1.76
..	..	1	..	1	..	1	..	..	1	..	1	..	..	..	7	..	..	11	1.24
..	..	1	1	..	..	..	1	..	..	..	..	..	..	..	..	4	..	..	.82
..	..	..	..	..	..	1	..	..	..	..	..	1	1	..	7	..	..	14	1.10
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	7	..	..	1.13
..	..	..	..	..	..	..	1	..	1	..	..	1	..	1	9	..	..	24	2.11
..	1	..	..	1	..	..	..	4	..	..	1	1	..	3	..	15	..	..	3.67
..	..	..	2	..	..	1	1	1	1	..	..	..	1	..	16	..	..	27	2.32
..	..	1	1	..	2	..	..	1	1	1	1	1	..	..	..	11	..	..	1.58
6	3	7	6	5	6	9	6	9	14	7	9	3	3	3	163	..	..	..	1.26
3	5	9	7	9	14	4	11	14	9	13	11	6	1	7	..	213	..	..	1.67
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
9	8	16	13	14	20	13	17	23	23	20	20	9	4	10	..	..	..	377	1.09
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	4	..	..	11	.63
..	1	1	..	1	..	..	..	..	2	1	..	..	..	..	..	7	..	..	1.18
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	3	.12
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	2	..	..	.25

TABLE VI.—Continued.

TOWNS.	POPULATION, Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20	20 to 25	25 to 30
Orleans—Con.													
Brownington.	757	M.	404	..	1	..	..	..	..	..	..	1	..
		F.	353	..	..	..	..	..	..	..	..	..	..
Charleston, ...	1160	M.	586	5	1	1	..	..	1	..	1	..	..
		F.	574	1	1	..	..	2	..	1	1	..	..
Coventry, ...	914	M.	442	..	1	..	..	..	..	..	1	..	1
		F.	472	1	1	..	..	..	..	1	2	1	1
Craftsbury,.....	1413	M.	681	1	..	..	..	..	1	..	1	1	..
		F.	732	..	..	..	1	..	..	..	1	1	..
Derby, ...	1910	M.	952	2	..	..	..	..	..	1	..	..	..
		F.	958	4	1	..	..	..	..	1	..	..	..
		U.		..	..	..	..	..	..	..	..	..	..
Glover, ...	1244	M.	631	..	..	..	..	..	3	..	..	1	..
		F.	613	1	..	..	..	..	..	..	1	..	1
Greensboro', ...	1065	M.	502	..	..	..	..	..	1	..	..	..	..
		F.	563	1	..	..	..	..	..	1	1	..	..
Holland, ...	748	M.	388	1	..	..	..	1	..	..	..	..	1
		F.	360	1	..	1	..	..	..	..	..	..	..
Irasburgh, ...	1131	M.	568	1	..	..	1	..	1	..	1	1	..
		F.	563	..	..	..	..	..	1	..	..	..	..
Jay, ...	474	M.	263	..	..	1	..	..	1	..	..	..	..
		F.	211	..	..	..	..	..	..	..	..	..	..
Lowell, ...	815	M.	435	..	1	1	..	1	..	1	..	2	..
		F.	378	2	1	..	1	..	1	..	..	..	..
Morgan, ...	548	M.	280	..	..	..	..	..	..	..	1	..	..
		F.	268	1	..	..	..	..	..	1	..	..	..
Newport, ...	1190	M.	608	..	..	..	..	..	..	..	..	..	..
		F.	582	..	..	..	..	..	..	..	1	..	..
Salem, ...	603	M.	306	..	..	..	..	..	..	..	..	..	..
		F.	297	..	..	..	..	..	..	..	..	..	..
Troy, ...	1248	M.	637	..	1	1	..	2	..	..	..	..	1
		F.	611	..	..	..	..	..	..	..	..	..	..
Westfield,.....	618	M.	321	2	..	..	1	..	..	..	..	..	..
		F.	297	..	1	..	..	..	..	..	..	..	1
Westmore, ...	324	M.	170	..	..	..	..	..	..	..	..	..	..
		F.	154	..	..	1	..	..	..	..	..	1	..
Aggregate	.....	M.	9627	12	6	4	2	4	8	2	7	7	3
		F.	9354	12	5	2	2	2	2	5	8	3	4
		U.	..	..	..	..	..	..	..	..	..	..	..
Totals.....	.....	..	18981	24	11	6	4	6	10	7	15	10	7

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage
..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	3	..	..	6	.74
..	..	..	..	1	1	..	..	1	..	..	..	..	..	..	..	3	..	..	.84
..	..	..	..	..	1	..	..	..	2	..	..	..	..	..	12	..	..	22	2.05
..	1	1	..	1	..	..	..	..	..	..	1	..	..	..	..	10	..	..	1.72
..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	5	..	..	15	1.13
..	1	1	..	..	..	..	..	..	1	..	..	..	..	..	..	10	..	..	2.11
..	..	..	..	1	1	1	..	..	..	..	..	..	..	..	7	..	..	13	1.02
1	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..	6	..	..	.82
..	..	1	1	..	..	..	..	1	..	4	1	..	..	..	11	..	..	22	1.15
1	..	..	..	1	..	..	..	1	..	1	..	..	..	..	..	11	..	..	1.15
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..
..	..	1	..	..	1	..	..	..	..	1	1	..	..	..	8	..	..	17	1.25
2	..	..	1	..	..	1	1	..	..	1	..	..	..	..	..	9	..	..	1.46
..	..	..	1	..	..	..	1	1	1	1	..	1	..	..	7	..	..	14	1.39
..	..	..	..	1	..	..	..	..	1	1	1	..	..	..	..	7	..	..	1.24
1	..	..	..	..	2	1	..	1	..	..	..	..	..	..	8	..	..	11	2.07
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	3	..	..	.83
..	..	..	..	..	..	3	..	..	..	..	..	..	..	..	8	..	..	11	1.41
..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..	3	..	..	.53
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	3	..	..	3	1.13
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	1	..	3	..	..	..	1	..	..	..	..	1	12	..	..	20	2.75
..	..	..	..	..	..	1	..	..	1	1	..	..	..	..	..	8	..	..	2.11
..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	2	..	..	6	.71
..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	4	..	..	1.49
..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	3	.16
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	2	..	..	.34
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	6	..	..	8	.94
1	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	2	..	..	.32
..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	5	..	..	9	1.55
..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..	4	..	..	1.34
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	..
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	3	..	..	1.94
1	..	2	4	1	9	5	2	5	5	6	6	1	..	1	103	..	..	..	1.07
5	4	4	1	8	3	4	1	3	5	6	4	..	..	..	..	93	..	..	.99
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..
6	4	6	5	9	12	9	3	8	10	12	10	1	..	2	..	..	..	197	1.03

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
RUTLAND.													
Benson,	1256	M.	609	3	..	..	..	..	2	..	1	..	..
		F.	647	..	1	..	..	..	..	..	1	..	2
Brandon,	3077	M.	1555	4	..	2	..	..	1	1	..	2	..
		F.	1522	..	..	..	..	..	2	..	2	..	1
		U.	..	..	..	..	..	..	..	..	..	..	..
Castleton,	2852	M.	1412	3	2	..	..	..	1	..	..	1	1
		F.	1440	7	1	1	1	..	1	..	4	1	2
Chittenden,	763	M.	391	1	..	..	..	..	..	..	..	..	..
		F.	372	1	..	..	..	..	..	..	..	..	..
Clarendon,	1236	M.	642	1	2	..	..	..	1	1	..	1	..
		F.	595	2	1	1	..	..	1	..	..	..	2
Danby,	1419	M.	732	..	..	2	1	1	..	..	..	..	..
		F.	687	..	1	..	..	..	..	..	2	..	..
Fairhaven,	1378	M.	717	1	..	..	1	..	..	1	..	..	..
		F.	661	..	..	1	..	..	3	1	..	1	..
Hubbardton,	606	M.	306	1	..	..	1	..	1	3	..	..	..
		F.	300	1	..	1	1	..	2	..	..	1	1
Ira,	422	M.	223	..	..	..	..	..	..	..	..	..	..
		F.	199	..	..	..	..	..	..	..	..	..	1
Mendon.	633	M.	341	..	..	..	..	..	..	..	..	..	..
		F.	292	..	..	..	..	..	..	..	..	1	..
Middletown,	711	M.	377	1	..	..	..	..	..	..	..	..	..
		F.	334	..	1	..	..	1	..	..	..	..	..
Mount Holly,	1522	M.	802	2	..	..	..	..	..	..	3	1	1
		F.	720	1	..	..	..	..	..	1	1	2	..
Mount Tabor,	358	M.	200	..	..	..	..	..	..	..	..	..	..
		F.	158	1	..	..	..	..	..	..	..	..	..
Pawlet,	1539	M.	780	1	..	..	..	..	..	..	..	..	..
		F.	759	..	..	..	..	..	..	..	..	..	..
Pittsfield,	493	M.	255	..	..	..	..	..	..	..	..	..	1
		F.	238	..	..	..	..	..	..	..	1	..	..
Pittsford,	1839	M.	922	1	1	..	1	..	..	..	1	1	..
		F.	917	1	..	..	1	..	1	..	..	..	1
Poultney,	2278	M.	1121	2	1	1	..	..	1	1	..	1	..
		F.	1157	1	..	1	..	..	..	..	..	1	..
Rutland,	7577	M.	3899	9	10	6	2	..	..	1	2	2	3
		F.	3678	12	5	3	3	1	1	..	3	..	2
Sherburne,	525	M.	283	..	..	..	..	..	..	..	..	..	..
		F.	242	..	2	..	..	..	..	..	..	..	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	7	..	..	20	1.15
..	..	1	..	..	1	1	..	2	..	3	1	..	..	..	..	13	..	..	2.01
1	..	..	2	1	..	2	..	..	..	..	..	..	1	2	19	..	..	37	1.22
1	2	1	..	2	..	2	2	..	2	..	..	..	..	..	..	17	..	..	1.11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	—
..	..	1	2	1	..	2	..	1	1	1	..	..	..	..	17	..	..	43	1.20
..	..	2	1	..	..	1	..	..	2	..	..	..	..	2	..	26	..	..	1.73
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	5	.25
..	2	..	1	..	..	..	..	..	..	..	..	..	..	..	..	4	..	..	1.08
..	..	..	..	..	1	..	..	..	2	1	1	..	..	..	11	..	..	21	1.71
1	..	..	1	..	..	..	1	..	..	..	..	..	..	..	..	10	..	..	1.67
1	..	1	1	..	1	..	1	..	..	..	..	..	..	..	9	..	..	14	1.20
..	..	..	..	..	..	..	..	1	..	..	..	1	..	..	..	5	..	..	.72
..	1	..	..	1	..	..	..	..	..	..	..	..	..	..	5	..	..	14	.69
1	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	9	..	..	1.34
1	..	..	..	..	..	1	..	..	1	..	..	1	..	..	10	..	..	20	3.26
..	..	..	..	..	..	..	..	..	1	..	2	..	..	..	..	10	..	..	3.33
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	2	..	..	1.00
..	..	..	..	..	..	..	1	..	1	..	..	..	..	..	2	..	..	5	.58
..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	3	..	..	1.03
..	..	..	..	..	..	..	1	..	1	1	..	..	..	1	5	..	..	7	1.32
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	.59
..	..	..	..	1	..	..	..	..	2	..	..	..	..	..	10	..	..	17	1.23
1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	7	..	..	.97
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	..	..	3	.50
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	2	..	..	1.26
1	..	..	..	..	..	..	..	1	..	..	..	..	..	..	3	..	..	6	.38
1	..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	3	..	..	.39
..	..	..	..	..	1	..	..	1	..	..	..	..	..	..	3	..	..	7	1.17
..	1	1	..	..	..	..	..	1	..	..	..	..	..	..	..	4	..	..	1.67
..	..	..	..	1	..	1	1	2	1	2	1	2	1	..	17	..	..	28	1.84
..	1	1	..	..	..	1	2	..	..	2	..	..	..	..	..	11	..	..	1.19
..	..	1	1	..	..	..	1	..	2	1	1	..	..	2	16	..	..	27	1.42
1	..	1	1	2	..	1	..	..	1	1	..	..	..	..	..	11	..	..	.95
3	1	4	..	1	3	1	2	2	1	1	1	1	..	2	58	..	..	104	1.48
3	1	2	..	1	..	2	1	..	3	1	..	..	..	2	..	46	..	..	1.25
..	..	..	..	..	..	..	..	..	1	1	..	1	..	..	3	..	..	7	1.06
..	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	4	..	..	1.65

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1	1 to 2	2 to 3	3 to 4	4 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
Rutland—Con.													
Shrewsbury, ...	1175	M.	590	2	..	1	..	..	..	..	..	..	1
		F.	585	1	1	1	..	..	..	..	..	1	..
Sudbury, ...	696	M.	352	..	..	..	..	..	..	..	..	..	..
		F.	344	..	..	..	..	..	..	..	..	..	..
Tinmouth,.....	620	M.	314	..	..	..	..	..	..	..	..	..	..
		F.	306	..	..	..	..	..	..	..	..	..	..
Wallingford,.....	1748	M.	906	2	1	1	..	..	1	1	..	1	..
		F.	844	3	..	..	..	..	2	2	1	3	1
Wells, ...	642	M.	320	..	..	..	..	..	..	..	1	..	..
		F.	322	1	..	..	..	1	1	..	1	1	..
West Haven,....	580	M.	297	1	1	..	..	..	..	..	..	..	..
		F.	283	..	..	..	..	..	..	..	..	..	..
Aggregate.....	.....	M.	18346	35	18	13	6	1	8	9	8	10	7
		F.	17600	32	13	9	6	3	14	4	16	12	13
		U.	..		..	..	..	..	..	..	..	..	..
Totals, ...	.....	..	35946	67	31	22	12	4	22	13	24	22	20
WASHINGTON.													
Barre,.....	1839	M.	926	2	1	..	2	..	..	2	..	1	2
		F.	913	1	..	3	..	..	1	..	..	2	..
Berlin.....	1545	M.	776	3	1	..	..	..	..	1	1	..	1
		F.	769	..	..	..	..	..	..	..	..	1	2
		U.	..	1	..	..	..	..	..	..	..	..	..
Cabot, ...	1518	M.	669	..	..	..	..	..	1	2	1	..	..
		F.	649	1	..	..	..	..	..	..	2	..	..
		U.	..	4	..	..	..	..	..	..	..	..	..
Calais, ...	1409	M.	724	3	..	1	1	..	..	..	2	..	2
		F.	685	..	..	..	..	..	..	..	1	1	..
Duxbury, ...	1000	M.	534	2	..	..	..	..	..	..	..	1	..
		F.	466	..	..	..	..	..	1	..	..	..	1
E. Montpelier....	1328	M.	693	1	..	1	..	..	1	1	..	2	..
		F.	635	1	..	..	1	..	..	..	..	1	2
Fayston, ...	800	M.	426	1	1	1	..	..	1	..	..	..	..
		F.	374	1	..	..	..	1	..	1	..	..	..
Marshfield, ...	1160	M.	595	..	..	..	..	..	..	..	..	..	..
		F.	565	2	..	..	..	..	..	..	..	1	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	Total. Males	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	..	..	..	1	1	..	..	..	1	..	..	..	..	7	..	..	16	1.19
2	1	..	..	1	..	..	..	..	..	..	1	..	..	..	..	9	..	..	1.02
..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	1	..	..	7	.28
..	..	..	..	..	..	2	..	2	1	1	..	..	..	..	..	6	..	..	1.68
1	2	1	1	..	2	..	1	..	..	..	..	..	..	..	11	..	..	30	1.21
..	..	..	..	2	..	..	..	1	..	..	..	..	..	..	..	19	..	..	2.25
..	..	..	..	..	..	1	..	..	..	1	..	..	..	..	3	..	..	12	.99
..	..	..	1	..	2	..	1	..	..	..	..	..	..	..	..	9	..	..	2.79
..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	4	..	..	.6	1.01
..	..	..	1	..	..	1	..	..	..	..	..	..	..	..	..	2	..	..	.70
7	2	7	7	6	10	10	10	7	13	11	4	5	2	7	223	..	..	..	1.21
12	10	12	8	8	4	11	10	7	10	8	7	1	..	4	..	234	..	..	1.33
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..
19	12	19	15	14	14	21	20	14	23	19	11	6	2	12	..	..	1	458	1.22
1	3	3	2	1	..	1	..	..	1	..	1	..	..	..	33	..	..	38	2.47
1	..	1	..	1	..	1	..	2	1	..	..	1	..	..	..	15	..	..	1.64
..	1	..	..	2	..	..	..	1	1	..	2	..	..	..	14	..	..	24	1.80
..	..	..	..	..	..	..	2	..	2	..	..	2	..	..	..	9	..	..	1.17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
2	1	1	..	..	1	..	1	1	2	2	..	2	..	..	17	..	..	33	2.54
1	2	1	..	..	..	..	..	..	1	3	1	..	..	..	..	12	..	..	1.85
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	..
..	..	..	..	..	..	1	2	1	..	..	..	..	..	..	13	..	..	23	1.79
..	..	..	1	..	1	1	1	2	1	..	..	..	1	..	..	10	..	..	1.46
..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	4	..	..	6	.75
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	.43
..	1	..	2	..	..	..	2	..	..	1	..	1	..	..	13	..	..	23	1.87
..	..	1	..	..	..	1	..	..	..	2	1	..	..	..	..	10	..	..	1.57
..	..	..	..	..	..	1	1	..	..	..	..	..	..	..	6	..	..	12	1.40
..	..	1	..	..	..	..	..	..	1	..	..	..	..	1	..	6	..	..	1.60
..	..	..	..	1	..	..	2	2	..	..	..	..	..	..	5	..	..	15	.84
..	1	1	..	..	1	..	2	1	..	1	..	..	..	..	..	10	..	..	1.77

TABLE VI.—Continued.

TOWNS.	Population. Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Wash'gton—Con.													
Middlesex, ...	1254	M.	633	1	..	..	..	..	..	..	..	1	1
		F.	621	1	..	..	..	..	..	..	..	..	..
Montpelier, ...	2411	M.	1182	8	2	1	1	..	..	1	..	..	..
		F.	1229	1	1	..	..	..	2	..	2	..	..
Moretown, ...	1310	M.	720	3	..	..	..	..	1	1	..	..	..
		F.	690	2	..	..	1	..	..	1	..	1	..
Northfield, ...	4329	M.	2179	11	4	..	..	1	3	1	1	2	1
		F.	2150	9	1	..	..	..	2	1	1	2	2
		U.	..	1	..	..	..	..	..	..	..	..	..
Plainfield, ...	822	M.	396	..	1	1	..	..	..	..	..	..	..
		F.	426	1	1	..	..	..	..	1	..	2	..
Roxbury, ...	1060	M.	560	1	..	1	..	..	..	..	1	1	1
		F.	500	2	..	..	1	..	3	3	1	1	..
Waitsfield, ...	1005	M.	506	2	1	..	..	..	1	1	..	..	1
		F.	499	..	1	..	..	..	..	1	..	..	2
Warren, ...	1041	M.	525	..	1	..	..	1	5	2	..	..	..
		F.	516	2	..	2	..	..	3	1	1	..	..
Waterbury, ...	2198	M.	1104	3	..	..	..	..	..	..	..	..	..
		F.	1094	2	..	..	..	..	1	..	..	1	1
Woodbury, ...	999	M.	530	..	..	..	..	..	..	..	..	..	..
		F.	469	..	..	..	..	..	..	..	..	..	..
Worcester, ...	684	M.	360	..	3	..	..	..	..	..	..	..	..
		F.	324	..	1	..	..	..	1	..	..	1	1
Aggregate.....	.....	M.	14038	41	15	6	4	2	13	12	7	8	8
		F.	13574	26	5	5	3	1	14	9	8	14	11
		U.	..	6	..	..	..	..	..	..	..	..	..
Totals, ...	.....	..	27612	73	20	11	7	3	27	21	15	22	19
WINDHAM.													
Athens, ...	382	M.	201	..	..	..	..	..	..	..	..	..	..
		F.	181	..	..	..	..	..	..	..	..	..	..
Brattleboro', ...	3855	M.	1849	4	5	1	..	..	1	1	..	..	2
		F.	2006	1	..	1	..	2	3	1	..	4	2
Brookline, ...	243	M.	123	2	..	..	..	..	..	1	..	..	..
		F.	120	..	..	..	..	..	..	..	..	..	..
Dover, ...	650	M.	321	..	..	..	..	..	..	..	..	..	..
		F.	229	..	..	..	..	..	..	..	..	..	1

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 44.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percent'e.
..	..	..	..	..	1	..	..	..	2	..	1	..	..	..	7	..	..	12	1.10
1	..	..	..	..	1	..	..	..	..	1	..	..	..	1	..	5	..	..	.80
..	..	1	..	..	..	..	..	1	..	..	1	..	..	..	16	..	..	24	1.34
..	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	8	..	..	.65
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..	..	..	.83
..	..	..	3	..	..	..	..	1	..	..	1	..	..	..	..	10	..	..	1.45
1	2	..	4	..	1	1	..	2	..	1	..	..	..	..	36	..	..	66	1.60
1	1	..	2	2	..	..	1	..	2	..	1	..	..	1	..	29	..	..	1.35
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
..	1	..	..	1	1	..	..	..	..	..	..	..	..	..	5	..	..	13	1.26
..	..	..	..	1	..	1	1	..	..	..	..	..	..	..	..	8	..	..	1.85
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	6	..	..	19	1.07
..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	13	..	..	2.60
..	..	..	..	..	..	..	..	..	2	..	..	..	..	..	8	..	..	16	1.58
1	..	1	..	..	..	..	..	..	1	1	..	..	..	..	..	8	..	..	1.60
..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	11	..	..	26	2.09
..	..	..	..	..	..	2	1	..	1	1	1	..	..	..	..	15	..	..	2.88
1	1	..	..	..	..	..	..	1	..	..	..	..	..	..	6	..	..	16	.54
1	1	..	..	..	..	1	..	..	..	1	..	..	..	1	..	10	..	..	.91
1	..	..	..	..	1	..	..	..	..	..	..	..	..	..	2	..	..	9	.37
..	..	..	..	..	..	1	1	1	1	1	1	1	..	..	..	7	..	..	1.47
..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	4	..	..	11	1.11
..	..	..	..	..	1	1	1	..	..	..	..	..	..	..	..	7	..	..	2.15
6	22	5	10	5	5	5	8	9	8	5	5	3	..	..	202	..	..	..	1.43
6	6	7	6	4	4	9	11	7	11	12	6	4	1	4	..	194	..	..	1.42
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..	..
12	18	12	16	9	9	14	19	16	19	17	11	7	1	4	..	..	..	402	1.45
1	..	..	..	..	1	..	..	..	..	..	1	..	1	..	4	..	..	6	1 94
..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..	2	..	..	1.10
..	..	3	..	..	2	..	1	3	..	..	1	1	..	..	25	..	..	55	1.35
2	1	..	1	1	..	2	2	4	1	2	..	..	..	..	..	30	..	..	1.44
..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	4	..	..	5	3.24
..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	1	..	..	.83
..	..	..	..	..	..	..	1	1	..	..	1	..	..	..	3	..	..	8	.93
..	..	1	..	..	..	..	..	1	..	..	1	1	..	..	..	5	..	..	2.18

TABLE VI.—Continued.

TOWNS.	Population, Whole number.	Sex.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20	20 to 25	25 to 30
Windham—Con													
Dummerston, ...	1021	M.	528	2	..	..	..	..	..	..	..	..	..
		F.	493	..	..	..	..	..	..	..	..	..	..
Grafton, ...	1154	M.	565	2	..	..	..	..	..	..	1	..	..
		F.	589	1	..	..	..	..	..	..	..	..	..
Guilford, ...	1291	M.	666	3	..	..	1	1	1	..	2	1	..
		F.	225	1	1	..	1	..	1	..	1	..	1
Halifax, ...	1126	M.	580	1	..	..	1	1	1	..	..	..	..
		F.	546	2	..	1	..	..	2	..	1	..	1
Jamaica,.....	1541	M.	791	4	1	..	..	..	..	..	1	..	..
		F.	750	..	..	..	..	..	..	..	..	..	..
Londonderry, ...	1367	M.	717	..	2	..	..	..	..	..	1	..	..
		F.	650	1	..	..	..	..	..	..	1	..	..
Marlboro', ...	741	M.	392	..	1	..	1	..	1	..	..	1	..
		F.	349	..	..	1	..	1	1	1	..	..	1
Newfane, ...	1192	M.	592	..	..	..	..	2	1	..	..	1	..
		F.	600	1	1	..	..	..	..	..	1	..	..
Putney, ...	1163	M.	577	..	..	..	..	..	..	..	1	1	1
		F.	586	2	1	..	..	..	..	1	..	1	..
Rockingham, ...	2904	M.	1421	..	..	..	1	1	1	1	..	2	1
		F.	1483	1	..	..	..	1	1	..	1	1	..
Somerset, ...	105	M.	52	..	..	..	..	..	..	..	..	..	..
		F.	53	..	..	..	..	..	..	..	..	..	..
Stratton,.....	366	M.	190	2	..	..	..	..	..	..	..	..	..
		F.	176	1	..	..	..	..	..	..	..	..	..
Townshend, ...	1376	M.	682	2	1	1	..	..	..	..	..	..	..
		F.	694	1	..	..	..	..	..	..	..	..	1
Vernon, ...	726	M.	379	1	1	1	..	..	..	..	..	1	..
		F.	346	..	..	..	1	..	..	..	..	..	..
Wardsboro', ...	1004	M.	506	1	..	..	..	..	..	..	..	1	..
		F.	498	..	..	..	..	..	..	..	..	..	1
Westminster, ...	1300	M.	655	3	..	1	..	..	..	..	..	..	..
		F.	645	1	..	..	..	..	1	..	..	1	2
Whitingham, ...	1372	M.	707	1	..	..	..	..	..	..	..	..	..
		F.	665	2	..	1	..	..	..	..	2	..	1
Wilmington, ...	1424	M.	760	1	..	2	..	..	2	..	..	..	1
		F.	664	2	1	..	..	..	..	..	3	..	..

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Fem.	Unk.	Total.	Percentage.
1	..	..	..	..	..	..	..	2	..	..	..	..	..	..	5	..	..	10	.94
..	..	..	..	..	..	..	3	1	..	1	..	..	..	..	..	5	..	..	1.01
..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	4	..	..	8	.70
..	..	..	..	..	2	..	..	..	..	1	..	..	..	..	..	4	..	..	.67
..	..	..	..	1	..	..	..	..	1	..	..	..	1	..	12	..	..	26	1.80
..	1	..	..	..	..	..	1	2	2	..	..	1	..	1	..	14	..	..	6.22
..	1	..	..	..	1	1	1	..	3	1	..	..	1	..	13	..	..	27	2.24
1	1	..	..	..	..	..	1	..	1	2	1	..	..	..	..	14	..	..	2.56
..	..	..	1	..	..	..	1	..	..	1	..	..	..	..	9	..	..	15	1.13
..	..	1	..	1	1	1	..	..	..	..	1	..	1	..	..	6	..	..	.80
..	..	..	..	..	3	..	..	..	1	..	..	..	..	..	7	..	..	13	.97
..	..	..	..	..	..	..	1	..	2	1	..	..	..	..	..	6	..	..	.92
..	..	..	..	..	..	1	..	1	..	1	1	..	..	..	8	..	..	17	2.04
1	..	..	..	1	1	..	..	..	..	1	..	..	..	..	..	9	..	..	2.57
..	..	..	..	1	1	..	1	3	1	1	1	..	..	..	13	..	..	22	2.19
..	1	..	..	..	2	..	..	..	..	2	1	..	..	..	..	9	..	..	1.50
..	..	2	..	..	2	1	1	..	..	..	1	..	..	..	10	..	..	19	1.75
..	..	2	..	..	..	1	..	..	..	..	..	..	1	..	..	9	..	..	1.53
1	..	..	..	..	1	..	..	1	..	1	..	..	1	..	12	..	..	21	.84
..	..	..	..	..	..	..	..	2	..	1	..	1	..	..	..	9	..	..	.60
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	1	..	..	..	..	..	..	..	..	1	..	..	4	..	..	5	2.10
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	.57
..	..	..	..	..	..	..	..	..	2	..	1	..	..	1	8	..	..	18	1.17
1	..	..	..	..	..	..	2	..	1	1	2	..	1	..	..	10	..	..	1.44
..	..	..	..	..	1	1	1	..	..	..	2	..	..	..	9	..	..	14	2.37
..	..	..	..	1	..	1	..	1	..	..	..	..	..	1	..	5	..	..	1.44
1	..	1	..	..	..	1	..	1	1	..	..	..	..	..	7	..	..	10	1.38
..	..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	3	..	..	.60
..	..	..	..	1	..	..	..	1	..	1	1	1	1	..	10	..	..	18	1.52
..	..	..	1	..	1	..	..	1	..	..	..	..	..	..	..	8	..	..	1.24
1	..	..	..	1	..	..	..	1	2	..	..	..	..	..	6	..	..	14	.84
2	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	..	..	1.20
1	1	..	..	..	1	..	2	..	3	1	..	..	..	3	18	..	..	31	2.36
1	2	..	..	..	1	1	1	1	..	..	..	..	..	..	..	13	..	..	1.95

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20	20 to 25	25 to 30
Windham—Con.													
Windham, ...	680	M.	340	1	1	..	1	..	..	1	..	..	..
		F.	340	..	..	..	..	..	..	..	..	..	..
Aggregate.....	.....	M.	13594	30	12	6	5	5	8	4	6	8	5
		F.	13388	17	4	4	2	4	9	3	10	7	12
Totals, ...	.....		26982	47	16	10	7	9	17	7	16	15	17
WINDSOR.													
Andover, ...	670	M.	343	1	..	..	..	..	..	..	..	..	..
		F.	327	..	..	..	..	..	..	1	..	..	..
Baltimore, ...	116	M.	62	1	..	..	..	..	..	1	..	..	..
		F.	54	..	..	..	..	..	..	..	..	..	..
Barnard,.....	1487	M.	745	..	..	..	..	..	1	1	..	..	..
		F.	742	..	..	..	..	..	..	..	..	..	..
Bethel, ...	1804	M.	921	2	2	..	1	..	..	..	..	..	..
		F.	883	..	..	1	..	1	4	..	1	2	..
Bridgewater, ...	1292	M.	653	..	1	3	..	..	..	1	..	1	1
		F.	639	..	1	..	..	..	..	..	..	..	..
Cavendish, ...	1509	M.	739	1	2	..	..	..	..	..	..	1	1
		F.	770	..	..	..	..	..	..	..	2	1	1
Chester, ...	2126	M.	1064	1	..	..	..	..	1	..	1	1	..
		F.	1062	3	1	1	1	..	..	2	2	..	2
Hartford, ...	2396	M.	1189	..	..	..	..	..	..	..	..	1	1
		F.	1207	..	1	..	..	..	..	..	1	1	1
Hartland, ...	1748	M.	885	1	1	..	1	..	..	1	..	..	..
		F.	863	..	..	1	..	1	1	1	2	1	..
Ludlow, ...	1568	M.	777	..	1	..	..	..	1	..	..	1	..
		F.	791	2	2	..	..	..	..	..	2	3	..
Norwich, ...	1759	M.	862	1	..	..	..	..	..	1	1	..	..
		F.	897	..	1	..	..	..	..	..	..	..	..
Plymouth, ...	1252	M.	698	..	..	1	..	..	..	..	..	1	..
		F.	554	3	..	..	..	..	..	..	1	2	1
Pomfret,.....	1376	M.	663	2	..	..	..	..	..	..	..	..	1
		F.	713	..	..	1	..	1	..	..	..	..	..
Reading, ...	1159	M.	569	3	1	..	..	..	..	..	..	..	..
		F.	590	1	..	..	..	..	..	..	..	2	..
Rochester, ...	1507	M.	778	2	..	1	..	1	1	..	1	..	..
		F.	729	2	..	..	..	2	..	1	3	2	1

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 44.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percent'e.
1	..	..	..	..	..	1	..	..	1	..	..	..	..	..	7	..	..	9	2.06
..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..	.58
7	2	6	2	4	13	6	9	14	15	7	11	4	5	4	198	..	..	..	1,45
8	7	4	2	5	8	6	11	16	8	12	6	3	3	2	..	173	..	..	1.29
15	9	10	4	9	21	12	20	30	23	19	17	7	8	6	..	..	..	371	1.33
..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	2	..	..	6	.58
..	1	..	..	1	..	..	..	..	1	..	..	..	..	..	..	4	..	..	1.22
..	..	..	..	..	..	..	1	..	2	..	..	..	..	..	5	..	..	5	8.06
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
..	..	..	1	..	..	..	1	..	..	..	..	..	..	..	4	..	..	6	.53
..	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	2	..	..	.27
..	..	..	..	..	..	1	1	1	2	..	1	..	..	..	11	..	..	29	1.19
1	2	..	1	..	1	..	..	..	1	1	..	..	2	..	..	18	..	..	2.04
..	1	..	..	1	..	..	1	1	..	..	..	..	..	..	11	..	..	16	1.67
..	..	..	..	..	..	1	..	..	..	1	1	1	..	..	..	5	..	..	.78
..	..	..	..	..	..	..	1	1	3	..	1	..	..	1	12	..	..	18	1.62
1	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	6	..	..	.78
..	..	..	2	1	1	..	..	1	2	1	..	..	..	..	12	..	..	34	1.12
1	..	..	1	1	2	..	..	..	..	1	2	..	2	..	..	22	..	..	2.07
..	..	1	..	..	1	1	1	..	..	..	..	..	..	3	9	..	..	19	.75
1	1	..	1	..	..	..	..	..	1	..	1	1	..	..	..	10	..	..	.82
..	1	..	..	1	..	..	..	..	1	1	2	1	..	..	11	..	..	29	1.23
1	2	..	2	..	1	..	..	1	..	1	1	1	..	1	..	18	..	..	2.08
2	..	..	..	1	1	3	..	..	2	..	1	1	..	..	14	..	..	35	1.80
1	1	..	2	1	..	1	2	3	1	..	..	..	..	..	..	21	..	..	2.64
1	..	..	1	3	..	..	2	..	1	..	..	1	..	..	12	..	..	23	1.39
2	..	1	..	..	..	1	..	1	2	2	..	1	..	..	..	11	..	..	1.22
..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	3	..	..	11	.43
1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	8	..	..	1.42
..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	4	..	..	8	.60
..	..	..	1	..	..	..	..	1	..	..	..	..	..	..	..	4	..	..	.56
..	..	..	..	..	..	1	1	1	..	..	1	..	..	1	9	..	..	14	1.58
1	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	5	..	..	.84
..	..	..	..	..	2	..	1	..	..	1	..	1	..	..	11	..	..	32	1.41
..	..	2	..	2	..	..	..	..	4	1	1	..	..	..	..	21	..	..	2.88

TABLE VI.—Continued.

TOWNS.	POPULATION. Whole number.	SEX.		Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.
Windsor—Con.													
Royalton, ...	1739	M.	895	2	..	..	..	..	..	..	1	..	..
		F.	844	1	..	..	..	..	..	2	1	..	..
Sharon, ...	1111	M.	562	1	..	..	..	..	1	..	1	1	4
		F.	549	5	..	..	..	..	..	..	1	2	..
Springfield, ...	2958	M.	1410	1	2	..	..	..	..	..	1	..	..
		F.	1548	2	..	..	..	1	..	..	..	1	1
Stockbridge, ...	1264	M.	622	..	1	..	..	..	..	..	..	..	1
		F.	642	..	..	1	..	..	..	..	1	1	..
Weathersfield, ...	1765	M.	846	1	..	1	..	..	..	..	..	1	..
		F.	919	..	..	..	..	..	..	1	1	..	1
Weston, ...	932	M.	476	1	..	..	..	..	..	..	..	..	..
		F.	456	2	..	1	..	..	1	..	..	..	1
West Windsor, ...	924	M.	481	1	1	..	..	..	1	..	..	..	..
		F.	443	..	..	..	..	..	..	..	1	..	..
Windsor, ...	1669	M.	857	..	1	..	..	1	..	..	1	..	..
		F.	812	1	..	..	..	..	..	..	1	1	1
		U.	..	..	1	..	..	..	..	..	..	..	..
Woodstock, ...	3062	M.	1457	2	1	1	1	1	3	..	4	..	2
		F.	1605	2	1	..	2	..	1	1	..	2	3
Aggregate.....	.....	M.	18554	24	14	7	3	3	9	5	11	8	11
		F.	18639	25	7	6	3	6	7	9	20	21	13
		U.	..	..	1	..	..	..	..	..	..	..	..
Totals, ...	.....		37193	49	22	13	6	9	16	14	31	29	24

TABLE VI.—Continued.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
..	..	1	..	..	1	2	..	2	2	..	..	1	..	..	12	..	..	25	1.34
1	1	1	..	1	1	..	1	..	2	..	..	1	..	..	..	13	..	..	1.54
..	1	1	..	1	..	..	..	..	..	1	..	..	..	1	13	..	..	25	2.31
..	..	..	..	..	..	..	..	..	..	..	..	..	..	4	..	12	..	..	2.18
1	1	..	..	..	..	..	1	..	1	3	1	..	..	..	12	..	..	27	.85
1	1	..	2	..	..	1	1	1	1	..	..	1	..	1	..	15	..	..	.87
..	..	..	..	..	..	..	2	..	..	..	..	..	..	..	4	..	..	10	.64
1	..	1	..	..	..	..	..	..	1	..	..	..	..	..	..	6	..	..	.93
..	..	..	..	..	..	1	..	1	..	1	..	..	..	..	6	..	..	14	.71
1	..	..	1	..	..	1	..	..	..	2	..	..	..	..	..	8	..	..	.88
1	..	..	..	1	1	..	1	..	..	..	..	..	..	..	5	..	..	13	1.05
..	..	..	..	..	..	..	..	..	..	2	..	1	..	..	..	8	..	..	1.75
..	..	1	..	..	..	..	2	2	..	..	1	..	..	..	9	..	..	19	1.85
1	1	..	1	..	1	1	..	1	1	2	..	..	..	..	..	10	..	..	2.25
1	1	1	..	1	1	..	1	1	..	..	..	..	..	..	10	..	..	..	1.16
..	1	4	..	4	1	1	..	4	..	1	..	1	..	..	..	21	..	..	2.58
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
1	..	1	1	1	1	1	1	1	2	..	..	..	..	..	25	..	..	55	1.71
3	1	2	1	..	..	..	2	1	4	3	..	..	..	..	..	30	..	..	1.86
7	5	6	5	12	9	11	19	12	18	8	8	5	..	6	226	..	..	..	1.21
18	12	11	14	10	8	7	7	13	19	18	6	8	4	6	..	278	..	..	1.49
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
25	17	17	19	22	17	18	26	25	37	26	14	13	4	12	..	..	..	505	1.35

TABLE VI.—RECAPITULATION.

COUNTIES.	POPULATION. Whole number.	SEX.		Under 1	1 to 2	2 to 3	3 to 4	4 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
Addison	24010	M.	11984	22	6	2	2	2	15	6	6	6	5
		F.	12026	9	4	5	9	2	3	7	5	6	9
		U.	..	..	..	..	..	..	..	..	..	..	..
Bennington	19436	M.	9845	19	8	11	2	5	8	3	2	1	..
		F.	9591	20	9	4	2	1	8	3	10	6	5
		U.	..	..	..	..	..	..	..	..	..	..	..
Caledonia	21708	M.	10878	13	3	2	..	1	5	3	6	11	6
		F.	10830	18	5	..	3	..	7	2	11	9	8
		U.	..	..	..	..	..	..	..	..	..	..	..
Chittenden	28171	M.	14002	23	17	7	3	4	9	4	9	7	3
		F.	14169	14	7	7	7	1	9	9	8	10	4
		U.	..	1	..	..	..	..	..	..	..	..	..
Essex	5786	M.	3088	2	1	..	..	..	..	..	..	2	1
		F.	2698	3	1	..	1	..	..	.	2	2	1
		U.	..	..	..	..	..	..	..	..	..	..	..
Franklin	27231	M.	13686	23	6	3	3	4	6	5	5	6	7
		F.	13545	19	10	6	8	2	10	1	10	11	10
		U.	..	2	..	..	..	..	..	..	..	..	..
Grand Isle	4276	M.	2178	6	2	..	..	..	..	2	1	..	..
		F.	2098	3	2	1	..	..	..	..	..	2	3
		U.	..	..	..	..	..	..	..	..	..	..	..
Lamoille	12311	M.	6201	7	2	1	..	1	2	2	3	5	3
		F.	6110	8	6	..	1	..	1	1	8	7	6
		U.	..	2	..	..	..	..	..	..	..	..	..
Orange	25455	M.	13766	19	2	5	2	3	3	2	11	11	9
		F.	12689	24	8	5	3	..	7	8	10	13	12
		U.	..	1	..	..	..	..	..	..	..	..	..
Orleans	18981	M.	9627	12	6	4	2	4	8	2	7	7	3
		F.	9354	12	5	2	2	2	2	5	8	3	4
		U.	..	..	..	..	..	..	..	..	..	..	..
Rutland	35946	M.	18346	35	18	13	6	1	8	9	8	10	7
		F.	17600	32	13	9	6	3	14	4	16	12	13
		U.	..	..	..	..	..	..	..	..	..	..	..
Washington	27612	M.	14038	41	15	6	4	2	13	12	7	8	8
		F.	13574	26	5	5	3	1	14	9	8	14	11
		U.	..	6	..	..	..	..	..	..	..	..	..
Windham	26982	M.	13594	30	12	6	5	5	8	4	6	8	5
		F.	13388	17	4	4	2	4	9	3	10	7	12
		U.	..	..	..	..	..	..	..	..	..	..	..

Table VI.—RECAPITULATION.

30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total.	Percentage.
1	5	1	3	5	7	8	7	4	9	2	8	1	..	2	135	..	..	267	1.12
5	3	9	1	7	4	13	7	9	4	3	3	1	..	4	..	132	..	..	1.09
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3	3	1	2	4	6	9	9	2	5	8	3	..	..	6	120	..	..	252	1.22
4	5	5	5	3	4	3	5	8	8	6	4	1	..	3	..	132	..	..	1.37
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
2	3	3	2	2	6	7	5	10	7	9	4	1	..	..	111	..	..	238	1.01
1	1	3	4	5	4	9	6	6	5	5	8	2	2	3	..	127	..	..	1.17
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
4	4	1	2	4	5	6	9	4	9	5	5	2	..	9	155	..	..	301	1.10
9	3	1	1	4	2	9	7	9	6	1	6	3	1	6	..	144	..	..	1.02
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	2	..	..
..	..	..	..	..	1	1	1	3	..	1	..	1	..	..	14	..	..	31	.45
2	..	1	..	1	..	..	..	..	1	1	1	..	..	..	..	17	..	..	.60
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
3	6	4	5	4	4	7	9	9	8	1	4	3	1	2	138	..	..	291	1.01
6	6	5	5	5	5	3	8	6	4	5	1	2	..	3	..	151	..	..	1.11
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..
..	..	..	..	..	1	1	1	1	..	..	..	..	..	..	15	..	..	36	.61
..	1	..	..	1	..	2	..	1	1	2	1	..	..	1	..	21	..	..	1.00
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
1	..	2	2	1	3	2	6	6	5	1	4	2	..	1	62	..	..	135	.99
2	2	2	3	3	..	2	6	4	4	2	..	2	..	1	..	71	..	..	1.16
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	2	..	..
6	3	7	6	5	6	9	6	9	14	7	9	3	3	3	163	..	..	377	1.27
3	5	9	7	9	14	4	11	14	9	13	11	6	1	7	..	213	..	..	1.68
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..
1	..	2	4	1	9	5	2	5	5	6	6	1	..	1	103	..	..	197	1.07
5	4	4	1	8	3	4	1	3	5	6	4	..	..	..	..	93	..	..	.99
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..
7	2	7	7	6	10	10	10	7	13	11	4	5	2	7	223	..	..	458	1.21
12	10	12	8	8	4	11	10	7	10	8	7	1	..	4	..	234	..	..	1.33
..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..
6	12	5	10	5	5	5	8	9	8	5	5	3	..	..	202	..	..	402	1.36
6	6	7	6	4	4	9	11	7	11	12	6	4	1	4	..	194	..	..	1.42
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	6	..	..
7	2	6	2	4	13	6	9	14	15	7	11	4	5	4	198	..	..	371	1.45
8	7	4	2	5	8	6	11	16	8	12	6	3	3	2	..	173	..	..	1.21
..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

TABLE VI.—RECAPITULATION—Continued.

COUNTIES.	POPULATION.			Under 1.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.
	Whole No.	SEX.												
Windsor .	37193	M.	18554	24	14	7	3	3	9	5	11	8	11	7
		F.	18639	25	7	6	3	6	7	9	20	21	13	18
		U.	..	..	1	..	..	..	..	..	..	..	..	..
Vt. Asylum		M.	..	..	..	..	..	..	..	..	..	1	2	..
		F.	..	..	..	..	..	..	..	..	..	1	2	2
Aggregate	.....	M.	158784	276	112	67	32	35	94	59	82	91	70	48
		F.	156312	230	86	54	50	22	91	61	126	124	113	83
		U.	..	12	1	..	..	..	..	..	..	..	..	..
Totals ...	....		315096	518	199	121	82	57	185	120	208	215	183	131

TABLE VI.—RECAPITULATION—Continued.

35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 & over.	Unknown.	Total. Males.	Total. Fem.	Total. Unk.	Total. Total	Percentage.
5	6	5	12	9	11	19	12	18	8	8	5	..	6	226	....	..	505	1.21
12	11	14	10	8	7	7	13	19	18	6	8	4	6	....	278	..	....	1.49
..	..	..	..	..	..	..	..	..	..	..	..	..	..	....	....	1	....	...
7	4	..	4	1	2	..	2	..	1	..	..	..	..	24	....	..	36	...
1	1	..	1	..	1	3	..	..	..	..	..	..	..	....	12	..	....	...
52	49	50	57	86	89	101	97	116	72	71	31	11	41	1889	....	..	....	1.19
66	74	57	74	60	83	93	103	95	94	64	33	12	44	....	1992	..	....	1.27
..	..	..	..	..	..	..	..	..	..	..	..	..	3	....	....	16	....	...
118	123	107	131	140	172	194	200	211	166	135	64	23	88	....	....	..	5897	1.23

TABLE VII.—CAUSES OF DEATH.

Exhibiting the number of deaths from different causes, (arranged alphabetically,) at various ages of each Sex, during the several months of the year.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
Male...	..	..	..	..	..	..	..	..	1	..	..	..	..	Abscess of Bowels.	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Female.	..	..	..	..	..	..	..	..	1	..	..	..	..	" Iliac,	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
Female.	..	1	..	..	..	..	..	..	..	..	..	..	..	" Leg,	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Female.	1	..	..	..	..	..	..	..	..	..	..	..	..	" Liver,	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..
Female.	1	1	..	..	..	..	..	..	..	..	..	..	..	" Lumbar,	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..	..
Female.	..	1	..	..	..	..	..	..	..	..	..	..	..	" Lung,	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..
Male...	..	..	..	..	..	..	..	..	..	1	..	..	..	" Neck,	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..
Male...	..	..	..	..	..	..	..	..	..	1	..	1	..	" Prost. Gland.	..	..	..	..	1	..	..	..	..	..	..	1	..	..	..	..
Female.	..	..	1	..	..	..	..	..	..	..	..	..	..	" Side,	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..
Male...	..	..	..	..	..	1	..	..	..	..	..	..	..	" Stomach,	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Males..	4	2	2	1	1	3	1	2	2	..	..	2	..	Apoplexy,	59	20	..	1	..	..	..	..	..	1	..	2	6	6	4	1
Females.	3	1	5	8	2	..	1	2	3	3	1	7	2	"	..	..	38	..	..	..	..	1	..	..	2	4	8	10	10	3
Unk'wn.	..	..	..	..	..	..	..	..	..	..	..	..	1	"	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1
Females.	..	..	..	..	1	..	1	..	..	..	..	..	..	Ascites,	3	..	3	..	..	..	..	..	..	..	..	..	1	1	1	..
Males..	1	..	1	..	2	..	..	..	1	..	1	..	..	Asthma,	8	6	..	..	..	..	..	..	..	..	1	1	..	3	1	..
Females.	..	..	2	..	..	..	..	..	..	..	..	..	..	"	..	..	2	..	..	..	..	..	..	..	..	..	..	..	1	1
Males..	..	..	..	1	..	..	..	..	1	..	..	..	..	Atrophy,	4	2	..	..	..	..	..	..	..	..	..	1	..	1	..	..

Females.	..	..	..	..	..	..	..	..	1	1	..	..	..	"	..	..	2	..	1	..	..	..	..	..	..	..	..	..	1	..
Female.	..	..	..	..	..	..	..	..	..	1	..	..	..	Bones, Disease of..	1	..	1	..	..	..	1	..	..	..	..	..	..	..	..	..
Males ..	1	..	1	..	..	..	..	5	..	1	..	1	1	Bowels, " " ..	13	10	..	..	8	..	..	..	..	..	1	..	..	..	1	..
Females.	..	..	..	..	..	..	..	3	..	..	..	..	..	" " " ..	..	..	3	..	2	..	..	..	..	..	1	..	..	..	..	..
Males ..	1	2	5	..	6	..	2	3	4	2	..	1	..	Brain, " " ..	49	26	..	..	9	3	..	4	2	2	1	2	2	1	..	..
Females.	2	..	1	3	2	2	3	4	2	1	1	2	..	" " " ..	..	..	23	..	14	1	..	..	2	2	..	1	1	1	1	..
Males...	1	..	..	1	..	..	1	1	1	..	..	1	..	Bronchitis, ...	15	6	..	..	..	..	..	..	..	..	..	2	3	1	..	..
Females.	..	2	3	..	..	..	..	..	1	..	..	3	..	"	..	..	9	..	3	..	..	..	..	1	3	..	..	1	1	..
Female.	..	..	..	..	..	..	..	..	1	..	..	..	..	Bronchocele, ...	1	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..
Males...	1	3	..	1	..	..	..	..	..	..	2	2	..	Burns and Scalds, .	23	9	..	..	6	..	..	1	..	..	..	..	2	..	..	..
Females.	1	4	1	..	1	..	3	..	2	1	..	1	..	" "	..	..	14	..	8	..	1	..	..	..	1	1	1	..	1	1
Female.	..	..	..	..	..	..	..	..	..	..	..	..	1	Cachexia, ...	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Male. ..	..	..	..	..	..	..	..	1	..	..	..	..	..	Calculi Biliary, ...	2	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..
Female.	..	..	..	..	..	..	..	..	..	1	..	..	..	" " ...	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..
Male...	..	1	..	..	..	..	..	..	..	..	..	..	..	" Urinary, ..	1	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..
Males ..	..	1	2	..	3	1	4	1	1	..	..	1	..	Cancer, ...	40	14	..	..	..	..	..	..	1	..	2	4	5	2	..	..
Females.	3	2	..	2	5	..	3	2	3	1	4	..	1	"	..	..	26	..	..	..	..	..	..	1	2	8	5	7	3	..
Females.	..	..	..	..	1	..	..	2	1	..	..	..	1	" of the Breast,	5	..	5	..	..	..	..	1	..	1	1	..	..	2	..	..
Males ..	..	..	..	..	..	1	1	1	..	..	1	1	..	" of the Face, ..	5	5	..	..	..	..	..	..	..	..	..	..	1	2	2	..
Male. ..	..	..	..	1	..	..	..	..	..	..	..	..	..	" of the Head, .	1	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Male. ..	..	..	..	..	..	..	1	..	..	..	..	..	..	" of Intestines . .	1	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..
Female.	..	..	..	..	..	..	..	..	..	1	..	..	..	" of Mes. Glands	1	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..
Male....	..	..	..	..	..	..	..	..	..	..	1	..	..	" in the Pelvis, .	1	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..
Males...	1	..	..	..	..	1	..	..	..	..	..	..	..	" in the side, ...	3	2	..	..	..	..	..	..	..	1	..	..	..	1	..	..
Female.	..	..	..	..	..	..	..	..	..	..	..	1	..	" " " ...	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..
Males...	1	1	.	1	1	..	..	1	1	..	..	..	..	" of theStomach	19	6	..	..	..	..	..	..	..	..	1	1	2	1	1	..
Females.	1	2	4	..	..	..	1	1	1	..	3	..	..	" " "	..	..	13	..	..	..	..	..	..	..	2	5	3	2	1	..
Male....	..	..	..	..	1	..	..	..	..	..	..	..	..	" of the Throat,	1	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..
Male....	..	..	..	..	..	..	..	..	..	..	1	..	..	" of the Tongue,	1	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..

TABLE VII.—Continued.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
Females.	..	..	..	1	1	1	3	..	..	..	..	1	..	Cancer of the Uterus	7	..	7	..	..	..	..	..	..	..	2	1	3	1	..	..
Males...	..	..	..	..	..	..	1	1	2	..	..	1	..	Canker,	11	5	..	..	5	..	..	..	..	..	..	..	..	..	..	..
Females.	1	1	..	1	..	..	..	2	..	1	..	..	..	"	..	..	6	..	6	..	..	..	..	..	..	..	..	..	..	..
Males...	2	5	3	4	4	7	2	2	3	2	1	1	1	Casualty,	49	37	..	..	2	..	1	3	6	3	5	3	6	3	4	1
Females.	3	1	3	3	..	1	..	..	1	..	..	..	..	"	..	..	12	..	2	3	..	..	2	1	1	1	2	..	..	..
Male...	..	..	..	..	..	..	1	..	..	..	..	..	..	Catalepsy,	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Female..	..	..	..	..	..	..	..	..	..	1	..	..	..	Catarrh,	1	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..
Males...	1	..	3	3	..	2	3	1	3	3	1	5	..	Cephalitis,	63	25	..	..	14	1	1	4	2	1	..	2	..	..	..	..
Females.	1	3	1	2	3	3	3	1	4	1	3	3	..	"	..	..	28	10	15	3	3	1	2	1	..	..	2	1	..	..
Females.	2	2	3	1	1	4	3	1	2	..	4	1	..	Childbirth,	24	..	24	..	..	..	..	3	10	10	..	..	..	..	..	1
Male...	..	1	..	..	..	..	..	..	..	..	..	..	..	Chicken-pox,	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Males...	..	..	..	..	..	..	..	3	1	..	..	..	..	Cholera,	7	4	..	..	2	..	..	..	..	..	..	1	1	..	..	..
Females.	..	..	..	..	..	..	1	..	2	..	..	..	..	"	..	..	3	..	1	..	..	..	..	..	..	..	1	..	1	..
Males...	..	1	..	..	..	1	8	6	5	..	..	1	1	Cholera Infantum...	33	23	..	..	23	..	..	..	..	..	..	..	..	..	..	..
Females.	..	..	..	..	..	..	1	5	2	..	1	..	1	" "	..	..	10	..	10	..	..	..	..	..	..	..	..	..	..	..
Female..	..	..	..	..	..	..	..	..	..	..	1	..	..	Chorea,	1	..	1	..	..	1	..	..	..	..	..	..	..	..	..	..
Males...	21	26	35	22	26	25	30	33	26	16	15	22	2	Consumption,	777	299	..	..	17	3	3	18	66	37	27	30	52	32	7	7
Females.	32	34	49	38	46	45	34	45	30	42	27	45	11	"	..	..	478	..	25	5	9	56	134	71	57	34	37	31	10	9
Males...	3	..	4	1	..	..	2	4	4	3	1	4	..	Convulsions,	44	26	..	..	26	..	..	..	..	..	..	..	..	..	..	..
Females.	3	2	1	..	..	2	2	1	5	1	1	..	..	"	..	..	18	..	17	1	..	..	..	..	..	..	..	..	..	..

Male....	..	1	..	..	..	..	..	..	..	..	..	..	..	Cretinism.....	1	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Males...	5	4	4	2	2	..	..	3	1	2	8	6	..	Croup,.....	78	37	..	..	29	8	..	..	..	..	..	..	..	..	..	..
Females.	2	5	5	3	4	4	3	3	1	2	3	5	1	"	..	..	41	..	34	2	..	1	..	..	1	..	1	..	..	2
Male....	..	..	..	..	..	..	..	..	..	..	..	..	1	Cut Throat,.....	2	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1
Female.	..	..	..	..	..	..	..	1	..	..	..	..	..	"	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..
Males...	..	..	..	1	..	..	..	..	1	..	..	..	..	Cystitis,.....	2	2	..	..	..	..	..	..	..	..	..	..	..	2	..	..
Males...	..	1	..	..	3	1	..	2	1	..	2	1	..	Debility, ...	23	11	..	..	4	..	..	..	..	..	1	1	2	3	..	..
Females.	..	1	1	1	1	..	..	2	2	2	..	1	1	"	..	..	12	..	3	..	..	..	2	..	1	..	4	2	..	..
Males...	..	..	..	..	1	..	..	..	..	..	..	1	..	Delirium Tremens,.	2	2	..	..	..	..	..	..	..	1	..	..	1	..	..	..
Males...	3	1	1	..	1	2	..	..	..	1	2	3	..	Diabetes,.....	20	14	..	..	1	..	..	2	1	..	2	3	4	1	..	..
Females.	..	..	..	..	3	..	..	1	1	..	..	1	..	"	..	..	6	..	..	..	..	..	3	1	..	1	..	..	1	..
Males...	..	..	..	..	1	..	..	2	3	3	..	..	..	Diarrhœa,.....	14	9	..	..	8	..	..	..	..	1	..	..	..	..	..	..
Females.	..	..	..	..	..	..	..	3	2	..	..	..	..	"	..	..	5	..	3	..	..	..	..	1	..	..	..	..	..	1
Males...	4	2	3	5	5	5	4	7	16	15	19	15	1	Diptheria, ...	212	101	..	..	38	31	18	6	1	..	1	1	3	..	1	1
Females.	4	3	2	5	2	4	4	12	18	17	13	25	2	"	..	..	111	..	41	36	18	7	2	3	1	1	..	..	..	2
Males...	4	5	..	2	4	4	2	1	2	2	1	5	..	Dropsy, ...	91	32	..	..	1	..	1	1	1	..	3	3	6	6	10	..
Females.	11	2	4	10	4	5	1	6	3	5	7	1	..	"	..	..	59	..	1	..	..	..	4	1	4	10	20	9	8	1
Males...	1	..	..	..	..	5	1	1	1	2	..	2	..	Drowned,.....	18	13	..	..	3	2	2	..	1	..	2	1	2	..	..	..
Female.	..	..	..	1	..	1	1	..	..	1	1	..	..	"	..	..	5	..	2	..	..	1	..	1	1	..	..	..	..	..
Males...	..	..	..	..	..	1	5	14	18	1	1	1	..	Dysentery,.....	76	41	..	..	34	1	..	..	..	..	2	..	1	1	1	1
Females.	..	..	..	..	..	2	2	13	13	3	1	..	1	"	..	..	35	..	17	1	..	..	2	1	..	2	1	6	3	2
Male. ..	..	..	1	..	..	..	..	..	..	..	..	..	..	Dyspepsia,.....	6	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..
Females.	..	..	..	1	..	..	..	1	1	1	..	1	..	"	..	..	5	..	1	1	..	..	1	..	..	..	1	1	..	..
Male. ..	..	..	..	1	..	..	..	..	..	..	..	..	..	Empyema,.....	1	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Males...	..	..	7	2	1	4	9	7	1	2	2	..	1	Enteritis,.....	63	36	..	..	3	4	3	6	7	1	3	4	3	..	..	2
Females.	..	3	..	6	2	..	3	5	5	2	1	..	..	"	..	..	27	..	4	1	4	5	6	1	..	1	2	1	2	..
Male....	..	..	..	1	..	..	..	..	..	..	..	..	..	Enthetici	1	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..
Males...	..	..	..	2	1	..	..	1	1	..	..	1	..	Epilepsy, ...	20	6	..	..	1	..	..	1	..	2	..	..	..	2	..	..
Females.	..	1	..	2	3	1	2	1	..	1	2	1	..	"	..	..	14	..	3	..	..	..	2	2	..	2	3	1	1	..

TABLE VII.—Continued.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown
Males...	1	3	2	2	1	3	2	2	4	3	1	1	..	Erysipelas.....	42	25	..	..	8	..	..	..	2	1	1	3	4	3	3	..
Females.	5	1	2	..	..	1	1	..	..	2	2	3	..	"	..	..	17	..	7	1	..	1	3	..	..	1	..	2	1	1
Male....	..	..	..	..	..	..	..	..	1	..	..	..	..	Explosion, ...	1	1	..	..	..	..	..	..	1	..	..	..	..	..	..	..
Males...	1	1	1	4	1	2	1	..	..	4	1	1	..	Fever, ...	32	17	..	..	3	2	..	1	2	2	..	1	2	1	1	2
Females.	1	1	1	2	..	1	2	2	..	1	3	..	..	"	..	..	14	1	1	1	..	2	3	..	..	..	2	4	1	..
Female.	..	..	..	..	..	..	..	..	..	1	..	..	..	" Intermittent,	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Males...	7	5	11	5	4	2	5	15	15	14	14	13	..	" Typhoid,...	194	109	..	..	3	2	7	19	33	9	5	10	3	9	1	2
Females.	4	9	8	2	1	3	4	10	9	16	11	18	..	" "	..	..	85	..	7	4	8	18	15	4	8	5	9	3	2	2
Males...	1	..	..	..	..	..	2	1	1	3	1	..	..	" Typhus,....	13	9	..	..	2	..	..	..	2	1	2	1	..	1	..	..
Females.	..	..	..	..	..	..	..	1	..	2	..	1	..	" "	..	..	4	..	..	..	..	1	1	..	..	1	1	..	..	..
Males...	..	..	1	..	..	..	1	..	..	..	..	..	..	Fits, ...	11	2	..	..	..	..	..	..	..	..	..	..	..	1	..	..
Females.	1	2	1	2	..	..	1	..	1	..	..	1	..	"	..	..	9	..	..	..	1	..	3	1	1	1	1	..	1	..
Males...	..	..	2	..	..	..	..	..	..	..	..	1	..	Fracture of the Hip	4	3	..	..	..	..	..	..	..	..	..	..	..	2	1	..
Female..	..	..	..	..	..	..	..	..	..	..	1	..	..	" " "	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Males...	..	1	..	..	..	..	..	..	..	..	..	1	..	" " Skull,	3	3	..	..	..	1	..	..	1	..	..	1	..	..	..	..
Male....	..	..	..	..	..	..	..	..	..	..	..	1	..	" " Spine,	1	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..
Male....	..	..	..	..	..	..	..	..	..	1	..	..	..	" " Thigh	1	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1
Female.	..	1	..	..	..	..	..	..	..	..	..	..	..	Frost, ...	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Males...	..	1	..	..	1	..	..	..	..	..	..	1	1	Gastritis, ...	18	4	..	..	..	..	..	..	..	2	..	..	1	..	..	1
Females.	..	1	..	1	..	1	1	1	1	1	1	1	..	"	..	..	9	..	2	..	..	2	1	..	..	..	..	2	2	..

Female..	..	..	..	..	..	1	..	..	..	..	..	..	..	Gout,	1	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Males...	..	1	1	..	..	..	..	..	1	1	1	..	..	Gravel,	5	5	..	..	..	..	..	..	..	..	2	1	..	2	..
Males...	..	..	..	1	..	..	..	..	..	..	..	..	..	Gun-Shot,	1	1	..	..	..	..	..	1	..	..	..	..	..	..	..
Males...	..	..	..	..	..	..	..	..	..	2	..	..	..	Hanging,	3	2	..	..	..	..	..	1	..	..	..	1	..	..	..
Female.	..	..	..	1	..	..	..	..	..	..	..	..	..	"	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..
Males...	3	6	10	4	9	6	8	8	5	5	5	7	..	Heart, Disease of..	134	76	..	..	5	1	1	3	2	4	2	15	17	23	5	..
Females.	2	2	8	9	5	3	5	7	2	8	3	4	..	" " "	..	..	58	..	..	4	3	3	6	5	5	6	13	19	3	..
Female.	..	1	..	..	..	..	..	..	..	..	..	..	..	Hematemesis,	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Male....	..	..	1	..	..	..	..	..	..	..	..	..	..	Hematuria,	1	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..
Males...	..	..	1	1	1	..	..	..	..	..	..	1	..	Hemoptysis,	6	4	..	..	..	..	..	..	1	1	2	..	..	..	..	..
Females.	1	..	..	..	..	..	..	..	..	..	1	..	..	"	..	..	2	..	..	..	..	..	..	1	..	1	..	..	..	..
Male....	..	..	..	..	..	..	..	..	1	..	..	..	..	Hemorrhage,	3	1	..	..	..	..	..	..	..	1	..	..	..	..	..	..
Females.	..	..	..	1	..	..	1	..	..	..	..	..	..	"	..	..	2	..	..	..	..	..	1	..	1	..	..	..	..	..
Male....	..	..	..	..	..	..	..	..	..	2	..	..	..	" of the Bowels.	4	2	..	..	1	..	..	..	..	..	1	..	..	..	..	..
Female.	..	..	..	..	1	..	..	1	..	..	..	..	..	" " "	..	..	2	..	1	..	..	..	..	..	..	..	..	..	1	..
Males...	..	..	..	1	..	1	..	..	..	..	..	..	..	Hepatitis....	3	2	..	..	..	..	..	..	..	..	..	..	1	1	..	..
Female.	..	..	..	..	..	..	..	..	..	..	1	..	..	"	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..
Males...	..	..	2	..	1	..	..	..	..	..	..	1	..	Hernia,	7	4	..	..	..	..	..	..	..	..	..	..	1	1	2	..
Females.	..	..	..	..	..	..	2	..	..	1	..	..	..	"	..	..	3	..	..	..	..	..	..	..	..	..	1	1	1	..
Males...	1	..	..	..	..	1	..	..	..	..	..	..	..	Hip, Disease of...	2	2	..	..	..	..	..	1	..	1	..	..	..	..	..	..
Male....	..	..	..	..	..	..	..	..	..	..	2	..	..	Homicide,	2	..	..	..	..	..	..	..	..	1	1	..	..	..	..	..
Males...	1	2	7	1	4	4	2	6	2	2	..	..	..	Hydrocephalus, ...	51	31	..	..	25	1	2	..	..	1	..	1	1	..	..	..
Females.	1	2	2	1	3	1	2	1	..	4	2	1		" ...	..	..	20	..	16	1	1	1	..	1	..	..	..	..	..	..
Males...	..	..	..	3	..	..	..	..	..	..	4	..	..	Hydrops Pericardii,	12	7	..	..	1	..	..	..	..	..	..	1	..	1	2	2
Males...	..	1	..	1	..	1	..	..	..	1	1	1	..	Hydrothorax,	18	6	..	..	..	..	..	..	..	..	1	..	..	2	2	1
Females.	..	1	2	2	..	1	..	2	..	..	2	2	..	"	..	..	12	..	..	..	1	..	..	1	2	1	6	1	..	..
Males...	..	1	..	..	..	..	1	1	..	..	2	..	..	Ileus,	8	5	..	..	..	..	..	1	..	..	1	..	1	2	..	..
Female.	1	2	..	..	..	..	..	..	..	..	..	..	..	"	..	..	3	..	..	..	..	..	..	2	1	..	..	..	..	..
Males...	5	4	6	2	5	8	6	11	2	4	4	6	..	Infantile,	114	63	..	..	..	..	..	..	..	..	..	..	..	..	..	..

TABLE VII.—Continued.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March.	April.	May.	June.	July.	August.	September	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5.	5 to 10.	10 to 15	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80	Over 80.	Unknown.
Females.	2	4	1	2	6	4	4	3	2	2	4	3	..	Infantile,	..	..	37	..	..	..	..	..	..	..	..	..	..	..	..	..
Unkno'n	1	2	..	..	..	3	2	1	3	1	..	1	..	"	..	..	..	14	..	..	..	..	..	..	..	..	..	..	..	..
Male....	..	..	..	..	..	1	..	..	..	..	..	..	..	Inflammation,	5	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..
Females.	..	1	..	..	..	..	..	1	1	1	..	..	..	"	..	..	4	..	..	..	..	..	1	2	..	..	..	1	..	..
Males...	1	..	2	..	..	..	..	..	..	..	..	..	..	Influenza,	8	3	..	..	3	..	..	..	..	..	..	..	..	..	..	..
Females.	..	2	1	1	..	..	..	..	..	..	1	..	..	"	..	..	5	..	2	..	..	1	..	..	..	..	..	1	1	..
Males...	..	..	..	..	..	..	..	..	1	..	..	1	..	Insanity,	8	2	..	..	..	..	..	..	..	..	..	..	..	1	1	..
Females.	..	..	..	1	1	1	1	..	1	..	1	..	..	"	..	..	6	..	..	..	..	..	2	..	1	2	1	..	..	..
Males...	..	..	..	..	1	..	..	..	..	1	..	2	1	Intemperance,	5	5	..	..	..	..	..	..	1	1	..	..	3	..	..	..
Males...	1	1	..	..	..	..	1	2	..	..	..	..	..	Jaundice,	7	5	..	..	..	1	..	..	..	..	..	1	2	1	..	..
Females.	1	..	..	..	..	..	..	..	1	..	..	..	..	"	..	..	2	..	..	..	..	..	..	..	..	..	..	..	2	..
Males...	..	..	2	..	..	..	1	..	1	..	1	..	..	Kidneys, Disease of	6	5	..	..	..	..	..	..	..	..	1	..	1	1	2	..
Female.	..	..	1	..	..	..	..	..	..	..	..	..	..	" "	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Female.	..	..	..	1	..	..	..	..	..	..	..	..	..	Laryngitis,	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Female.	..	..	..	1	..	..	..	..	..	..	..	..	..	Leprosy,	1	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..
Males...	..	..	1	1	2	3	2	2	..	2	2	2	..	Liver, Disease of,	29	17	..	..	..	1	..	..	1	..	5	4	4	2	..	..
Females.	1	1	2	1	..	..	1	1	3	1	..	1	..	" " "	..	..	12	..	..	1	..	1	..	..	3	6	1	..	..	.
Males...	5	9	3	5	7	3	2	1	2	1	1	5	1	Lungs, Disease of,	74	45	..	..	9	5	..	..	6	3	4	3	1	8	3	3
Females.	1	5	9	3	3	1	2	..	1	1	..	3	..	" " "	..	..	29	..	7	..	1	..	3	3	2	3	3	3	4	..
Males...	1	1	..	..	..	..	..	..	1	..	..	..	..	Malformation,	8	3	..	..	3	..	..	..	..	..	..	..	..	..	..	..

Females.	..	..	..	1	..	..	2	..	1	..	1	..	..	Malformation,	..	..	5	..	5	..	..	..	..	..	..	..	..	..	..	..
Males...	..	..	1	1	..	..	1	1	1	..	..	1	..	Marasmus,	10	6	..	..	..	..	..	..	..	1	1	1	..	3	..	..
Females.	1	..	2	..	1	..	..	..	..	..	..	..	..	"	..	..	4	..	..	..	..	..	..	1	1	..	1	1	..	..
Males...	..	..	2	3	..	1	1	..	..	..	..	..	..	Measles,	12	7	..	..	5	..	1	..	1	..	..	..	..	..	..	..
Females.	..	..	1	..	..	2	..	1	..	..	1	..	..	"	..	..	5	..	2	..	..	..	1	1	1	..	..	..	..	..
Females.	..	..	2	5	1	1	1	2	1	..	..	..	..	Metria,	13	13	..	..	..	..	..	4	3	5	..	..	..	..	..	1
Males...	..	..	1	1	..	1	..	1	1	..	..	1	..	Mortification,	7	6	..	..	..	..	..	..	..	..	..	..	..	4	2	..
Female.	..	..	..	..	..	1	..	..	..	..	..	..	..	"	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..
Males...	..	..	..	..	..	..	2	..	..	..	1	..	..	Necrosis,	3	3	..	..	..	..	..	1	1	..	..	1	..	..	..	..
Males...	..	..	..	1	..	1	..	..	..	..	..	..	..	Nephria,	2	2	..	..	..	..	..	..	..	..	..	..	1	..	1	..
Males...	..	1	1	1	1	..	..	..	..	..	..	..	..	Nephritis,	5	4	..	..	..	..	..	..	..	1	..	..	..	3	..	..
Female.	..	..	..	..	..	..	..	..	..	1	..	..	..	"	..	..	1	..	..	..	..	..	..	..	1	..	..	..	..	..
Male....	..	..	..	..	..	..	..	..	..	1	..	..	..	Neuralgia,	3	1	..	..	..	1	..	..	..	..	..	..	..	..	..	..
Females.	..	..	..	2	..	..	..	..	..	..	..	..	..	"	..	..	2	..	1	..	..	..	..	1	..	..	..	..	..	..
Males...	12	10	11	4	7	12	7	12	7	11	12	5	..	Old age,	243	110	..	..	..	..	..	..	..	..	..	..	..	20	89	1
Females.	12	12	12	12	13	5	11	9	8	13	6	21	3	"	..	..	133	..	..	..	..	..	..	..	..	..	..	21	109	3
Female..	1	..	1	..	..	..	..	..	2	1	..	1	..	Ovary, Disease of,	6	..	6	..	..	..	..	..	1	2	2	..	..	..	..	1
Males...	4	1	2	6	4	1	5	4	4	..	4	6	..	Paralysis,	96	41	..	..	..	1	..	..	..	..	1	3	5	19	12	..
Females.	4	2	6	8	2	1	4	5	7	6	6	3	1	"	..	..	55	..	..	..	..	..	..	3	2	2	10	15	15	1
Male....	..	..	1	..	..	..	..	..	..	..	..	..	..	Pericarditis,	4	1	..	..	..	..	1	..	..	..	..	..	..	..	..	..
Females.	..	..	..	..	..	2	..	..	..	..	..	1	..	"	..	..	3	..	..	..	..	1	..	..	..	1	1	..	..	..
Males...	1	..	..	..	..	1	1	..	1	..	..	..	..	Peritonitis,	6	4	..	..	..	..	..	..	2	1	..	..	1	..	..	..
Females.	..	..	..	1	..	..	..	..	..	..	1	..	..	"	..	..	2	..	..	..	..	..	1	1	..	..	1	..	..	..
Males...	1	1	..	..	1	1	..	..	..	..	..	1	..	Pleurisy,	11	5	..	..	..	..	..	..	..	2	..	1	..	1	1	..
Females.	1	1	1	1	..	..	1	1	..	..	..	..	..	"	..	..	6	..	..	..	..	..	..	..	1	3	2	..	..	..
Males...	14	19	18	10	8	6	..	1	1	13	3	4	2	Pneumonia,	183	99	..	..	29	2	2	..	4	3	9	10	9	14	14	3
Females.	13	11	16	13	9	4	6	2	1	2	3	1	2	"	..	..	83	..	35	1	..	2	2	2	1	4	10	16	9	1
Unk'wn.	..	..	..	..	..	..	..	..	..	..	..	1	..	"	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1
Males...	1	..	..	..	2	1	2	..	1	..	..	..	..	Poison,	12	7	..	..	1	1	..	..	1	1	..	2	..	1	..	..

TABLE VII.—Continued.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown.
Females.	..	..	2	..	..	..	..	1	..	2	..	..	..	Poison,	..	..	5	..	4	..	..	..	1	..	..	..	..	..	..	..
Male.	..	..	..	..	..	..	..	..	..	..	1	..	..	Prostate gland, Dis.	1	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Male.	1	..	1	..	1	2	..	..	..	..	1	1	..	Railroad Accidents.	8	7	..	..	..	..	..	..	1	3	1	1	..	1	..	..
Female.	..	..	..	..	..	..	..	..	..	..	..	1	..	" "	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..
Males.	..	1	1	..	..	3	..	3	1	..	..	1	..	Rheumatism,	19	10	..	..	..	..	2	..	..	..	1	3	1	2	1	..
Females.	1	2	2	1	1	1	..	..	1	..	..	..	..	"	..	..	9	..	..	..	1	..	..	1	4	1	..	1	..	1
Males	11	13	9	6	5	7	6	6	1	3	2	3	2	Scarlatina,	128	74	..	..	48	15	3	6	..	..	..	..	..	..	..	2
Females.	11	4	8	7	5	9	5	..	..	..	3	1	1	"	..	..	54	..	31	13	4	4	..	..	..	..	..	..	..	2
Males.	1	2	..	1	1	2	..	4	1	1	1	3	..	Scrofula,	34	17	..	..	8	1	1	..	1	2	..	..	2	1	1	..
Females.	..	2	5	1	2	2	1	2	..	1	..	1	..	"	..	..	17	..	3	1	2	..	1	..	1	2	4	1	2	..
Males.	..	..	..	..	..	..	1	..	1	..	..	..	..	Skin, Disease of,	2	2	..	..	1	..	..	..	..	1	..	..	..	..	..	..
Males.	..	..	3	..	..	1	..	..	..	..	..	..	..	Small Pox,	6	4	..	..	2	..	..	..	1	1	..	..	..	..	..	..
Females.	..	..	..	2	..	..	..	..	..	..	..	..	..	"	..	..	2	..	1	..	..	1	..	..	..	..	..	..	..	..
Female.	..	..	..	..	..	..	..	1	..	..	..	..	..	Spine, Disease of.	1	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..
Male.	..	..	1	..	..	..	..	..	..	..	..	..	..	Spleen,	1	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..
Males.	2	5	10	5	6	10	2	8	4	7	6	8	1	Still Born,	144	74	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Females.	1	4	4	9	5	6	6	1	1	2	7	3	1	"	..	..	50	..	..	..	..	..	..	..	..	..	..	..	..	..
Unkno'n.	..	1	3	1	3	3	4	..	2	1	..	..	2	"	..	..	..	20	..	..	..	..	..	..	..	..	..	..	..	..
Male.	..	..	1	..	..	..	..	..	1	..	..	..	..	Stomach, Disease of	8	2	..	..	..	..	..	..	..	..	..	..	..	2	..	..
Females.	..	..	1	..	..	..	1	..	1	2	..	1	..	" " "	..	..	6	..	..	..	..	..	1	..	..	2	..	3	..	..

Males...	..	..	1	1	..	..	..	..	..	..	..	..	..	Strangulated,	2	2	..	..	2	..	..	..	..	..	..	..	..	..	..	..
Males...	..	..	1	..	..	..	..	..	..	1	..	1	..	Sudden,	9	3	..	..	..	..	1	..	..	..	..	2	..	..	..	..
Females.	..	..	..	1	1	..	2	..	1	..	..	1	..	"	..	..	6	..	..	..	..	..	..	..	1	..	1	3	1	..
Males...	1	..	..	..	..	..	..	..	..	..	..	..	..	Suffocation,	2	1	..	..	..	..	..	..	..	..	..	1	..	..	..	..
Females.	..	..	..	..	..	..	..	..	1	..	..	..	..	"	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Males...	..	..	1	1	1	1	..	..	1	..	..	..	1	Suicide,	7	6	..	..	..	..	..	..	1	..	1	1	1	..	..	2
Female..	..	..	..	..	1	..	..	..	.	..	..	..	..	"	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..
Females.	..	..	1	..	..	1	..	..	..	..	..	..	..	Syncope,	2	..	2	..	..	..	..	1	..	..	..	..	1	..	..	..
Male....	..	..	..	..	..	..	..	..	..	..	..	1	..	Syphilis,	1	1	..	..	..	..	..	1	..	..	..	..	..	..	..	..
Males...	..	..	..	1	..	..	..	..	..	2	..	..	..	Tabes Mesenterica,	4	3	..	..	2	..	..	..	1	..	..	..	..	..	..	..
Female.	..	..	..	..	..	..	..	..	..	1	..	..	..	" "	..	..	1	..	..	..	..	..	..	..	..	1	..	..	..	..
Males...	..	..	..	..	..	..	..	..	2	1	..	..	..	Teething,	6	3	..	..	2	..	..	..	..	..	..	..	..	..	..	1
Female.	..	..	..	..	..	..	..	..	2	..	1	..	..	"	..	..	3	..	3	..	..	..	..	..	..	..	..	..	..	..
Female.	..	..	..	..	..	..	..	1	..	..	..	..	..	Tetanus,	6	3	..	..	2	..	..	..	..	..	..	..	..	..	..	1
Male....	..	..	1	..	..	..	..	..	..	..	..	..	..	Tumor,	3	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Female.	..	..	..	..	1	..	..	..	..	..	1	..	..	"	..	..	2	..	..	..	..	..	..	1	..	..	..	1	..	..
Males...	..	..	..	1	..	..	..	..	..	..	1	..	..	" in the Bowels.	3	2	..	..	1	..	..	..	..	..	1	..	..	..	..	..
Female.	..	..	..	..	..	1	..	..	..	..	..	..	..	" " "	..	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Female.	..	..	..	..	1	..	..	..	..	..	..	..	..	" " Breast.	1	..	1	..	..	..	..	..	..	..	..	..	1	..	..	..
Female.	..	..	..	..	..	..	..	..	1	..	..	..	..	" " Uterus.	1	..	1	..	..	..	..	..	1	..	..	..	..	..	..	..
Male....	..	1	..	..	..	..	..	..	..	..	..	..	..	Ulcers,	2	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..
Female.	..	1	..	..	..	..	..	..	..	..	..	..	..	"	..	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..
Male....	..	..	..	..	..	..	1	..	..	..	..	..	..	" of the Larynx,	1	1	..	..	..	..	..	..	..	..	1	..	..	..	..	..
Males...	11	8	12	6	8	8	11	14	13	5	9	9	2	Unknown,	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Females.	5	9	12	6	11	10	6	13	14	11	6	11	..	"	231	116	..	..	56	1	3	2	6	6	4	4	10	17	4	3
Unkno'n.	..	1	..	..	..	..	..	..	..	..	..	..	..	"	..	..	114	..	35	6	2	4	10	5	10	10	6	17	4	5
Female..	..	..	..	..	..	..	..	..	..	..	..	..	..	Uræmia,	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..
Male. ...	1	..	..	..	..	..	..	..	1	..	..	..	..	Urinary Org., Dis. of	4	2	..	..	..	..	..	..	..	..	1	..	..	..	1	..
Female.	..	..	..	..	..	..	1	..	..	..	..	1	..	" " "	..	..	2	..	..	..	..	..	..	1	..	..	1	..	..	..

TABLE VII.—Continued.

Sex.	Months.													Causes of Death.	Whole No.				Ages.											
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.		Totals.	Males.	Females.	Unknown.	Under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	Over 80.	Unknown
Female.	..	..	1	..	..	..	..	..	..	..	..	..	..	Vaccinia,	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..
Males...	..	..	..	..	..	..	..	..	1	1	..	..	..	Want of Care,	4	2	..	..	2	..	..	..	..	..	..	..	..	..	..	..
Females.	..	..	1	..	..	..	..	..	..	..	..	1	..	" "	..	..	2	..	2	..	..	..	..	..	..	..	..	..	..	..
Males...	1	..	1	..	1	..	1	..	1	..	1	2	1	Whooping Cough,	24	9	..	..	9	..	..	..	..	..	..	..	..	..	..	..
Females.	..	1	..	1	2	..	2	3	4	1	..	..	1	" "	..	..	15	..	14	1	..	..	..	..	..	..	..	..	..	..
Males...	..	1	..	..	..	..	..	..	..	1	..	..	..	Worms,	8	2	..	..	1	1	..	..	..	..	..	..	..	..	..	..
Females.	1	1	..	..	..	1	..	1	..	..	1	..	1	"	..	..	6	..	5	1	..	..	..	..	..	..	..	..	..	..
Males...	..	..	1	..	..	..	..	..	..	1	..	..	..	Wounds,	2	2	..	..	..	..	..	..	1	..	..	..	..	..	1	..
Male....	..	..	..	..	..	1	..	..	..	..	..	..	..	Zymotici,	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..
Female.	..	..	..	..	1	..	..	..	..	..	..	..	..	"	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..

TABLE VIII.—CAUSES OF DEATH.—CLASSIFIED ARRANGEMENT.

Exhibiting the number of Deaths from each Cause, in the several Counties, statisticolly classified, together with the percentages.

CAUSES OF DEATH.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.	Totals.	Percentage.
All Cases,	267	252	238	301	31	291	36	135	377	197	450	402	407	505	3897	.....
Specified Cases,	252	234	225	274	28	274	32	130	358	189	432	382	388	455	3653	100.00
Classes.																
I. ZYMOTIC,	65	75	44	76	4	70	9	26	84	56	117	114	94	100	933	25.54
II. CONSTITUTIONAL,	63	63	78	78	10	92	13	39	116	40	139	106	101	150	1088	29.78
III. LOCAL,	89	55	69	69	9	68	5	46	97	59	116	98	131	143	1054	28.85
IV. DEVELOPEMENTAL,	26	23	26	36	5	36	5	15	50	24	41	48	51	46	432	11.83
V. VIOLENT,	8	16	8	15	..	9	..	4	12	10	19	16	13	16	146	4.00
Orders.																
I.—1. MIASMATIC,	63	72	42	71	4	68	9	25	84	56	116	112	94	99	914	25.02
2. ENTHETIC,	..	..	2	..	..	..	..	1	..	..	..	..	..	..	3	.08
3. DIETIC,	1	2	..	1	..	1	..	..	..	..	1	1	..	1	8	.22
4. PARASITIC,	1	1	..	4	..	1	..	..	..	..	..	1	..	..	8	.22
II.—1. DIATHETIC,	10	17	13	14	1	18	1	7	20	7	35	15	28	36	222	6.07
2. TUBERCULAR,	53	46	65	64	9	74	12	32	96	33	104	91	73	114	866	23.71

TABLE VIII.—Continued.

CAUSES OF DEATH.	Addison.	Bennington	Caledonia	Chittendon.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.	Totals	Percentage.
III.—1. OF THE NERVOUS SYSTEM,	30	27	19	23	5	26	3	13	35	17	36	31	45	38	348	9.52
2. OF THE ORGANS OF CIRCULATION,	10	9	17	7	2	9	..	8	13	8	16	11	17	23	150	4.11
3. OF THE RESPIRATORY ORGANS,	26	12	17	19	1	19	2	11	29	19	34	34	47	50	320	8.76
4. OF THE DIGESTIVE ORGANS;	13	5	13	18	1	10	..	7	17	11	22	13	17	23	170	4.65
5. OF THE URINARY ORGANS,	5	2	3	..	..	3	..	6	2	2	2	9	4	8	46	1.26
6. OF THE ORGANS OF GENERATION,	2	..	..	..	..	..	..	..	..	2	3	..	..	1	8	.22
7. OF THE ORGANS OF LOCOMOTION,	1	..	..	1	..	1	..	1	..	..	2	..	1	..	7	.19
8. OF THE INTEGUMENTARY SYSTEM,	2	..	..	1	..	..	..	..	1	..	1	..	..	..	5	.14
IV.—1. DISEASES OF CHILDREN,	11	5	5	14	2	14	1	7	11	5	14	15	12	12	128	3.50
2. " WOMEN,	1	2	..	1	..	1	1	1	3	1	1	5	3	4	24	.65
3. " OLD PEOPLE,	12	16	17	15	3	18	3	4	32	15	25	25	29	29	243	6.65
4. " NUTRITION,	2	..	4	6	..	3	..	3	4	3	1	3	7	1	37	1.03
V.—1. ACCIDENT,	8	11	7	13	..	8	..	4	9	9	15	15	12	11	122	
3. HOMICIDE,	..	2	..	..	..	..	..	..	1	..	1	..	..	2	6	.16
4. SUICIDE,	..	3	1	2	..	1	..	..	2	1	3	1	1	3	18	.49
Sudden Death,	1	..	2	1	1	..	..	..	1	..	..	1	1	1	9	....
Not Specified,	14	18	11	26	2	17	4	5	18	8	26	19	18	49	235	....
Chicken-pox,	..	..	..	..	..	..	..	..	..	..	..	..	..	1	1	.03

I.—1. Miasmatic.																
Cholera Morbus,	..	..	2	1	.	2	.	..	..	..	1	1	..	..	7	.19
Cholera Infantum,	1	..	..	8	.	..	.	..	..	..	5	5	5	9	33	.90
Croup,	9	7	3	7	.	10	2	2	5	2	8	8	9	6	78	2.14
Diarrhœa,	1	4	..	..	.	1	.	..	1	..	2	1	3	1	14	.40
Diptheria,	19	11	4	17	1	7	.	1	20	4	31	48	14	35	212	5.83
Dysentery,	2	4	5	7	.	4	2	3	5	1	19	7	10	7	76	2.08
Erysipelas,	1	4	3	3	1	3	.	1	3	6	3	3	3	8	42	1.15
Fever, Intermittent,	1	..	..	..	.	..	.	..	..	..	..	..	..	..	1	.03
" Remittent,	2	..	..	..	.	..	.	..	2	..	2	3	..	..	8	.22
" Typhoid,	15	13	16	10	2	16	3	16	36	14	15	18	21	21	216	5.91
" Typhus,	3	..	..	3	.	1	.	..	1	..	2	..	2	1	13	.35
Influenza,	..	..	2	..	.	..	.	..	..	1	3	..	1	1	8	.32
Measles,	..	3	..	..	.	..	.	..	..	2	4	2	1	..	12	.33
Metria,	2	1	..	1	.	..	.	..	2	1	5	..	..	1	13	.35
Rheumatism,	2	..	1	3	.	3	.	..	1	1	1	5	2	..	19	.52
Scarletina,	5	22	..	5	.	16	2	2	5	24	8	9	23	7	128	3.50
Small Pox,	..	..	..	2	1	..	.	..	..	..	1	1	..	1	6	.16
Whooping Cough,	..	1	6	4	.	3	.	..	3	..	6	1	..	..	24	.65
Vaccination,	..	..	..	..	.	1	.	..	..	..	..	..	..	..	1	.03
Zymotici,	..	2	..	..	.	..	.	..	..	..	..	..	..	..	2	.05
I.—1. Enthetic.																
Syphilis, &c.,	..	..	2	..	.	..	.	1	..	..	..	..	..	..	30	.08
I.—1. Dietic.																
Cretinism,	..	..	..	..	.	..	.	..	..	..	..	..		1	1	.03
Intemperance,	1	2	..	1	.	1	.	..	..	..	1	1		..	7	.19

TABLE VIII.—Continued.

CAUSES OF DEATH.	Addison.	Bennington	Caledonia.	Chittendon	Essex.	Franklin.	Grand Isle.	Lamoille	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.	Totals.	Percentage.
I.—4. PARASITIC.																
Worms,	1	1	..	4	..	1	..	..	..	..	..	1	..	..	8	.22
II.—11. DIATHETIC.																
Abscess, Iliac, Lumbar, &c.	..	1	1	..	..	..	..	..	..	..	2	1	6	1	12	.33
Cancer,	5	8	5	7	..	7	..	1	7	4	11	4	12	14	85	2.33
Canker,	..	1	..	..	..	1	..	1	..	..	4	2	..	2	11	.30
Cachexia,	1	..	..	..	..	..	..	1	..	..	..	..	..	..	1	.03
Dropsy,	4	6	7	6	1	10	1	4	10	2	13	6	7	14	91	2.49
Gout,	..	..	..	..	..	..	..	..	1	..	..	..	..	..	1	.03
Hemorrhage,	..	..	..	..	..	..	..	..	1	1	2	2	1	..	7	.19
Mortification,	..	1	..	1	..	..	..	..	1	..	2	..	1	1	7	.19
Tumor,	1	..	..	..	..	..	..	1	..	..	1	..	1	4	8	.22
II—2.—TURBERCULAR.																
Hydrocephalus,	3	5	4	3	..	4	2	1	5	2	10	7	2	3	57	1.40
Phthisis, (Consumption,)	48	39	57	59	9	68	10	31	89	29	90	78	67	103	777	21.27
Scrofula,	2	2	2	2	..	1	..	..	2	2	4	5	4	8	34	.93
Tabes Mesenterica,	..	..	2	..	..	1	..	..	..	..	..	1	..	..	4	.11

III.—1. Nervous System.																
Apoplexy,	2	8	2	4	..	2	1	3	11	2	3	4	8	9	59	1.61
Catalepsy,	..	..	..	1	..	..	..	..	..	..	..	..	..	..	1	.03
Cephalitis,	7	3	1	3	2	6	1	2	4	3	5	5	4	8	54	1.53
Chorea,	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	.03
Convulsions,	4	7	..	1	..	2	..	3	2	1	8	11	2	2	44	1.26
Epilepsy,	1	..	1	..	1	2	..	1	3	2	1	2	4	2	20	.54
Fits,	..	..	1	1	1	1	1	..	1	..	1	1	3	..	11	.30
Insanity,	1	..	..	..	..	1	..	..	..	..	..	..	5	1	8	.22
Neuralgia,	1	..	..	1	..	..	..	..	..	..	..	..	..	1	3	.08
Paralysis,	9	4	9	10	1	9	..	1	9	5	8	4	15	12	96	2.63
Tetanus,	..	..	..	..	..	..	..	..	..	..	..	..	..	..	1	.03
Brain, Diseases of, &c.,	5	5	4	2	..	2	..	3	5	4	9	4	4	3	50	1.37
III.—2. Organs of Circulation.																
Hydrops Pericardii,	2	..	..	..	1	..	..	1	2	1	4	..	1	..	12	.33
Pericarditis,	..	..	..	..	..	3	..	..	..	..	..	1	..	..	4	.11
Heart, Diseases of, &c.,	8	9	17	7	1	6	..	7	11	7	12	10	16	23	134	3.67
III.—3. Organs of Respiration.																
Asthma,	..	..	..	..	..	..	..	..	2	1	2	1	2	..	8	.22
Bronchitis,	1	..	1	2	..	..	..	1	1	2	..	2	1	4	15	.41
Empyema,	..	..	..	1	..	..	..	..	..	..	..	..	..	1	2	.05
Hemoptysis,	1	1	..	..	..	..	..	..	..	..	1	..	3	..	6	.16
Hydrothorax,	4	1	1	2	..	..	..	..	1	..	3	2	1	3	18	.49
Pleurisy,	..	7	..	1	..	..	..	1	2	1	..	2	2	1	11	.30
Pneumonia,	9	6	11	12	1	14	2	4	15	10	20	18	29	32	183	5.00
Throat, Diseases of,	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	.03
Lungs, Diseases of, &c.,	11	2	4	1	..	5	..	5	8	5	8	9	9	9	76	2.08

TABLE VIII.—Continued.

CAUSES OF DEATH.	Addison.	Bennington	Caledonia	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.	Totals	Percentage.
III.—4. ORGANS OF DIGESTION.																
Ascites,	..	..	..	..	..	..	..	1	..	..	..	2	..	..	3	.08
Biliary Calculi,	..	..	..	..	..	..	..	..	1	..	..	..	..	1	2	.05
Dyspepsia,	1	..	1	..	..	..	..	..	1	1	..	1	1	..	6	.16
Enteritis,	3	1	4	9	..	4	..	3	4	6	9	2	7	11	63	1.72
Gastritis,	1	2	3	..	1	..	..	1	2	..	1	..	..	2	13	.36
Hepatitis,	1	..	..	..	..	..	..	..	..	..	1	..	..	1	3	.08
Hematemesis,	..	1	..	..	..	..	..	..	..	..	..	..	..	..	1	.03
Hernia,	..	..	..	..	..	..	..	1	..	1	..	2	2	1	7	.19
Ileus,	..	..	1	..	..	..	..	..	1	..	1	1	2	2	8	.22
Jaundice,	1	..	..	2	..	..	..	..	2	..	..	..	1	1	7	.19
Liver, Disease of,	4	1	1	..	..	3	..	..	2	3	7	3	2	3	29	.79
Peritonitis,	..	..	..	1	..	2	..	1	1	..	..	..	..	1	6	.16
Stomach, Diseases of, &c.,	2	..	3	5	..	1	..	..	3	..	3	2	2	..	32	.60
III.—5. URINARY ORGANS.																
Calculus, (Gravel,)	1	1	..	..	..	..	..	1	1	..	1	..	..	1	6	.16
Cystitis,	1	..	..	..	..	..	..	..	..	..	..	..	..	1	2	.05
Diabetes,	1	..	2	..	..	3	..	3	1	1	1	2	3	3	20	.55
Nephria,	..	1	..	..	..	..	..	..	..	..	..	..	..	1	2	.05
Nephritis,	1	..	..	..	..	..	..	2	..	..	..	2	..	..	5	.14

Kidneys, Diseases of, &c.,	1	..	1	..	..	..	..	..	..	1	..	5	1	2	11	.30
III.—6. Generative Organs.																
Ovarian Dropsy,	2	..	..	..	..	..	..	..	..	..	3	..	..	1	6	.16
Prostate Gland, Disease of,	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	.03
Uterus, Disease of,	..	..	..	..	..	..	..	..	..	1	..	..	..	..	1	.03
III.—7. Locomotive Organs.																
Necrosis,	..	..	..	1	..	1	..	1	..	..	..	..	..	..	3	.01
Spine, Disease of,	..	..	..	..	..	..	..	..	..	..	1	..	..	..	1	.03
Joints, Diseases of, &c.,	1	..	..	..	..	..	..	..	..	..	1	..	1	..	3	.08
III.—8. Integumentary System.																
Skin, Disease of,	1	..	..	..	..	..	..	..	1	..	..	..	..	..	2	.05
Ulcers,	1	..	..	1	..	..	..	..	..	..	1	..	..	..	3	.08
IV.—1. Diseases of Children.																
Infantile,	11	3	4	11	2	14	1	7	9	5	9	14	12	12	114	3.12
Malformation,	..	1	1	2	..	..	..	..	1	..	2	1	..	..	8	.22
Teething,	..	1	..	1	..	..	..	..	1	..	3	..	..	..	6	.16
IV.—2. Diseases of Women.																
Childbirth,	1	2	..	1	..	1	1	1	3	1	1	5	3	4	24	.65
IV.—3. Diseases of Old People.																
Old Age,	12	16	17	15	3	18	3	4	32	15	25	25	29	29	243	6.65
IV.—4. Diseases of Nutrition.																
Debility,	2	..	3	5	..	3	..	3	4	3	..	2	1	1	27	.76

TABLE VIII.—Continued.

CAUSES OF DEATH.	Addison.	Bennington	Caledonia.	Chittendon.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington	Windham.	Windsor.	Totals.	Percentage.
Marasmus,	..	..	1	1	..	..	..	..	..	..	1	1	6	..	10	.28
V.—1. ACCIDENTS.																
Burns and Scalds,	1	1	2	4	..	3	..	..	3	4	2	2	1	..	23	.63
Drowned,	1	3	1	1	..	1	..	1	1	..	3	3	1	1	17	.46
Explosion,	1	..	..	..	..	..	..	..	..	..	..	..	..	..	1	.03
Fractures,	..	1	..	..	..	..	..	..	1	1	1	2	2	1	9	.24
Frost,	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	.03
Gunshot,	..	..	..	..	..	..	..	..	..	..	..	..	1	..	1	.03
Poisoning,	2	..	1	..	..	1	..	..	..	1	..	..	2	..	7	.19
Railroad Accident,	1	..	..	2	..	..	..	..	1	..	1	2	..	1	8	.22
Strangulation,	..	1	..	..	..	..	..	..	..	..	..	1	..	..	2	.05
Suffocation,	..	..	..	..	..	..	..	1	..	..	..	..	1	..	2	.05
Otherwise,	2	5	3	6	..	3	..	2	3	3	8	5	3	8	51	1.39
Want of Care,	..	2	..	..	..	..	..	..	1	..	1	..	..	2	6	.16
V.—3. SUICIDE.																
Cut Throat,	..	1	..	1	..	..	..	..	..	..	..	..	..	..	2	.05
Drowning,	..	..	..	..	..	1	..	..	..	..	..	..	..	..	1	.03
Hanging,	..	..	..	..	..	..	..	..	..	1	2	..	..	..	3	.08
Poison,	..	..	1	1	..	..	..	..	..	..	..	1	..	2	5	.14
Otherwise,	..	2	..	..	..	..	..	..	2	..	1	..	1	1	7	.19

TABLE IX.—OCCUPATIONS.

Exhibiting the number of persons, pursuing different avocations, living in the State, according to the Census of 1850, *also the number of deaths occurring among each class, together with the ratio of the same to the living, and the aggregate and average ages.*

OCCUPATIONS.	Living.	Deaths.	Ratio to Living.	AGES.		
				Given.	Aggregate.	Average.
Agents,	41	1	1 in 41	1	25	25.00
Basket Makers,	27	1	1 " 27	1	62	62.00
Blacksmiths,	1546	24	1 " 64	22	1330	60.45
Boatmen,	46	1	1 " 46	1	30	30.00
Butchers,	125	3	1 " 42	3	186	62.00
Carpenters,	2360	33	1 " 71	33	1947	59.00
Clergymen,	619	9	1 " 68	9	471	52.33
Clerks,	936	8	1 " 117	7	162	23.17
Clothiers,	124	2	1 " 62	2	159	79.50
Coopers,	281	4	1 " 70	4	266	66.50
Farmers,	48512	604	1 " 80	600	36916	60.15
Goldsmiths,	21	2	1 " 10	1	80	40.00
Gunsmiths,	22	1	1 " 22	2	60	60.00
Harness Makers,	327	3	1 " 109	3	178	59.33
Hatters,	51	2	1 " 25	2	177	88.50
Horse-Dealers,	12	1	1 " 12	1	43	43.00
Inn Keepers,	408	1	1 " 408	1	64	64.00
Laborers,	21993	71	1 " 309	71	3704	52.91
Lawyers,	494	08	1 " 61	7	448	64.00
Machinists,	213	6	1 " 35	6	318	53.00
Manufacturers, (not specified,)	478	11	1 " 43	11	483	43.91
Masons,	508	7	1 " 72	7	429	61.28
Mechanics, (not specified,)	633	13	1 " 48	11	633	56.63
Merchants,	1282	27	1 " 47	26	1221	46.96
Millers,	348	7	1 " 49	7	470	69.14
Musicians,	12	1	1 " 12	1	25	25.00
Officers, State and U. S.,	29	2	1 " 14	2	90	45.00
Painters,	419	9	1 " 46	9	367	40.77
Paper Makers,	88	1	1 " 88	1	50	50.00
Peddlers,	354	2	1 " 177	2	61	30.50
Physicians,	663	14	1 " 47	14	781	55.71
Printers,	138	3	1 " 46	3	92	30.66
Quarrymen,	60	4	1 " 15	4	215	53.75

TABLE IX.—Continued.

Occupations.	Living.	Deaths.	Ratio to Living.	Ages.		
				Given.	Aggregate.	Average.
Railroad Men,	163	9	1 in 18	8	309	38.62
Sawyers,	178	2	1 " 89	2	137	88.50
Shoemakers,	1676	18	1 " 93	18	998	55.44
Speculators,	14	1	1 " 14	1	66	66.00
Stone and Marble Cutters,	265	6	1 " 44	6	366	61.00
Students,	1016	1	1 "1016	1	24	24.00
Tailors,	381	1	1 "381	1	48	48.00
Tanners and Curriers,	....	..	.....	..	....	....
Teachers,	150	1	1 "150	1	27	27.75
Teamsters,	205	2	1 "102	2	96	48.00
Tinsmiths,	168	2	1 " 84	2	48	24.00
Wheelwrights,	580	4	1 "145	4	257	64.25
Other Occupations,	127	23	1 " 5	23	1124	48.86

REMARKS.

The tables accompanying this report, contain important facts concerning the existence of 14,706 persons in this State. Of this number, 6451 entered the world during the year 1860. Those commencing connubial life, amounted to 4358, (2179 couples,) while 3897, terminated their earthly career during the year. Besides these, the returns show that 144 children were still-born. This aggregate number is 125 less than that, concerning which the same facts were registered during the previous year.

It is certainly very much to be regretted, that there should be even this slight evidence of the decrease of interest taken in this subject. It is, however, a source of some consolation to notice, in looking over the returns, that in all the large towns, and in all those whose facilities for communication with the world are easy; in other words, in all the towns where there is the most intelligence, the reports have been more fully and promptly made than ever before.

Although the benefits of registration are not shown by an *immediate* return in dollars and cents of the amount expended, yet its value and importance can scarcely fail to be appreciated by every intelligent person who will for a moment fairly consider the subject. The Registrar of England remarks, concerning the different States of Europe, that registration "would throw much light on the physical condition of their respective populations, and suggest to the scientific and benevolent individuals in every country, and to the governments, many ways of ameliorating the health and condition of the people: for the longer life of a nation denotes more than it

does in an individual, — a happier life, -- a life more exempt from sickness and infirmity,—a life of greater energy and industry,—of greater experience and wisdom. By these comparisons, a noble national emulation might be excited, and rival nations would read of sickness diminished, deformity banished, life saved,—of victories over death and the grave,—with as much enthusiasm as of victories over each other's armies in the field : and the triumph of the one would not be the humiliation of the other, for in this condition none would lose territory, or honor, or blood, but all would gain strength."—*5th Reg. Rept. of England.*

Nearly every country in Europe,and several of the United States, have adopted and are carrying out systems of registration of this sort. Geneva was the pioneer in this work; for more than three hundred years she has continued it with great care. Human life has wonderfully improved; its mean duration has increased; the proportion of adults — with whom lies the true greatness of the State — has become larger: *happiness has also increased:* and Geneva has arrived at a high state of civilization.

Great care has been taken in compiling the tables of this report to make them exact abstracts of the returns as received. They are believed to embody all the essential facts reported. To facilitate comparisons, and to preserve uniformity, the form and arrangement of the tables have been continued unaltered. The same classification of the causes of death has been retained for the same reasons, and because it is considered preferable to any other. It is used in England, in Massachusetts, and has received the approval of the most eminent medical men in Europe.

POPULATION.

The results of the 8th United States Census not yet having been published, the Hon. Jos. C. G. KENNEDY, Superintendent of the Census Bureau, has kindly furnished some facts needed in preparing this report. The aggregage of the population was given on page 93 of last year's Report, but as it is found to be somewhat incorrect, it is here given as received from the Census Bureau.

POPULATION OF VERMONT,

According to the Eighth Census, 1860.

Counties.	Population.	Absolute Gain.	Absolute Loss.	Per Cent. Gain.	Per Cent. Loss.
Addison,	24.010	....	2539	....	9.53
Bennington,	19.436	847	....	4.59	....
Caledonia,	21.708	....	1887	....	2.39
Chittenden,	28.171	....	865	....	2.94
Essex,	5.786	1136	....	24.43	....
Franklin,	27.231	....	1355	....	4.74
Grand Isle,	4.276	131	....	3.11	....
Lamoille,	12.311	1439	....	13.23	....
Orange,	25.455	3374	1841	....	6.74
Orleans,	18.981	2887	....	20.84	....
Rutland,	35.946	2956	....	8.03	....
Washington,	27.610	....	....	11.95	....
Windham,	26.982	....	2080	....	7.16
Windsor,	37.193	....	1127	....	2.94
State,	315.096	976	....	0.31	....

From this it will be seen that the aggregate of the population of the State has increased only by the small amount of 976, or 0.31 per cent. But the actual *change* of population in the different sections of the State has been considerable. One half of the Counties have increased in numbers, while one half have diminished.—In one County, Orleans, every town has added to its population. In one County, Orange, every town has lost in numbers. In the whole State 138 towns have decreased, and 103 have increased.—The greatest absolute gain in any town has been in Rutland, being 3852.

The following table will show the relative gain and loss of some of the more important towns, as well as of those in which the change has been the greatest:

Towns,	Gain Per Cent. upon its population of 1050.	Towns.	Gain Per Cent. upon its population of 1850.
Averill,	71.	Lowell,	28.
Alburgh,	14.	Manchester,	5.28
Albany,	16.	Morristown,	21.5
Bennington,	12.	Montpelier,	4.35
Burlington,	1.82	Newark,	30.6
Brighton,	389.63	Newport,	59.
Brunswick,	78.	Northfield,	48.15
Belvidere,	43.	Richford,	24.6
Barton,	61.	Rutland,	103.96
Brandon,	8.5	Rockingham,	2.4
Brattleboro,	1.02	Searsburgh,	30.
Colchester,	18.	St. Albans,	1.99
Charleston,	15.	St. Johnsbury,	25.79
Craftsbury	15.	Stowe,	15.
Chester,	6.	Salem,	32.
Derby,	9.	Stratton,	26.
East Haven,	43.7	Springfield,	6.
Eden,	36.	Troy,	23.
Fair Haven,	52.77	Wolcott,	26.6
Hyde Park,	27.	Walden,	21.
Hartford,	11.	Woodstock,	0.6
Irasburgh,	9.	Westfield,	23.
Johnson,	10.5	Westmore,	112.
Jay,	28.		

Towns.	Loss Per Cent. of its population in 1850.	Towns.	Loss Per Cent. of its population of 1850.
Addison,	22.	Putney,	17.6
Chelsea,	11.	Pomfret,	11.
Corinth,	17.	Ryegate,	30.6
Castleton,	5.43	Roylton,	6.
Drummerstown,	61.	Shoreham,	16.16
Hartland,	15.	Somerset,	67.
Middlebury,	18.	Swanton,	2.
Middletown,	18.	Vergennes,	6.7
New Haven,	14.	West Haven,	19.
Newbury,	17.	Waterbury,	7.
Norwich,	11.	Westminster,	24.
Pawlet,	11.	West Windsor,	7.7
Pittsford,	10.	Windsor,	13.
Poultney,	2.19		

In respect to *Age*, there has been some change in the population, being a considerable increase of the aged, and a diminution of the young. The percentages of the population at the ages specified, were :—

	In 1850.	In 1860.
Under 15 years	36.66	33.80
Between 15 and 50,	50.25	49.46
Over 50,	14.09	16.74
Under 1,	2.10	2.16
1 to 5,	9.89	9.69
5 to 10,	12.15	11.20
10 to 15,	11.52	10.75
15 to 20,	10,93	10.70
20 to 30,	16.95	16.54
30 to 40,	12.46	12.22
40 to 50,	9.91	10.00
50 to 60,	6.73	7.91
60 to 70,	4.26	5.38
70 to 80,	2.26	2.59
80 to 90,	.76	.85
Over 90,	8	.11
	100.00	100.00

The greatest loss has occurred among those between the ages of 20 and 30, while the greatest gain has been among those between 60 and 70. Young adults, and the middle aged with their families of children, have emigrated from the State, leaving the aged. Not only has this loss and gain been relative, it has also been absolute. The actual increase of persons over 70 years of age is more than the whole increase of population in the State. Hence, while the unproductive portion has increased, the active producing portion has very much diminished. This is still more evident when sex is taken into account.

The ratio of sexes has changed. There were

	Males.	Females.
In 1850,	160.033	154.087
In 1860,	158.784	156.312
Decrease of Males,	1.246	
Increase of Females,		2.225

Until this time, the males have increased more rapidly than the females. The census tables did not make the distinction between the sexes until 1820. Since then, the numbers have been—

	Males.	Females.	Excess of Males.	Excess of Females.
1820,	117.747	118.001		253
1830,	140.422	140.230	192	...
1840,	146,742	145.206	1.536	...
1850,	160.033	154.087	5.946	...
1860,	158.784	156.312	2.472	...

In all the other New England States, except Maine, there is a considerable excess of females. It will be seen that Vermont, having differed widely, is now approaching a resemblance in this respect. In the point of view most important for the Statesman and political economist, we see the changes in population are decidedly unfavorable. The self-supporting and wealth-producing part of community is decreasing, while those that must be maintained by others, or live upon the accumulation of earlier life, are greatly increasing. Still more apparent does this become, when age and sex are both considered. The males, between the ages of 20 and 50 years, have decreased 2,110, being 63,233 in 1850, and only 61,123 in 1860. On the other hand, the females, between those ages, have increased 1,692, being 59,279 in 1850, and 60,971 in 1860.

Emigration is the great cause of these changes in our population. The young, the healthy, the enterprising, the males, in a word, the producers, go from us, leaving the aged, the infirm, the females, the non-producers. In this way we are really degenerating.

The true normal increase of population is from the excess of births over deaths. This excess, remarkably uniform for the three previous years, was somewhat less during 1860. The numbers for the four years, are as follows :—

1857,	Excess of	births	over deaths,	2900
1858,	"	"	"	2896
1859,	"	"	"	2883
1860,	"	"	"	2554

The average excess annually has been about 2800. If, as is probably the fact, the excess has been about the same during each

of the past ten years, our population should have been over 340,000 in 1860, or 25,000 more than shown by the census. Now, what we should have gained, had we been unaffected by migration, it is fair to place to its account. We have, therefore, actually lost by emigration, during the past ten years, over 25,000 and these from the very best of our population, a large share being working men, between thirty and fifty years of age.

BIRTHS.

The number of birthe returned for 1860, was less than during either of the two previous years. Only 6451 were registered, whereas, in 1859, there were 6608 returned, and in 1858, there were 6477. The birth-rate for 1860, was a trifle over two per cent., or one in forty-nine of the population. The mean birth-rate for the four years has been 2.06 per cent. per annum, or two births among 97 persons. It is probable that not many more than three-fourths of the births have been reported, certainly not over four-fifths.

Sex.—The births of 3255 boys and of 3186 girls, were registered: so that to every 1000 girls, 1022 boys were born. The ratio in the whole United States is 1000 girls to 1066 boys; in England, in 1858, it was 1000 girls to 1045 boys; the general ratio of Europe, covering over one hundred million births, was 1000 girls to 1073 boys. The mean ratio for the four years, 1857 to 1860, in this State, stands, 1000 girls to 1050 boys.

It will be seen by the table, page 18, that several of the Counties gave an excess of female births.

Mr. Quetelet has recently called the attention of Statists to the necessity of attending to the laws by which the fluctuations in the ratios of males and females born, are governed. The questions are interesting, but perhaps in our present state of knowledge, somewhat speculative. It was seen, while treating of population, page 92, that the adult male population was rapidly diminishing; here we find that the supply of males from births is falling below the common standard, another evidence of deterioration.

Season.—From the table of births, by months, page 20, we

learn that the greatest number occurred in August, which corresponds to the rule in Massachusetts and Rhode Island. The least number were born in February. In the year 1859, and also the aggregate for the four years, the greatest number of births were in October, and the least number in January.

The following table gives the actual number, and the percentages of births during each month, for the year 1860, together with the aggregates of the same for the four years, 1857 to 1860 :—

Months.	Births, 1860.	Percentage, 1860.	Births, 1857-60.	Percentage, 1857-60
January,	430	6.73	1742	6.81
February,	470	7.36	1829	7.15
March,	564	8.84	2137	8.36
First quarter,	1464	22.93	5708	22.32
April,	549	8.61	2109	8.25
May,	501	7.80	2171	8.11
June,	513	8.04	2084	8.49
Second quarter,	1563	24.45	6354	24.85
July,	555	8.69	2211	8.65
August,	596	9.34	2269	8.87
September,	582	9.12	2268	8.87
Third quarter,	1733	27.05	6748	26.39
October,	550	8.62	3373	9.34
November,	518	8.12	2138	8.30
December,	557	8.73	2261	8.84
Fourth quarter,	1625	25.47	6771	26.44

The greatest number of births in 1860, occurred in the third quarter, and the least in the first quarter. This is also the fact in Massachusetts, but in England the reverse is the case, the greatest number take place in the first quarter, the least in the third.

Plurality Births. — The 6451 children born were the fruit of 6382 women. 6307 women had each one living child, 69 women had each two living children, six had each one living and one still

child, five women had each two still children. About one in every 93 child-bearing women produced twins, both living, and one in 84 produced twins, one or both living. The ratio of the sexes of the twins is as 1028 boys to 1000 girls. The greatest number of living twins were born in April.

Illegitimates.—Sixty-two living children are reported to have been born out of wedlock. One in 104 of the children born was illegitimate, one in 103 of the mothers being out of wedlock. There were twenty-five males and 36 females, in the ratio of 700 boys to 1000 girls. The greatest number were born in March, the least in June.

Still-born.—"Probably more still-births than any other class of registry items escape registration. It is, however, often of much judicial importance that these cases should be fully recorded. Although not so valuable as many other facts, for statistical purposes. they yet have their use, which should by no means be overlooked, The still-born should not be classed with the births, as they add no unit to living beings; nor should they be *classed* with the deaths, as they detract no unit from self-existent life. Never having had a separate independent existence, they form an exception to other registration facts, and should be classed by themselves, but so arranged as to admit of ready union or comparison with other facts when desired."—17*th Mass. Reg. Rept. p.* 18.

In accordance with this principle, they are not included in any of the tables, except in table VII, page 75, in which they can produce no error, since that is designed to exhibit certain facts in regard to individual causes of death, no summing up being made, and hence no general inference drawn. For convenience the still-births should be *recorded and returned* among the deaths.

The following were the numbers returned from the several Counties, for the year 1860 :—

Addison,	9	Lamoille,	13
Bennington,	6	Orange,	12
Caledonia,	9	Orleans,	3
Chittenden,	7	Rutland,	19
Essex,	3	Washington,	15
Franklin,	13	Windham,	17
Grand Isle,	0	Windsor,	18

There were 144 still-births registered during the year in the State; 74 males, 50 females, and 20 cases in which the sex was not recorded. During the four years, 1857 to 1860, there have been 512 still-births reported, being about one for 57 children born alive. The ratio of the sexes is 741 males to 1000 females. At very early ages, the deaths of males preponderate, the nearer to the period of birth the greater the excess of male deaths. It would seem that in premundane existence, the relative power of vitality of the male sex is still less.

It is very desirable that more attention should be given to this class of cases. If the child shows decided evidence of life after birth, it should be recorded among the births. And if it dies, even immediately afterwards, it should be recorded, also, among the deaths, the duration of life being specified.

Parentage.—In the first table, the general abstract, the births are arranged according to the nativity of the father; if the father was born in the United States, the child is classed as of American parentage, whether the mother was American or foreign; if the father was not born in the United States, the child is classed as foreign; if the nativity of the father was not given, the child is classed among the unknown, even if the mother's nativity was given.

In table II, page 21, the parentage is given more definitely, those only being called American, whose father and mother were both born within the United States, and those only as foreign, whose father and mother were both born in some foreign country. Those whose father was of American birth and mother of foreign birth, are arranged by themselves, and those whose father was foreign, but the mother American, are classed together. When the birth-place of only one, or of neither of the parents was given, the children are placed among the unknown. Of those classed as unknown, the nativity of one of the parents was returned in 293 instances; 158 had American fathers, 13 had foreign fathers. It will be seen that the children with foreign fathers and American mothers, were much more numerous than those of American fathers and foreign mothers.

Discarding the progeny of the intermarriages, the birth-rate among

foreigners, was one in 27; foreigners being two and a half times as prolific as Americans. This calculation, however, is based upon the census of 1850, the nativities of the population in 1860 not having been received from the census bureau.

MARRIAGES.

During the year 1860, the number of marriages registered in this State, amounted to 2,779, being ten more than during the year previous. An improvement in the character of the returns is evident. The ages, nativity and social conditions of the parties are more frequently given, although many are yet imperfect in this respect.

Of the 4,358 persons who entered the state of wedlock, 2,971 entered for the first time; 503 had been previously married; concerning the remainder, it was not stated whether it was their first, or a subsequent marriage.

The marriages among native Americans were more numerous; an increase of 106 upon the previous year, while those among foreigners were a very little less.

There were 33 marriages in which both of the parties were under 20 years of age, and one only, in which both of the parties were over 70. In 148 instances, or about 7 per cent. of the marriages, the bride was older than the groom. The youngest person married was thirteen years of age, a girl, to a man aged 21. The youngest couple were, the groom 18 and the bride 14. Three other brides were only 14 years of age each, two of the grooms being each aged 19 and one 22. About 2.25 per cent. of the men and 33 per cent. of the women marry under twenty years of age. About 43 per cent. of the grooms and 71 per cent. of the brides were aged less than 25 years.

The greatest number of marriages took place in November, and the least in June. By far the greatest number of weddings occur during the cold months, from the first of September till the first of April.

DIVORCES.

Through the kindness of the Clerks of the Court in the several Counties, some facts have been obtained in regard to the divorces granted in this State during the year 1860. It appears that 95 bills of divorcement and one petition of nullity were granted. The causes were,—

Willful desertion,	58	cases.	
Adultery,	14	"	
Intolerable severity,	13	"	
Husband in State's Prison,	2	"	
Gross and cruel neglect,	1	"	
Adultery and desertion,	2	"	
Desertion and Severity,	2	"	
Adultery, desertion and severity,	1	"	
Adultery and severity,	1	"	
Marriage against will,	1	"	Marriage null.
	95		

Of these, 73 couple were married in this State, 15 in other States, the place of marriage not being given in seven cases.

The divorce was obtained by the husband in 34 instances, and by the wife in 61.

Of the 14 cases of adultery, the man was guilty five times, and the woman nine times. In each, the cases of adultery and desertion, the woman was guilty. In the case of adultery and severity, the man was the criminal. In the case of adultery, desertion and severity, the woman was the aggressor.

In the case of petition for nullity, the persons had been married but four months. The connubial life of those divorced ranged from two to thirty-six years. Nearly one quarter had been married about four or five years, but the average duration was eleven and five-eights years.

The greatest number of divorces were granted in Windsor Co., being 14; the least in Grand Isle County, only one.

DEATHS.

The deaths of 3,897 persons were registered during the year 1860. This exceeds the number registered in 1859 by 172.—Whether this excess is due to a greater mortality for the year, or to more full registration, it is impossible to say. It is probable, however, that it is owing to more complete returns, since the returns are improving evidently each year, although they are yet far from what they should be. The death-rate, as returned, is one in eighty or 1.24 per cent. of the population. The mean annual death-rate in England is 1.98 per cent. for the rural districts, and 2.55 for the districts comprising the chief towns. If three-quarters of the actual number of deaths are reported, the death-rate would be 1.65 per cent., or one death among 61 persons. The daily mortality, as shown by the returns, is about eleven, but it is probable that, upon an average, as many as fifteen or sixteen die each day of the year in this State.

Age.—Excluding 88 whose ages were not reported, there were 3,809 whose ages were specified.

The per centages of deaths, and of the living at those ages to the whole population were as follows:

Ages.	Per cent. of Deaths.	Per cent. of Living.
Under 1 year	13.60	2.16
Between 1 and 5	12.05	9.69
" 5 " 15	8.01	21.95
" 15 " 50	28.48	49.46
Over 50	37.86	16.74

Average Age.—As given by the returns, the average age of those dying in the State during the year 1860, was 35.44 years, being a little less than that of any previous year, but still much above the probable truth, owing to the fact, that many deaths of young children undoubtedly escape registration. The average age for the four years was 36.66.

Deaths at Advanced Ages. — Twenty-three persons are regis-

tered as having died at the age of 95 years and over. The oldest persons were :—

Town.	Name.	Age.	Died.	Born.
Richmond,	Bellna Squiers,	100 yrs. 3 ms. 11 days	July 14.	Rehobette,
Hardwick,	Sarah Philbrick,	100 " " 21 "	Aug. 21.	
Calais.	Zeruah Hartshorn,	100 " 11 21 "	Jan. 18.	Massachusetts.
Bethel,	Betsy Martin,	103 "	Aug. 12.	
Corinth,	Sarah Davis,	105 "	July 18.	

Sex.—Only sixteen persons died whose sex was not reported.—Of the remainder, 1,889 were males, and 1,992 were females, an excess of 103 females. The per centage of deaths among males was 1.19, among females, 1.27. At the different ages the percentages vary, as will be seen from the following table, in which are given the numbers dying at each of the ages specified in 100 persons living at those ages.

Ages.	Deaths.		Living.		Percentage of Deaths.	
	Male.	Female.	Male.	Female.	Male.	Female.
Under 1.....	276	230	3342	3467	8.26	6.63
Between 1 and 5...	246	212	15422	15054	1.59	1.41
" 5 " 15..	153	152	35053	33916	.41	.39
" 15 " 20..	82	126	17132	16526	.48	.76
" 20 " 30..	181	237	25853	26239	.62	.98
" 30 " 40..	100	149	19230	19261	.52	.77
" 40 " 50..	99	131	16034	15470	.59	.84
" 50 " 60..	143	134	12333	12275	1.16	.09
" 60 " 70..	100	170	8761	8302	2.17	2.12
" 70 " 80..	213	198	3985	4169	5.35	4.75
" 80 " 90..	143	158	1297	1385	11.02	11.41
Over 90.....	42	45	153	190	27.48	23.78
All ages,.....	1848	1948	160007	154075	1.19	1.27

It will be seen from the above that the male mortality preponderates at the ages less than 15 years. From that to 50, the female mortality is greatest, the excess being largest, between 20 and 30. After 50, males die in greater proportions than females, except a slight excess of female mortality between the ages of 80 and 90. The excess of female mortality, during the development of womanhood, and through the procreative and climacteric periods, is more than sufficient to balance the excess of male mortality at the two

extremes of life, thus giving for the whole, an excess of female mortality.

In the Counties of Addison, Chittenden, Orleans and Windham, the male mortality preponderates.

Nativity.—The children of foreigners being registered as Americans, if born in this country, prevents our obtaining any valuable information in regard to the pressure of the death force upon the races. The parentage as well as the nativity of those dying, should be registered, certainly if under 15 years of age, since children are subject to the social, educational and sanatary relations and conditions of their parents. As these conditions are quite different among native Americans and foreigners, as a general thing, they may be presumed to affect their lives, as well as their health and circumstances, varying the rate of mortality among them. But unless the parentage is given, the amount of influence of these conditions cannot be determined.

The registered number of deaths of Americans amounted to 3282, and those of foreigners to 175.

Season.—It is to be regretted that we have no full meteorological records, that the exact character of the seasons in our State might be more definitely known. Although in the middle of the temperate zone, the temperature of our State is subject to great vicissitudes. In the shade, the thermometer ranges from forty degrees below zero, to one hundred above. It is seldom, however, it falls below thirty degrees below zero, or rises above ninety-six degrees above. The mean annual temperature is probably about forty-four degrees above zero. January is the coldest month, the mean annual temperature being not far from twenty degrees above zero. July, the warmest month, has a mean temperature of about sixty-nine degrees. The mean for the winter, December, January and February, is generally about twenty-two degrees above zero; that of Spring, March, April and May, about forty-two; of Summer, June, July and August, about sixty-seven; of the Autumn, September, October and November, about forty-seven degrees.

The State being traversed from North to South by the range of

the Green Mountains, East and West winds are rare. We have no regular alternations of long, dry or wet seasons, but the fair and cloudy or rainy days are variously interspersed, the fair largely predominating.

The following table will show the numbers of deaths that were registered during each month of the year, together with the aggregate for the four years, and the percentages of each :—

	1860.				1857–60.	
Months.	Whole No.	Males.	Females	Per. Cent.	Whole No.	Per Cent.
January,	292	146	145	7.67	1044	7.25
February,	306	151	153	8.01	1101	7 64
March,	395	196	199	10.35	1360	9.46
First quarter,	993	493	497	26.03	3505	24.35
April,	299	121	178	7.83	1186	8.22
May,	290	137	153	7.88	1161	8.05
June,	277	142	132	7.58	1018	7.07
Second quarter,	866	400	463	23.29	3365	23.34
July,	295	149	144	7.73	1135	7.89
August,	381	192	188	9.98	1327	9.20
September,	357	179	175	9.33	1356	9.40
Third quarter,	1033	520	507	27.04	3818	26.49
October,	319	141	177	8.35	1274	8.83
November,	273	132	141	7.15	1238	8.58
December,	332	165	166	8.70	1214	8.42
Fourth quarter,	924	438	484	24.20	3726	25.83
Total,	3816	1851	1954	100.56	14414	100.01

The numbers for the year 1860, as well as the mean of the four years, made March the most fatal month. November was the least fatal, but the mean of the four years, shows June to be the least so. Some years the mortality is greatest in September, and least in Jan-

uary. When this is the case, March and June usually stand respectively second. The death-force regularly increases from its first minimum in January, to its first maximum in March, then decreases to its second minimum in June, increasing again to its second maximum in September, then decreasing to the minimum in January of the next year. Of course the times of greater and less intensity of the death-force may be hastened or retarded somewhat in different years, but usually the increase and decrease are about as stated, seeming to pass through the year in more or less regular waves.

Localities. — On account of the obvious difference in the care with which the returns have been made, no fair and just deductions can be made as to the mortality of different sections, as compared with each other, and as exhibiting the healthfulness of each section.

CAUSES OF DEATH.

The causes of death will be found alphabetically arranged in Table VII, page 66. That table shows the number of each sex dying in each month, at the several ages, from each of the various causes specified. In the next table, VIII, page 77, the causes of death are classified, showing the number who died from each disease, and each class of diseases, in each County, and in the whole State, together with the ratio, which the whole number, dying from each cause or class of causes, bears to the whole number of Specified Causes.

Of the 3,897 deaths registered, 3,653 or 93.74 per cent. had causes assigned. This is a somewhat less ratio than in 1859, but greater than in the two previous years. In point of fatality, some of the principal diseases stood as follows:

Consumption,	21.27	per cent.	Diseases of the Heart,	4.11	per cent.
Typhoid fever,	6.26	"	Scarletina,	3.50	"
Diptheria,	5.83	"	Paralysis,	2.63	"
Pneumonia,	5.01	"	Dropsy,	2.49	"
Croup,	2.14	"	Cancer,	2.33	"
Dysentery,	2.08	"			

I. ZYMOTICS.—933 deaths took place from diseases belonging to this class. This is 25.54 per cent. of the specified causes, or at the rate of about 30 in 10,000 of the living population, somewhat less than during the year 1859. Since these diseases depend in great measure upon atmospheric influences, and are a tolerably fair index of the year, the inference is, that 1860 was a little less unhealthy than 1858, supposing the errors of registration to be about the same in each year.

The following table shows the number dying from Zymotic diseases out of 10,000 persons living, during the year 1859 and 1860, in each county:

	1859.	1860.
Addison,	26	27
Bennington,	35	38
Caledonia,	22	29
Chittenden,	32	26
Essex,	8	9
Franklin,	22	25
Grand Isle,	12	21
Lamoille,	21	21
Orange,	39	32
Orleans,	23	29
Rutland,	36	32
Washington,	32	41
Windham,	44	35
Windsor,	31	27
Whole State,	30.48	29.61

Typhoid Fever, with which may be included *typhus fever*, since the distinction is not often made, and probably those recorded by the latter name, were really cases of typhus fever, prevailed to about the same extent as in 1859. There were 228 cases returned, 118 males and 89 females, in the ratio of 5 males to 4 females.—They occurred mainly in the Autumn, from August to December, and among those between fifteen and thirty years of age. The duration of the sickness was given in 24 cases, the shortest being seven days, the longest forty-nine, the average a little over twenty-two days. All these deaths may fairly be considered unnecessary, as they have their efficient causes in circumstances really controll-

able, such as imperfect and foul drains, the accumulation of decaying animal and vegetable matter around houses, &c. For every death, there were at least twenty cases of sickness with recovery. The duration of the cases of recovery is usually much longer, the average being at least four weeks.

Now to look at this in a mere pecuniary point of view, neglecting entirely the physical suffering of the sick, the anxiety, care and labor of friends, how great is the loss in money. Sixty-seven men, during the productive, wealth-producing age, of from 15 to 50, died from this cause. These were sick upon an average, a little over three weeks each, — 201 weeks in all. During the harvesting season, when most of this sickness takes place, their labor is worth a dollar a day, in all 2532 dollars. The attendance, the medical services, &c., cost an equal sum, making $5064. Each of those who recovered cost an equal sum, amounting to $101.280. This comprises less than one-third of those sick and dying from typhoid fevers. If we suppose the remainder, the aged, the women and the children, in all more than twice as many as are included in the above calculation, cost only the same sum, we have over $200,000 expenditure annually in this State upon an entirely unnecessary disease.

Diptheria was the next most fatal disease of this class. This disease, formerly prevailing and known under the names of "Throat Distemper," "Putrid or Malignant Sore Throat," &c., has not been noticed in this country, until within the last three or four years.— In 1857 a few cases were reported, in this State, of "death from disease of throat," which possibly might have been of this nature. The term was first used about forty years ago, in France, where the disease has prevailed more or less extensively ever since. It was first observed in England in 1856, and in this country in 1857, except, perhaps, a few cases, which are reported to have occurred in California in 1856. The word signifies "leather," in the Greek language, from which it is derived, and was applied to the disease from the fact that it is characterized by the formation of a more or

less tough membrane, usually in the throat. In 1858 there were fourteen deaths registered from this disease; in 1859 there were 71 cases, and in 1860, the number increased to 212, more than one-twentieth, or 5.83 per cent. of all the deaths. Females seem to suffer a very little the most from it. It is a disease of youth, but not confined to early childhood. A little more than one-third of the subjects of it were under five years of age; nearly one-third were between five and ten; while about one-sixth were between ten and fifteen. Three were registered between sixty and seventy, and one over eighty. It almost regularly increased in frequency from its first appearance, showing, so far, no respect for season. It the town of Warren 16 out of the 26 deaths occurring during the year, were attributed to this cause. In Granville, 6 out of eight cases. In Hancock, every case of death registered was diptheria. The duration of the disease was reported in only 29 cases; the shortest was four days, the longest twenty-one days; the average eight days and a quarter.

Scarlatina stands next on the list of the more fatal diseases in the first class. Many cases of Diptheria resemble the anginose variety of scarlatina, even to the presence of a rash, so that some cases of the former may be returned as scarlatina, and perhaps some cases of the latter may be reported among the former. There were not as many cases of scarlatina returned for 1860 as during either 1858 or 1859, only 123 against 275 and 263 of the previous years. It prevailed most in Orleans and Windham Counties, and during the early part of the year. The ratio of the sexes was about as four males to 3 females.

Croup was somewhat more destructive than during any previous year. This disease is even more closely allied to diptheria than scarlatina is, although between it and scarlatina there is very little resemblance. It is characterized by the formation of a false membrane, but in this disease it lines the trachea, instead of the fauces and tonsils, as in diptheria. The false membrane is not subject to putrefaction, like that of diptheria, and hence it has not that offen-

sive odor. In diptheria the false membrane sometimes crowds down the trachea, thus putting on the sensible characters of croup, hence some of the deaths returned as caused by this latter disease may have been the former. If so, this will account for the increase in the number of cases registered as croup. The duration was noted in only five of the cases, the shortest being eighteen hours, the longest six days, the average a little over three days. Nearly all were under five years of age.

The diseases of warm weather, *cholera morbus*, *cholera infantum*, *diarrhœa* and *dysentery*, claimed nearly the same number as in 1859. Of these, the duration was reported in only seven cases of dysentery, the shortest four days, the longest twenty days, average eleven and a half days.

Erysipelas was returned as the cause of 42 deaths; during the two preceding years the number was 40.

Whooping-Cough has declined, the number dying in 1859 being 57, in 1860 it was 24.

Measles has not been the cause of many deaths, during either of the four years, the number being for 1857–8–9 and '60 respectively 13, 17, 29 and 12. One quarter of all the deaths from this disease were in Rutland County.

In 1857 there were 26 deaths registered from *Influenza*; during the next three years, only 13 were returned from this cause, eight belonging to 1860.

II. Constitutional Diseases.—Of the deaths from Specified Causes, 29.78 per cent. were from diseases belonging to this class, at the rate of about thirty-five in 10.000 of the population. This is a slight increase upon previous years, the difference, however, being so small as not to warrant any inferences as to change in the vital stamina of the community.

The numbers of those dying from the principal diseases in this class, are about the same as last year. Among the aged, *Dropsy* showed the same number as in the year 1859, being 91 for each

year. *Cancer* was the registered cause of 85 deaths, two less than the previous year.

Consumption, occurring principally among young adults, is the most fatal of any disease. More than one-fifth, 21.27 per cent., of all the deaths from specified causes, were attributed to this disease. Excluding the deaths of those under five years of age, and consumption claims over one-quarter of all the remaining. Undoubtedly many of the deaths returned as from consumption, are really due to other causes.

Scrofula and *Hydrocephalus*, diseases chiefly of the young, were returned in about the same numbers as during the previous year.

III. Local Diseases.—Among the diseases of the nervous system, *Apoplexy*, confined almost exclusively to the aged, was the recorded cause of rather more deaths than during the previous year. This year females furnished the largest number of victims. *Paralysis*, likewise a disease of the aged, was most fatal among females. The duration, given in 19 instances, varied from two days to seventeen years. *Epilepsy*, a disease of middle age, varied in duration from three and a half to fifteen years, the last fit ranging from twenty-four to sixty hours.

Diseases of the Heart, were more prevalent than during previous years. Occurring at all ages, they were much the most frequent among the aged. The duration of the few cases, in which this was recorded, varied from six months to eight years.

Among diseases of the organs of respiration, *Pneumonia* was the most fatal, standing fourth, in the list of all causes, counting 183 victims. This is a disease most fatal at two extremes of life; rather more than one third of the deaths were of children under five years of age; a still larger proportion being of persons over 50. There seems to be in the four years but little difference in the numbers of those dying of the different sexes; the numbers among females have, however, been quite uniform in the several years, varying only five, being for 1857–8–9–60, respectively 85,

82, 80, 83; while the numbers among males varied more than 20, being respectively 78, 87, 78, 99. The disease was much the most prevalent during the first four months of the year. The duration was given in 16 cases, ranging from five to twenty-eight days, average about twelve days and one-third. *Bronchitis* was the registered cause of only fifteen deaths. In England the deaths from bronchitis exceed those from pneumonia.

Enteritis, Disease of the Liver, and Gastritis, were the most prominent among the diseases of the digestive organs, the numbers being nearly the same as during the previous years.

IV. Developmental Diseases.—The numbers of those dying from diseases in this class do not vary essentially from those of previous years. The deaths attributed to *Old Age*, were about one for every 1300 of the living population.

V. Violent Deaths.—The number returned in this class was the same as in 1857, but somewhat more than for either the intervening years, being 146, or 4 per cent. of the deaths, one in 2158 persons living.

More than one-half of the *Burns and Scalds* were of children under five, all of the scalds being under that age. Several of the *burns* were specified as from the clothes taking fire, in one case by matches lighted by the child himself, a boy aged two years.—The *fractures* were principally of the hip, two or three only of the skull. The *gun shot* was the accidental discharge of a pistol in his own hands, a boy between 15 and 20.

The cases of *poisoning* particularly noticed were, one by using red precipitate for itch, duration 12 days; one by eating stramonium seeds; one by morphine; one by three ounces of Laudanum, person aged 58; one by eating matches, a child aged three years.

The cases classed under "*Homicide*" were returned, one as "hurried to death by his wife;" one, "stone from the hand of an Irishman;" one "I guess want of care," a child five days old; one, "neglect of parents," a child aged 21 days; one, "supposed

to be starvation and neglect," a child two months and five days old; the other, "doubtful, probably neglect," a child five months and five days old.

Of the *Suicides* by *poison*, one was by sixty grains of morphine; the other by strychnine, the duration five minutes.

APPENDIX.

CLASSIFICATION OF DISEASES.

The following classification of the Causes of Death has been adopted for the Vermont Registration Reports, in order that they may conform as nearly as possible with those of other countries, thereby securing to them much greater value for the comparison of facts both at home and abroad. It is that recommended by William Farr, Esq., M. D., of England, with the sanction and approval of the most eminent medical men of Europe, and adopted in Massachusetts, and will probably be used by many other States, as well as upon the European continent.

CLASSES.

I.—ZYMOTIC DISEASES:—*Zymotic*, (*Zume*, leaven.)

Diseases that are either epidemic, endemic, or contagious; induced by some specific body, by want of proper nourishment, or by the bad quality of food.

II. CONSTITUTIONAL DISEASES:—*Cachetici.* (*Kachexia*, bad habit of body.)

Sporadic diseases; affecting several organs in which new morbid products are often deposited; sometimes hereditary.

III.—LOCAL DISEASES:—*Monorganici.* (*Monos*, alone, without others; *Organon*, organ.)

Sporadic diseases in which the functions of particular organs or systems are disturbed or obliterated, with or without *inflammation*; sometimes hereditary.

IV.—DEVELOPMENTAL DISEASES:—*Metamorphici.* (*Metamorphosis*, change of form.)

Special diseases, the incidental result of the formative, reproductive, and nutritive processes.

V.—VIOLENT DISEASES OR DEATHS:—*Thanatici.* (*Thanatoi* violent deaths.)

Diseases which are the evident and direct results of physical or chemical forces, acting either by the will of the sufferer, of other persons, or accidentally.

ORDERS.

Class I.—Order 1. Miasmatic diseases :—Miasmatici. (*Miasma*, stain, defilement.)
2. Enthetic diseases :—Enthentici. (*Enthetos*, put in ; implanted.)
3. Dietic diseases :—Dietici. (*Diaita*, way of life ; diet.)
4. Parasitic diseases :—Parasitici. (*Parasitos*, parasite.)

Class II.—Order 1. Diathetic diseases :—Diathetici. (*Diathesis*, condition ; diathesis.)
2 Tubercular diseases :—Phthisici. (*Phthisis*, wasting away.)

Class III.—Order 1. Brain diseases :—Cephalici. (*Kephale*, head.)
2. Heart diseases :—Cardiaci. (*Kardia*, heart.)
3. Lung diseases ;—Pneumonici. (*Pneumon*, lung.)
4. Bowel diseases :—Enterici. (*Enteron*, intestine.)
5. Kidney diseases :—Nephritici. (*Nephros*, kidney.)
6. Gennetic diseases :—Aidoici. *Aidoia*, pudenda.)
7. Bone and Muscle diseases :—Myostici. (*Mus*, muscle ; *Osteon*, bone.)
8. Skin diseases :—(Chrotici. (*Chros*, skin.)

Class IV.—Order 1. Developmental diseases of children :—Paidiaci. (*Paidia*, youth.)
2. Developmental diseases of women :—Gyniaci. (*Gune*, woman.)
3. Developmental diseases of old people :—Geratici. (*Geras*, old age.)
4. Diseases of nutrition :—Atrophici. (*Atrophia*, atrophy.)

Class V.—Order 1. Accident :—Tychici. (*Tuchu*, chance.)
2. Battle :—Polemici. (*Polemos*, battle, fight)
3. Homicide :—Androphonici. (*Aner*, man ; *Phoneuo*, I kill.)
4. Suicide :—Autophonici. (*Autos*, self ; *Phoneuo*, I kill.)
5. Execution :—Demiotici. (*Demiotes*, executioner.)

LAW OF THIS STATE RELATING TO THE REGISTRY AND RETURNS OF BIRTHS, MARRIAGES AND DEATHS.

AN ACT

Relating to the Registry and Returns of Births, Marriages and Deaths.

SEC. 1. The clerks of the several towns of this State shall annually, in the month of June, transmit to the Secretary of the State a certified copy of their record of births, marriages and deaths, which have occurred in their respective towns during the year next preceding the first day of January. The births shall be numbered and recorded in the order in which they are received by the clerk. The record of births shall state in separate columns the date of the birth, the name of the child, (if it have any,) the sex of the child, the place of birth, name and surname of one or both the parents, residence of the parents, occupation of the father, and the time when the record was made. The marriages shall be numbered and recorded in the order in which they are received by the clerk. The record of marriages shall state in separate columns the date and place of marriage, the name and surname of the groom and bride, the residence of each at the time of marriage, the age of each, occupation of the man, and time when the records was made. The deaths shall be numbered and recorded in the order in which they are received by the clerk. The record of deaths shall state in separate columns the date of the death, the name and surname of the deceased, the sex, condition, (whether married or single,) age in years, months and days, the place of death, the disease or apparent cause of death, the occupation if a male over fifteen years of age, the place of birth, the name of the parents, and the time when the record was made.

SEC. 2. The clerks in the several school districts in each town shall annually in the month of February ascertain from actual inquiry or otherwise all the births and deaths which have happened in their respective districts during the year next preceding the first day of January, together with such facts concerning said births and deaths as are required by the first section of this act, and shall make an accurate return thereof to the clerk of the town in which such school is situated, on or before the first day of March, and said district clerk or other person or persons authorized to perform his duties and make such returns, shall be entitled to receive from the treasury of such town five cents for each and every birth and death so returned. And every person aforesaid, who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than three dollars for each neglect or refusal.

SEC. 3. Every justice of the peace or minister shall make a record of

each marriage solemnized before him, together with all the facts relating to marriages, required by the first section of this act, and such justice or minister shall annually, in the month of February, or from time to time, return a copy of of the record for the year next preceding the first day of January, to the clerk of the town in which the marriage was solemnized, and every person aforesaid, who shall neglect or refuse to make the returns required by this section, shall be liable to a fine on of not less than ten dollars for each neglect or refusal.

SEC. 4. The clerk of each town shall be entitled to receive from the treasury of the town five cents for recording each birth, death and marriage, provided the clerk shall comply with the provisions of this act in all respects.

SEC. 5. It shall be the duty of the clerks of the several towns to make such distribution of the blank forms of returns, as shall be designated by the Secretary of State.

SEC. 6. The Secretary of State shall prepare and furnish to the clerks of the several towns in this State, blank forms of suitable quality and size, to be used as books of record, according to the provisions of this act, and also blank forms of returns, as herein before specified, and shall accompany the same with such instructions and explanations as may be necessary and useful.

SEC. 7. Every physician who shall attend any deceased person shall leave with the town clerk a certificate containing the name of the disease or cause, (if known,) of the said death, within fifteen days after the interment of the deceased. Any such medical attendant who shall neglect or refuse to give the certificate required by this section, shall, for such offence, pay a fine of three dollars for the use of the town where such offence shall be committed.

SEC. 8. It shall be the duty of the secretary of state to receive the returns made in pursuance of the first section of this act, and with such assistance as may be voluntarily rendered by any authorized committee appointed by the Vermont medical society for that purpose, prepare therefrom such tabular results as will render them of practical utility, and make a report thereof annually to the legislature, and generally shall shall do whatever may be required to carry into effect the provisions of this act.

SEC. 9. All Acts or sections of acts inconsistent with the provisions of this act are hereby repealed.

Approved November 17, 1856.